

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

Point source /CNOSSO (324)													Variant 0			
EQCN001	Label		O2				Action radius/m				3000.00					
	Group		3 m/s				Lw (Day (12h)) /dB(A)				97.82					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				97.82					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				97.82					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
	Day (12h)		Reference: Vestas V172 3 m/s ST													
	Day (12h)		Lw /dB (A)	97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7		
	Night (8h)		Reference: Vestas V172 3 m/s ST													
	Night (8h)		Lw /dB (A)	97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7		
	Evening (4h)		Reference: Vestas V172 3 m/s ST													
	Evening (4h)		Lw /dB (A)	97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7		
Rating method			Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
Lden			-		0.0		0.0		0.0		-		0.0			
Rating period / Period			Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
Day (12h)			12.00	Day	97.8		1.00		0.95750		-10.98		-11.0			
Evening (4h)			4.00	Evening	97.8		1.00		0.19480		-13.12		-13.1			
Night (8h)			8.00	Night	97.8		1.00		0.35530		-13.52		-13.5			
Geometry							Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
							Geometry:		655899.72		249092.09		279.27		175.00	
EQCN002	Label		O3				Action radius/m				3000.00					
	Group		3 m/s				Lw (Day (12h)) /dB(A)				97.82					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				97.82					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				97.82					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
	Day (12h)		Reference: Vestas V172 3 m/s ST													
	Day (12h)		Lw /dB (A)	97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7		
	Night (8h)		Reference: Vestas V172 3 m/s ST													
	Night (8h)		Lw /dB (A)	97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7		
	Evening (4h)		Reference: Vestas V172 3 m/s ST													
	Evening (4h)		Lw /dB (A)	97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7		
Rating method			Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
Lden			-		0.0		0.0		0.0		-		0.0			
Rating period / Period			Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
Day (12h)			12.00	Day	97.8		1.00		0.95750		-10.98		-11.0			
Evening (4h)			4.00	Evening	97.8		1.00		0.19480		-13.12		-13.1			
Night (8h)			8.00	Night	97.8		1.00		0.35530		-13.52		-13.5			
Geometry							Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
							Geometry:		656055.72		248760.81		279.00		175.00	
EQCN003	Label		O5				Action radius/m				3000.00					
	Group		3 m/s				Lw (Day (12h)) /dB(A)				97.82					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				97.82					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				97.82					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
	Day (12h)		Reference: Vestas V172 3 m/s ST													
	Day (12h)		Lw /dB (A)	97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7		
	Night (8h)		Reference: Vestas V172 3 m/s ST													
	Night (8h)		Lw /dB (A)	97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7		
	Evening (4h)		Reference: Vestas V172 3 m/s ST													
	Evening (4h)		Lw /dB (A)	97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7		
Rating method			Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
Lden			-		0.0		0.0		0.0		-		0.0			
Rating period / Period			Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
Day (12h)			12.00	Day	97.8		1.00		0.95750		-10.98		-11.0			
Evening (4h)			4.00	Evening	97.8		1.00		0.19480		-13.12		-13.1			
Night (8h)			8.00	Night	97.8		1.00		0.35530		-13.52		-13.5			
Geometry							Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
							Geometry:		656292.16		247880.94		279.00		175.00	
EQCN004	Label		O4				Action radius/m				3000.00					

Vēja parks "Prikulī" B alternatīva - Vestas V172 - 7.2 MW

Group		3 m/s				Lw (Day (12h)) /dB(A)				97.82					
Number of nodes		1				Lw (Night (8h)) /dB(A)				97.82					
Length/ m		----				Lw (Evening (4h)) /dB(A)				97.82					
Length/ m (2D)		----				Emission is				Sound power level (Lw)					
Area /m²		----													
Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
Day (12h)		Reference: Vestas V172 3 m/s ST													
Day (12h)		Lw /dB (A)		97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7	
				Night (8h)											
				Reference: Vestas V172 3 m/s ST											
Night (8h)		Lw /dB (A)		97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7	
				Evening (4h)											
				Reference: Vestas V172 3 m/s ST											
Evening (4h)		Lw /dB (A)		97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7	
				Rating method											
				Peak level											
Lden				-		0.0		0.0		0.0		-		0.0	
Rating period / Period		Duration /h		Emiss. variant		Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)		12.00		Day		97.8		1.00		0.95750		-10.98		-11.0	
Evening (4h)		4.00		Evening		97.8		1.00		0.19480		-13.12		-13.1	
Night (8h)		8.00		Night		97.8		1.00		0.35530		-13.52		-13.5	
Geometry						Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		655674.43		248309.07		278.00		175.00	
EQCN005		Label		DD1				Action radius/m						3000.00	
		Group		3 m/s				Lw (Day (12h)) /dB(A)						97.82	
		Number of nodes		1				Lw (Night (8h)) /dB(A)						97.82	
		Length/ m		----				Lw (Evening (4h)) /dB(A)						97.82	
		Length/ m (2D)		----				Emission is						Sound power level (Lw)	
		Area /m²		----											
Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
Day (12h)		Reference: Vestas V172 3 m/s ST													
Day (12h)		Lw /dB (A)		97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7	
				Night (8h)											
				Reference: Vestas V172 3 m/s ST											
Night (8h)		Lw /dB (A)		97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7	
				Evening (4h)											
				Reference: Vestas V172 3 m/s ST											
Evening (4h)		Lw /dB (A)		97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7	
				Rating method											
				Peak level											
Lden				-		0.0		0.0		0.0		-		0.0	
Rating period / Period		Duration /h		Emiss. variant		Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)		12.00		Day		97.8		1.00		0.95750		-10.98		-11.0	
Evening (4h)		4.00		Evening		97.8		1.00		0.19480		-13.12		-13.1	
Night (8h)		8.00		Night		97.8		1.00		0.35530		-13.52		-13.5	
Geometry						Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		656226.07		248421.71		278.00		175.00	
EQCN006		Label		DD3				Action radius/m						3000.00	
		Group		3 m/s				Lw (Day (12h)) /dB(A)						97.82	
		Number of nodes		1				Lw (Night (8h)) /dB(A)						97.82	
		Length/ m		----				Lw (Evening (4h)) /dB(A)						97.82	
		Length/ m (2D)		----				Emission is						Sound power level (Lw)	
		Area /m²		----											
Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
Day (12h)		Reference: Vestas V172 3 m/s ST													
Day (12h)		Lw /dB (A)		97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7	
				Night (8h)											
				Reference: Vestas V172 3 m/s ST											
Night (8h)		Lw /dB (A)		97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7	
				Evening (4h)											
				Reference: Vestas V172 3 m/s ST											
Evening (4h)		Lw /dB (A)		97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7	
				Rating method											
				Peak level											
Lden				-		0.0		0.0		0.0		-		0.0	
Rating period / Period		Duration /h		Emiss. variant		Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)		12.00		Day		97.8		1.00		0.95750		-10.98		-11.0	
Evening (4h)		4.00		Evening		97.8		1.00		0.19480		-13.12		-13.1	
Night (8h)		8.00		Night		97.8		1.00		0.35530		-13.52		-13.5	
Geometry						Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		656792.54		248209.39		279.20		175.00	
EQCN007		Label		O1.b				Action radius/m						3000.00	
		Group		3 m/s				Lw (Day (12h)) /dB(A)						97.82	
		Number of nodes		1				Lw (Night (8h)) /dB(A)						97.82	

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Length/ m	---					Lw (Evening (4h)) /dB(A)					97.82		
	Length/ m (2D)	---					Emission is					Sound power level (Lw)		
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 3 m/s ST											
	Day (12h)	Lw /dB (A)	97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7	
	Night (8h)	Emission	Reference: Vestas V172 3 m/s ST											
	Night (8h)	Lw /dB (A)	97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7	
	Evening (4h)	Emission	Reference: Vestas V172 3 m/s ST											
	Evening (4h)	Lw /dB (A)	97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden	-		0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	97.8		1.00		0.95750		-10.98		-11.0		
	Evening (4h)	4.00	Evening	97.8		1.00		0.19480		-13.12		-13.1		
	Night (8h)	8.00	Night	97.8		1.00		0.35530		-13.52		-13.5		
	Geometry			Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
				Geometry:		655628.52		247870.27		278.00		175.00		
EQCN008	Label	JV1		Action radius/m								3000.00		
	Group	3 m/s		Lw (Day (12h)) /dB(A)								97.82		
	Number of nodes	1		Lw (Night (8h)) /dB(A)								97.82		
	Length/ m	---		Lw (Evening (4h)) /dB(A)								97.82		
	Length/ m (2D)	---		Emission is								Sound power level (Lw)		
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 3 m/s ST											
	Day (12h)	Lw /dB (A)	97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7	
	Night (8h)	Emission	Reference: Vestas V172 3 m/s ST											
	Night (8h)	Lw /dB (A)	97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7	
	Evening (4h)	Emission	Reference: Vestas V172 3 m/s ST											
	Evening (4h)	Lw /dB (A)	97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden	-		0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	97.8		1.00		0.95750		-10.98		-11.0		
	Evening (4h)	4.00	Evening	97.8		1.00		0.19480		-13.12		-13.1		
	Night (8h)	8.00	Night	97.8		1.00		0.35530		-13.52		-13.5		
	Geometry			Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
				Geometry:		656086.43		247254.47		279.00		175.00		
EQCN009	Label	Pr12		Action radius/m								3000.00		
	Group	3 m/s		Lw (Day (12h)) /dB(A)								97.82		
	Number of nodes	1		Lw (Night (8h)) /dB(A)								97.82		
	Length/ m	---		Lw (Evening (4h)) /dB(A)								97.82		
	Length/ m (2D)	---		Emission is								Sound power level (Lw)		
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 3 m/s ST											
	Day (12h)	Lw /dB (A)	97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7	
	Night (8h)	Emission	Reference: Vestas V172 3 m/s ST											
	Night (8h)	Lw /dB (A)	97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7	
	Evening (4h)	Emission	Reference: Vestas V172 3 m/s ST											
	Evening (4h)	Lw /dB (A)	97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden	-		0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	97.8		1.00		0.95750		-10.98		-11.0		
	Evening (4h)	4.00	Evening	97.8		1.00		0.19480		-13.12		-13.1		
	Night (8h)	8.00	Night	97.8		1.00		0.35530		-13.52		-13.5		
	Geometry			Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
				Geometry:		659850.41		255599.51		281.00		175.00		
EQCN010	Label	O6		Action radius/m								3000.00		
	Group	3 m/s		Lw (Day (12h)) /dB(A)								97.82		
	Number of nodes	1		Lw (Night (8h)) /dB(A)								97.82		
	Length/ m	---		Lw (Evening (4h)) /dB(A)								97.82		
	Length/ m (2D)	---		Emission is								Sound power level (Lw)		

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

Area /m²		---												
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
Day (12h)		Reference: Vestas V172 3 m/s ST												
Day (12h)	Lw /dB (A)	97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7		
Night (8h)		Reference: Vestas V172 3 m/s ST												
Night (8h)	Lw /dB (A)	97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7		
Evening (4h)		Reference: Vestas V172 3 m/s ST												
Evening (4h)	Lw /dB (A)	97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7		
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
Lden				-		0.0		0.0		0.0		-		0.0
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
Day (12h)		12.00	Day	97.8		1.00		0.95750		-10.98		-11.0		
Evening (4h)		4.00	Evening	97.8		1.00		0.19480		-13.12		-13.1		
Night (8h)		8.00	Night	97.8		1.00		0.35530		-13.52		-13.5		
Geometry		Nr				x/m		y/m		z(abs) /m		! z(rel) /m		
		Geometry:				659724.06		256257.39		278.09		175.00		
EQCN011		Label		Pr11		Action radius/m						3000.00		
Group		3 m/s				Lw (Day (12h)) /dB(A)						97.82		
Number of nodes		1				Lw (Night (8h)) /dB(A)						97.82		
Length/ m		---				Lw (Evening (4h)) /dB(A)						97.82		
Length/ m (2D)		---				Emission is						Sound power level (Lw)		
Area /m²		---												
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
Day (12h)		Reference: Vestas V172 3 m/s ST												
Day (12h)	Lw /dB (A)	97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7		
Night (8h)		Reference: Vestas V172 3 m/s ST												
Night (8h)	Lw /dB (A)	97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7		
Evening (4h)		Reference: Vestas V172 3 m/s ST												
Evening (4h)	Lw /dB (A)	97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7		
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
Lden				-		0.0		0.0		0.0		-		0.0
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
Day (12h)		12.00	Day	97.8		1.00		0.95750		-10.98		-11.0		
Evening (4h)		4.00	Evening	97.8		1.00		0.19480		-13.12		-13.1		
Night (8h)		8.00	Night	97.8		1.00		0.35530		-13.52		-13.5		
Geometry		Nr				x/m		y/m		z(abs) /m		! z(rel) /m		
		Geometry:				660296.51		255945.28		279.00		175.00		
EQCN012		Label		AP2		Action radius/m						3000.00		
Group		3 m/s				Lw (Day (12h)) /dB(A)						97.82		
Number of nodes		1				Lw (Night (8h)) /dB(A)						97.82		
Length/ m		---				Lw (Evening (4h)) /dB(A)						97.82		
Length/ m (2D)		---				Emission is						Sound power level (Lw)		
Area /m²		---												
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
Day (12h)		Reference: Vestas V172 3 m/s ST												
Day (12h)	Lw /dB (A)	97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7		
Night (8h)		Reference: Vestas V172 3 m/s ST												
Night (8h)	Lw /dB (A)	97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7		
Evening (4h)		Reference: Vestas V172 3 m/s ST												
Evening (4h)	Lw /dB (A)	97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7		
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
Lden				-		0.0		0.0		0.0		-		0.0
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
Day (12h)		12.00	Day	97.8		1.00		0.95750		-10.98		-11.0		
Evening (4h)		4.00	Evening	97.8		1.00		0.19480		-13.12		-13.1		
Night (8h)		8.00	Night	97.8		1.00		0.35530		-13.52		-13.5		
Geometry		Nr				x/m		y/m		z(abs) /m		! z(rel) /m		
		Geometry:				661860.19		254894.20		282.00		175.00		
EQCN013		Label		AP6.1		Action radius/m						3000.00		
Group		3 m/s				Lw (Day (12h)) /dB(A)						97.82		
Number of nodes		1				Lw (Night (8h)) /dB(A)						97.82		
Length/ m		---				Lw (Evening (4h)) /dB(A)						97.82		
Length/ m (2D)		---				Emission is						Sound power level (Lw)		
Area /m²		---												
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Day (12h)	Emission	Reference: Vestas V172 3 m/s ST												
	Day (12h)	Lw /dB (A)	97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7		
	Night (8h)	Emission	Reference: Vestas V172 3 m/s ST												
	Night (8h)	Lw /dB (A)	97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7		
	Evening (4h)	Emission	Reference: Vestas V172 3 m/s ST												
	Evening (4h)	Lw /dB (A)	97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB				
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	97.8		1.00		0.95750		-10.98		-11.0		
	Evening (4h)		4.00	Evening	97.8		1.00		0.19480		-13.12		-13.1		
	Night (8h)		8.00	Night	97.8		1.00		0.35530		-13.52		-13.5		
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
					Geometry:		661549.21		255141.18		282.00		175.00		
EQCN014	Label		JU1		Action radius/m								3000.00		
	Group		3 m/s		Lw (Day (12h)) /dB(A)								97.82		
	Number of nodes		1		Lw (Night (8h)) /dB(A)								97.82		
	Length/ m		---		Lw (Evening (4h)) /dB(A)								97.82		
	Length/ m (2D)		---		Emission is								Sound power level (Lw)		
	Area /m²		---												
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Emission		Reference: Vestas V172 3 m/s ST										
	Day (12h)		Lw /dB (A)		97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7
	Night (8h)		Emission		Reference: Vestas V172 3 m/s ST										
	Night (8h)		Lw /dB (A)		97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7
	Evening (4h)		Emission		Reference: Vestas V172 3 m/s ST										
	Evening (4h)		Lw /dB (A)		97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB				
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	97.8		1.00		0.95750		-10.98		-11.0		
	Evening (4h)		4.00	Evening	97.8		1.00		0.19480		-13.12		-13.1		
	Night (8h)		8.00	Night	97.8		1.00		0.35530		-13.52		-13.5		
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
					Geometry:		661068.17		255365.14		281.00		175.00		
EQCN015	Label		Pr25		Action radius/m								3000.00		
	Group		3 m/s		Lw (Day (12h)) /dB(A)								97.82		
	Number of nodes		1		Lw (Night (8h)) /dB(A)								97.82		
	Length/ m		---		Lw (Evening (4h)) /dB(A)								97.82		
	Length/ m (2D)		---		Emission is								Sound power level (Lw)		
	Area /m²		---												
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Emission		Reference: Vestas V172 3 m/s ST										
	Day (12h)		Lw /dB (A)		97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7
	Night (8h)		Emission		Reference: Vestas V172 3 m/s ST										
	Night (8h)		Lw /dB (A)		97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7
	Evening (4h)		Emission		Reference: Vestas V172 3 m/s ST										
	Evening (4h)		Lw /dB (A)		97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB				
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	97.8		1.00		0.95750		-10.98		-11.0		
	Evening (4h)		4.00	Evening	97.8		1.00		0.19480		-13.12		-13.1		
	Night (8h)		8.00	Night	97.8		1.00		0.35530		-13.52		-13.5		
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
					Geometry:		662047.55		256166.20		283.00		175.00		
EQCN016	Label		PrRR3		Action radius/m								3000.00		
	Group		3 m/s		Lw (Day (12h)) /dB(A)								97.82		
	Number of nodes		1		Lw (Night (8h)) /dB(A)								97.82		
	Length/ m		---		Lw (Evening (4h)) /dB(A)								97.82		
	Length/ m (2D)		---		Emission is								Sound power level (Lw)		
	Area /m²		---												
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Emission		Reference: Vestas V172 3 m/s ST										
	Day (12h)		Lw /dB (A)		97.8	34.7	53.7	69.1	79.4	84.8	87.7	88.0	84.9	78.3	68.3

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

				41.3 47.5	59.4 64.5	73.2 76.6	81.7 83.5	86.0 86.9	88.2 88.3	87.4 86.3	83.1 80.9	78.3 72.0	64.2 59.7	
	Night (8h)	Emission	Reference:	Vestas V172 3 m/s ST										
	Night (8h)	Lw /dB (A)	97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 73.3 72.0	68.3 64.2 59.7	
	Evening (4h)	Emission	Reference:	Vestas V172 3 m/s ST										
	Evening (4h)	Lw /dB (A)	97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 73.3 72.0	68.3 64.2 59.7	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	97.8		1.00		0.95750		-10.98		-11.0	
	Evening (4h)		4.00	Evening	97.8		1.00		0.19480		-13.12		-13.1	
	Night (8h)		8.00	Night	97.8		1.00		0.35530		-13.52		-13.5	
	Geometry						Nr	x/m	y/m	z(abs) /m		! z(rel) /m		
							Geometry:	662676.13	256121.38	284.00		175.00		
EQCN017	Label		P19.2b		Action radius/m		3000.00							
	Group		3 m/s		Lw (Day (12h)) /dB(A)		97.82							
	Number of nodes		1		Lw (Night (8h)) /dB(A)		97.82							
	Length/ m		---		Lw (Evening (4h)) /dB(A)		97.82							
	Length/ m (2D)		---		Emission is		Sound power level (Lw)							
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission	Reference:	Vestas V172 3 m/s ST									
	Day (12h)		Lw /dB (A)	97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 73.3 72.0	68.3 64.2 59.7
	Night (8h)		Emission	Reference:	Vestas V172 3 m/s ST									
	Night (8h)		Lw /dB (A)	97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 73.3 72.0	68.3 64.2 59.7
	Evening (4h)		Emission	Reference:	Vestas V172 3 m/s ST									
	Evening (4h)		Lw /dB (A)	97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 73.3 72.0	68.3 64.2 59.7
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	97.8		1.00		0.95750		-10.98		-11.0	
	Evening (4h)		4.00	Evening	97.8		1.00		0.19480		-13.12		-13.1	
	Night (8h)		8.00	Night	97.8		1.00		0.35530		-13.52		-13.5	
	Geometry						Nr	x/m	y/m	z(abs) /m		! z(rel) /m		
							Geometry:	656671.82	247343.93	280.00		175.00		
EQCN018	Label		Pr3b		Action radius/m		3000.00							
	Group		3 m/s		Lw (Day (12h)) /dB(A)		97.82							
	Number of nodes		1		Lw (Night (8h)) /dB(A)		97.82							
	Length/ m		---		Lw (Evening (4h)) /dB(A)		97.82							
	Length/ m (2D)		---		Emission is		Sound power level (Lw)							
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission	Reference:	Vestas V172 3 m/s ST									
	Day (12h)		Lw /dB (A)	97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 73.3 72.0	68.3 64.2 59.7
	Night (8h)		Emission	Reference:	Vestas V172 3 m/s ST									
	Night (8h)		Lw /dB (A)	97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 73.3 72.0	68.3 64.2 59.7
	Evening (4h)		Emission	Reference:	Vestas V172 3 m/s ST									
	Evening (4h)		Lw /dB (A)	97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 73.3 72.0	68.3 64.2 59.7
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	97.8		1.00		0.95750		-10.98		-11.0	
	Evening (4h)		4.00	Evening	97.8		1.00		0.19480		-13.12		-13.1	
	Night (8h)		8.00	Night	97.8		1.00		0.35530		-13.52		-13.5	
	Geometry						Nr	x/m	y/m	z(abs) /m		! z(rel) /m		
							Geometry:	662489.40	255686.03	284.00		175.00		
EQCN091	Label		O2*		Action radius/m		3000.00							
	Group		4 m/s		Lw (Day (12h)) /dB(A)		97.80							
	Number of nodes		1		Lw (Night (8h)) /dB(A)		97.80							
	Length/ m		---		Lw (Evening (4h)) /dB(A)		97.80							
	Length/ m (2D)		---		Emission is		Sound power level (Lw)							
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission	Reference:	Vestas V172 4 m/s ST									
	Day (12h)		Lw /dB (A)	97.8	33.9 40.6 46.8	53.1 58.9 64.1	68.7 72.8 76.3	79.2 81.6 83.4	84.7 86.0 86.9	87.7 88.2 88.3	88.1 87.4 86.4	84.9 83.1 80.9	78.3 75.3 71.9	68.2 64.1 59.5

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Night (8h)	Emission	Reference: Vestas V172 4 m/s ST												
	Night (8h)	Lw /dB (A)	97.8	33.9 40.6 46.8	53.1 58.9 64.1	68.7 72.8 76.3	79.2 81.6 83.4	84.7 86.0 86.9	87.7 88.2 88.3	88.1 87.4 86.4	84.9 83.1 80.9	78.3 75.3 71.9	68.2 64.1 59.5		
	Evening (4h)	Emission	Reference: Vestas V172 4 m/s ST												
	Evening (4h)	Lw /dB (A)	97.8	33.9 40.6 46.8	53.1 58.9 64.1	68.7 72.8 76.3	79.2 81.6 83.4	84.7 86.0 86.9	87.7 88.2 88.3	88.1 87.4 86.4	84.9 83.1 80.9	78.3 75.3 71.9	68.2 64.1 59.5		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	97.8		1.00		1.10470		-10.36		-10.4		
	Evening (4h)		4.00	Evening	97.8		1.00		0.26680		-11.76		-11.8		
	Night (8h)		8.00	Night	97.8		1.00		0.51780		-11.89		-11.9		
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
			Geometry:		655899.72		249092.09		279.27		175.00				
EQCN092	Label		O3*		Action radius/m								3000.00		
	Group		4 m/s		Lw (Day (12h)) /dB(A)								97.80		
	Number of nodes		1		Lw (Night (8h)) /dB(A)								97.80		
	Length/ m		---		Lw (Evening (4h)) /dB(A)								97.80		
	Length/ m (2D)		---		Emission is								Sound power level (Lw)		
	Area /m²		---												
	Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Vestas V172 4 m/s ST										
	Day (12h)		Lw /dB (A)	97.8	33.9 40.6 46.8	53.1 58.9 64.1	68.7 72.8 76.3	79.2 81.6 83.4	84.7 86.0 86.9	87.7 88.2 88.3	88.1 87.4 86.4	84.9 83.1 80.9	78.3 75.3 71.9	68.2 64.1 59.5	
	Night (8h)		Emission		Reference: Vestas V172 4 m/s ST										
	Night (8h)		Lw /dB (A)	97.8	33.9 40.6 46.8	53.1 58.9 64.1	68.7 72.8 76.3	79.2 81.6 83.4	84.7 86.0 86.9	87.7 88.2 88.3	88.1 87.4 86.4	84.9 83.1 80.9	78.3 75.3 71.9	68.2 64.1 59.5	
	Evening (4h)	Emission	Reference: Vestas V172 4 m/s ST												
	Evening (4h)	Lw /dB (A)	97.8	33.9 40.6 46.8	53.1 58.9 64.1	68.7 72.8 76.3	79.2 81.6 83.4	84.7 86.0 86.9	87.7 88.2 88.3	88.1 87.4 86.4	84.9 83.1 80.9	78.3 75.3 71.9	68.2 64.1 59.5		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	97.8		1.00		1.10470		-10.36		-10.4		
	Evening (4h)		4.00	Evening	97.8		1.00		0.26680		-11.76		-11.8		
	Night (8h)		8.00	Night	97.8		1.00		0.51780		-11.89		-11.9		
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
			Geometry:		656055.72		248760.81		279.00		175.00				
EQCN093	Label		O5*		Action radius/m								3000.00		
	Group		4 m/s		Lw (Day (12h)) /dB(A)								97.80		
	Number of nodes		1		Lw (Night (8h)) /dB(A)								97.80		
	Length/ m		---		Lw (Evening (4h)) /dB(A)								97.80		
	Length/ m (2D)		---		Emission is								Sound power level (Lw)		
	Area /m²		---												
	Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Vestas V172 4 m/s ST										
	Day (12h)		Lw /dB (A)	97.8	33.9 40.6 46.8	53.1 58.9 64.1	68.7 72.8 76.3	79.2 81.6 83.4	84.7 86.0 86.9	87.7 88.2 88.3	88.1 87.4 86.4	84.9 83.1 80.9	78.3 75.3 71.9	68.2 64.1 59.5	
	Night (8h)		Emission		Reference: Vestas V172 4 m/s ST										
	Night (8h)		Lw /dB (A)	97.8	33.9 40.6 46.8	53.1 58.9 64.1	68.7 72.8 76.3	79.2 81.6 83.4	84.7 86.0 86.9	87.7 88.2 88.3	88.1 87.4 86.4	84.9 83.1 80.9	78.3 75.3 71.9	68.2 64.1 59.5	
	Evening (4h)	Emission	Reference: Vestas V172 4 m/s ST												
	Evening (4h)	Lw /dB (A)	97.8	33.9 40.6 46.8	53.1 58.9 64.1	68.7 72.8 76.3	79.2 81.6 83.4	84.7 86.0 86.9	87.7 88.2 88.3	88.1 87.4 86.4	84.9 83.1 80.9	78.3 75.3 71.9	68.2 64.1 59.5		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	97.8		1.00		1.10470		-10.36		-10.4		
	Evening (4h)		4.00	Evening	97.8		1.00		0.26680		-11.76		-11.8		
	Night (8h)		8.00	Night	97.8		1.00		0.51780		-11.89		-11.9		
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
			Geometry:		656292.16		247880.94		279.00		175.00				
EQCN094	Label		O4*		Action radius/m								3000.00		
	Group		4 m/s		Lw (Day (12h)) /dB(A)								97.80		
	Number of nodes		1		Lw (Night (8h)) /dB(A)								97.80		
	Length/ m		---		Lw (Evening (4h)) /dB(A)								97.80		
	Length/ m (2D)		---		Emission is								Sound power level (Lw)		
	Area /m²		---												
	Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Vestas V172 4 m/s ST										
	Day (12h)		Lw /dB (A)	97.8	33.9 40.6 46.8	53.1 58.9 64.1	68.7 72.8 76.3	79.2 81.6 83.4	84.7 86.0 86.9	87.7 88.2 88.3	88.1 87.4 86.4	84.9 83.1 80.9	78.3 75.3 71.9	68.2 64.1 59.5	
	Night (8h)		Emission		Reference: Vestas V172 4 m/s ST										
	Night (8h)		Lw /dB (A)	97.8	33.9 40.6 46.8	53.1 58.9 64.1	68.7 72.8 76.3	79.2 81.6 83.4	84.7 86.0 86.9	87.7 88.2 88.3	88.1 87.4 86.4	84.9 83.1 80.9	78.3 75.3 71.9	68.2 64.1 59.5	

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

				40.6	58.9	72.8	81.6	86.0	88.2	87.4	83.1	75.3	64.1
				46.8	64.1	76.3	83.4	86.9	88.3	86.4	80.9	71.9	59.5
	Evening (4h)	Emission	Reference:	Vestas V172 4 m/s ST									
	Evening (4h)	Lw /dB (A)	97.8	33.9	53.1	68.7	79.2	84.7	87.7	88.1	84.9	78.3	68.2
				40.6	58.9	72.8	81.6	86.0	88.2	87.4	83.1	75.3	64.1
				46.8	64.1	76.3	83.4	86.9	88.3	86.4	80.9	71.9	59.5
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-	0.0		0.0		0.0				0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	97.8		1.00		1.10470		-10.36		-10.4	
	Evening (4h)	4.00	Evening	97.8		1.00		0.26680		-11.76		-11.8	
	Night (8h)	8.00	Night	97.8		1.00		0.51780		-11.89		-11.9	
	Geometry			Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
				Geometry:		655674.43		248309.07		278.00		175.00	
EQCN095	Label	DD1*		Action radius/m		3000.00							
	Group	4 m/s		Lw (Day (12h)) /dB(A)		97.80							
	Number of nodes	1		Lw (Night (8h)) /dB(A)		97.80							
	Length/ m	---		Lw (Evening (4h)) /dB(A)		97.80							
	Length/ m (2D)	---		Emission is		Sound power level (Lw)							
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference:	Vestas V172 4 m/s ST									
	Day (12h)	Lw /dB (A)	97.8	33.9	53.1	68.7	79.2	84.7	87.7	88.1	84.9	78.3	68.2
				40.6	58.9	72.8	81.6	86.0	88.2	87.4	83.1	75.3	64.1
				46.8	64.1	76.3	83.4	86.9	88.3	86.4	80.9	71.9	59.5
	Night (8h)	Emission	Reference:	Vestas V172 4 m/s ST									
	Night (8h)	Lw /dB (A)	97.8	33.9	53.1	68.7	79.2	84.7	87.7	88.1	84.9	78.3	68.2
				40.6	58.9	72.8	81.6	86.0	88.2	87.4	83.1	75.3	64.1
				46.8	64.1	76.3	83.4	86.9	88.3	86.4	80.9	71.9	59.5
	Evening (4h)	Emission	Reference:	Vestas V172 4 m/s ST									
	Evening (4h)	Lw /dB (A)	97.8	33.9	53.1	68.7	79.2	84.7	87.7	88.1	84.9	78.3	68.2
				40.6	58.9	72.8	81.6	86.0	88.2	87.4	83.1	75.3	64.1
				46.8	64.1	76.3	83.4	86.9	88.3	86.4	80.9	71.9	59.5
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-	0.0		0.0		0.0				0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	97.8		1.00		1.10470		-10.36		-10.4	
	Evening (4h)	4.00	Evening	97.8		1.00		0.26680		-11.76		-11.8	
	Night (8h)	8.00	Night	97.8		1.00		0.51780		-11.89		-11.9	
	Geometry			Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
				Geometry:		656226.07		248421.71		278.00		175.00	
EQCN096	Label	DD3*		Action radius/m		3000.00							
	Group	4 m/s		Lw (Day (12h)) /dB(A)		97.80							
	Number of nodes	1		Lw (Night (8h)) /dB(A)		97.80							
	Length/ m	---		Lw (Evening (4h)) /dB(A)		97.80							
	Length/ m (2D)	---		Emission is		Sound power level (Lw)							
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference:	Vestas V172 4 m/s ST									
	Day (12h)	Lw /dB (A)	97.8	33.9	53.1	68.7	79.2	84.7	87.7	88.1	84.9	78.3	68.2
				40.6	58.9	72.8	81.6	86.0	88.2	87.4	83.1	75.3	64.1
				46.8	64.1	76.3	83.4	86.9	88.3	86.4	80.9	71.9	59.5
	Night (8h)	Emission	Reference:	Vestas V172 4 m/s ST									
	Night (8h)	Lw /dB (A)	97.8	33.9	53.1	68.7	79.2	84.7	87.7	88.1	84.9	78.3	68.2
				40.6	58.9	72.8	81.6	86.0	88.2	87.4	83.1	75.3	64.1
				46.8	64.1	76.3	83.4	86.9	88.3	86.4	80.9	71.9	59.5
	Evening (4h)	Emission	Reference:	Vestas V172 4 m/s ST									
	Evening (4h)	Lw /dB (A)	97.8	33.9	53.1	68.7	79.2	84.7	87.7	88.1	84.9	78.3	68.2
				40.6	58.9	72.8	81.6	86.0	88.2	87.4	83.1	75.3	64.1
				46.8	64.1	76.3	83.4	86.9	88.3	86.4	80.9	71.9	59.5
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-	0.0		0.0		0.0				0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	97.8		1.00		1.10470		-10.36		-10.4	
	Evening (4h)	4.00	Evening	97.8		1.00		0.26680		-11.76		-11.8	
	Night (8h)	8.00	Night	97.8		1.00		0.51780		-11.89		-11.9	
	Geometry			Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
				Geometry:		656792.54		248209.39		279.20		175.00	
EQCN097	Label	O1.b*		Action radius/m		3000.00							
	Group	4 m/s		Lw (Day (12h)) /dB(A)		97.80							
	Number of nodes	1		Lw (Night (8h)) /dB(A)		97.80							
	Length/ m	---		Lw (Evening (4h)) /dB(A)		97.80							
	Length/ m (2D)	---		Emission is		Sound power level (Lw)							
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference:	Vestas V172 4 m/s ST									
	Day (12h)	Lw /dB (A)	97.8	33.9	53.1	68.7	79.2	84.7	87.7	88.1	84.9	78.3	68.2
				40.6	58.9	72.8	81.6	86.0	88.2	87.4	83.1	75.3	64.1
				46.8	64.1	76.3	83.4	86.9	88.3	86.4	80.9	71.9	59.5
	Night (8h)	Emission	Reference:	Vestas V172 4 m/s ST									
	Night (8h)	Lw /dB (A)	97.8	33.9	53.1	68.7	79.2	84.7	87.7	88.1	84.9	78.3	68.2
				40.6	58.9	72.8	81.6	86.0	88.2	87.4	83.1	75.3	64.1
				46.8	64.1	76.3	83.4	86.9	88.3	86.4	80.9	71.9	59.5

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Evening (4h)	Emission	Reference: Vestas V172 4 m/s ST										
	Evening (4h)	Lw /dB (A)	97.8	33.9 40.6 46.8	53.1 58.9 64.1	68.7 72.8 76.3	79.2 81.6 83.4	84.7 86.0 86.9	87.7 88.2 88.3	88.1 87.4 86.4	84.9 83.1 80.9	78.3 75.3 71.9	68.2 64.1 59.5
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden	-		0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	97.8		1.00		1.10470		-10.36		-10.4	
	Evening (4h)	4.00	Evening	97.8		1.00		0.26680		-11.76		-11.8	
	Night (8h)	8.00	Night	97.8		1.00		0.51780		-11.89		-11.9	
	Geometry			 Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
				Geometry:		655628.52		247870.27		278.00		175.00	
EQCN098	Label	JV1*		Action radius/m								3000.00	
	Group	4 m/s		Lw (Day (12h)) /dB(A)								97.80	
	Number of nodes	1		Lw (Night (8h)) /dB(A)								97.80	
	Length/ m	---		Lw (Evening (4h)) /dB(A)								97.80	
	Length/ m (2D)	---		Emission is								Sound power level (Lw)	
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 4 m/s ST										
	Day (12h)	Lw /dB (A)	97.8	33.9 40.6 46.8	53.1 58.9 64.1	68.7 72.8 76.3	79.2 81.6 83.4	84.7 86.0 86.9	87.7 88.2 88.3	88.1 87.4 86.4	84.9 83.1 80.9	78.3 75.3 71.9	68.2 64.1 59.5
	Night (8h)	Emission	Reference: Vestas V172 4 m/s ST										
	Night (8h)	Lw /dB (A)	97.8	33.9 40.6 46.8	53.1 58.9 64.1	68.7 72.8 76.3	79.2 81.6 83.4	84.7 86.0 86.9	87.7 88.2 88.3	88.1 87.4 86.4	84.9 83.1 80.9	78.3 75.3 71.9	68.2 64.1 59.5
	Evening (4h)	Emission	Reference: Vestas V172 4 m/s ST										
	Evening (4h)	Lw /dB (A)	97.8	33.9 40.6 46.8	53.1 58.9 64.1	68.7 72.8 76.3	79.2 81.6 83.4	84.7 86.0 86.9	87.7 88.2 88.3	88.1 87.4 86.4	84.9 83.1 80.9	78.3 75.3 71.9	68.2 64.1 59.5
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden	-		0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	97.8		1.00		1.10470		-10.36		-10.4	
	Evening (4h)	4.00	Evening	97.8		1.00		0.26680		-11.76		-11.8	
	Night (8h)	8.00	Night	97.8		1.00		0.51780		-11.89		-11.9	
	Geometry			 Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
				Geometry:		656086.43		247254.47		279.00		175.00	
EQCN099	Label	Pr12*		Action radius/m								3000.00	
	Group	4 m/s		Lw (Day (12h)) /dB(A)								97.80	
	Number of nodes	1		Lw (Night (8h)) /dB(A)								97.80	
	Length/ m	---		Lw (Evening (4h)) /dB(A)								97.80	
	Length/ m (2D)	---		Emission is								Sound power level (Lw)	
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 4 m/s ST										
	Day (12h)	Lw /dB (A)	97.8	33.9 40.6 46.8	53.1 58.9 64.1	68.7 72.8 76.3	79.2 81.6 83.4	84.7 86.0 86.9	87.7 88.2 88.3	88.1 87.4 86.4	84.9 83.1 80.9	78.3 75.3 71.9	68.2 64.1 59.5
	Night (8h)	Emission	Reference: Vestas V172 4 m/s ST										
	Night (8h)	Lw /dB (A)	97.8	33.9 40.6 46.8	53.1 58.9 64.1	68.7 72.8 76.3	79.2 81.6 83.4	84.7 86.0 86.9	87.7 88.2 88.3	88.1 87.4 86.4	84.9 83.1 80.9	78.3 75.3 71.9	68.2 64.1 59.5
	Evening (4h)	Emission	Reference: Vestas V172 4 m/s ST										
	Evening (4h)	Lw /dB (A)	97.8	33.9 40.6 46.8	53.1 58.9 64.1	68.7 72.8 76.3	79.2 81.6 83.4	84.7 86.0 86.9	87.7 88.2 88.3	88.1 87.4 86.4	84.9 83.1 80.9	78.3 75.3 71.9	68.2 64.1 59.5
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden	-		0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	97.8		1.00		1.10470		-10.36		-10.4	
	Evening (4h)	4.00	Evening	97.8		1.00		0.26680		-11.76		-11.8	
	Night (8h)	8.00	Night	97.8		1.00		0.51780		-11.89		-11.9	
	Geometry			 Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
				Geometry:		659850.41		255599.51		281.00		175.00	
EQCN100	Label	O6*		Action radius/m								3000.00	
	Group	4 m/s		Lw (Day (12h)) /dB(A)								97.80	
	Number of nodes	1		Lw (Night (8h)) /dB(A)								97.80	
	Length/ m	---		Lw (Evening (4h)) /dB(A)								97.80	
	Length/ m (2D)	---		Emission is								Sound power level (Lw)	
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 4 m/s ST										
	Day (12h)	Lw /dB (A)	97.8	33.9 40.6 46.8	53.1 58.9 64.1	68.7 72.8 76.3	79.2 81.6 83.4	84.7 86.0 86.9	87.7 88.2 88.3	88.1 87.4 86.4	84.9 83.1 80.9	78.3 75.3 71.9	68.2 64.1 59.5
	Night (8h)	Emission	Reference: Vestas V172 4 m/s ST										
	Night (8h)	Lw /dB (A)	97.8	33.9 40.6 46.8	53.1 58.9 64.1	68.7 72.8 76.3	79.2 81.6 83.4	84.7 86.0 86.9	87.7 88.2 88.3	88.1 87.4 86.4	84.9 83.1 80.9	78.3 75.3 71.9	68.2 64.1 59.5
	Evening (4h)	Emission	Reference: Vestas V172 4 m/s ST										
	Evening (4h)	Lw /dB (A)	97.8	33.9 40.6 46.8	53.1 58.9 64.1	68.7 72.8 76.3	79.2 81.6 83.4	84.7 86.0 86.9	87.7 88.2 88.3	88.1 87.4 86.4	84.9 83.1 80.9	78.3 75.3 71.9	68.2 64.1 59.5

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

				40.6	58.9	72.8	81.6	86.0	88.2	87.4	83.1	75.3	64.1
				46.8	64.1	76.3	83.4	86.9	88.3	86.4	80.9	71.9	59.5
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden	-	0.0	0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	97.8		1.00		1.10470		-10.36		-10.4	
	Evening (4h)	4.00	Evening	97.8		1.00		0.26680		-11.76		-11.8	
	Night (8h)	8.00	Night	97.8		1.00		0.51780		-11.89		-11.9	
	Geometry	Nr		x/m		y/m		z(abs) /m		! z(rel) /m			
		Geometry:		659724.06		256257.39		278.09		175.00			
EQCN101	Label	Pr11*		Action radius/m		3000.00							
	Group	4 m/s		Lw (Day (12h)) /dB(A)		97.80							
	Number of nodes	1		Lw (Night (8h)) /dB(A)		97.80							
	Length/ m	---		Lw (Evening (4h)) /dB(A)		97.80							
	Length/ m (2D)	---		Emission is		Sound power level (Lw)							
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 4 m/s ST										
	Day (12h)	Lw /dB (A)	97.8	33.9	53.1	68.7	79.2	84.7	87.7	88.1	84.9	78.3	68.2
				40.6	58.9	72.8	81.6	86.0	88.2	87.4	83.1	75.3	64.1
				46.8	64.1	76.3	83.4	86.9	88.3	86.4	80.9	71.9	59.5
	Night (8h)	Emission	Reference: Vestas V172 4 m/s ST										
	Night (8h)	Lw /dB (A)	97.8	33.9	53.1	68.7	79.2	84.7	87.7	88.1	84.9	78.3	68.2
				40.6	58.9	72.8	81.6	86.0	88.2	87.4	83.1	75.3	64.1
				46.8	64.1	76.3	83.4	86.9	88.3	86.4	80.9	71.9	59.5
	Evening (4h)	Emission	Reference: Vestas V172 4 m/s ST										
	Evening (4h)	Lw /dB (A)	97.8	33.9	53.1	68.7	79.2	84.7	87.7	88.1	84.9	78.3	68.2
				40.6	58.9	72.8	81.6	86.0	88.2	87.4	83.1	75.3	64.1
				46.8	64.1	76.3	83.4	86.9	88.3	86.4	80.9	71.9	59.5
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden	-	0.0	0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	97.8		1.00		1.10470		-10.36		-10.4	
	Evening (4h)	4.00	Evening	97.8		1.00		0.26680		-11.76		-11.8	
	Night (8h)	8.00	Night	97.8		1.00		0.51780		-11.89		-11.9	
	Geometry	Nr		x/m		y/m		z(abs) /m		! z(rel) /m			
		Geometry:		660296.51		255945.28		279.00		175.00			
EQCN102	Label	AP2*		Action radius/m		3000.00							
	Group	4 m/s		Lw (Day (12h)) /dB(A)		97.80							
	Number of nodes	1		Lw (Night (8h)) /dB(A)		97.80							
	Length/ m	---		Lw (Evening (4h)) /dB(A)		97.80							
	Length/ m (2D)	---		Emission is		Sound power level (Lw)							
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 4 m/s ST										
	Day (12h)	Lw /dB (A)	97.8	33.9	53.1	68.7	79.2	84.7	87.7	88.1	84.9	78.3	68.2
				40.6	58.9	72.8	81.6	86.0	88.2	87.4	83.1	75.3	64.1
				46.8	64.1	76.3	83.4	86.9	88.3	86.4	80.9	71.9	59.5
	Night (8h)	Emission	Reference: Vestas V172 4 m/s ST										
	Night (8h)	Lw /dB (A)	97.8	33.9	53.1	68.7	79.2	84.7	87.7	88.1	84.9	78.3	68.2
				40.6	58.9	72.8	81.6	86.0	88.2	87.4	83.1	75.3	64.1
				46.8	64.1	76.3	83.4	86.9	88.3	86.4	80.9	71.9	59.5
	Evening (4h)	Emission	Reference: Vestas V172 4 m/s ST										
	Evening (4h)	Lw /dB (A)	97.8	33.9	53.1	68.7	79.2	84.7	87.7	88.1	84.9	78.3	68.2
				40.6	58.9	72.8	81.6	86.0	88.2	87.4	83.1	75.3	64.1
				46.8	64.1	76.3	83.4	86.9	88.3	86.4	80.9	71.9	59.5
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden	-	0.0	0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	97.8		1.00		1.10470		-10.36		-10.4	
	Evening (4h)	4.00	Evening	97.8		1.00		0.26680		-11.76		-11.8	
	Night (8h)	8.00	Night	97.8		1.00		0.51780		-11.89		-11.9	
	Geometry	Nr		x/m		y/m		z(abs) /m		! z(rel) /m			
		Geometry:		661860.19		254894.20		282.00		175.00			
EQCN103	Label	AP6.1*		Action radius/m		3000.00							
	Group	4 m/s		Lw (Day (12h)) /dB(A)		97.80							
	Number of nodes	1		Lw (Night (8h)) /dB(A)		97.80							
	Length/ m	---		Lw (Evening (4h)) /dB(A)		97.80							
	Length/ m (2D)	---		Emission is		Sound power level (Lw)							
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 4 m/s ST										
	Day (12h)	Lw /dB (A)	97.8	33.9	53.1	68.7	79.2	84.7	87.7	88.1	84.9	78.3	68.2
				40.6	58.9	72.8	81.6	86.0	88.2	87.4	83.1	75.3	64.1
				46.8	64.1	76.3	83.4	86.9	88.3	86.4	80.9	71.9	59.5
	Night (8h)	Emission	Reference: Vestas V172 4 m/s ST										
	Night (8h)	Lw /dB (A)	97.8	33.9	53.1	68.7	79.2	84.7	87.7	88.1	84.9	78.3	68.2
				40.6	58.9	72.8	81.6	86.0	88.2	87.4	83.1	75.3	64.1
				46.8	64.1	76.3	83.4	86.9	88.3	86.4	80.9	71.9	59.5
	Evening (4h)	Emission	Reference: Vestas V172 4 m/s ST										
	Evening (4h)	Lw /dB (A)	97.8	33.9	53.1	68.7	79.2	84.7	87.7	88.1	84.9	78.3	68.2
				40.6	58.9	72.8	81.6	86.0	88.2	87.4	83.1	75.3	64.1
				46.8	64.1	76.3	83.4	86.9	88.3	86.4	80.9	71.9	59.5

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB						Special correction /dB	
	Lden			-	0.0	0.0		0.0				-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h		dLi /dB				Lwr /dB(A)	
	Day (12h)	12.00	Day	97.8		1.00		1.10470				-10.36	-10.4
	Evening (4h)	4.00	Evening	97.8		1.00		0.26680				-11.76	-11.8
	Night (8h)	8.00	Night	97.8		1.00		0.51780				-11.89	-11.9
	Geometry				Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:	661549.21		255141.18		282.00		175.00	
EQCN104	Label	JU1*			Action radius/m				3000.00				
	Group	4 m/s			Lw (Day (12h)) /dB(A)				97.80				
	Number of nodes	1			Lw (Night (8h)) /dB(A)				97.80				
	Length/ m	---			Lw (Evening (4h)) /dB(A)				97.80				
	Length/ m (2D)	---			Emission is				Sound power level (Lw)				
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 4 m/s ST										
	Day (12h)	Lw /dB (A)	97.8	33.9 40.6 46.8	53.1 58.9 64.1	68.7 72.8 76.3	79.2 81.6 83.4	84.7 86.0 86.9	87.7 88.2 88.3	88.1 87.4 86.4	84.9 83.1 80.9	78.3 75.3 71.9	68.2 64.1 59.5
	Night (8h)	Emission	Reference: Vestas V172 4 m/s ST										
Night (8h)	Lw /dB (A)	97.8	33.9 40.6 46.8	53.1 58.9 64.1	68.7 72.8 76.3	79.2 81.6 83.4	84.7 86.0 86.9	87.7 88.2 88.3	88.1 87.4 86.4	84.9 83.1 80.9	78.3 75.3 71.9	68.2 64.1 59.5	
Evening (4h)	Emission	Reference: Vestas V172 4 m/s ST											
Evening (4h)	Lw /dB (A)	97.8	33.9 40.6 46.8	53.1 58.9 64.1	68.7 72.8 76.3	79.2 81.6 83.4	84.7 86.0 86.9	87.7 88.2 88.3	88.1 87.4 86.4	84.9 83.1 80.9	78.3 75.3 71.9	68.2 64.1 59.5	
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB						Special correction /dB	
	Lden			-	0.0	0.0		0.0				-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h		dLi /dB				Lwr /dB(A)	
	Day (12h)	12.00	Day	97.8		1.00		1.10470				-10.36	-10.4
	Evening (4h)	4.00	Evening	97.8		1.00		0.26680				-11.76	-11.8
	Night (8h)	8.00	Night	97.8		1.00		0.51780				-11.89	-11.9
	Geometry				Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:	661068.17		255365.14		281.00		175.00	
EQCN105	Label	Pr25*			Action radius/m				3000.00				
	Group	4 m/s			Lw (Day (12h)) /dB(A)				97.80				
	Number of nodes	1			Lw (Night (8h)) /dB(A)				97.80				
	Length/ m	---			Lw (Evening (4h)) /dB(A)				97.80				
	Length/ m (2D)	---			Emission is				Sound power level (Lw)				
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 4 m/s ST										
	Day (12h)	Lw /dB (A)	97.8	33.9 40.6 46.8	53.1 58.9 64.1	68.7 72.8 76.3	79.2 81.6 83.4	84.7 86.0 86.9	87.7 88.2 88.3	88.1 87.4 86.4	84.9 83.1 80.9	78.3 75.3 71.9	68.2 64.1 59.5
	Night (8h)	Emission	Reference: Vestas V172 4 m/s ST										
Night (8h)	Lw /dB (A)	97.8	33.9 40.6 46.8	53.1 58.9 64.1	68.7 72.8 76.3	79.2 81.6 83.4	84.7 86.0 86.9	87.7 88.2 88.3	88.1 87.4 86.4	84.9 83.1 80.9	78.3 75.3 71.9	68.2 64.1 59.5	
Evening (4h)	Emission	Reference: Vestas V172 4 m/s ST											
Evening (4h)	Lw /dB (A)	97.8	33.9 40.6 46.8	53.1 58.9 64.1	68.7 72.8 76.3	79.2 81.6 83.4	84.7 86.0 86.9	87.7 88.2 88.3	88.1 87.4 86.4	84.9 83.1 80.9	78.3 75.3 71.9	68.2 64.1 59.5	
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB						Special correction /dB	
	Lden			-	0.0	0.0		0.0				-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h		dLi /dB				Lwr /dB(A)	
	Day (12h)	12.00	Day	97.8		1.00		1.10470				-10.36	-10.4
	Evening (4h)	4.00	Evening	97.8		1.00		0.26680				-11.76	-11.8
	Night (8h)	8.00	Night	97.8		1.00		0.51780				-11.89	-11.9
	Geometry				Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:	662047.55		256166.20		283.00		175.00	
EQCN106	Label	PrRR3*			Action radius/m				3000.00				
	Group	4 m/s			Lw (Day (12h)) /dB(A)				97.80				
	Number of nodes	1			Lw (Night (8h)) /dB(A)				97.80				
	Length/ m	---			Lw (Evening (4h)) /dB(A)				97.80				
	Length/ m (2D)	---			Emission is				Sound power level (Lw)				
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 4 m/s ST										
	Day (12h)	Lw /dB (A)	97.8	33.9 40.6 46.8	53.1 58.9 64.1	68.7 72.8 76.3	79.2 81.6 83.4	84.7 86.0 86.9	87.7 88.2 88.3	88.1 87.4 86.4	84.9 83.1 80.9	78.3 75.3 71.9	68.2 64.1 59.5
	Night (8h)	Emission	Reference: Vestas V172 4 m/s ST										
Night (8h)	Lw /dB (A)	97.8	33.9 40.6 46.8	53.1 58.9 64.1	68.7 72.8 76.3	79.2 81.6 83.4	84.7 86.0 86.9	87.7 88.2 88.3	88.1 87.4 86.4	84.9 83.1 80.9	78.3 75.3 71.9	68.2 64.1 59.5	
Evening (4h)	Emission	Reference: Vestas V172 4 m/s ST											
Evening (4h)	Lw /dB (A)	97.8	33.9 40.6 46.8	53.1 58.9 64.1	68.7 72.8 76.3	79.2 81.6 83.4	84.7 86.0 86.9	87.7 88.2 88.3	88.1 87.4 86.4	84.9 83.1 80.9	78.3 75.3 71.9	68.2 64.1 59.5	
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB						Special correction /dB	

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Lden	-	0.0	0.0	0.0	-	0.0							
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)						
	Day (12h)	12.00	Day	97.8	1.00	1.10470	-10.36	-10.4						
	Evening (4h)	4.00	Evening	97.8	1.00	0.26680	-11.76	-11.8						
	Night (8h)	8.00	Night	97.8	1.00	0.51780	-11.89	-11.9						
	Geometry	Nr		x/m	y/m	z(abs) /m	! z(rel) /m							
		Geometry:		662676.13	256121.38	284.00	175.00							
EQCN107	Label	P19.2b*		Action radius/m		3000.00								
	Group	4 m/s		Lw (Day (12h)) /dB(A)		97.80								
	Number of nodes	1		Lw (Night (8h)) /dB(A)		97.80								
	Length/ m	---		Lw (Evening (4h)) /dB(A)		97.80								
	Length/ m (2D)	---		Emission is		Sound power level (Lw)								
	Area /m²	---												
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 4 m/s ST											
	Day (12h)	Lw /dB (A)	97.8	33.9	53.1	68.7	79.2	84.7	87.7	88.1	84.9	78.3	68.2	
				40.6	58.9	72.8	81.6	86.0	88.2	87.4	83.1	75.3	64.1	
				46.8	64.1	76.3	83.4	86.9	88.3	86.4	80.9	71.9	59.5	
	Night (8h)	Emission	Reference: Vestas V172 4 m/s ST											
	Night (8h)	Lw /dB (A)	97.8	33.9	53.1	68.7	79.2	84.7	87.7	88.1	84.9	78.3	68.2	
				40.6	58.9	72.8	81.6	86.0	88.2	87.4	83.1	75.3	64.1	
				46.8	64.1	76.3	83.4	86.9	88.3	86.4	80.9	71.9	59.5	
	Evening (4h)	Emission	Reference: Vestas V172 4 m/s ST											
	Evening (4h)	Lw /dB (A)	97.8	33.9	53.1	68.7	79.2	84.7	87.7	88.1	84.9	78.3	68.2	
				40.6	58.9	72.8	81.6	86.0	88.2	87.4	83.1	75.3	64.1	
				46.8	64.1	76.3	83.4	86.9	88.3	86.4	80.9	71.9	59.5	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden	-		0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB			Lwr /dB(A)				
	Day (12h)	12.00	Day	97.8	1.00	1.10470	-10.36			-10.4				
	Evening (4h)	4.00	Evening	97.8	1.00	0.26680	-11.76			-11.8				
	Night (8h)	8.00	Night	97.8	1.00	0.51780	-11.89			-11.9				
	Geometry	Nr		x/m	y/m	z(abs) /m	! z(rel) /m							
		Geometry:		656671.82	247343.93	280.00	175.00							
EQCN108	Label	Pr3b*		Action radius/m		3000.00								
	Group	4 m/s		Lw (Day (12h)) /dB(A)		97.80								
	Number of nodes	1		Lw (Night (8h)) /dB(A)		97.80								
	Length/ m	---		Lw (Evening (4h)) /dB(A)		97.80								
	Length/ m (2D)	---		Emission is		Sound power level (Lw)								
	Area /m²	---												
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 4 m/s ST											
	Day (12h)	Lw /dB (A)	97.8	33.9	53.1	68.7	79.2	84.7	87.7	88.1	84.9	78.3	68.2	
				40.6	58.9	72.8	81.6	86.0	88.2	87.4	83.1	75.3	64.1	
				46.8	64.1	76.3	83.4	86.9	88.3	86.4	80.9	71.9	59.5	
	Night (8h)	Emission	Reference: Vestas V172 4 m/s ST											
	Night (8h)	Lw /dB (A)	97.8	33.9	53.1	68.7	79.2	84.7	87.7	88.1	84.9	78.3	68.2	
				40.6	58.9	72.8	81.6	86.0	88.2	87.4	83.1	75.3	64.1	
				46.8	64.1	76.3	83.4	86.9	88.3	86.4	80.9	71.9	59.5	
	Evening (4h)	Emission	Reference: Vestas V172 4 m/s ST											
	Evening (4h)	Lw /dB (A)	97.8	33.9	53.1	68.7	79.2	84.7	87.7	88.1	84.9	78.3	68.2	
				40.6	58.9	72.8	81.6	86.0	88.2	87.4	83.1	75.3	64.1	
				46.8	64.1	76.3	83.4	86.9	88.3	86.4	80.9	71.9	59.5	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden	-		0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB			Lwr /dB(A)				
	Day (12h)	12.00	Day	97.8	1.00	1.10470	-10.36			-10.4				
	Evening (4h)	4.00	Evening	97.8	1.00	0.26680	-11.76			-11.8				
	Night (8h)	8.00	Night	97.8	1.00	0.51780	-11.89			-11.9				
	Geometry	Nr		x/m	y/m	z(abs) /m	! z(rel) /m							
		Geometry:		662489.40	255686.03	284.00	175.00							
EQCN109	Label	O2**		Action radius/m		3000.00								
	Group	5 m/s		Lw (Day (12h)) /dB(A)		98.39								
	Number of nodes	1		Lw (Night (8h)) /dB(A)		98.39								
	Length/ m	---		Lw (Evening (4h)) /dB(A)		98.39								
	Length/ m (2D)	---		Emission is		Sound power level (Lw)								
	Area /m²	---												
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 5 m/s ST											
	Day (12h)	Lw /dB (A)	98.4	34.5	53.8	69.5	80.0	85.4	88.4	88.6	85.4	78.6	68.3	
				41.2	59.6	73.6	82.3	86.7	88.9	87.9	83.5	75.5	64.0	
				47.5	64.8	77.1	84.1	87.5	89.0	86.8	81.2	72.1	59.4	
	Night (8h)	Emission	Reference: Vestas V172 5 m/s ST											
	Night (8h)	Lw /dB (A)	98.4	34.5	53.8	69.5	80.0	85.4	88.4	88.6	85.4	78.6	68.3	
				41.2	59.6	73.6	82.3	86.7	88.9	87.9	83.5	75.5	64.0	
				47.5	64.8	77.1	84.1	87.5	89.0	86.8	81.2	72.1	59.4	
	Evening (4h)	Emission	Reference: Vestas V172 5 m/s ST											
	Evening (4h)	Lw /dB (A)	98.4	34.5	53.8	69.5	80.0	85.4	88.4	88.6	85.4	78.6	68.3	
				41.2	59.6	73.6	82.3	86.7	88.9	87.9	83.5	75.5	64.0	
				47.5	64.8	77.1	84.1	87.5	89.0	86.8	81.2	72.1	59.4	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden	-		0.0		0.0		0.0		-		0.0		

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h		dLi /dB	Lwr /dB(A)				
	Day (12h)		12.00	Day	98.4		1.00		1.32210	-9.58		-9.6		
	Evening (4h)		4.00	Evening	98.4		1.00		0.34710	-10.62		-10.6		
	Night (8h)		8.00	Night	98.4		1.00		0.63860	-10.98		-11.0		
	Geometry				Nr	x/m	y/m	z(abs) /m		! z(rel) /m				
					Geometry:		655899.72	249092.09	279.27		175.00			
EQCN110	Label		O3**		Action radius/m		3000.00							
	Group		5 m/s		Lw (Day (12h)) /dB(A)		98.39							
	Number of nodes		1		Lw (Night (8h)) /dB(A)		98.39							
	Length/ m		---		Lw (Evening (4h)) /dB(A)		98.39							
	Length/ m (2D)		---		Emission is		Sound power level (Lw)							
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)		Emission	Reference: Vestas V172 5 m/s ST											
Day (12h)		Lw /dB (A)	98.4	34.5 41.2 47.5	53.8 59.6 64.8	69.5 73.6 77.1	80.0 82.3 84.1	85.4 86.7 87.5	88.4 88.9 89.0	88.6 87.9 86.8	85.4 83.5 81.2	78.6 75.5 72.1	68.3 64.0 59.4	
Night (8h)		Emission	Reference: Vestas V172 5 m/s ST											
Night (8h)		Lw /dB (A)	98.4	34.5 41.2 47.5	53.8 59.6 64.8	69.5 73.6 77.1	80.0 82.3 84.1	85.4 86.7 87.5	88.4 88.9 89.0	88.6 87.9 86.8	85.4 83.5 81.2	78.6 75.5 72.1	68.3 64.0 59.4	
Evening (4h)		Emission	Reference: Vestas V172 5 m/s ST											
Evening (4h)		Lw /dB (A)	98.4	34.5 41.2 47.5	53.8 59.6 64.8	69.5 73.6 77.1	80.0 82.3 84.1	85.4 86.7 87.5	88.4 88.9 89.0	88.6 87.9 86.8	85.4 83.5 81.2	78.6 75.5 72.1	68.3 64.0 59.4	
Rating method			Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
Lden					-		0.0		0.0		-			0.0
Rating period / Period			Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h		dLi /dB	Lwr /dB(A)				
Day (12h)			12.00	Day	98.4		1.00		1.32210	-9.58		-9.6		
Evening (4h)			4.00	Evening	98.4		1.00		0.34710	-10.62		-10.6		
Night (8h)			8.00	Night	98.4		1.00		0.63860	-10.98		-11.0		
Geometry					Nr	x/m	y/m	z(abs) /m		! z(rel) /m				
					Geometry:		656055.72	248760.81	279.00		175.00			
EQCN111	Label		O5**		Action radius/m		3000.00							
	Group		5 m/s		Lw (Day (12h)) /dB(A)		98.39							
	Number of nodes		1		Lw (Night (8h)) /dB(A)		98.39							
	Length/ m		---		Lw (Evening (4h)) /dB(A)		98.39							
	Length/ m (2D)		---		Emission is		Sound power level (Lw)							
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)		Emission	Reference: Vestas V172 5 m/s ST											
Day (12h)		Lw /dB (A)	98.4	34.5 41.2 47.5	53.8 59.6 64.8	69.5 73.6 77.1	80.0 82.3 84.1	85.4 86.7 87.5	88.4 88.9 89.0	88.6 87.9 86.8	85.4 83.5 81.2	78.6 75.5 72.1	68.3 64.0 59.4	
Night (8h)		Emission	Reference: Vestas V172 5 m/s ST											
Night (8h)		Lw /dB (A)	98.4	34.5 41.2 47.5	53.8 59.6 64.8	69.5 73.6 77.1	80.0 82.3 84.1	85.4 86.7 87.5	88.4 88.9 89.0	88.6 87.9 86.8	85.4 83.5 81.2	78.6 75.5 72.1	68.3 64.0 59.4	
Evening (4h)		Emission	Reference: Vestas V172 5 m/s ST											
Evening (4h)		Lw /dB (A)	98.4	34.5 41.2 47.5	53.8 59.6 64.8	69.5 73.6 77.1	80.0 82.3 84.1	85.4 86.7 87.5	88.4 88.9 89.0	88.6 87.9 86.8	85.4 83.5 81.2	78.6 75.5 72.1	68.3 64.0 59.4	
Rating method			Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
Lden					-		0.0		0.0		-			0.0
Rating period / Period			Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h		dLi /dB	Lwr /dB(A)				
Day (12h)			12.00	Day	98.4		1.00		1.32210	-9.58		-9.6		
Evening (4h)			4.00	Evening	98.4		1.00		0.34710	-10.62		-10.6		
Night (8h)			8.00	Night	98.4		1.00		0.63860	-10.98		-11.0		
Geometry					Nr	x/m	y/m	z(abs) /m		! z(rel) /m				
					Geometry:		656292.16	247880.94	279.00		175.00			
EQCN112	Label		O4**		Action radius/m		3000.00							
	Group		5 m/s		Lw (Day (12h)) /dB(A)		98.39							
	Number of nodes		1		Lw (Night (8h)) /dB(A)		98.39							
	Length/ m		---		Lw (Evening (4h)) /dB(A)		98.39							
	Length/ m (2D)		---		Emission is		Sound power level (Lw)							
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)		Emission	Reference: Vestas V172 5 m/s ST											
Day (12h)		Lw /dB (A)	98.4	34.5 41.2 47.5	53.8 59.6 64.8	69.5 73.6 77.1	80.0 82.3 84.1	85.4 86.7 87.5	88.4 88.9 89.0	88.6 87.9 86.8	85.4 83.5 81.2	78.6 75.5 72.1	68.3 64.0 59.4	
Night (8h)		Emission	Reference: Vestas V172 5 m/s ST											
Night (8h)		Lw /dB (A)	98.4	34.5 41.2 47.5	53.8 59.6 64.8	69.5 73.6 77.1	80.0 82.3 84.1	85.4 86.7 87.5	88.4 88.9 89.0	88.6 87.9 86.8	85.4 83.5 81.2	78.6 75.5 72.1	68.3 64.0 59.4	
Evening (4h)		Emission	Reference: Vestas V172 5 m/s ST											
Evening (4h)		Lw /dB (A)	98.4	34.5 41.2 47.5	53.8 59.6 64.8	69.5 73.6 77.1	80.0 82.3 84.1	85.4 86.7 87.5	88.4 88.9 89.0	88.6 87.9 86.8	85.4 83.5 81.2	78.6 75.5 72.1	68.3 64.0 59.4	
Rating method			Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
Lden					-		0.0		0.0		-			0.0
Rating period / Period			Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h		dLi /dB	Lwr /dB(A)				

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Day (12h)	12.00	Day	98.4	1.00	1.32210	-9.58	-9.6					
	Evening (4h)	4.00	Evening	98.4	1.00	0.34710	-10.62	-10.6					
	Night (8h)	8.00	Night	98.4	1.00	0.63860	-10.98	-11.0					
	Geometry		Nr	x/m	y/m	z(abs) /m	! z(rel) /m						
			Geometry:	655674.43	248309.07	278.00	175.00						
EQCN113	Label	DD1**			Action radius/m		3000.00						
	Group	5 m/s			Lw (Day (12h)) /dB(A)		98.39						
	Number of nodes	1			Lw (Night (8h)) /dB(A)		98.39						
	Length/ m	---			Lw (Evening (4h)) /dB(A)		98.39						
	Length/ m (2D)	---			Emission is		Sound power level (Lw)						
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 5 m/s ST										
	Day (12h)	Lw /dB (A)	98.4	34.5 41.2 47.5	53.8 59.6 64.8	69.5 73.6 77.1	80.0 82.3 84.1	85.4 86.7 87.5	88.4 88.9 89.0	88.6 87.9 86.8	85.4 83.5 81.2	78.6 75.5 72.1	68.3 64.0 59.4
	Night (8h)	Emission	Reference: Vestas V172 5 m/s ST										
	Night (8h)	Lw /dB (A)	98.4	34.5 41.2 47.5	53.8 59.6 64.8	69.5 73.6 77.1	80.0 82.3 84.1	85.4 86.7 87.5	88.4 88.9 89.0	88.6 87.9 86.8	85.4 83.5 81.2	78.6 75.5 72.1	68.3 64.0 59.4
	Evening (4h)	Emission	Reference: Vestas V172 5 m/s ST										
	Evening (4h)	Lw /dB (A)	98.4	34.5 41.2 47.5	53.8 59.6 64.8	69.5 73.6 77.1	80.0 82.3 84.1	85.4 86.7 87.5	88.4 88.9 89.0	88.6 87.9 86.8	85.4 83.5 81.2	78.6 75.5 72.1	68.3 64.0 59.4
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB							Special correction /dB	
	Lden	-	0.0	0.0	0.0	-	0.0					-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	98.4	1.00	1.32210	-9.58	-9.6					
	Evening (4h)	4.00	Evening	98.4	1.00	0.34710	-10.62	-10.6					
	Night (8h)	8.00	Night	98.4	1.00	0.63860	-10.98	-11.0					
	Geometry		Nr	x/m	y/m	z(abs) /m	! z(rel) /m						
			Geometry:	656226.07	248421.71	278.00	175.00						
EQCN114	Label	DD3**			Action radius/m		3000.00						
	Group	5 m/s			Lw (Day (12h)) /dB(A)		98.39						
	Number of nodes	1			Lw (Night (8h)) /dB(A)		98.39						
	Length/ m	---			Lw (Evening (4h)) /dB(A)		98.39						
	Length/ m (2D)	---			Emission is		Sound power level (Lw)						
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 5 m/s ST										
	Day (12h)	Lw /dB (A)	98.4	34.5 41.2 47.5	53.8 59.6 64.8	69.5 73.6 77.1	80.0 82.3 84.1	85.4 86.7 87.5	88.4 88.9 89.0	88.6 87.9 86.8	85.4 83.5 81.2	78.6 75.5 72.1	68.3 64.0 59.4
	Night (8h)	Emission	Reference: Vestas V172 5 m/s ST										
	Night (8h)	Lw /dB (A)	98.4	34.5 41.2 47.5	53.8 59.6 64.8	69.5 73.6 77.1	80.0 82.3 84.1	85.4 86.7 87.5	88.4 88.9 89.0	88.6 87.9 86.8	85.4 83.5 81.2	78.6 75.5 72.1	68.3 64.0 59.4
	Evening (4h)	Emission	Reference: Vestas V172 5 m/s ST										
	Evening (4h)	Lw /dB (A)	98.4	34.5 41.2 47.5	53.8 59.6 64.8	69.5 73.6 77.1	80.0 82.3 84.1	85.4 86.7 87.5	88.4 88.9 89.0	88.6 87.9 86.8	85.4 83.5 81.2	78.6 75.5 72.1	68.3 64.0 59.4
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB							Special correction /dB	
	Lden	-	0.0	0.0	0.0	-	0.0					-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	98.4	1.00	1.32210	-9.58	-9.6					
	Evening (4h)	4.00	Evening	98.4	1.00	0.34710	-10.62	-10.6					
	Night (8h)	8.00	Night	98.4	1.00	0.63860	-10.98	-11.0					
	Geometry		Nr	x/m	y/m	z(abs) /m	! z(rel) /m						
			Geometry:	656792.54	248209.39	279.20	175.00						
EQCN115	Label	O1.b**			Action radius/m		3000.00						
	Group	5 m/s			Lw (Day (12h)) /dB(A)		98.39						
	Number of nodes	1			Lw (Night (8h)) /dB(A)		98.39						
	Length/ m	---			Lw (Evening (4h)) /dB(A)		98.39						
	Length/ m (2D)	---			Emission is		Sound power level (Lw)						
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 5 m/s ST										
	Day (12h)	Lw /dB (A)	98.4	34.5 41.2 47.5	53.8 59.6 64.8	69.5 73.6 77.1	80.0 82.3 84.1	85.4 86.7 87.5	88.4 88.9 89.0	88.6 87.9 86.8	85.4 83.5 81.2	78.6 75.5 72.1	68.3 64.0 59.4
	Night (8h)	Emission	Reference: Vestas V172 5 m/s ST										
	Night (8h)	Lw /dB (A)	98.4	34.5 41.2 47.5	53.8 59.6 64.8	69.5 73.6 77.1	80.0 82.3 84.1	85.4 86.7 87.5	88.4 88.9 89.0	88.6 87.9 86.8	85.4 83.5 81.2	78.6 75.5 72.1	68.3 64.0 59.4
	Evening (4h)	Emission	Reference: Vestas V172 5 m/s ST										
	Evening (4h)	Lw /dB (A)	98.4	34.5 41.2 47.5	53.8 59.6 64.8	69.5 73.6 77.1	80.0 82.3 84.1	85.4 86.7 87.5	88.4 88.9 89.0	88.6 87.9 86.8	85.4 83.5 81.2	78.6 75.5 72.1	68.3 64.0 59.4
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB							Special correction /dB	
	Lden	-	0.0	0.0	0.0	-	0.0					-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	98.4	1.00	1.32210	-9.58	-9.6					
	Evening (4h)	4.00	Evening	98.4	1.00	0.34710	-10.62	-10.6					

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Night (8h)		8.00	Night		98.4		1.00		0.63860		-10.98		-11.0
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		655628.52		247870.27		278.00		175.00	
EQCN116	Label		JV1**				Action radius/m						3000.00	
	Group		5 m/s				Lw (Day (12h)) /dB(A)						98.39	
	Number of nodes		1				Lw (Night (8h)) /dB(A)						98.39	
	Length/ m		---				Lw (Evening (4h)) /dB(A)						98.39	
	Length/ m (2D)		---				Emission is						Sound power level (Lw)	
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 5 m/s ST											
	Day (12h)	Lw /dB (A)	98.4	34.5 41.2 47.5	53.8 59.6 64.8	69.5 73.6 77.1	80.0 82.3 84.1	85.4 86.7 87.5	88.4 88.9 89.0	88.6 87.9 86.8	85.4 83.5 81.2	78.6 75.5 72.1	68.3 64.0 59.4	
	Night (8h)	Emission	Reference: Vestas V172 5 m/s ST											
	Night (8h)	Lw /dB (A)	98.4	34.5 41.2 47.5	53.8 59.6 64.8	69.5 73.6 77.1	80.0 82.3 84.1	85.4 86.7 87.5	88.4 88.9 89.0	88.6 87.9 86.8	85.4 83.5 81.2	78.6 75.5 72.1	68.3 64.0 59.4	
	Evening (4h)	Emission	Reference: Vestas V172 5 m/s ST											
	Evening (4h)	Lw /dB (A)	98.4	34.5 41.2 47.5	53.8 59.6 64.8	69.5 73.6 77.1	80.0 82.3 84.1	85.4 86.7 87.5	88.4 88.9 89.0	88.6 87.9 86.8	85.4 83.5 81.2	78.6 75.5 72.1	68.3 64.0 59.4	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	98.4		1.00		1.32210		-9.58		-9.6	
	Evening (4h)		4.00	Evening	98.4		1.00		0.34710		-10.62		-10.6	
	Night (8h)		8.00	Night	98.4		1.00		0.63860		-10.98		-11.0	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		656086.43		247254.47		279.00		175.00	
EQCN117	Label		Pr12**				Action radius/m						3000.00	
	Group		5 m/s				Lw (Day (12h)) /dB(A)						98.39	
	Number of nodes		1				Lw (Night (8h)) /dB(A)						98.39	
	Length/ m		---				Lw (Evening (4h)) /dB(A)						98.39	
	Length/ m (2D)		---				Emission is						Sound power level (Lw)	
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 5 m/s ST											
	Day (12h)	Lw /dB (A)	98.4	34.5 41.2 47.5	53.8 59.6 64.8	69.5 73.6 77.1	80.0 82.3 84.1	85.4 86.7 87.5	88.4 88.9 89.0	88.6 87.9 86.8	85.4 83.5 81.2	78.6 75.5 72.1	68.3 64.0 59.4	
	Night (8h)	Emission	Reference: Vestas V172 5 m/s ST											
	Night (8h)	Lw /dB (A)	98.4	34.5 41.2 47.5	53.8 59.6 64.8	69.5 73.6 77.1	80.0 82.3 84.1	85.4 86.7 87.5	88.4 88.9 89.0	88.6 87.9 86.8	85.4 83.5 81.2	78.6 75.5 72.1	68.3 64.0 59.4	
	Evening (4h)	Emission	Reference: Vestas V172 5 m/s ST											
	Evening (4h)	Lw /dB (A)	98.4	34.5 41.2 47.5	53.8 59.6 64.8	69.5 73.6 77.1	80.0 82.3 84.1	85.4 86.7 87.5	88.4 88.9 89.0	88.6 87.9 86.8	85.4 83.5 81.2	78.6 75.5 72.1	68.3 64.0 59.4	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	98.4		1.00		1.32210		-9.58		-9.6	
	Evening (4h)		4.00	Evening	98.4		1.00		0.34710		-10.62		-10.6	
	Night (8h)		8.00	Night	98.4		1.00		0.63860		-10.98		-11.0	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		659850.41		255599.51		281.00		175.00	
EQCN118	Label		O6**				Action radius/m						3000.00	
	Group		5 m/s				Lw (Day (12h)) /dB(A)						98.39	
	Number of nodes		1				Lw (Night (8h)) /dB(A)						98.39	
	Length/ m		---				Lw (Evening (4h)) /dB(A)						98.39	
	Length/ m (2D)		---				Emission is						Sound power level (Lw)	
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 5 m/s ST											
	Day (12h)	Lw /dB (A)	98.4	34.5 41.2 47.5	53.8 59.6 64.8	69.5 73.6 77.1	80.0 82.3 84.1	85.4 86.7 87.5	88.4 88.9 89.0	88.6 87.9 86.8	85.4 83.5 81.2	78.6 75.5 72.1	68.3 64.0 59.4	
	Night (8h)	Emission	Reference: Vestas V172 5 m/s ST											
	Night (8h)	Lw /dB (A)	98.4	34.5 41.2 47.5	53.8 59.6 64.8	69.5 73.6 77.1	80.0 82.3 84.1	85.4 86.7 87.5	88.4 88.9 89.0	88.6 87.9 86.8	85.4 83.5 81.2	78.6 75.5 72.1	68.3 64.0 59.4	
	Evening (4h)	Emission	Reference: Vestas V172 5 m/s ST											
	Evening (4h)	Lw /dB (A)	98.4	34.5 41.2 47.5	53.8 59.6 64.8	69.5 73.6 77.1	80.0 82.3 84.1	85.4 86.7 87.5	88.4 88.9 89.0	88.6 87.9 86.8	85.4 83.5 81.2	78.6 75.5 72.1	68.3 64.0 59.4	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	98.4		1.00		1.32210		-9.58		-9.6	
	Evening (4h)		4.00	Evening	98.4		1.00		0.34710		-10.62		-10.6	
	Night (8h)		8.00	Night	98.4		1.00		0.63860		-10.98		-11.0	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

				Geometry:		659724.06		256257.39		278.09		175.00															
EQCN119		Label		Pr11**		Action radius/m						3000.00															
		Group		5 m/s		Lw (Day (12h)) /dB(A)						98.39															
		Number of nodes		1		Lw (Night (8h)) /dB(A)						98.39															
		Length/ m		---		Lw (Evening (4h)) /dB(A)						98.39															
		Length/ m (2D)		---		Emission is						Sound power level (Lw)															
		Area /m²		---																							
		Emiss. variant		Sum		16 Hz		31.5 Hz		63 Hz		125 Hz		250 Hz		500 Hz		1000 Hz		2000 Hz		4000 Hz		8000 Hz			
		Day (12h)		Emission		Reference: Vestas V172 5 m/s ST																					
		Day (12h)		Lw /dB (A)		98.4		34.5 41.2 47.5		53.8 59.6 64.8		69.5 73.6 77.1		80.0 82.3 84.1		85.4 86.7 87.5		88.4 88.9 89.0		88.6 87.9 86.8		85.4 83.5 81.2		78.6 75.5 72.1		68.3 64.0 59.4	
		Night (8h)		Emission		Reference: Vestas V172 5 m/s ST																					
		Night (8h)		Lw /dB (A)		98.4		34.5 41.2 47.5		53.8 59.6 64.8		69.5 73.6 77.1		80.0 82.3 84.1		85.4 86.7 87.5		88.4 88.9 89.0		88.6 87.9 86.8		85.4 83.5 81.2		78.6 75.5 72.1		68.3 64.0 59.4	
		Evening (4h)		Emission		Reference: Vestas V172 5 m/s ST																					
		Evening (4h)		Lw /dB (A)		98.4		34.5 41.2 47.5		53.8 59.6 64.8		69.5 73.6 77.1		80.0 82.3 84.1		85.4 86.7 87.5		88.4 88.9 89.0		88.6 87.9 86.8		85.4 83.5 81.2		78.6 75.5 72.1		68.3 64.0 59.4	
		Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB													
		Lden		-		0.0		0.0		0.0				-		0.0											
		Rating period / Period		Duration /h		Emiss. variant		Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)											
		Day (12h)		12.00		Day		98.4		1.00		1.32210		-9.58		-9.6											
		Evening (4h)		4.00		Evening		98.4		1.00		0.34710		-10.62		-10.6											
		Night (8h)		8.00		Night		98.4		1.00		0.63860		-10.98		-11.0											
		Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m													
						Geometry:		660296.51		255945.28		279.00		175.00													
EQCN120		Label		AP2**		Action radius/m								3000.00													
		Group		5 m/s		Lw (Day (12h)) /dB(A)								98.39													
		Number of nodes		1		Lw (Night (8h)) /dB(A)								98.39													
		Length/ m		---		Lw (Evening (4h)) /dB(A)								98.39													
		Length/ m (2D)		---		Emission is								Sound power level (Lw)													
		Area /m²		---																							
		Emiss. variant		Sum		16 Hz		31.5 Hz		63 Hz		125 Hz		250 Hz		500 Hz		1000 Hz		2000 Hz		4000 Hz		8000 Hz			
		Day (12h)		Emission		Reference: Vestas V172 5 m/s ST																					
		Day (12h)		Lw /dB (A)		98.4		34.5 41.2 47.5		53.8 59.6 64.8		69.5 73.6 77.1		80.0 82.3 84.1		85.4 86.7 87.5		88.4 88.9 89.0		88.6 87.9 86.8		85.4 83.5 81.2		78.6 75.5 72.1		68.3 64.0 59.4	
		Night (8h)		Emission		Reference: Vestas V172 5 m/s ST																					
		Night (8h)		Lw /dB (A)		98.4		34.5 41.2 47.5		53.8 59.6 64.8		69.5 73.6 77.1		80.0 82.3 84.1		85.4 86.7 87.5		88.4 88.9 89.0		88.6 87.9 86.8		85.4 83.5 81.2		78.6 75.5 72.1		68.3 64.0 59.4	
		Evening (4h)		Emission		Reference: Vestas V172 5 m/s ST																					
		Evening (4h)		Lw /dB (A)		98.4		34.5 41.2 47.5		53.8 59.6 64.8		69.5 73.6 77.1		80.0 82.3 84.1		85.4 86.7 87.5		88.4 88.9 89.0		88.6 87.9 86.8		85.4 83.5 81.2		78.6 75.5 72.1		68.3 64.0 59.4	
		Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB													
		Lden		-		0.0		0.0		0.0				-		0.0											
		Rating period / Period		Duration /h		Emiss. variant		Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)											
		Day (12h)		12.00		Day		98.4		1.00		1.32210		-9.58		-9.6											
		Evening (4h)		4.00		Evening		98.4		1.00		0.34710		-10.62		-10.6											
		Night (8h)		8.00		Night		98.4		1.00		0.63860		-10.98		-11.0											
		Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m													
						Geometry:		661860.19		254894.20		282.00		175.00													
EQCN121		Label		AP6.1**		Action radius/m								3000.00													
		Group		5 m/s		Lw (Day (12h)) /dB(A)								98.39													
		Number of nodes		1		Lw (Night (8h)) /dB(A)								98.39													
		Length/ m		---		Lw (Evening (4h)) /dB(A)								98.39													
		Length/ m (2D)		---		Emission is								Sound power level (Lw)													
		Area /m²		---																							
		Emiss. variant		Sum		16 Hz		31.5 Hz		63 Hz		125 Hz		250 Hz		500 Hz		1000 Hz		2000 Hz		4000 Hz		8000 Hz			
		Day (12h)		Emission		Reference: Vestas V172 5 m/s ST																					
		Day (12h)		Lw /dB (A)		98.4		34.5 41.2 47.5		53.8 59.6 64.8		69.5 73.6 77.1		80.0 82.3 84.1		85.4 86.7 87.5		88.4 88.9 89.0		88.6 87.9 86.8		85.4 83.5 81.2		78.6 75.5 72.1		68.3 64.0 59.4	
		Night (8h)		Emission		Reference: Vestas V172 5 m/s ST																					
		Night (8h)		Lw /dB (A)		98.4		34.5 41.2 47.5		53.8 59.6 64.8		69.5 73.6 77.1		80.0 82.3 84.1		85.4 86.7 87.5		88.4 88.9 89.0		88.6 87.9 86.8		85.4 83.5 81.2		78.6 75.5 72.1		68.3 64.0 59.4	
		Evening (4h)		Emission		Reference: Vestas V172 5 m/s ST																					
		Evening (4h)		Lw /dB (A)		98.4		34.5 41.2 47.5		53.8 59.6 64.8		69.5 73.6 77.1		80.0 82.3 84.1		85.4 86.7 87.5		88.4 88.9 89.0		88.6 87.9 86.8		85.4 83.5 81.2		78.6 75.5 72.1		68.3 64.0 59.4	
		Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB													
		Lden		-		0.0		0.0		0.0				-		0.0											
		Rating period / Period		Duration /h		Emiss. variant		Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)											
		Day (12h)		12.00		Day		98.4		1.00		1.32210		-9.58		-9.6											
		Evening (4h)		4.00		Evening		98.4		1.00		0.34710		-10.62		-10.6											
		Night (8h)		8.00		Night		98.4		1.00		0.63860		-10.98		-11.0											
		Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m													
						Geometry:		661549.21		255141.18		282.00		175.00													
EQCN122		Label		JU1**		Action radius/m								3000.00													

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

Group		5 m/s				Lw (Day (12h)) /dB(A)				98.39			
Number of nodes		1				Lw (Night (8h)) /dB(A)				98.39			
Length/ m		----				Lw (Evening (4h)) /dB(A)				98.39			
Length/ m (2D)		----				Emission is				Sound power level (Lw)			
Area /m²		----											
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)	Emission	Reference: Vestas V172 5 m/s ST											
Day (12h)	Lw /dB (A)	98.4	34.5	53.8	69.5	80.0	85.4	88.4	88.6	85.4	78.6	68.3	
			41.2	59.6	73.6	82.3	86.7	88.9	87.9	83.5	75.5	64.0	
			47.5	64.8	77.1	84.1	87.5	89.0	86.8	81.2	72.1	59.4	
Night (8h)	Emission	Reference: Vestas V172 5 m/s ST											
Night (8h)	Lw /dB (A)	98.4	34.5	53.8	69.5	80.0	85.4	88.4	88.6	85.4	78.6	68.3	
			41.2	59.6	73.6	82.3	86.7	88.9	87.9	83.5	75.5	64.0	
			47.5	64.8	77.1	84.1	87.5	89.0	86.8	81.2	72.1	59.4	
Evening (4h)	Emission	Reference: Vestas V172 5 m/s ST											
Evening (4h)	Lw /dB (A)	98.4	34.5	53.8	69.5	80.0	85.4	88.4	88.6	85.4	78.6	68.3	
			41.2	59.6	73.6	82.3	86.7	88.9	87.9	83.5	75.5	64.0	
			47.5	64.8	77.1	84.1	87.5	89.0	86.8	81.2	72.1	59.4	
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
Lden		-		0.0		0.0		0.0		-		0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)		12.00	Day	98.4		1.00		1.32210		-9.58		-9.6	
Evening (4h)		4.00	Evening	98.4		1.00		0.34710		-10.62		-10.6	
Night (8h)		8.00	Night	98.4		1.00		0.63860		-10.98		-11.0	
Geometry						Nr		x/m		y/m		z(abs) /m	
						Geometry:		661068.17		255365.14		281.00	
EQCN123		Label		Pr25**		Action radius/m						3000.00	
Group		5 m/s				Lw (Day (12h)) /dB(A)				98.39			
Number of nodes		1				Lw (Night (8h)) /dB(A)				98.39			
Length/ m		----				Lw (Evening (4h)) /dB(A)				98.39			
Length/ m (2D)		----				Emission is				Sound power level (Lw)			
Area /m²		----											
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)	Emission	Reference: Vestas V172 5 m/s ST											
Day (12h)	Lw /dB (A)	98.4	34.5	53.8	69.5	80.0	85.4	88.4	88.6	85.4	78.6	68.3	
			41.2	59.6	73.6	82.3	86.7	88.9	87.9	83.5	75.5	64.0	
			47.5	64.8	77.1	84.1	87.5	89.0	86.8	81.2	72.1	59.4	
Night (8h)	Emission	Reference: Vestas V172 5 m/s ST											
Night (8h)	Lw /dB (A)	98.4	34.5	53.8	69.5	80.0	85.4	88.4	88.6	85.4	78.6	68.3	
			41.2	59.6	73.6	82.3	86.7	88.9	87.9	83.5	75.5	64.0	
			47.5	64.8	77.1	84.1	87.5	89.0	86.8	81.2	72.1	59.4	
Evening (4h)	Emission	Reference: Vestas V172 5 m/s ST											
Evening (4h)	Lw /dB (A)	98.4	34.5	53.8	69.5	80.0	85.4	88.4	88.6	85.4	78.6	68.3	
			41.2	59.6	73.6	82.3	86.7	88.9	87.9	83.5	75.5	64.0	
			47.5	64.8	77.1	84.1	87.5	89.0	86.8	81.2	72.1	59.4	
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
Lden		-		0.0		0.0		0.0		-		0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)		12.00	Day	98.4		1.00		1.32210		-9.58		-9.6	
Evening (4h)		4.00	Evening	98.4		1.00		0.34710		-10.62		-10.6	
Night (8h)		8.00	Night	98.4		1.00		0.63860		-10.98		-11.0	
Geometry						Nr		x/m		y/m		z(abs) /m	
						Geometry:		662047.55		256166.20		283.00	
EQCN124		Label		PrRR3**		Action radius/m						3000.00	
Group		5 m/s				Lw (Day (12h)) /dB(A)				98.39			
Number of nodes		1				Lw (Night (8h)) /dB(A)				98.39			
Length/ m		----				Lw (Evening (4h)) /dB(A)				98.39			
Length/ m (2D)		----				Emission is				Sound power level (Lw)			
Area /m²		----											
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)	Emission	Reference: Vestas V172 5 m/s ST											
Day (12h)	Lw /dB (A)	98.4	34.5	53.8	69.5	80.0	85.4	88.4	88.6	85.4	78.6	68.3	
			41.2	59.6	73.6	82.3	86.7	88.9	87.9	83.5	75.5	64.0	
			47.5	64.8	77.1	84.1	87.5	89.0	86.8	81.2	72.1	59.4	
Night (8h)	Emission	Reference: Vestas V172 5 m/s ST											
Night (8h)	Lw /dB (A)	98.4	34.5	53.8	69.5	80.0	85.4	88.4	88.6	85.4	78.6	68.3	
			41.2	59.6	73.6	82.3	86.7	88.9	87.9	83.5	75.5	64.0	
			47.5	64.8	77.1	84.1	87.5	89.0	86.8	81.2	72.1	59.4	
Evening (4h)	Emission	Reference: Vestas V172 5 m/s ST											
Evening (4h)	Lw /dB (A)	98.4	34.5	53.8	69.5	80.0	85.4	88.4	88.6	85.4	78.6	68.3	
			41.2	59.6	73.6	82.3	86.7	88.9	87.9	83.5	75.5	64.0	
			47.5	64.8	77.1	84.1	87.5	89.0	86.8	81.2	72.1	59.4	
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
Lden		-		0.0		0.0		0.0		-		0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)		12.00	Day	98.4		1.00		1.32210		-9.58		-9.6	
Evening (4h)		4.00	Evening	98.4		1.00		0.34710		-10.62		-10.6	
Night (8h)		8.00	Night	98.4		1.00		0.63860		-10.98		-11.0	
Geometry						Nr		x/m		y/m		z(abs) /m	
						Geometry:		662676.13		256121.38		284.00	
EQCN125		Label		P19.2b**		Action radius/m						3000.00	
Group		5 m/s				Lw (Day (12h)) /dB(A)				98.39			
Number of nodes		1				Lw (Night (8h)) /dB(A)				98.39			

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Length/ m	---					Lw (Evening (4h)) /dB(A)					98.39		
	Length/ m (2D)	---					Emission is					Sound power level (Lw)		
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 5 m/s ST											
	Day (12h)	Lw /dB (A)	98.4	34.5 41.2 47.5	53.8 59.6 64.8	69.5 73.6 77.1	80.0 82.3 84.1	85.4 86.7 87.5	88.4 88.9 89.0	88.6 87.9 86.8	85.4 83.5 81.2	78.6 75.5 72.1	68.3 64.0 59.4	
	Night (8h)	Emission	Reference: Vestas V172 5 m/s ST											
	Night (8h)	Lw /dB (A)	98.4	34.5 41.2 47.5	53.8 59.6 64.8	69.5 73.6 77.1	80.0 82.3 84.1	85.4 86.7 87.5	88.4 88.9 89.0	88.6 87.9 86.8	85.4 83.5 81.2	78.6 75.5 72.1	68.3 64.0 59.4	
	Evening (4h)	Emission	Reference: Vestas V172 5 m/s ST											
	Evening (4h)	Lw /dB (A)	98.4	34.5 41.2 47.5	53.8 59.6 64.8	69.5 73.6 77.1	80.0 82.3 84.1	85.4 86.7 87.5	88.4 88.9 89.0	88.6 87.9 86.8	85.4 83.5 81.2	78.6 75.5 72.1	68.3 64.0 59.4	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden	-		0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	98.4		1.00		1.32210		-9.58		-9.6		
	Evening (4h)	4.00	Evening	98.4		1.00		0.34710		-10.62		-10.6		
	Night (8h)	8.00	Night	98.4		1.00		0.63860		-10.98		-11.0		
	Geometry					Nr	x/m	y/m	z(abs) /m		! z(rel) /m			
						Geometry:	656671.82	247343.93	280.00		175.00			
EQCN126	Label	Pr3b**					Action radius/m					3000.00		
	Group	5 m/s					Lw (Day (12h)) /dB(A)					98.39		
	Number of nodes	1					Lw (Night (8h)) /dB(A)					98.39		
	Length/ m	---					Lw (Evening (4h)) /dB(A)					98.39		
	Length/ m (2D)	---					Emission is					Sound power level (Lw)		
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 5 m/s ST											
	Day (12h)	Lw /dB (A)	98.4	34.5 41.2 47.5	53.8 59.6 64.8	69.5 73.6 77.1	80.0 82.3 84.1	85.4 86.7 87.5	88.4 88.9 89.0	88.6 87.9 86.8	85.4 83.5 81.2	78.6 75.5 72.1	68.3 64.0 59.4	
	Night (8h)	Emission	Reference: Vestas V172 5 m/s ST											
	Night (8h)	Lw /dB (A)	98.4	34.5 41.2 47.5	53.8 59.6 64.8	69.5 73.6 77.1	80.0 82.3 84.1	85.4 86.7 87.5	88.4 88.9 89.0	88.6 87.9 86.8	85.4 83.5 81.2	78.6 75.5 72.1	68.3 64.0 59.4	
	Evening (4h)	Emission	Reference: Vestas V172 5 m/s ST											
	Evening (4h)	Lw /dB (A)	98.4	34.5 41.2 47.5	53.8 59.6 64.8	69.5 73.6 77.1	80.0 82.3 84.1	85.4 86.7 87.5	88.4 88.9 89.0	88.6 87.9 86.8	85.4 83.5 81.2	78.6 75.5 72.1	68.3 64.0 59.4	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden	-		0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	98.4		1.00		1.32210		-9.58		-9.6		
	Evening (4h)	4.00	Evening	98.4		1.00		0.34710		-10.62		-10.6		
	Night (8h)	8.00	Night	98.4		1.00		0.63860		-10.98		-11.0		
	Geometry					Nr	x/m	y/m	z(abs) /m		! z(rel) /m			
						Geometry:	662489.40	255686.03	284.00		175.00			
EQCN127	Label	O2***					Action radius/m					3000.00		
	Group	6 m/s					Lw (Day (12h)) /dB(A)					101.80		
	Number of nodes	1					Lw (Night (8h)) /dB(A)					101.80		
	Length/ m	---					Lw (Evening (4h)) /dB(A)					101.80		
	Length/ m (2D)	---					Emission is					Sound power level (Lw)		
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 6 m/s ST											
	Day (12h)	Lw /dB (A)	101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1	
	Night (8h)	Emission	Reference: Vestas V172 6 m/s ST											
	Night (8h)	Lw /dB (A)	101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1	
	Evening (4h)	Emission	Reference: Vestas V172 6 m/s ST											
	Evening (4h)	Lw /dB (A)	101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden	-		0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	101.8		1.00		1.36470		-9.44		-9.4		
	Evening (4h)	4.00	Evening	101.8		1.00		0.40880		-9.91		-9.9		
	Night (8h)	8.00	Night	101.8		1.00		0.75370		-10.26		-10.3		
	Geometry					Nr	x/m	y/m	z(abs) /m		! z(rel) /m			
						Geometry:	655899.72	249092.09	279.27		175.00			
EQCN128	Label	O3***					Action radius/m					3000.00		
	Group	6 m/s					Lw (Day (12h)) /dB(A)					101.80		
	Number of nodes	1					Lw (Night (8h)) /dB(A)					101.80		
	Length/ m	---					Lw (Evening (4h)) /dB(A)					101.80		
	Length/ m (2D)	---					Emission is					Sound power level (Lw)		

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

Area /m²		---												
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
Day (12h)		Reference: Vestas V172 6 m/s ST												
Day (12h)		101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1		
Night (8h)		Reference: Vestas V172 6 m/s ST												
Night (8h)		101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1		
Evening (4h)		Reference: Vestas V172 6 m/s ST												
Evening (4h)		101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1		
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
Lden				-		0.0		0.0		0.0		-		0.0
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
Day (12h)		12.00	Day	101.8		1.00		1.36470		-9.44		-9.4		
Evening (4h)		4.00	Evening	101.8		1.00		0.40880		-9.91		-9.9		
Night (8h)		8.00	Night	101.8		1.00		0.75370		-10.26		-10.3		
Geometry						Nr		x/m		y/m		z(abs) /m		! z(rel) /m
						Geometry:		656055.72		248760.81		279.00		175.00
EQCN129		Label		O5***		Action radius/m		3000.00						
		Group		6 m/s		Lw (Day (12h)) /dB(A)		101.80						
		Number of nodes		1		Lw (Night (8h)) /dB(A)		101.80						
		Length/ m		---		Lw (Evening (4h)) /dB(A)		101.80						
		Length/ m (2D)		---		Emission is		Sound power level (Lw)						
		Area /m²		---										
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
Day (12h)		Reference: Vestas V172 6 m/s ST												
Day (12h)		101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1		
Night (8h)		Reference: Vestas V172 6 m/s ST												
Night (8h)		101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1		
Evening (4h)		Reference: Vestas V172 6 m/s ST												
Evening (4h)		101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1		
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
Lden				-		0.0		0.0		0.0		-		0.0
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
Day (12h)		12.00	Day	101.8		1.00		1.36470		-9.44		-9.4		
Evening (4h)		4.00	Evening	101.8		1.00		0.40880		-9.91		-9.9		
Night (8h)		8.00	Night	101.8		1.00		0.75370		-10.26		-10.3		
Geometry						Nr		x/m		y/m		z(abs) /m		! z(rel) /m
						Geometry:		656292.16		247880.94		279.00		175.00
EQCN130		Label		O4***		Action radius/m		3000.00						
		Group		6 m/s		Lw (Day (12h)) /dB(A)		101.80						
		Number of nodes		1		Lw (Night (8h)) /dB(A)		101.80						
		Length/ m		---		Lw (Evening (4h)) /dB(A)		101.80						
		Length/ m (2D)		---		Emission is		Sound power level (Lw)						
		Area /m²		---										
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
Day (12h)		Reference: Vestas V172 6 m/s ST												
Day (12h)		101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1		
Night (8h)		Reference: Vestas V172 6 m/s ST												
Night (8h)		101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1		
Evening (4h)		Reference: Vestas V172 6 m/s ST												
Evening (4h)		101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1		
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
Lden				-		0.0		0.0		0.0		-		0.0
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
Day (12h)		12.00	Day	101.8		1.00		1.36470		-9.44		-9.4		
Evening (4h)		4.00	Evening	101.8		1.00		0.40880		-9.91		-9.9		
Night (8h)		8.00	Night	101.8		1.00		0.75370		-10.26		-10.3		
Geometry						Nr		x/m		y/m		z(abs) /m		! z(rel) /m
						Geometry:		655674.43		248309.07		278.00		175.00
EQCN131		Label		DD1***		Action radius/m		3000.00						
		Group		6 m/s		Lw (Day (12h)) /dB(A)		101.80						
		Number of nodes		1		Lw (Night (8h)) /dB(A)		101.80						
		Length/ m		---		Lw (Evening (4h)) /dB(A)		101.80						
		Length/ m (2D)		---		Emission is		Sound power level (Lw)						
		Area /m²		---										
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		

Vēja parks "Pīkuļi" B alternatīva - Vestas V172 - 7.2 MW

	Day (12h)	Emission	Reference: Vestas V172 6 m/s ST										
	Day (12h)	Lw /dB (A)	101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1
	Night (8h)	Emission	Reference: Vestas V172 6 m/s ST										
	Night (8h)	Lw /dB (A)	101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1
	Evening (4h)	Emission	Reference: Vestas V172 6 m/s ST										
	Evening (4h)	Lw /dB (A)	101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	101.8		1.00		1.36470		-9.44		-9.4
	Evening (4h)		4.00	Evening	101.8		1.00		0.40880		-9.91		-9.9
	Night (8h)		8.00	Night	101.8		1.00		0.75370		-10.26		-10.3
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
					Geometry:		656226.07		248421.71		278.00		175.00
EQCN132	Label		DD3***				Action radius/m						3000.00
	Group		6 m/s				Lw (Day (12h)) /dB(A)						101.80
	Number of nodes		1				Lw (Night (8h)) /dB(A)						101.80
	Length/ m		---				Lw (Evening (4h)) /dB(A)						101.80
	Length/ m (2D)		---				Emission is						Sound power level (Lw)
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 6 m/s ST										
	Day (12h)	Lw /dB (A)	101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1
	Night (8h)	Emission	Reference: Vestas V172 6 m/s ST										
	Night (8h)	Lw /dB (A)	101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1
	Evening (4h)	Emission	Reference: Vestas V172 6 m/s ST										
	Evening (4h)	Lw /dB (A)	101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	101.8		1.00		1.36470		-9.44		-9.4
	Evening (4h)		4.00	Evening	101.8		1.00		0.40880		-9.91		-9.9
	Night (8h)		8.00	Night	101.8		1.00		0.75370		-10.26		-10.3
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
					Geometry:		656792.54		248209.39		279.20		175.00
EQCN133	Label		O1.b***				Action radius/m						3000.00
	Group		6 m/s				Lw (Day (12h)) /dB(A)						101.80
	Number of nodes		1				Lw (Night (8h)) /dB(A)						101.80
	Length/ m		---				Lw (Evening (4h)) /dB(A)						101.80
	Length/ m (2D)		---				Emission is						Sound power level (Lw)
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 6 m/s ST										
	Day (12h)	Lw /dB (A)	101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1
	Night (8h)	Emission	Reference: Vestas V172 6 m/s ST										
	Night (8h)	Lw /dB (A)	101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1
	Evening (4h)	Emission	Reference: Vestas V172 6 m/s ST										
	Evening (4h)	Lw /dB (A)	101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	101.8		1.00		1.36470		-9.44		-9.4
	Evening (4h)		4.00	Evening	101.8		1.00		0.40880		-9.91		-9.9
	Night (8h)		8.00	Night	101.8		1.00		0.75370		-10.26		-10.3
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
					Geometry:		655628.52		247870.27		278.00		175.00
EQCN134	Label		JV1***				Action radius/m						3000.00
	Group		6 m/s				Lw (Day (12h)) /dB(A)						101.80
	Number of nodes		1				Lw (Night (8h)) /dB(A)						101.80
	Length/ m		---				Lw (Evening (4h)) /dB(A)						101.80
	Length/ m (2D)		---				Emission is						Sound power level (Lw)
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 6 m/s ST										
	Day (12h)	Lw /dB (A)	101.8	38.3	56.8	72.8	83.8	89.6	91.7	91.8	88.4	81.5	71.0

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

				44.6 50.9	62.6 68.0	77.1 80.7	86.3 88.2	90.5 91.3	92.1 92.2	91.1 90.0	86.5 84.2	78.4 74.9	66.8 62.1
	Night (8h)	Emission	Reference:	Vestas V172 6 m/s ST									
	Night (8h)	Lw /dB (A)	101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1
	Evening (4h)	Emission	Reference:	Vestas V172 6 m/s ST									
	Evening (4h)	Lw /dB (A)	101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1
	Rating method		Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden		-	0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	101.8		1.00		1.36470		-9.44		-9.4
	Evening (4h)		4.00	Evening	101.8		1.00		0.40880		-9.91		-9.9
	Night (8h)		8.00	Night	101.8		1.00		0.75370		-10.26		-10.3
	Geometry		Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
			Geometry:		656086.43		247254.47		279.00		175.00		
EQCN135	Label	Pr12***	Action radius/m		3000.00								
	Group	6 m/s	Lw (Day (12h)) /dB(A)		101.80								
	Number of nodes	1	Lw (Night (8h)) /dB(A)		101.80								
	Length/ m	---	Lw (Evening (4h)) /dB(A)		101.80								
	Length/ m (2D)	---	Emission is		Sound power level (Lw)								
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference:	Vestas V172 6 m/s ST									
	Day (12h)	Lw /dB (A)	101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1
	Night (8h)	Emission	Reference:	Vestas V172 6 m/s ST									
	Night (8h)	Lw /dB (A)	101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1
	Evening (4h)	Emission	Reference:	Vestas V172 6 m/s ST									
	Evening (4h)	Lw /dB (A)	101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1
	Rating method		Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden		-	0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	101.8		1.00		1.36470		-9.44		-9.4
	Evening (4h)		4.00	Evening	101.8		1.00		0.40880		-9.91		-9.9
	Night (8h)		8.00	Night	101.8		1.00		0.75370		-10.26		-10.3
	Geometry		Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
			Geometry:		659850.41		255599.51		281.00		175.00		
EQCN136	Label	O6***	Action radius/m		3000.00								
	Group	6 m/s	Lw (Day (12h)) /dB(A)		101.80								
	Number of nodes	1	Lw (Night (8h)) /dB(A)		101.80								
	Length/ m	---	Lw (Evening (4h)) /dB(A)		101.80								
	Length/ m (2D)	---	Emission is		Sound power level (Lw)								
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference:	Vestas V172 6 m/s ST									
	Day (12h)	Lw /dB (A)	101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1
	Night (8h)	Emission	Reference:	Vestas V172 6 m/s ST									
	Night (8h)	Lw /dB (A)	101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1
	Evening (4h)	Emission	Reference:	Vestas V172 6 m/s ST									
	Evening (4h)	Lw /dB (A)	101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1
	Rating method		Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden		-	0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	101.8		1.00		1.36470		-9.44		-9.4
	Evening (4h)		4.00	Evening	101.8		1.00		0.40880		-9.91		-9.9
	Night (8h)		8.00	Night	101.8		1.00		0.75370		-10.26		-10.3
	Geometry		Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
			Geometry:		659724.06		256257.39		278.09		175.00		
EQCN137	Label	Pr11***	Action radius/m		3000.00								
	Group	6 m/s	Lw (Day (12h)) /dB(A)		101.80								
	Number of nodes	1	Lw (Night (8h)) /dB(A)		101.80								
	Length/ m	---	Lw (Evening (4h)) /dB(A)		101.80								
	Length/ m (2D)	---	Emission is		Sound power level (Lw)								
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference:	Vestas V172 6 m/s ST									
	Day (12h)	Lw /dB (A)	101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Night (8h)	Emission	Reference: Vestas V172 6 m/s ST										
	Night (8h)	Lw /dB (A)	101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1
	Evening (4h)	Emission	Reference: Vestas V172 6 m/s ST										
	Evening (4h)	Lw /dB (A)	101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	101.8		1.00		1.36470		-9.44		-9.4
	Evening (4h)		4.00	Evening	101.8		1.00		0.40880		-9.91		-9.9
	Night (8h)		8.00	Night	101.8		1.00		0.75370		-10.26		-10.3
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
					Geometry:		660296.51		255945.28		279.00		175.00
EQCN138	Label		AP2***				Action radius/m						3000.00
	Group		6 m/s				Lw (Day (12h)) /dB(A)						101.80
	Number of nodes		1				Lw (Night (8h)) /dB(A)						101.80
	Length/ m		---				Lw (Evening (4h)) /dB(A)						101.80
	Length/ m (2D)		---				Emission is						Sound power level (Lw)
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 6 m/s ST										
	Day (12h)	Lw /dB (A)	101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1
	Night (8h)	Emission	Reference: Vestas V172 6 m/s ST										
	Night (8h)	Lw /dB (A)	101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1
	Evening (4h)	Emission	Reference: Vestas V172 6 m/s ST										
	Evening (4h)	Lw /dB (A)	101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	101.8		1.00		1.36470		-9.44		-9.4
	Evening (4h)		4.00	Evening	101.8		1.00		0.40880		-9.91		-9.9
	Night (8h)		8.00	Night	101.8		1.00		0.75370		-10.26		-10.3
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
					Geometry:		661860.19		254894.20		282.00		175.00
EQCN139	Label		AP6.1***				Action radius/m						3000.00
	Group		6 m/s				Lw (Day (12h)) /dB(A)						101.80
	Number of nodes		1				Lw (Night (8h)) /dB(A)						101.80
	Length/ m		---				Lw (Evening (4h)) /dB(A)						101.80
	Length/ m (2D)		---				Emission is						Sound power level (Lw)
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 6 m/s ST										
	Day (12h)	Lw /dB (A)	101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1
	Night (8h)	Emission	Reference: Vestas V172 6 m/s ST										
	Night (8h)	Lw /dB (A)	101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1
	Evening (4h)	Emission	Reference: Vestas V172 6 m/s ST										
	Evening (4h)	Lw /dB (A)	101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	101.8		1.00		1.36470		-9.44		-9.4
	Evening (4h)		4.00	Evening	101.8		1.00		0.40880		-9.91		-9.9
	Night (8h)		8.00	Night	101.8		1.00		0.75370		-10.26		-10.3
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
					Geometry:		661549.21		255141.18		282.00		175.00
EQCN140	Label		JU1***				Action radius/m						3000.00
	Group		6 m/s				Lw (Day (12h)) /dB(A)						101.80
	Number of nodes		1				Lw (Night (8h)) /dB(A)						101.80
	Length/ m		---				Lw (Evening (4h)) /dB(A)						101.80
	Length/ m (2D)		---				Emission is						Sound power level (Lw)
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 6 m/s ST										
	Day (12h)	Lw /dB (A)	101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1
	Night (8h)	Emission	Reference: Vestas V172 6 m/s ST										
	Night (8h)	Lw /dB (A)	101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

				44.6	62.6	77.1	86.3	90.5	92.1	91.1	86.5	78.4	66.8
				50.9	68.0	80.7	88.2	91.3	92.2	90.0	84.2	74.9	62.1
	Evening (4h)	Emission	Reference:	Vestas V172 6 m/s ST									
	Evening (4h)	Lw /dB (A)	101.8	38.3	56.8	72.8	83.8	89.6	91.7	91.8	88.4	81.5	71.0
				44.6	62.6	77.1	86.3	90.5	92.1	91.1	86.5	78.4	66.8
				50.9	68.0	80.7	88.2	91.3	92.2	90.0	84.2	74.9	62.1
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden		-	0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	101.8		1.00		1.36470		-9.44		-9.4	
	Evening (4h)	4.00	Evening	101.8		1.00		0.40880		-9.91		-9.9	
	Night (8h)	8.00	Night	101.8		1.00		0.75370		-10.26		-10.3	
	Geometry			Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
				Geometry:		661068.17		255365.14		281.00		175.00	
EQCN141	Label	Pr25***		Action radius/m								3000.00	
	Group	6 m/s		Lw (Day (12h)) /dB(A)								101.80	
	Number of nodes	1		Lw (Night (8h)) /dB(A)								101.80	
	Length/ m	---		Lw (Evening (4h)) /dB(A)								101.80	
	Length/ m (2D)	---		Emission is								Sound power level (Lw)	
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference:	Vestas V172 6 m/s ST									
	Day (12h)	Lw /dB (A)	101.8	38.3	56.8	72.8	83.8	89.6	91.7	91.8	88.4	81.5	71.0
				44.6	62.6	77.1	86.3	90.5	92.1	91.1	86.5	78.4	66.8
				50.9	68.0	80.7	88.2	91.3	92.2	90.0	84.2	74.9	62.1
	Night (8h)	Emission	Reference:	Vestas V172 6 m/s ST									
	Night (8h)	Lw /dB (A)	101.8	38.3	56.8	72.8	83.8	89.6	91.7	91.8	88.4	81.5	71.0
				44.6	62.6	77.1	86.3	90.5	92.1	91.1	86.5	78.4	66.8
				50.9	68.0	80.7	88.2	91.3	92.2	90.0	84.2	74.9	62.1
	Evening (4h)	Emission	Reference:	Vestas V172 6 m/s ST									
	Evening (4h)	Lw /dB (A)	101.8	38.3	56.8	72.8	83.8	89.6	91.7	91.8	88.4	81.5	71.0
				44.6	62.6	77.1	86.3	90.5	92.1	91.1	86.5	78.4	66.8
				50.9	68.0	80.7	88.2	91.3	92.2	90.0	84.2	74.9	62.1
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden		-	0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	101.8		1.00		1.36470		-9.44		-9.4	
	Evening (4h)	4.00	Evening	101.8		1.00		0.40880		-9.91		-9.9	
	Night (8h)	8.00	Night	101.8		1.00		0.75370		-10.26		-10.3	
	Geometry			Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
				Geometry:		662047.55		256166.20		283.00		175.00	
EQCN142	Label	PrRR3***		Action radius/m								3000.00	
	Group	6 m/s		Lw (Day (12h)) /dB(A)								101.80	
	Number of nodes	1		Lw (Night (8h)) /dB(A)								101.80	
	Length/ m	---		Lw (Evening (4h)) /dB(A)								101.80	
	Length/ m (2D)	---		Emission is								Sound power level (Lw)	
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference:	Vestas V172 6 m/s ST									
	Day (12h)	Lw /dB (A)	101.8	38.3	56.8	72.8	83.8	89.6	91.7	91.8	88.4	81.5	71.0
				44.6	62.6	77.1	86.3	90.5	92.1	91.1	86.5	78.4	66.8
				50.9	68.0	80.7	88.2	91.3	92.2	90.0	84.2	74.9	62.1
	Night (8h)	Emission	Reference:	Vestas V172 6 m/s ST									
	Night (8h)	Lw /dB (A)	101.8	38.3	56.8	72.8	83.8	89.6	91.7	91.8	88.4	81.5	71.0
				44.6	62.6	77.1	86.3	90.5	92.1	91.1	86.5	78.4	66.8
				50.9	68.0	80.7	88.2	91.3	92.2	90.0	84.2	74.9	62.1
	Evening (4h)	Emission	Reference:	Vestas V172 6 m/s ST									
	Evening (4h)	Lw /dB (A)	101.8	38.3	56.8	72.8	83.8	89.6	91.7	91.8	88.4	81.5	71.0
				44.6	62.6	77.1	86.3	90.5	92.1	91.1	86.5	78.4	66.8
				50.9	68.0	80.7	88.2	91.3	92.2	90.0	84.2	74.9	62.1
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden		-	0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	101.8		1.00		1.36470		-9.44		-9.4	
	Evening (4h)	4.00	Evening	101.8		1.00		0.40880		-9.91		-9.9	
	Night (8h)	8.00	Night	101.8		1.00		0.75370		-10.26		-10.3	
	Geometry			Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
				Geometry:		662676.13		256121.38		284.00		175.00	
EQCN143	Label	P19.2b***		Action radius/m								3000.00	
	Group	6 m/s		Lw (Day (12h)) /dB(A)								101.80	
	Number of nodes	1		Lw (Night (8h)) /dB(A)								101.80	
	Length/ m	---		Lw (Evening (4h)) /dB(A)								101.80	
	Length/ m (2D)	---		Emission is								Sound power level (Lw)	
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference:	Vestas V172 6 m/s ST									
	Day (12h)	Lw /dB (A)	101.8	38.3	56.8	72.8	83.8	89.6	91.7	91.8	88.4	81.5	71.0
				44.6	62.6	77.1	86.3	90.5	92.1	91.1	86.5	78.4	66.8
				50.9	68.0	80.7	88.2	91.3	92.2	90.0	84.2	74.9	62.1
	Night (8h)	Emission	Reference:	Vestas V172 6 m/s ST									
	Night (8h)	Lw /dB (A)	101.8	38.3	56.8	72.8	83.8	89.6	91.7	91.8	88.4	81.5	71.0
				44.6	62.6	77.1	86.3	90.5	92.1	91.1	86.5	78.4	66.8
				50.9	68.0	80.7	88.2	91.3	92.2	90.0	84.2	74.9	62.1

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Evening (4h)	Emission	Reference: Vestas V172 6 m/s ST										
	Evening (4h)	Lw /dB (A)	101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden	-	0.0	0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	101.8		1.00		1.36470		-9.44		-9.4	
	Evening (4h)	4.00	Evening	101.8		1.00		0.40880		-9.91		-9.9	
	Night (8h)	8.00	Night	101.8		1.00		0.75370		-10.26		-10.3	
	Geometry			Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
				Geometry:		656671.82		247343.93		280.00		175.00	
EQCN144	Label	Pr3b***		Action radius/m								3000.00	
	Group	6 m/s		Lw (Day (12h)) /dB(A)								101.80	
	Number of nodes	1		Lw (Night (8h)) /dB(A)								101.80	
	Length/ m	---		Lw (Evening (4h)) /dB(A)								101.80	
	Length/ m (2D)	---		Emission is								Sound power level (Lw)	
	Area /m²	---											
	Emiss. variant	Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 6 m/s ST										
	Day (12h)	Lw /dB (A)	101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1
	Night (8h)	Emission	Reference: Vestas V172 6 m/s ST										
	Night (8h)	Lw /dB (A)	101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1
	Evening (4h)	Emission	Reference: Vestas V172 6 m/s ST										
	Evening (4h)	Lw /dB (A)	101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden	-	0.0	0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	101.8		1.00		1.36470		-9.44		-9.4	
	Evening (4h)	4.00	Evening	101.8		1.00		0.40880		-9.91		-9.9	
	Night (8h)	8.00	Night	101.8		1.00		0.75370		-10.26		-10.3	
	Geometry			Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
				Geometry:		662489.40		255686.03		284.00		175.00	
EQCN145	Label	O2****		Action radius/m								3000.00	
	Group	7 m/s		Lw (Day (12h)) /dB(A)								105.39	
	Number of nodes	1		Lw (Night (8h)) /dB(A)								105.39	
	Length/ m	---		Lw (Evening (4h)) /dB(A)								105.39	
	Length/ m (2D)	---		Emission is								Sound power level (Lw)	
	Area /m²	---											
	Emiss. variant	Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 7 m/s ST										
	Day (12h)	Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5
	Night (8h)	Emission	Reference: Vestas V172 7 m/s ST										
	Night (8h)	Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5
	Evening (4h)	Emission	Reference: Vestas V172 7 m/s ST										
	Evening (4h)	Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden	-	0.0	0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	105.4		1.00		1.28160		-9.71		-9.7	
	Evening (4h)	4.00	Evening	105.4		1.00		0.42000		-9.79		-9.8	
	Night (8h)	8.00	Night	105.4		1.00		0.85890		-9.69		-9.7	
	Geometry			Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
				Geometry:		655899.72		249092.09		279.27		175.00	
EQCN146	Label	O3****		Action radius/m								3000.00	
	Group	7 m/s		Lw (Day (12h)) /dB(A)								105.39	
	Number of nodes	1		Lw (Night (8h)) /dB(A)								105.39	
	Length/ m	---		Lw (Evening (4h)) /dB(A)								105.39	
	Length/ m (2D)	---		Emission is								Sound power level (Lw)	
	Area /m²	---											
	Emiss. variant	Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 7 m/s ST										
	Day (12h)	Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5
	Night (8h)	Emission	Reference: Vestas V172 7 m/s ST										
	Night (8h)	Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5
	Evening (4h)	Emission	Reference: Vestas V172 7 m/s ST										
	Evening (4h)	Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB						Special correction /dB	
	Lden			-	0.0	0.0		0.0				-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h		dLi /dB				Lwr /dB(A)	
	Day (12h)	12.00	Day	105.4	1.00	1.28160				-9.71		-9.7	
	Evening (4h)	4.00	Evening	105.4	1.00	0.42000				-9.79		-9.8	
	Night (8h)	8.00	Night	105.4	1.00	0.85890				-9.69		-9.7	
	Geometry				Nr	x/m	y/m	z(abs) /m				! z(rel) /m	
					Geometry:	656226.07	248421.71	278.00				175.00	
EQCN150	Label	DD3****			Action radius/m			3000.00					
	Group	7 m/s			Lw (Day (12h)) /dB(A)			105.39					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			105.39					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			105.39					
	Length/ m (2D)	---			Emission is			Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 7 m/s ST										
	Day (12h)	Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5
	Night (8h)	Emission	Reference: Vestas V172 7 m/s ST										
	Night (8h)	Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5
	Evening (4h)	Emission	Reference: Vestas V172 7 m/s ST										
	Evening (4h)	Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB						Special correction /dB	
	Lden			-	0.0	0.0		0.0				-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h		dLi /dB				Lwr /dB(A)	
	Day (12h)	12.00	Day	105.4	1.00	1.28160				-9.71		-9.7	
	Evening (4h)	4.00	Evening	105.4	1.00	0.42000				-9.79		-9.8	
	Night (8h)	8.00	Night	105.4	1.00	0.85890				-9.69		-9.7	
	Geometry				Nr	x/m	y/m	z(abs) /m				! z(rel) /m	
					Geometry:	656792.54	248209.39	279.20				175.00	
EQCN151	Label	O1.b****			Action radius/m			3000.00					
	Group	7 m/s			Lw (Day (12h)) /dB(A)			105.39					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			105.39					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			105.39					
	Length/ m (2D)	---			Emission is			Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 7 m/s ST										
	Day (12h)	Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5
	Night (8h)	Emission	Reference: Vestas V172 7 m/s ST										
	Night (8h)	Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5
	Evening (4h)	Emission	Reference: Vestas V172 7 m/s ST										
	Evening (4h)	Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB						Special correction /dB	
	Lden			-	0.0	0.0		0.0				-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h		dLi /dB				Lwr /dB(A)	
	Day (12h)	12.00	Day	105.4	1.00	1.28160				-9.71		-9.7	
	Evening (4h)	4.00	Evening	105.4	1.00	0.42000				-9.79		-9.8	
	Night (8h)	8.00	Night	105.4	1.00	0.85890				-9.69		-9.7	
	Geometry				Nr	x/m	y/m	z(abs) /m				! z(rel) /m	
					Geometry:	655628.52	247870.27	278.00				175.00	
EQCN152	Label	JV1****			Action radius/m			3000.00					
	Group	7 m/s			Lw (Day (12h)) /dB(A)			105.39					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			105.39					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			105.39					
	Length/ m (2D)	---			Emission is			Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 7 m/s ST										
	Day (12h)	Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5
	Night (8h)	Emission	Reference: Vestas V172 7 m/s ST										
	Night (8h)	Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5
	Evening (4h)	Emission	Reference: Vestas V172 7 m/s ST										
	Evening (4h)	Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB						Special correction /dB	

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Lden	-	0.0	0.0	0.0	-	0.0						
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	105.4	1.00	1.28160	-9.71	-9.7					
	Evening (4h)	4.00	Evening	105.4	1.00	0.42000	-9.79	-9.8					
	Night (8h)	8.00	Night	105.4	1.00	0.85890	-9.69	-9.7					
	Geometry	Nr		x/m	y/m	z(abs) /m	! z(rel) /m						
		Geometry:		656086.43	247254.47	279.00	175.00						
EQCN153	Label	Pr12****		Action radius/m		3000.00							
	Group	7 m/s		Lw (Day (12h)) /dB(A)		105.39							
	Number of nodes	1		Lw (Night (8h)) /dB(A)		105.39							
	Length/ m	---		Lw (Evening (4h)) /dB(A)		105.39							
	Length/ m (2D)	---		Emission is		Sound power level (Lw)							
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 7 m/s ST										
	Day (12h)	Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5
	Night (8h)	Emission	Reference: Vestas V172 7 m/s ST										
	Night (8h)	Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5
	Evening (4h)	Emission	Reference: Vestas V172 7 m/s ST										
	Evening (4h)	Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden	-		0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	105.4	1.00	1.28160	-9.71	-9.7					
	Evening (4h)	4.00	Evening	105.4	1.00	0.42000	-9.79	-9.8					
	Night (8h)	8.00	Night	105.4	1.00	0.85890	-9.69	-9.7					
	Geometry	Nr		x/m	y/m	z(abs) /m	! z(rel) /m						
		Geometry:		659850.41	255599.51	281.00	175.00						
EQCN154	Label	O6****		Action radius/m		3000.00							
	Group	7 m/s		Lw (Day (12h)) /dB(A)		105.39							
	Number of nodes	1		Lw (Night (8h)) /dB(A)		105.39							
	Length/ m	---		Lw (Evening (4h)) /dB(A)		105.39							
	Length/ m (2D)	---		Emission is		Sound power level (Lw)							
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 7 m/s ST										
	Day (12h)	Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5
	Night (8h)	Emission	Reference: Vestas V172 7 m/s ST										
	Night (8h)	Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5
	Evening (4h)	Emission	Reference: Vestas V172 7 m/s ST										
	Evening (4h)	Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden	-		0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	105.4	1.00	1.28160	-9.71	-9.7					
	Evening (4h)	4.00	Evening	105.4	1.00	0.42000	-9.79	-9.8					
	Night (8h)	8.00	Night	105.4	1.00	0.85890	-9.69	-9.7					
	Geometry	Nr		x/m	y/m	z(abs) /m	! z(rel) /m						
		Geometry:		659724.06	256257.39	278.09	175.00						
EQCN155	Label	Pr11****		Action radius/m		3000.00							
	Group	7 m/s		Lw (Day (12h)) /dB(A)		105.39							
	Number of nodes	1		Lw (Night (8h)) /dB(A)		105.39							
	Length/ m	---		Lw (Evening (4h)) /dB(A)		105.39							
	Length/ m (2D)	---		Emission is		Sound power level (Lw)							
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 7 m/s ST										
	Day (12h)	Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5
	Night (8h)	Emission	Reference: Vestas V172 7 m/s ST										
	Night (8h)	Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5
	Evening (4h)	Emission	Reference: Vestas V172 7 m/s ST										
	Evening (4h)	Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden	-		0.0		0.0		0.0		-		0.0	

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h		dLi /dB	Lwr /dB(A)					
Day (12h)		12.00	Day	105.4		1.00		1.28160	-9.71		-9.7			
Evening (4h)		4.00	Evening	105.4		1.00		0.42000	-9.79		-9.8			
Night (8h)		8.00	Night	105.4		1.00		0.85890	-9.69		-9.7			
Geometry				Nr		x/m		y/m	z(abs) /m		! z(rel) /m			
				Geometry:		660296.51		255945.28	279.00		175.00			
EQCN156		Label		AP2****		Action radius/m		3000.00						
		Group		7 m/s		Lw (Day (12h)) /dB(A)		105.39						
		Number of nodes		1		Lw (Night (8h)) /dB(A)		105.39						
		Length/ m		---		Lw (Evening (4h)) /dB(A)		105.39						
		Length/ m (2D)		---		Emission is		Sound power level (Lw)						
		Area /m²		---										
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
Day (12h)		Emission	Reference: Vestas V172 7 m/s ST											
Day (12h)		Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5	
Night (8h)		Emission	Reference: Vestas V172 7 m/s ST											
Night (8h)		Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5	
Evening (4h)		Emission	Reference: Vestas V172 7 m/s ST											
Evening (4h)		Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5	
Rating method			Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
Lden					-		0.0		0.0		-			0.0
Rating period / Period			Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)			12.00	Day	105.4		1.00		1.28160		-9.71		-9.7	
Evening (4h)			4.00	Evening	105.4		1.00		0.42000		-9.79		-9.8	
Night (8h)			8.00	Night	105.4		1.00		0.85890		-9.69		-9.7	
Geometry				Nr		x/m		y/m	z(abs) /m		! z(rel) /m			
				Geometry:		661860.19		254894.20	282.00		175.00			
EQCN157		Label		AP6.1****		Action radius/m		3000.00						
		Group		7 m/s		Lw (Day (12h)) /dB(A)		105.39						
		Number of nodes		1		Lw (Night (8h)) /dB(A)		105.39						
		Length/ m		---		Lw (Evening (4h)) /dB(A)		105.39						
		Length/ m (2D)		---		Emission is		Sound power level (Lw)						
		Area /m²		---										
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
Day (12h)		Emission	Reference: Vestas V172 7 m/s ST											
Day (12h)		Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5	
Night (8h)		Emission	Reference: Vestas V172 7 m/s ST											
Night (8h)		Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5	
Evening (4h)		Emission	Reference: Vestas V172 7 m/s ST											
Evening (4h)		Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5	
Rating method			Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
Lden					-		0.0		0.0		-			0.0
Rating period / Period			Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)			12.00	Day	105.4		1.00		1.28160		-9.71		-9.7	
Evening (4h)			4.00	Evening	105.4		1.00		0.42000		-9.79		-9.8	
Night (8h)			8.00	Night	105.4		1.00		0.85890		-9.69		-9.7	
Geometry				Nr		x/m		y/m	z(abs) /m		! z(rel) /m			
				Geometry:		661549.21		255141.18	282.00		175.00			
EQCN158		Label		JU1****		Action radius/m		3000.00						
		Group		7 m/s		Lw (Day (12h)) /dB(A)		105.39						
		Number of nodes		1		Lw (Night (8h)) /dB(A)		105.39						
		Length/ m		---		Lw (Evening (4h)) /dB(A)		105.39						
		Length/ m (2D)		---		Emission is		Sound power level (Lw)						
		Area /m²		---										
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
Day (12h)		Emission	Reference: Vestas V172 7 m/s ST											
Day (12h)		Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5	
Night (8h)		Emission	Reference: Vestas V172 7 m/s ST											
Night (8h)		Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5	
Evening (4h)		Emission	Reference: Vestas V172 7 m/s ST											
Evening (4h)		Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5	
Rating method			Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
Lden					-		0.0		0.0		-			0.0
Rating period / Period			Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Day (12h)	12.00	Day	105.4	1.00	1.28160	-9.71	-9.7					
	Evening (4h)	4.00	Evening	105.4	1.00	0.42000	-9.79	-9.8					
	Night (8h)	8.00	Night	105.4	1.00	0.85890	-9.69	-9.7					
	Geometry		Nr	x/m	y/m	z(abs) /m	! z(rel) /m						
			Geometry:	661068.17	255365.14	281.00	175.00						
EQCN159	Label	Pr25****			Action radius/m			3000.00					
	Group	7 m/s			Lw (Day (12h)) /dB(A)			105.39					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			105.39					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			105.39					
	Length/ m (2D)	---			Emission is			Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 7 m/s ST										
	Day (12h)	Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5
	Night (8h)	Emission	Reference: Vestas V172 7 m/s ST										
	Night (8h)	Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5
	Evening (4h)	Emission	Reference: Vestas V172 7 m/s ST										
	Evening (4h)	Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
Lden		-		0.0		0.0		0.0		-		0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)		12.00	Day	105.4		1.00		1.28160		-9.71		-9.7	
Evening (4h)		4.00	Evening	105.4		1.00		0.42000		-9.79		-9.8	
Night (8h)		8.00	Night	105.4		1.00		0.85890		-9.69		-9.7	
	Geometry		Nr	x/m	y/m	z(abs) /m	! z(rel) /m						
			Geometry:	662047.55	256166.20	283.00	175.00						
EQCN160	Label	PrRR3****			Action radius/m			3000.00					
	Group	7 m/s			Lw (Day (12h)) /dB(A)			105.39					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			105.39					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			105.39					
	Length/ m (2D)	---			Emission is			Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 7 m/s ST										
	Day (12h)	Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5
	Night (8h)	Emission	Reference: Vestas V172 7 m/s ST										
	Night (8h)	Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5
	Evening (4h)	Emission	Reference: Vestas V172 7 m/s ST										
	Evening (4h)	Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
Lden		-		0.0		0.0		0.0		-		0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)		12.00	Day	105.4		1.00		1.28160		-9.71		-9.7	
Evening (4h)		4.00	Evening	105.4		1.00		0.42000		-9.79		-9.8	
Night (8h)		8.00	Night	105.4		1.00		0.85890		-9.69		-9.7	
	Geometry		Nr	x/m	y/m	z(abs) /m	! z(rel) /m						
			Geometry:	662676.13	256121.38	284.00	175.00						
EQCN161	Label	P19.2b****			Action radius/m			3000.00					
	Group	7 m/s			Lw (Day (12h)) /dB(A)			105.39					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			105.39					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			105.39					
	Length/ m (2D)	---			Emission is			Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 7 m/s ST										
	Day (12h)	Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5
	Night (8h)	Emission	Reference: Vestas V172 7 m/s ST										
	Night (8h)	Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5
	Evening (4h)	Emission	Reference: Vestas V172 7 m/s ST										
	Evening (4h)	Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
Lden		-		0.0		0.0		0.0		-		0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)		12.00	Day	105.4		1.00		1.28160		-9.71		-9.7	
Evening (4h)		4.00	Evening	105.4		1.00		0.42000		-9.79		-9.8	

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Night (8h)		8.00	Night		105.4		1.00		0.85890		-9.69		-9.7
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		656671.82		247343.93		280.00		175.00	
EQCN162	Label		Pr3b****			Action radius/m							3000.00	
	Group		7 m/s			Lw (Day (12h)) /dB(A)							105.39	
	Number of nodes		1			Lw (Night (8h)) /dB(A)							105.39	
	Length/ m		---			Lw (Evening (4h)) /dB(A)							105.39	
	Length/ m (2D)		---			Emission is							Sound power level (Lw)	
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference:	Vestas V172 7 m/s ST										
	Day (12h)	Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5	
	Night (8h)	Emission	Reference:	Vestas V172 7 m/s ST										
	Night (8h)	Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5	
	Evening (4h)	Emission	Reference:	Vestas V172 7 m/s ST										
	Evening (4h)	Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	105.4		1.00		1.28160		-9.71		-9.7	
	Evening (4h)		4.00	Evening	105.4		1.00		0.42000		-9.79		-9.8	
	Night (8h)		8.00	Night	105.4		1.00		0.85890		-9.69		-9.7	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		662489.40		255686.03		284.00		175.00	
EQCN163	Label		O2*****			Action radius/m							3000.00	
	Group		8 m/s			Lw (Day (12h)) /dB(A)							108.80	
	Number of nodes		1			Lw (Night (8h)) /dB(A)							108.80	
	Length/ m		---			Lw (Evening (4h)) /dB(A)							108.80	
	Length/ m (2D)		---			Emission is							Sound power level (Lw)	
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference:	Vestas V172 8 m/s ST										
	Day (12h)	Lw /dB (A)	108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4	
	Night (8h)	Emission	Reference:	Vestas V172 8 m/s ST										
	Night (8h)	Lw /dB (A)	108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4	
	Evening (4h)	Emission	Reference:	Vestas V172 8 m/s ST										
	Evening (4h)	Lw /dB (A)	108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.8		1.00		1.13610		-10.24		-10.2	
	Evening (4h)		4.00	Evening	108.8		1.00		0.45230		-9.47		-9.5	
	Night (8h)		8.00	Night	108.8		1.00		0.97180		-9.16		-9.2	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		655899.72		249092.09		279.27		175.00	
EQCN164	Label		O3*****			Action radius/m							3000.00	
	Group		8 m/s			Lw (Day (12h)) /dB(A)							108.80	
	Number of nodes		1			Lw (Night (8h)) /dB(A)							108.80	
	Length/ m		---			Lw (Evening (4h)) /dB(A)							108.80	
	Length/ m (2D)		---			Emission is							Sound power level (Lw)	
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference:	Vestas V172 8 m/s ST										
	Day (12h)	Lw /dB (A)	108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4	
	Night (8h)	Emission	Reference:	Vestas V172 8 m/s ST										
	Night (8h)	Lw /dB (A)	108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4	
	Evening (4h)	Emission	Reference:	Vestas V172 8 m/s ST										
	Evening (4h)	Lw /dB (A)	108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.8		1.00		1.13610		-10.24		-10.2	
	Evening (4h)		4.00	Evening	108.8		1.00		0.45230		-9.47		-9.5	
	Night (8h)		8.00	Night	108.8		1.00		0.97180		-9.16		-9.2	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

			Geometry:				656055.72		248760.81		279.00		175.00					
EQCN165	Label		O5*****				Action radius/m				3000.00							
	Group		8 m/s				Lw (Day (12h)) /dB(A)				108.80							
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.80							
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.80							
	Length/ m (2D)		---				Emission is				Sound power level (Lw)							
	Area /m²		---															
	Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
	Day (12h)		Emission		Reference: Vestas V172 8 m/s ST													
	Day (12h)		Lw /dB (A)		108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4			
	Night (8h)		Emission		Reference: Vestas V172 8 m/s ST													
Night (8h)		Lw /dB (A)		108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4				
Evening (4h)		Emission		Reference: Vestas V172 8 m/s ST														
Evening (4h)		Lw /dB (A)		108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4				
Rating method			Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB					
Lden					-		0.0		0.0		0.0		-		0.0			
Rating period / Period			Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)					
Day (12h)			12.00	Day	108.8				1.00		1.13610		-10.24		-10.2			
Evening (4h)			4.00	Evening	108.8				1.00		0.45230		-9.47		-9.5			
Night (8h)			8.00	Night	108.8				1.00		0.97180		-9.16		-9.2			
Geometry							Nr		x/m		y/m		z(abs) /m		! z(rel) /m			
									Geometry:		656292.16		247880.94		279.00		175.00	
EQCN166	Label		O4*****				Action radius/m				3000.00							
	Group		8 m/s				Lw (Day (12h)) /dB(A)				108.80							
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.80							
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.80							
	Length/ m (2D)		---				Emission is				Sound power level (Lw)							
	Area /m²		---															
	Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
	Day (12h)		Emission		Reference: Vestas V172 8 m/s ST													
	Day (12h)		Lw /dB (A)		108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4			
	Night (8h)		Emission		Reference: Vestas V172 8 m/s ST													
Night (8h)		Lw /dB (A)		108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4				
Evening (4h)		Emission		Reference: Vestas V172 8 m/s ST														
Evening (4h)		Lw /dB (A)		108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4				
Rating method			Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB					
Lden					-		0.0		0.0		0.0		-		0.0			
Rating period / Period			Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)					
Day (12h)			12.00	Day	108.8				1.00		1.13610		-10.24		-10.2			
Evening (4h)			4.00	Evening	108.8				1.00		0.45230		-9.47		-9.5			
Night (8h)			8.00	Night	108.8				1.00		0.97180		-9.16		-9.2			
Geometry							Nr		x/m		y/m		z(abs) /m		! z(rel) /m			
									Geometry:		65674.43		248309.07		278.00		175.00	
EQCN167	Label		DD1*****				Action radius/m				3000.00							
	Group		8 m/s				Lw (Day (12h)) /dB(A)				108.80							
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.80							
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.80							
	Length/ m (2D)		---				Emission is				Sound power level (Lw)							
	Area /m²		---															
	Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
	Day (12h)		Emission		Reference: Vestas V172 8 m/s ST													
	Day (12h)		Lw /dB (A)		108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4			
	Night (8h)		Emission		Reference: Vestas V172 8 m/s ST													
Night (8h)		Lw /dB (A)		108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4				
Evening (4h)		Emission		Reference: Vestas V172 8 m/s ST														
Evening (4h)		Lw /dB (A)		108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4				
Rating method			Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB					
Lden					-		0.0		0.0		0.0		-		0.0			
Rating period / Period			Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)					
Day (12h)			12.00	Day	108.8				1.00		1.13610		-10.24		-10.2			
Evening (4h)			4.00	Evening	108.8				1.00		0.45230		-9.47		-9.5			
Night (8h)			8.00	Night	108.8				1.00		0.97180		-9.16		-9.2			
Geometry							Nr		x/m		y/m		z(abs) /m		! z(rel) /m			
									Geometry:		656226.07		248421.71		278.00		175.00	
EQCN168	Label		DD3*****				Action radius/m				3000.00							

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

Group		8 m/s				Lw (Day (12h)) /dB(A)				108.80					
Number of nodes		1				Lw (Night (8h)) /dB(A)				108.80					
Length/ m		----				Lw (Evening (4h)) /dB(A)				108.80					
Length/ m (2D)		----				Emission is				Sound power level (Lw)					
Area /m²		----													
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
Day (12h)	Emission	Reference: Vestas V172 8 m/s ST													
Day (12h)	Lw /dB (A)	108.8	45.5	63.5	79.4	90.9	97.1	98.9	98.6	95.1	88.0	77.5			
			51.7	69.0	83.8	93.6	98.1	99.0	97.8	93.1	84.9	73.1			
			57.6	74.5	87.7	95.6	98.5	99.0	96.6	90.8	81.4	68.4			
Night (8h)	Emission	Reference: Vestas V172 8 m/s ST													
Night (8h)	Lw /dB (A)	108.8	45.5	63.5	79.4	90.9	97.1	98.9	98.6	95.1	88.0	77.5			
			51.7	69.0	83.8	93.6	98.1	99.0	97.8	93.1	84.9	73.1			
			57.6	74.5	87.7	95.6	98.5	99.0	96.6	90.8	81.4	68.4			
Evening (4h)	Emission	Reference: Vestas V172 8 m/s ST													
Evening (4h)	Lw /dB (A)	108.8	45.5	63.5	79.4	90.9	97.1	98.9	98.6	95.1	88.0	77.5			
			51.7	69.0	83.8	93.6	98.1	99.0	97.8	93.1	84.9	73.1			
			57.6	74.5	87.7	95.6	98.5	99.0	96.6	90.8	81.4	68.4			
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
Lden		-		0.0		0.0		0.0		-		0.0			
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
Day (12h)		12.00	Day	108.8		1.00		1.13610		-10.24		-10.2			
Evening (4h)		4.00	Evening	108.8		1.00		0.45230		-9.47		-9.5			
Night (8h)		8.00	Night	108.8		1.00		0.97180		-9.16		-9.2			
Geometry						Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		656792.54		248209.39		279.20		175.00	
EQCN169		Label		O1.b****				Action radius/m		3000.00					
Group		8 m/s				Lw (Day (12h)) /dB(A)				108.80					
Number of nodes		1				Lw (Night (8h)) /dB(A)				108.80					
Length/ m		----				Lw (Evening (4h)) /dB(A)				108.80					
Length/ m (2D)		----				Emission is				Sound power level (Lw)					
Area /m²		----													
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
Day (12h)	Emission	Reference: Vestas V172 8 m/s ST													
Day (12h)	Lw /dB (A)	108.8	45.5	63.5	79.4	90.9	97.1	98.9	98.6	95.1	88.0	77.5			
			51.7	69.0	83.8	93.6	98.1	99.0	97.8	93.1	84.9	73.1			
			57.6	74.5	87.7	95.6	98.5	99.0	96.6	90.8	81.4	68.4			
Night (8h)	Emission	Reference: Vestas V172 8 m/s ST													
Night (8h)	Lw /dB (A)	108.8	45.5	63.5	79.4	90.9	97.1	98.9	98.6	95.1	88.0	77.5			
			51.7	69.0	83.8	93.6	98.1	99.0	97.8	93.1	84.9	73.1			
			57.6	74.5	87.7	95.6	98.5	99.0	96.6	90.8	81.4	68.4			
Evening (4h)	Emission	Reference: Vestas V172 8 m/s ST													
Evening (4h)	Lw /dB (A)	108.8	45.5	63.5	79.4	90.9	97.1	98.9	98.6	95.1	88.0	77.5			
			51.7	69.0	83.8	93.6	98.1	99.0	97.8	93.1	84.9	73.1			
			57.6	74.5	87.7	95.6	98.5	99.0	96.6	90.8	81.4	68.4			
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
Lden		-		0.0		0.0		0.0		-		0.0			
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
Day (12h)		12.00	Day	108.8		1.00		1.13610		-10.24		-10.2			
Evening (4h)		4.00	Evening	108.8		1.00		0.45230		-9.47		-9.5			
Night (8h)		8.00	Night	108.8		1.00		0.97180		-9.16		-9.2			
Geometry						Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		655628.52		247870.27		278.00		175.00	
EQCN170		Label		JV1****				Action radius/m		3000.00					
Group		8 m/s				Lw (Day (12h)) /dB(A)				108.80					
Number of nodes		1				Lw (Night (8h)) /dB(A)				108.80					
Length/ m		----				Lw (Evening (4h)) /dB(A)				108.80					
Length/ m (2D)		----				Emission is				Sound power level (Lw)					
Area /m²		----													
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
Day (12h)	Emission	Reference: Vestas V172 8 m/s ST													
Day (12h)	Lw /dB (A)	108.8	45.5	63.5	79.4	90.9	97.1	98.9	98.6	95.1	88.0	77.5			
			51.7	69.0	83.8	93.6	98.1	99.0	97.8	93.1	84.9	73.1			
			57.6	74.5	87.7	95.6	98.5	99.0	96.6	90.8	81.4	68.4			
Night (8h)	Emission	Reference: Vestas V172 8 m/s ST													
Night (8h)	Lw /dB (A)	108.8	45.5	63.5	79.4	90.9	97.1	98.9	98.6	95.1	88.0	77.5			
			51.7	69.0	83.8	93.6	98.1	99.0	97.8	93.1	84.9	73.1			
			57.6	74.5	87.7	95.6	98.5	99.0	96.6	90.8	81.4	68.4			
Evening (4h)	Emission	Reference: Vestas V172 8 m/s ST													
Evening (4h)	Lw /dB (A)	108.8	45.5	63.5	79.4	90.9	97.1	98.9	98.6	95.1	88.0	77.5			
			51.7	69.0	83.8	93.6	98.1	99.0	97.8	93.1	84.9	73.1			
			57.6	74.5	87.7	95.6	98.5	99.0	96.6	90.8	81.4	68.4			
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
Lden		-		0.0		0.0		0.0		-		0.0			
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
Day (12h)		12.00	Day	108.8		1.00		1.13610		-10.24		-10.2			
Evening (4h)		4.00	Evening	108.8		1.00		0.45230		-9.47		-9.5			
Night (8h)		8.00	Night	108.8		1.00		0.97180		-9.16		-9.2			
Geometry						Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		656086.43		247254.47		279.00		175.00	
EQCN171		Label		Pr12****				Action radius/m		3000.00					
Group		8 m/s				Lw (Day (12h)) /dB(A)				108.80					
Number of nodes		1				Lw (Night (8h)) /dB(A)				108.80					

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Length/ m	---					Lw (Evening (4h)) /dB(A)					108.80			
	Length/ m (2D)	---					Emission is					Sound power level (Lw)			
	Area /m²	---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 8 m/s ST												
	Day (12h)	Lw /dB (A)	108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4		
	Night (8h)	Emission	Reference: Vestas V172 8 m/s ST												
	Night (8h)	Lw /dB (A)	108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4		
	Evening (4h)	Emission	Reference: Vestas V172 8 m/s ST												
	Evening (4h)	Lw /dB (A)	108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4		
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden			-		0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)	12.00	Day	108.8		1.00		1.13610		-10.24		-10.2			
	Evening (4h)	4.00	Evening	108.8		1.00		0.45230		-9.47		-9.5			
	Night (8h)	8.00	Night	108.8		1.00		0.97180		-9.16		-9.2			
	Geometry			Nr		x/m		y/m		z(abs) /m		! z(rel) /m			
				Geometry:		659850.41		255599.51		281.00		175.00			
EQCN172	Label	O6****					Action radius/m					3000.00			
	Group	8 m/s					Lw (Day (12h)) /dB(A)					108.80			
	Number of nodes	1					Lw (Night (8h)) /dB(A)					108.80			
	Length/ m	---					Lw (Evening (4h)) /dB(A)					108.80			
	Length/ m (2D)	---					Emission is					Sound power level (Lw)			
	Area /m²	---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 8 m/s ST												
	Day (12h)	Lw /dB (A)	108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4		
	Night (8h)	Emission	Reference: Vestas V172 8 m/s ST												
	Night (8h)	Lw /dB (A)	108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4		
	Evening (4h)	Emission	Reference: Vestas V172 8 m/s ST												
	Evening (4h)	Lw /dB (A)	108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4		
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden			-		0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)	12.00	Day	108.8		1.00		1.13610		-10.24		-10.2			
	Evening (4h)	4.00	Evening	108.8		1.00		0.45230		-9.47		-9.5			
	Night (8h)	8.00	Night	108.8		1.00		0.97180		-9.16		-9.2			
	Geometry			Nr		x/m		y/m		z(abs) /m		! z(rel) /m			
				Geometry:		659724.06		256257.39		278.09		175.00			
EQCN173	Label	Pr11****					Action radius/m					3000.00			
	Group	8 m/s					Lw (Day (12h)) /dB(A)					108.80			
	Number of nodes	1					Lw (Night (8h)) /dB(A)					108.80			
	Length/ m	---					Lw (Evening (4h)) /dB(A)					108.80			
	Length/ m (2D)	---					Emission is					Sound power level (Lw)			
	Area /m²	---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 8 m/s ST												
	Day (12h)	Lw /dB (A)	108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4		
	Night (8h)	Emission	Reference: Vestas V172 8 m/s ST												
	Night (8h)	Lw /dB (A)	108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4		
	Evening (4h)	Emission	Reference: Vestas V172 8 m/s ST												
	Evening (4h)	Lw /dB (A)	108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4		
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden			-		0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)	12.00	Day	108.8		1.00		1.13610		-10.24		-10.2			
	Evening (4h)	4.00	Evening	108.8		1.00		0.45230		-9.47		-9.5			
	Night (8h)	8.00	Night	108.8		1.00		0.97180		-9.16		-9.2			
	Geometry			Nr		x/m		y/m		z(abs) /m		! z(rel) /m			
				Geometry:		660296.51		255945.28		279.00		175.00			
EQCN174	Label	AP2****					Action radius/m					3000.00			
	Group	8 m/s					Lw (Day (12h)) /dB(A)					108.80			
	Number of nodes	1					Lw (Night (8h)) /dB(A)					108.80			
	Length/ m	---					Lw (Evening (4h)) /dB(A)					108.80			
	Length/ m (2D)	---					Emission is					Sound power level (Lw)			

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

Area /m²		---											
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)	Emission	Reference: Vestas V172 8 m/s ST											
Day (12h)	Lw /dB (A)	108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4	
Night (8h)	Emission	Reference: Vestas V172 8 m/s ST											
Night (8h)	Lw /dB (A)	108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4	
Evening (4h)	Emission	Reference: Vestas V172 8 m/s ST											
Evening (4h)	Lw /dB (A)	108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4	
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
Lden		-		0.0		0.0		0.0		-		0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)		12.00	Day	108.8		1.00		1.13610		-10.24		-10.2	
Evening (4h)		4.00	Evening	108.8		1.00		0.45230		-9.47		-9.5	
Night (8h)		8.00	Night	108.8		1.00		0.97180		-9.16		-9.2	
Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
				Geometry:		661860.19		254894.20		282.00		175.00	
EQCN175	Label	AP6.1*****		Action radius/m								3000.00	
	Group	8 m/s		Lw (Day (12h)) /dB(A)								108.80	
	Number of nodes	1		Lw (Night (8h)) /dB(A)								108.80	
	Length/ m	---		Lw (Evening (4h)) /dB(A)								108.80	
	Length/ m (2D)	---		Emission is								Sound power level (Lw)	
	Area /m²	---											
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)	Emission	Reference: Vestas V172 8 m/s ST											
Day (12h)	Lw /dB (A)	108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4	
Night (8h)	Emission	Reference: Vestas V172 8 m/s ST											
Night (8h)	Lw /dB (A)	108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4	
Evening (4h)	Emission	Reference: Vestas V172 8 m/s ST											
Evening (4h)	Lw /dB (A)	108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4	
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
Lden		-		0.0		0.0		0.0		-		0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)		12.00	Day	108.8		1.00		1.13610		-10.24		-10.2	
Evening (4h)		4.00	Evening	108.8		1.00		0.45230		-9.47		-9.5	
Night (8h)		8.00	Night	108.8		1.00		0.97180		-9.16		-9.2	
Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
				Geometry:		661549.21		255141.18		282.00		175.00	
EQCN176	Label	JU1*****		Action radius/m								3000.00	
	Group	8 m/s		Lw (Day (12h)) /dB(A)								108.80	
	Number of nodes	1		Lw (Night (8h)) /dB(A)								108.80	
	Length/ m	---		Lw (Evening (4h)) /dB(A)								108.80	
	Length/ m (2D)	---		Emission is								Sound power level (Lw)	
	Area /m²	---											
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)	Emission	Reference: Vestas V172 8 m/s ST											
Day (12h)	Lw /dB (A)	108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4	
Night (8h)	Emission	Reference: Vestas V172 8 m/s ST											
Night (8h)	Lw /dB (A)	108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4	
Evening (4h)	Emission	Reference: Vestas V172 8 m/s ST											
Evening (4h)	Lw /dB (A)	108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4	
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
Lden		-		0.0		0.0		0.0		-		0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)		12.00	Day	108.8		1.00		1.13610		-10.24		-10.2	
Evening (4h)		4.00	Evening	108.8		1.00		0.45230		-9.47		-9.5	
Night (8h)		8.00	Night	108.8		1.00		0.97180		-9.16		-9.2	
Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
				Geometry:		661068.17		255365.14		281.00		175.00	
EQCN177	Label	Pr25*****		Action radius/m								3000.00	
	Group	8 m/s		Lw (Day (12h)) /dB(A)								108.80	
	Number of nodes	1		Lw (Night (8h)) /dB(A)								108.80	
	Length/ m	---		Lw (Evening (4h)) /dB(A)								108.80	
	Length/ m (2D)	---		Emission is								Sound power level (Lw)	
	Area /m²	---											
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Day (12h)	Emission	Reference: Vestas V172 8 m/s ST												
	Day (12h)	Lw /dB (A)	108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4		
	Night (8h)	Emission	Reference: Vestas V172 8 m/s ST												
	Night (8h)	Lw /dB (A)	108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4		
	Evening (4h)	Emission	Reference: Vestas V172 8 m/s ST												
	Evening (4h)	Lw /dB (A)	108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB				
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	108.8		1.00		1.13610		-10.24		-10.2		
	Evening (4h)		4.00	Evening	108.8		1.00		0.45230		-9.47		-9.5		
	Night (8h)		8.00	Night	108.8		1.00		0.97180		-9.16		-9.2		
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
					Geometry:		662047.55		256166.20		283.00		175.00		
EQCN178	Label		PrRR3*****				Action radius/m						3000.00		
	Group		8 m/s				Lw (Day (12h)) /dB(A)						108.80		
	Number of nodes		1				Lw (Night (8h)) /dB(A)						108.80		
	Length/ m		---				Lw (Evening (4h)) /dB(A)						108.80		
	Length/ m (2D)		---				Emission is						Sound power level (Lw)		
	Area /m²		---												
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Emission		Reference: Vestas V172 8 m/s ST										
	Day (12h)		Lw /dB (A)		108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4
	Night (8h)		Emission		Reference: Vestas V172 8 m/s ST										
	Night (8h)		Lw /dB (A)		108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4
	Evening (4h)		Emission		Reference: Vestas V172 8 m/s ST										
	Evening (4h)		Lw /dB (A)		108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB				
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	108.8		1.00		1.13610		-10.24		-10.2		
	Evening (4h)		4.00	Evening	108.8		1.00		0.45230		-9.47		-9.5		
	Night (8h)		8.00	Night	108.8		1.00		0.97180		-9.16		-9.2		
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
					Geometry:		662676.13		256121.38		284.00		175.00		
EQCN179	Label		P19.2b*****				Action radius/m						3000.00		
	Group		8 m/s				Lw (Day (12h)) /dB(A)						108.80		
	Number of nodes		1				Lw (Night (8h)) /dB(A)						108.80		
	Length/ m		---				Lw (Evening (4h)) /dB(A)						108.80		
	Length/ m (2D)		---				Emission is						Sound power level (Lw)		
	Area /m²		---												
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Emission		Reference: Vestas V172 8 m/s ST										
	Day (12h)		Lw /dB (A)		108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4
	Night (8h)		Emission		Reference: Vestas V172 8 m/s ST										
	Night (8h)		Lw /dB (A)		108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4
	Evening (4h)		Emission		Reference: Vestas V172 8 m/s ST										
	Evening (4h)		Lw /dB (A)		108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB				
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	108.8		1.00		1.13610		-10.24		-10.2		
	Evening (4h)		4.00	Evening	108.8		1.00		0.45230		-9.47		-9.5		
	Night (8h)		8.00	Night	108.8		1.00		0.97180		-9.16		-9.2		
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
					Geometry:		656671.82		247343.93		280.00		175.00		
EQCN180	Label		Pr3b*****				Action radius/m						3000.00		
	Group		8 m/s				Lw (Day (12h)) /dB(A)						108.80		
	Number of nodes		1				Lw (Night (8h)) /dB(A)						108.80		
	Length/ m		---				Lw (Evening (4h)) /dB(A)						108.80		
	Length/ m (2D)		---				Emission is						Sound power level (Lw)		
	Area /m²		---												
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Emission		Reference: Vestas V172 8 m/s ST										
	Day (12h)		Lw /dB (A)		108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4
	Night (8h)		Emission		Reference: Vestas V172 8 m/s ST										
	Night (8h)		Lw /dB (A)		108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4
	Evening (4h)		Emission		Reference: Vestas V172 8 m/s ST										
	Evening (4h)		Lw /dB (A)		108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

				51.7	69.0	83.8	93.6	98.1	99.0	97.8	93.1	84.9	73.1
	Night (8h)	Emission	Reference:	57.6	74.5	87.7	95.6	98.5	99.0	96.6	90.8	81.4	68.4
	Night (8h)	Lw /dB (A)	108.8	45.5	63.5	79.4	90.9	97.1	98.9	98.6	95.1	88.0	77.5
				51.7	69.0	83.8	93.6	98.1	99.0	97.8	93.1	84.9	73.1
				57.6	74.5	87.7	95.6	98.5	99.0	96.6	90.8	81.4	68.4
	Evening (4h)	Emission	Reference:	Vestas V172 8 m/s ST									
	Evening (4h)	Lw /dB (A)	108.8	45.5	63.5	79.4	90.9	97.1	98.9	98.6	95.1	88.0	77.5
				51.7	69.0	83.8	93.6	98.1	99.0	97.8	93.1	84.9	73.1
				57.6	74.5	87.7	95.6	98.5	99.0	96.6	90.8	81.4	68.4
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB					
	Lden	-	0.0	0.0		0.0		-		0.0			
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	108.8	1.00	1.13610	-10.24	-10.2					
	Evening (4h)	4.00	Evening	108.8	1.00	0.45230	-9.47	-9.5					
	Night (8h)	8.00	Night	108.8	1.00	0.97180	-9.16	-9.2					
	Geometry	Nr		x/m		y/m		z(abs) /m		! z(rel) /m			
		Geometry:		662489.40		255686.03		284.00		175.00			
EQCN181	Label	O2*****		Action radius/m						3000.00			
	Group	9 m/s		Lw (Day (12h)) /dB(A)						110.13			
	Number of nodes	1		Lw (Night (8h)) /dB(A)						110.13			
	Length/ m	---		Lw (Evening (4h)) /dB(A)						110.13			
	Length/ m (2D)	---		Emission is						Sound power level (Lw)			
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference:	Vestas V172 9 m/s ST									
	Day (12h)	Lw /dB (A)	110.1	46.9	65.0	80.8	92.3	98.5	100.3	99.9	96.3	89.2	78.6
				53.2	70.4	85.2	94.9	99.4	100.3	99.1	94.3	86.1	74.3
				59.1	75.9	89.0	97.0	99.9	100.3	97.9	92.0	82.5	69.6
	Night (8h)	Emission	Reference:	Vestas V172 9 m/s ST									
	Night (8h)	Lw /dB (A)	110.1	46.9	65.0	80.8	92.3	98.5	100.3	99.9	96.3	89.2	78.6
				53.2	70.4	85.2	94.9	99.4	100.3	99.1	94.3	86.1	74.3
				59.1	75.9	89.0	97.0	99.9	100.3	97.9	92.0	82.5	69.6
	Evening (4h)	Emission	Reference:	Vestas V172 9 m/s ST									
	Evening (4h)	Lw /dB (A)	110.1	46.9	65.0	80.8	92.3	98.5	100.3	99.9	96.3	89.2	78.6
				53.2	70.4	85.2	94.9	99.4	100.3	99.1	94.3	86.1	74.3
				59.1	75.9	89.0	97.0	99.9	100.3	97.9	92.0	82.5	69.6
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB					
	Lden	-	0.0	0.0		0.0		-		0.0			
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	110.1	1.00	1.01770	-10.72	-10.7					
	Evening (4h)	4.00	Evening	110.1	1.00	0.44330	-9.55	-9.6					
	Night (8h)	8.00	Night	110.1	1.00	1.01840	-8.95	-9.0					
	Geometry	Nr		x/m		y/m		z(abs) /m		! z(rel) /m			
		Geometry:		655899.72		249092.09		279.27		175.00			
EQCN182	Label	O3*****		Action radius/m						3000.00			
	Group	9 m/s		Lw (Day (12h)) /dB(A)						110.13			
	Number of nodes	1		Lw (Night (8h)) /dB(A)						110.13			
	Length/ m	---		Lw (Evening (4h)) /dB(A)						110.13			
	Length/ m (2D)	---		Emission is						Sound power level (Lw)			
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference:	Vestas V172 9 m/s ST									
	Day (12h)	Lw /dB (A)	110.1	46.9	65.0	80.8	92.3	98.5	100.3	99.9	96.3	89.2	78.6
				53.2	70.4	85.2	94.9	99.4	100.3	99.1	94.3	86.1	74.3
				59.1	75.9	89.0	97.0	99.9	100.3	97.9	92.0	82.5	69.6
	Night (8h)	Emission	Reference:	Vestas V172 9 m/s ST									
	Night (8h)	Lw /dB (A)	110.1	46.9	65.0	80.8	92.3	98.5	100.3	99.9	96.3	89.2	78.6
				53.2	70.4	85.2	94.9	99.4	100.3	99.1	94.3	86.1	74.3
				59.1	75.9	89.0	97.0	99.9	100.3	97.9	92.0	82.5	69.6
	Evening (4h)	Emission	Reference:	Vestas V172 9 m/s ST									
	Evening (4h)	Lw /dB (A)	110.1	46.9	65.0	80.8	92.3	98.5	100.3	99.9	96.3	89.2	78.6
				53.2	70.4	85.2	94.9	99.4	100.3	99.1	94.3	86.1	74.3
				59.1	75.9	89.0	97.0	99.9	100.3	97.9	92.0	82.5	69.6
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB					
	Lden	-	0.0	0.0		0.0		-		0.0			
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	110.1	1.00	1.01770	-10.72	-10.7					
	Evening (4h)	4.00	Evening	110.1	1.00	0.44330	-9.55	-9.6					
	Night (8h)	8.00	Night	110.1	1.00	1.01840	-8.95	-9.0					
	Geometry	Nr		x/m		y/m		z(abs) /m		! z(rel) /m			
		Geometry:		656055.72		248760.81		279.00		175.00			
EQCN183	Label	O5*****		Action radius/m						3000.00			
	Group	9 m/s		Lw (Day (12h)) /dB(A)						110.13			
	Number of nodes	1		Lw (Night (8h)) /dB(A)						110.13			
	Length/ m	---		Lw (Evening (4h)) /dB(A)						110.13			
	Length/ m (2D)	---		Emission is						Sound power level (Lw)			
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference:	Vestas V172 9 m/s ST									
	Day (12h)	Lw /dB (A)	110.1	46.9	65.0	80.8	92.3	98.5	100.3	99.9	96.3	89.2	78.6
				53.2	70.4	85.2	94.9	99.4	100.3	99.1	94.3	86.1	74.3
				59.1	75.9	89.0	97.0	99.9	100.3	97.9	92.0	82.5	69.6

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Night (8h)	Emission	Reference: Vestas V172 9 m/s ST													
	Night (8h)	Lw /dB (A)	110.1	46.9 53.2 59.1	65.0 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.5 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.3 92.0	89.2 86.1 82.5	78.6 74.3 69.6			
	Evening (4h)	Emission	Reference: Vestas V172 9 m/s ST													
	Evening (4h)	Lw /dB (A)	110.1	46.9 53.2 59.1	65.0 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.5 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.3 92.0	89.2 86.1 82.5	78.6 74.3 69.6			
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden		-		0.0		0.0		0.0		-		0.0			
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)		12.00	Day	110.1		1.00		1.01770		-10.72		-10.7			
	Evening (4h)		4.00	Evening	110.1		1.00		0.44330		-9.55		-9.6			
	Night (8h)		8.00	Night	110.1		1.00		1.01840		-8.95		-9.0			
	Geometry						Nr		x/m		y/m		z(abs) /m	! z(rel) /m		
							Geometry:		656292.16		247880.94		279.00	175.00		
EQCN184	Label		O4*****				Action radius/m				3000.00					
	Group		9 m/s				Lw (Day (12h)) /dB(A)				110.13					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.13					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.13					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant		Sum				16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Reference: Vestas V172 9 m/s ST													
	Day (12h)		Lw /dB (A)	110.1	46.9 53.2 59.1	65.0 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.5 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.3 92.0	89.2 86.1 82.5	78.6 74.3 69.6		
	Night (8h)		Reference: Vestas V172 9 m/s ST													
	Night (8h)		Lw /dB (A)	110.1	46.9 53.2 59.1	65.0 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.5 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.3 92.0	89.2 86.1 82.5	78.6 74.3 69.6		
	Evening (4h)		Reference: Vestas V172 9 m/s ST													
	Evening (4h)		Lw /dB (A)	110.1	46.9 53.2 59.1	65.0 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.5 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.3 92.0	89.2 86.1 82.5	78.6 74.3 69.6		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden		-		0.0		0.0		0.0		-		0.0			
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)		12.00	Day	110.1		1.00		1.01770		-10.72		-10.7			
	Evening (4h)		4.00	Evening	110.1		1.00		0.44330		-9.55		-9.6			
	Night (8h)		8.00	Night	110.1		1.00		1.01840		-8.95		-9.0			
	Geometry						Nr		x/m		y/m		z(abs) /m	! z(rel) /m		
							Geometry:		655674.43		248309.07		278.00	175.00		
EQCN185	Label		DD1*****				Action radius/m				3000.00					
	Group		9 m/s				Lw (Day (12h)) /dB(A)				110.13					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.13					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.13					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant		Sum				16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Reference: Vestas V172 9 m/s ST													
	Day (12h)		Lw /dB (A)	110.1	46.9 53.2 59.1	65.0 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.5 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.3 92.0	89.2 86.1 82.5	78.6 74.3 69.6		
	Night (8h)		Reference: Vestas V172 9 m/s ST													
	Night (8h)		Lw /dB (A)	110.1	46.9 53.2 59.1	65.0 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.5 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.3 92.0	89.2 86.1 82.5	78.6 74.3 69.6		
	Evening (4h)		Reference: Vestas V172 9 m/s ST													
	Evening (4h)		Lw /dB (A)	110.1	46.9 53.2 59.1	65.0 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.5 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.3 92.0	89.2 86.1 82.5	78.6 74.3 69.6		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden		-		0.0		0.0		0.0		-		0.0			
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)		12.00	Day	110.1		1.00		1.01770		-10.72		-10.7			
	Evening (4h)		4.00	Evening	110.1		1.00		0.44330		-9.55		-9.6			
	Night (8h)		8.00	Night	110.1		1.00		1.01840		-8.95		-9.0			
	Geometry						Nr		x/m		y/m		z(abs) /m	! z(rel) /m		
							Geometry:		656226.07		248421.71		278.00	175.00		
EQCN186	Label		DD3*****				Action radius/m				3000.00					
	Group		9 m/s				Lw (Day (12h)) /dB(A)				110.13					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.13					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.13					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant		Sum				16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Reference: Vestas V172 9 m/s ST													
	Day (12h)		Lw /dB (A)	110.1	46.9 53.2 59.1	65.0 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.5 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.3 92.0	89.2 86.1 82.5	78.6 74.3 69.6		
	Night (8h)		Reference: Vestas V172 9 m/s ST													
	Night (8h)		Lw /dB (A)	110.1	46.9 53.2 59.1	65.0 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.5 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.3 92.0	89.2 86.1 82.5	78.6 74.3 69.6		

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

				53.2	70.4	85.2	94.9	99.4	100.3	99.1	94.3	86.1	74.3
	Evening (4h)	Emission	Reference: Vestas V172 9 m/s ST	59.1	75.9	89.0	97.0	99.9	100.3	97.9	92.0	82.5	69.6
	Evening (4h)	Lw /dB (A)	110.1	46.9	65.0	80.8	92.3	98.5	100.3	99.9	96.3	89.2	78.6
				53.2	70.4	85.2	94.9	99.4	100.3	99.1	94.3	86.1	74.3
				59.1	75.9	89.0	97.0	99.9	100.3	97.9	92.0	82.5	69.6
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB							
	Lden	-	0.0	0.0	0.0	-							0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	110.1	1.00	1.01770	-10.72	-10.7					
	Evening (4h)	4.00	Evening	110.1	1.00	0.44330	-9.55	-9.6					
	Night (8h)	8.00	Night	110.1	1.00	1.01840	-8.95	-9.0					
	Geometry		Nr	x/m	y/m	z(abs) /m	z(rel) /m						
			Geometry:	656792.54	248209.39	279.20	175.00						
EQCN187	Label	O1.b*****	Action radius/m										
	Group	9 m/s	Lw (Day (12h)) /dB(A)										
	Number of nodes	1	Lw (Night (8h)) /dB(A)										
	Length/ m	---	Lw (Evening (4h)) /dB(A)										
	Length/ m (2D)	---	Emission is										
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 9 m/s ST	46.9	65.0	80.8	92.3	98.5	100.3	99.9	96.3	89.2	78.6
	Day (12h)	Lw /dB (A)	110.1	53.2	70.4	85.2	94.9	99.4	100.3	99.1	94.3	86.1	74.3
				59.1	75.9	89.0	97.0	99.9	100.3	97.9	92.0	82.5	69.6
	Night (8h)	Emission	Reference: Vestas V172 9 m/s ST	46.9	65.0	80.8	92.3	98.5	100.3	99.9	96.3	89.2	78.6
	Night (8h)	Lw /dB (A)	110.1	53.2	70.4	85.2	94.9	99.4	100.3	99.1	94.3	86.1	74.3
				59.1	75.9	89.0	97.0	99.9	100.3	97.9	92.0	82.5	69.6
	Evening (4h)	Emission	Reference: Vestas V172 9 m/s ST	46.9	65.0	80.8	92.3	98.5	100.3	99.9	96.3	89.2	78.6
	Evening (4h)	Lw /dB (A)	110.1	53.2	70.4	85.2	94.9	99.4	100.3	99.1	94.3	86.1	74.3
				59.1	75.9	89.0	97.0	99.9	100.3	97.9	92.0	82.5	69.6
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB							
	Lden	-	0.0	0.0	0.0	-							0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	110.1	1.00	1.01770	-10.72	-10.7					
	Evening (4h)	4.00	Evening	110.1	1.00	0.44330	-9.55	-9.6					
	Night (8h)	8.00	Night	110.1	1.00	1.01840	-8.95	-9.0					
	Geometry		Nr	x/m	y/m	z(abs) /m	z(rel) /m						
			Geometry:	655628.52	247870.27	278.00	175.00						
EQCN188	Label	JV1*****	Action radius/m										
	Group	9 m/s	Lw (Day (12h)) /dB(A)										
	Number of nodes	1	Lw (Night (8h)) /dB(A)										
	Length/ m	---	Lw (Evening (4h)) /dB(A)										
	Length/ m (2D)	---	Emission is										
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 9 m/s ST	46.9	65.0	80.8	92.3	98.5	100.3	99.9	96.3	89.2	78.6
	Day (12h)	Lw /dB (A)	110.1	53.2	70.4	85.2	94.9	99.4	100.3	99.1	94.3	86.1	74.3
				59.1	75.9	89.0	97.0	99.9	100.3	97.9	92.0	82.5	69.6
	Night (8h)	Emission	Reference: Vestas V172 9 m/s ST	46.9	65.0	80.8	92.3	98.5	100.3	99.9	96.3	89.2	78.6
	Night (8h)	Lw /dB (A)	110.1	53.2	70.4	85.2	94.9	99.4	100.3	99.1	94.3	86.1	74.3
				59.1	75.9	89.0	97.0	99.9	100.3	97.9	92.0	82.5	69.6
	Evening (4h)	Emission	Reference: Vestas V172 9 m/s ST	46.9	65.0	80.8	92.3	98.5	100.3	99.9	96.3	89.2	78.6
	Evening (4h)	Lw /dB (A)	110.1	53.2	70.4	85.2	94.9	99.4	100.3	99.1	94.3	86.1	74.3
				59.1	75.9	89.0	97.0	99.9	100.3	97.9	92.0	82.5	69.6
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB							
	Lden	-	0.0	0.0	0.0	-							0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	110.1	1.00	1.01770	-10.72	-10.7					
	Evening (4h)	4.00	Evening	110.1	1.00	0.44330	-9.55	-9.6					
	Night (8h)	8.00	Night	110.1	1.00	1.01840	-8.95	-9.0					
	Geometry		Nr	x/m	y/m	z(abs) /m	z(rel) /m						
			Geometry:	656086.43	247254.47	279.00	175.00						
EQCN189	Label	Pr12*****	Action radius/m										
	Group	9 m/s	Lw (Day (12h)) /dB(A)										
	Number of nodes	1	Lw (Night (8h)) /dB(A)										
	Length/ m	---	Lw (Evening (4h)) /dB(A)										
	Length/ m (2D)	---	Emission is										
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 9 m/s ST	46.9	65.0	80.8	92.3	98.5	100.3	99.9	96.3	89.2	78.6
	Day (12h)	Lw /dB (A)	110.1	53.2	70.4	85.2	94.9	99.4	100.3	99.1	94.3	86.1	74.3
				59.1	75.9	89.0	97.0	99.9	100.3	97.9	92.0	82.5	69.6
	Night (8h)	Emission	Reference: Vestas V172 9 m/s ST	46.9	65.0	80.8	92.3	98.5	100.3	99.9	96.3	89.2	78.6
	Night (8h)	Lw /dB (A)	110.1	53.2	70.4	85.2	94.9	99.4	100.3	99.1	94.3	86.1	74.3
				59.1	75.9	89.0	97.0	99.9	100.3	97.9	92.0	82.5	69.6

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Evening (4h)	Emission	Reference: Vestas V172 9 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	46.9 53.2 59.1	65.0 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.5 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.3 92.0	89.2 86.1 82.5	78.6 74.3 69.6
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-	0.0		0.0		0.0		-			0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	110.1		1.00		1.01770		-10.72		-10.7	
	Evening (4h)	4.00	Evening	110.1		1.00		0.44330		-9.55		-9.6	
	Night (8h)	8.00	Night	110.1		1.00		1.01840		-8.95		-9.0	
	Geometry			Nr		x/m		y/m		z(abs) /m		l z(rel) /m	
				Geometry:		659850.41		255599.51		281.00		175.00	
EQCN190	Label	O6*****		Action radius/m								3000.00	
	Group	9 m/s		Lw (Day (12h)) /dB(A)								110.13	
	Number of nodes	1		Lw (Night (8h)) /dB(A)								110.13	
	Length/ m	---		Lw (Evening (4h)) /dB(A)								110.13	
	Length/ m (2D)	---		Emission is								Sound power level (Lw)	
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 9 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	46.9 53.2 59.1	65.0 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.5 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.3 92.0	89.2 86.1 82.5	78.6 74.3 69.6
	Night (8h)	Emission	Reference: Vestas V172 9 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	46.9 53.2 59.1	65.0 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.5 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.3 92.0	89.2 86.1 82.5	78.6 74.3 69.6
	Evening (4h)	Emission	Reference: Vestas V172 9 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	46.9 53.2 59.1	65.0 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.5 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.3 92.0	89.2 86.1 82.5	78.6 74.3 69.6
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-	0.0		0.0		0.0		-			0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	110.1		1.00		1.01770		-10.72		-10.7	
	Evening (4h)	4.00	Evening	110.1		1.00		0.44330		-9.55		-9.6	
	Night (8h)	8.00	Night	110.1		1.00		1.01840		-8.95		-9.0	
	Geometry			Nr		x/m		y/m		z(abs) /m		l z(rel) /m	
				Geometry:		659724.06		256257.39		278.09		175.00	
EQCN191	Label	Pr11*****		Action radius/m								3000.00	
	Group	9 m/s		Lw (Day (12h)) /dB(A)								110.13	
	Number of nodes	1		Lw (Night (8h)) /dB(A)								110.13	
	Length/ m	---		Lw (Evening (4h)) /dB(A)								110.13	
	Length/ m (2D)	---		Emission is								Sound power level (Lw)	
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 9 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	46.9 53.2 59.1	65.0 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.5 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.3 92.0	89.2 86.1 82.5	78.6 74.3 69.6
	Night (8h)	Emission	Reference: Vestas V172 9 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	46.9 53.2 59.1	65.0 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.5 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.3 92.0	89.2 86.1 82.5	78.6 74.3 69.6
	Evening (4h)	Emission	Reference: Vestas V172 9 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	46.9 53.2 59.1	65.0 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.5 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.3 92.0	89.2 86.1 82.5	78.6 74.3 69.6
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-	0.0		0.0		0.0		-			0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	110.1		1.00		1.01770		-10.72		-10.7	
	Evening (4h)	4.00	Evening	110.1		1.00		0.44330		-9.55		-9.6	
	Night (8h)	8.00	Night	110.1		1.00		1.01840		-8.95		-9.0	
	Geometry			Nr		x/m		y/m		z(abs) /m		l z(rel) /m	
				Geometry:		660296.51		255945.28		279.00		175.00	
EQCN192	Label	AP2*****		Action radius/m								3000.00	
	Group	9 m/s		Lw (Day (12h)) /dB(A)								110.13	
	Number of nodes	1		Lw (Night (8h)) /dB(A)								110.13	
	Length/ m	---		Lw (Evening (4h)) /dB(A)								110.13	
	Length/ m (2D)	---		Emission is								Sound power level (Lw)	
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 9 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	46.9 53.2 59.1	65.0 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.5 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.3 92.0	89.2 86.1 82.5	78.6 74.3 69.6
	Night (8h)	Emission	Reference: Vestas V172 9 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	46.9 53.2 59.1	65.0 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.5 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.3 92.0	89.2 86.1 82.5	78.6 74.3 69.6
	Evening (4h)	Emission	Reference: Vestas V172 9 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	46.9	65.0	80.8	92.3	98.5	100.3	99.9	96.3	89.2	78.6

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

				53.2	70.4	85.2	94.9	99.4	100.3	99.1	94.3	86.1	74.3
				59.1	75.9	89.0	97.0	99.9	100.3	97.9	92.0	82.5	69.6
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden	-	0.0	0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	110.1		1.00		1.01770		-10.72		-10.7	
	Evening (4h)	4.00	Evening	110.1		1.00		0.44330		-9.55		-9.6	
	Night (8h)	8.00	Night	110.1		1.00		1.01840		-8.95		-9.0	
	Geometry	Nr		x/m		y/m		z(abs) /m		! z(rel) /m			
		Geometry:		661860.19		254894.20		282.00		175.00			
EQCN193	Label	AP6.1*****		Action radius/m		3000.00							
	Group	9 m/s		Lw (Day (12h)) /dB(A)		110.13							
	Number of nodes	1		Lw (Night (8h)) /dB(A)		110.13							
	Length/ m	---		Lw (Evening (4h)) /dB(A)		110.13							
	Length/ m (2D)	---		Emission is		Sound power level (Lw)							
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 9 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	46.9	65.0	80.8	92.3	98.5	100.3	99.9	96.3	89.2	78.6
				53.2	70.4	85.2	94.9	99.4	100.3	99.1	94.3	86.1	74.3
				59.1	75.9	89.0	97.0	99.9	100.3	97.9	92.0	82.5	69.6
	Night (8h)	Emission	Reference: Vestas V172 9 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	46.9	65.0	80.8	92.3	98.5	100.3	99.9	96.3	89.2	78.6
				53.2	70.4	85.2	94.9	99.4	100.3	99.1	94.3	86.1	74.3
				59.1	75.9	89.0	97.0	99.9	100.3	97.9	92.0	82.5	69.6
	Evening (4h)	Emission	Reference: Vestas V172 9 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	46.9	65.0	80.8	92.3	98.5	100.3	99.9	96.3	89.2	78.6
				53.2	70.4	85.2	94.9	99.4	100.3	99.1	94.3	86.1	74.3
				59.1	75.9	89.0	97.0	99.9	100.3	97.9	92.0	82.5	69.6
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden	-	0.0	0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	110.1		1.00		1.01770		-10.72		-10.7	
	Evening (4h)	4.00	Evening	110.1		1.00		0.44330		-9.55		-9.6	
	Night (8h)	8.00	Night	110.1		1.00		1.01840		-8.95		-9.0	
	Geometry	Nr		x/m		y/m		z(abs) /m		! z(rel) /m			
		Geometry:		661549.21		255141.18		282.00		175.00			
EQCN194	Label	JU1*****		Action radius/m		3000.00							
	Group	9 m/s		Lw (Day (12h)) /dB(A)		110.13							
	Number of nodes	1		Lw (Night (8h)) /dB(A)		110.13							
	Length/ m	---		Lw (Evening (4h)) /dB(A)		110.13							
	Length/ m (2D)	---		Emission is		Sound power level (Lw)							
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 9 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	46.9	65.0	80.8	92.3	98.5	100.3	99.9	96.3	89.2	78.6
				53.2	70.4	85.2	94.9	99.4	100.3	99.1	94.3	86.1	74.3
				59.1	75.9	89.0	97.0	99.9	100.3	97.9	92.0	82.5	69.6
	Night (8h)	Emission	Reference: Vestas V172 9 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	46.9	65.0	80.8	92.3	98.5	100.3	99.9	96.3	89.2	78.6
				53.2	70.4	85.2	94.9	99.4	100.3	99.1	94.3	86.1	74.3
				59.1	75.9	89.0	97.0	99.9	100.3	97.9	92.0	82.5	69.6
	Evening (4h)	Emission	Reference: Vestas V172 9 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	46.9	65.0	80.8	92.3	98.5	100.3	99.9	96.3	89.2	78.6
				53.2	70.4	85.2	94.9	99.4	100.3	99.1	94.3	86.1	74.3
				59.1	75.9	89.0	97.0	99.9	100.3	97.9	92.0	82.5	69.6
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden	-	0.0	0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	110.1		1.00		1.01770		-10.72		-10.7	
	Evening (4h)	4.00	Evening	110.1		1.00		0.44330		-9.55		-9.6	
	Night (8h)	8.00	Night	110.1		1.00		1.01840		-8.95		-9.0	
	Geometry	Nr		x/m		y/m		z(abs) /m		! z(rel) /m			
		Geometry:		661068.17		255365.14		281.00		175.00			
EQCN195	Label	Pr25*****		Action radius/m		3000.00							
	Group	9 m/s		Lw (Day (12h)) /dB(A)		110.13							
	Number of nodes	1		Lw (Night (8h)) /dB(A)		110.13							
	Length/ m	---		Lw (Evening (4h)) /dB(A)		110.13							
	Length/ m (2D)	---		Emission is		Sound power level (Lw)							
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 9 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	46.9	65.0	80.8	92.3	98.5	100.3	99.9	96.3	89.2	78.6
				53.2	70.4	85.2	94.9	99.4	100.3	99.1	94.3	86.1	74.3
				59.1	75.9	89.0	97.0	99.9	100.3	97.9	92.0	82.5	69.6
	Night (8h)	Emission	Reference: Vestas V172 9 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	46.9	65.0	80.8	92.3	98.5	100.3	99.9	96.3	89.2	78.6
				53.2	70.4	85.2	94.9	99.4	100.3	99.1	94.3	86.1	74.3
				59.1	75.9	89.0	97.0	99.9	100.3	97.9	92.0	82.5	69.6
	Evening (4h)	Emission	Reference: Vestas V172 9 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	46.9	65.0	80.8	92.3	98.5	100.3	99.9	96.3	89.2	78.6
				53.2	70.4	85.2	94.9	99.4	100.3	99.1	94.3	86.1	74.3
				59.1	75.9	89.0	97.0	99.9	100.3	97.9	92.0	82.5	69.6

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1		1.00		1.01770		-10.72		-10.7		
	Evening (4h)		4.00	Evening	110.1		1.00		0.44330		-9.55		-9.6		
	Night (8h)		8.00	Night	110.1		1.00		1.01840		-8.95		-9.0		
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
					Geometry:		662047.55		256166.20		283.00		175.00		
EQCN196	Label		PrRR3*****				Action radius/m				3000.00				
	Group		9 m/s				Lw (Day (12h)) /dB(A)				110.13				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.13				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.13				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Vestas V172 9 m/s ST										
	Day (12h)		Lw /dB (A)		110.1	46.9 53.2 59.1	65.0 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.5 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.3 92.0	89.2 86.1 82.5	78.6 74.3 69.6
	Night (8h)		Emission		Reference: Vestas V172 9 m/s ST										
Night (8h)		Lw /dB (A)		110.1	46.9 53.2 59.1	65.0 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.5 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.3 92.0	89.2 86.1 82.5	78.6 74.3 69.6	
Evening (4h)		Emission		Reference: Vestas V172 9 m/s ST											
Evening (4h)		Lw /dB (A)		110.1	46.9 53.2 59.1	65.0 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.5 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.3 92.0	89.2 86.1 82.5	78.6 74.3 69.6	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1		1.00		1.01770		-10.72		-10.7		
	Evening (4h)		4.00	Evening	110.1		1.00		0.44330		-9.55		-9.6		
	Night (8h)		8.00	Night	110.1		1.00		1.01840		-8.95		-9.0		
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
					Geometry:		662676.13		256121.38		284.00		175.00		
EQCN197	Label		P19.2b*****				Action radius/m				3000.00				
	Group		9 m/s				Lw (Day (12h)) /dB(A)				110.13				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.13				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.13				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Vestas V172 9 m/s ST										
	Day (12h)		Lw /dB (A)		110.1	46.9 53.2 59.1	65.0 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.5 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.3 92.0	89.2 86.1 82.5	78.6 74.3 69.6
	Night (8h)		Emission		Reference: Vestas V172 9 m/s ST										
Night (8h)		Lw /dB (A)		110.1	46.9 53.2 59.1	65.0 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.5 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.3 92.0	89.2 86.1 82.5	78.6 74.3 69.6	
Evening (4h)		Emission		Reference: Vestas V172 9 m/s ST											
Evening (4h)		Lw /dB (A)		110.1	46.9 53.2 59.1	65.0 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.5 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.3 92.0	89.2 86.1 82.5	78.6 74.3 69.6	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1		1.00		1.01770		-10.72		-10.7		
	Evening (4h)		4.00	Evening	110.1		1.00		0.44330		-9.55		-9.6		
	Night (8h)		8.00	Night	110.1		1.00		1.01840		-8.95		-9.0		
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
					Geometry:		656671.82		247343.93		280.00		175.00		
EQCN198	Label		Pr3b*****				Action radius/m				3000.00				
	Group		9 m/s				Lw (Day (12h)) /dB(A)				110.13				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.13				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.13				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Vestas V172 9 m/s ST										
	Day (12h)		Lw /dB (A)		110.1	46.9 53.2 59.1	65.0 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.5 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.3 92.0	89.2 86.1 82.5	78.6 74.3 69.6
	Night (8h)		Emission		Reference: Vestas V172 9 m/s ST										
Night (8h)		Lw /dB (A)		110.1	46.9 53.2 59.1	65.0 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.5 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.3 92.0	89.2 86.1 82.5	78.6 74.3 69.6	
Evening (4h)		Emission		Reference: Vestas V172 9 m/s ST											
Evening (4h)		Lw /dB (A)		110.1	46.9 53.2 59.1	65.0 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.5 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.3 92.0	89.2 86.1 82.5	78.6 74.3 69.6	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Lden			-	0.0	0.0	0.0	-	0.0				
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	110.1	1.00	1.01770	-10.72	-10.7					
	Evening (4h)	4.00	Evening	110.1	1.00	0.44330	-9.55	-9.6					
	Night (8h)	8.00	Night	110.1	1.00	1.01840	-8.95	-9.0					
	Geometry	Nr			x/m	y/m	z(abs) /m	! z(rel) /m					
		Geometry:			662489.40	255686.03	284.00	175.00					
EQCN199	Label	O2*****			Action radius/m			3000.00					
	Group	10 m/s			Lw (Day (12h)) /dB(A)			110.12					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			110.12					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			110.12					
	Length/ m (2D)	---			Emission is			Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 10 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	46.9 53.2 59.1	64.9 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.4 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.4 92.0	89.3 86.1 82.6	78.7 74.3 69.6
	Night (8h)	Emission	Reference: Vestas V172 10 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	46.9 53.2 59.1	64.9 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.4 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.4 92.0	89.3 86.1 82.6	78.7 74.3 69.6
	Evening (4h)	Emission	Reference: Vestas V172 10 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	46.9 53.2 59.1	64.9 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.4 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.4 92.0	89.3 86.1 82.6	78.7 74.3 69.6
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden	-		0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	110.1	1.00	0.88890	-11.30	-11.3					
	Evening (4h)	4.00	Evening	110.1	1.00	0.43860	-9.60	-9.6					
	Night (8h)	8.00	Night	110.1	1.00	0.87560	-9.61	-9.6					
	Geometry	Nr			x/m	y/m	z(abs) /m	! z(rel) /m					
		Geometry:			655899.72	249092.09	279.27	175.00					
EQCN200	Label	O3*****			Action radius/m			3000.00					
	Group	10 m/s			Lw (Day (12h)) /dB(A)			110.12					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			110.12					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			110.12					
	Length/ m (2D)	---			Emission is			Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 10 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	46.9 53.2 59.1	64.9 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.4 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.4 92.0	89.3 86.1 82.6	78.7 74.3 69.6
	Night (8h)	Emission	Reference: Vestas V172 10 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	46.9 53.2 59.1	64.9 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.4 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.4 92.0	89.3 86.1 82.6	78.7 74.3 69.6
	Evening (4h)	Emission	Reference: Vestas V172 10 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	46.9 53.2 59.1	64.9 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.4 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.4 92.0	89.3 86.1 82.6	78.7 74.3 69.6
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden	-		0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	110.1	1.00	0.88890	-11.30	-11.3					
	Evening (4h)	4.00	Evening	110.1	1.00	0.43860	-9.60	-9.6					
	Night (8h)	8.00	Night	110.1	1.00	0.87560	-9.61	-9.6					
	Geometry	Nr			x/m	y/m	z(abs) /m	! z(rel) /m					
		Geometry:			656055.72	248760.81	279.00	175.00					
EQCN201	Label	O5*****			Action radius/m			3000.00					
	Group	10 m/s			Lw (Day (12h)) /dB(A)			110.12					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			110.12					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			110.12					
	Length/ m (2D)	---			Emission is			Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 10 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	46.9 53.2 59.1	64.9 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.4 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.4 92.0	89.3 86.1 82.6	78.7 74.3 69.6
	Night (8h)	Emission	Reference: Vestas V172 10 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	46.9 53.2 59.1	64.9 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.4 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.4 92.0	89.3 86.1 82.6	78.7 74.3 69.6
	Evening (4h)	Emission	Reference: Vestas V172 10 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	46.9 53.2 59.1	64.9 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.4 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.4 92.0	89.3 86.1 82.6	78.7 74.3 69.6
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden	-		0.0		0.0		0.0		-		0.0	

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h		dLi /dB	Lwr /dB(A)				
Day (12h)		12.00	Day	110.1		1.00		0.88890	-11.30		-11.3		
Evening (4h)		4.00	Evening	110.1		1.00		0.43860	-9.60		-9.6		
Night (8h)		8.00	Night	110.1		1.00		0.87560	-9.61		-9.6		
Geometry				Nr	x/m	y/m	z(abs) /m		! z(rel) /m				
				Geometry:		656292.16	247880.94	279.00	175.00				
EQCN202	Label	O4*****		Action radius/m		3000.00							
	Group	10 m/s		Lw (Day (12h)) /dB(A)		110.12							
	Number of nodes	1		Lw (Night (8h)) /dB(A)		110.12							
	Length/ m	---		Lw (Evening (4h)) /dB(A)		110.12							
	Length/ m (2D)	---		Emission is		Sound power level (Lw)							
	Area /m²	---											
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)	Emission	Reference: Vestas V172 10 m/s ST											
Day (12h)	Lw /dB (A)	110.1	46.9 53.2 59.1	64.9 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.4 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.4 92.0	89.3 86.1 82.6	78.7 74.3 69.6	
Night (8h)	Emission	Reference: Vestas V172 10 m/s ST											
Night (8h)	Lw /dB (A)	110.1	46.9 53.2 59.1	64.9 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.4 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.4 92.0	89.3 86.1 82.6	78.7 74.3 69.6	
Evening (4h)	Emission	Reference: Vestas V172 10 m/s ST											
Evening (4h)	Lw /dB (A)	110.1	46.9 53.2 59.1	64.9 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.4 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.4 92.0	89.3 86.1 82.6	78.7 74.3 69.6	
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
Lden				-		0.0		0.0		-			0.0
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)		12.00	Day	110.1		1.00		0.88890		-11.30		-11.3	
Evening (4h)		4.00	Evening	110.1		1.00		0.43860		-9.60		-9.6	
Night (8h)		8.00	Night	110.1		1.00		0.87560		-9.61		-9.6	
Geometry				Nr	x/m	y/m	z(abs) /m		! z(rel) /m				
				Geometry:		655674.43	248309.07	278.00	175.00				
EQCN203	Label	DD1*****		Action radius/m		3000.00							
	Group	10 m/s		Lw (Day (12h)) /dB(A)		110.12							
	Number of nodes	1		Lw (Night (8h)) /dB(A)		110.12							
	Length/ m	---		Lw (Evening (4h)) /dB(A)		110.12							
	Length/ m (2D)	---		Emission is		Sound power level (Lw)							
	Area /m²	---											
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)	Emission	Reference: Vestas V172 10 m/s ST											
Day (12h)	Lw /dB (A)	110.1	46.9 53.2 59.1	64.9 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.4 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.4 92.0	89.3 86.1 82.6	78.7 74.3 69.6	
Night (8h)	Emission	Reference: Vestas V172 10 m/s ST											
Night (8h)	Lw /dB (A)	110.1	46.9 53.2 59.1	64.9 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.4 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.4 92.0	89.3 86.1 82.6	78.7 74.3 69.6	
Evening (4h)	Emission	Reference: Vestas V172 10 m/s ST											
Evening (4h)	Lw /dB (A)	110.1	46.9 53.2 59.1	64.9 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.4 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.4 92.0	89.3 86.1 82.6	78.7 74.3 69.6	
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
Lden				-		0.0		0.0		-			0.0
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)		12.00	Day	110.1		1.00		0.88890		-11.30		-11.3	
Evening (4h)		4.00	Evening	110.1		1.00		0.43860		-9.60		-9.6	
Night (8h)		8.00	Night	110.1		1.00		0.87560		-9.61		-9.6	
Geometry				Nr	x/m	y/m	z(abs) /m		! z(rel) /m				
				Geometry:		656226.07	248421.71	278.00	175.00				
EQCN204	Label	DD3*****		Action radius/m		3000.00							
	Group	10 m/s		Lw (Day (12h)) /dB(A)		110.12							
	Number of nodes	1		Lw (Night (8h)) /dB(A)		110.12							
	Length/ m	---		Lw (Evening (4h)) /dB(A)		110.12							
	Length/ m (2D)	---		Emission is		Sound power level (Lw)							
	Area /m²	---											
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)	Emission	Reference: Vestas V172 10 m/s ST											
Day (12h)	Lw /dB (A)	110.1	46.9 53.2 59.1	64.9 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.4 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.4 92.0	89.3 86.1 82.6	78.7 74.3 69.6	
Night (8h)	Emission	Reference: Vestas V172 10 m/s ST											
Night (8h)	Lw /dB (A)	110.1	46.9 53.2 59.1	64.9 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.4 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.4 92.0	89.3 86.1 82.6	78.7 74.3 69.6	
Evening (4h)	Emission	Reference: Vestas V172 10 m/s ST											
Evening (4h)	Lw /dB (A)	110.1	46.9 53.2 59.1	64.9 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.4 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.4 92.0	89.3 86.1 82.6	78.7 74.3 69.6	
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
Lden				-		0.0		0.0		-			0.0
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Day (12h)	12.00	Day	110.1	1.00	0.88890	-11.30	-11.3						
	Evening (4h)	4.00	Evening	110.1	1.00	0.43860	-9.60	-9.6						
	Night (8h)	8.00	Night	110.1	1.00	0.87560	-9.61	-9.6						
	Geometry		Nr	x/m	y/m	z(abs) /m	! z(rel) /m							
			Geometry:	656792.54	248209.39	279.20	175.00							
EQCN205	Label	O1.b*****		Action radius/m				3000.00						
	Group	10 m/s		Lw (Day (12h)) /dB(A)				110.12						
	Number of nodes	1		Lw (Night (8h)) /dB(A)				110.12						
	Length/ m	---		Lw (Evening (4h)) /dB(A)				110.12						
	Length/ m (2D)	---		Emission is				Sound power level (Lw)						
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 10 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	46.9	64.9	80.8	92.3	98.4	100.3	99.9	96.3	89.3	78.7	
				53.2	70.4	85.2	94.9	99.4	100.3	99.1	94.4	86.1	74.3	
				59.1	75.9	89.0	97.0	99.9	100.3	97.9	92.0	82.6	69.6	
	Night (8h)	Emission	Reference: Vestas V172 10 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	46.9	64.9	80.8	92.3	98.4	100.3	99.9	96.3	89.3	78.7	
				53.2	70.4	85.2	94.9	99.4	100.3	99.1	94.4	86.1	74.3	
				59.1	75.9	89.0	97.0	99.9	100.3	97.9	92.0	82.6	69.6	
	Evening (4h)	Emission	Reference: Vestas V172 10 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	46.9	64.9	80.8	92.3	98.4	100.3	99.9	96.3	89.3	78.7	
				53.2	70.4	85.2	94.9	99.4	100.3	99.1	94.4	86.1	74.3	
				59.1	75.9	89.0	97.0	99.9	100.3	97.9	92.0	82.6	69.6	
	Rating method		Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB							Special correction /dB	
	Lden		-	0.0	0.0	0.0							-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB						Lwr /dB(A)	
	Day (12h)	12.00	Day	110.1	1.00	0.88890	-11.30						-11.3	
	Evening (4h)	4.00	Evening	110.1	1.00	0.43860	-9.60						-9.6	
	Night (8h)	8.00	Night	110.1	1.00	0.87560	-9.61						-9.6	
	Geometry		Nr	x/m	y/m	z(abs) /m	! z(rel) /m							
			Geometry:	655628.52	247870.27	278.00	175.00							
EQCN206	Label	JV1*****		Action radius/m										
	Group	10 m/s		Lw (Day (12h)) /dB(A)										
	Number of nodes	1		Lw (Night (8h)) /dB(A)										
	Length/ m	---		Lw (Evening (4h)) /dB(A)										
	Length/ m (2D)	---		Emission is										
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 10 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	46.9	64.9	80.8	92.3	98.4	100.3	99.9	96.3	89.3	78.7	
				53.2	70.4	85.2	94.9	99.4	100.3	99.1	94.4	86.1	74.3	
				59.1	75.9	89.0	97.0	99.9	100.3	97.9	92.0	82.6	69.6	
	Night (8h)	Emission	Reference: Vestas V172 10 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	46.9	64.9	80.8	92.3	98.4	100.3	99.9	96.3	89.3	78.7	
				53.2	70.4	85.2	94.9	99.4	100.3	99.1	94.4	86.1	74.3	
				59.1	75.9	89.0	97.0	99.9	100.3	97.9	92.0	82.6	69.6	
	Evening (4h)	Emission	Reference: Vestas V172 10 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	46.9	64.9	80.8	92.3	98.4	100.3	99.9	96.3	89.3	78.7	
				53.2	70.4	85.2	94.9	99.4	100.3	99.1	94.4	86.1	74.3	
				59.1	75.9	89.0	97.0	99.9	100.3	97.9	92.0	82.6	69.6	
	Rating method		Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB							Special correction /dB	
	Lden		-	0.0	0.0	0.0							-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB						Lwr /dB(A)	
	Day (12h)	12.00	Day	110.1	1.00	0.88890	-11.30						-11.3	
	Evening (4h)	4.00	Evening	110.1	1.00	0.43860	-9.60						-9.6	
	Night (8h)	8.00	Night	110.1	1.00	0.87560	-9.61						-9.6	
	Geometry		Nr	x/m	y/m	z(abs) /m	! z(rel) /m							
			Geometry:	656086.43	247254.47	279.00	175.00							
EQCN207	Label	Pr12*****		Action radius/m										
	Group	10 m/s		Lw (Day (12h)) /dB(A)										
	Number of nodes	1		Lw (Night (8h)) /dB(A)										
	Length/ m	---		Lw (Evening (4h)) /dB(A)										
	Length/ m (2D)	---		Emission is										
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 10 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	46.9	64.9	80.8	92.3	98.4	100.3	99.9	96.3	89.3	78.7	
				53.2	70.4	85.2	94.9	99.4	100.3	99.1	94.4	86.1	74.3	
				59.1	75.9	89.0	97.0	99.9	100.3	97.9	92.0	82.6	69.6	
	Night (8h)	Emission	Reference: Vestas V172 10 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	46.9	64.9	80.8	92.3	98.4	100.3	99.9	96.3	89.3	78.7	
				53.2	70.4	85.2	94.9	99.4	100.3	99.1	94.4	86.1	74.3	
				59.1	75.9	89.0	97.0	99.9	100.3	97.9	92.0	82.6	69.6	
	Evening (4h)	Emission	Reference: Vestas V172 10 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	46.9	64.9	80.8	92.3	98.4	100.3	99.9	96.3	89.3	78.7	
				53.2	70.4	85.2	94.9	99.4	100.3	99.1	94.4	86.1	74.3	
				59.1	75.9	89.0	97.0	99.9	100.3	97.9	92.0	82.6	69.6	
	Rating method		Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB							Special correction /dB	
	Lden		-	0.0	0.0	0.0							-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB						Lwr /dB(A)	
	Day (12h)	12.00	Day	110.1	1.00	0.88890	-11.30						-11.3	
	Evening (4h)	4.00	Evening	110.1	1.00	0.43860	-9.60						-9.6	

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Night (8h)		8.00	Night		110.1		1.00		0.87560		-9.61		-9.6
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		659850.41		255599.51		281.00		175.00	
EQCN208	Label	O6*****				Action radius/m							3000.00	
	Group	10 m/s				Lw (Day (12h)) /dB(A)							110.12	
	Number of nodes	1				Lw (Night (8h)) /dB(A)							110.12	
	Length/ m	---				Lw (Evening (4h)) /dB(A)							110.12	
	Length/ m (2D)	---				Emission is							Sound power level (Lw)	
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference:	Vestas V172 10 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	46.9 53.2 59.1	64.9 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.4 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.4 92.0	89.3 86.1 82.6	78.7 74.3 69.6	
	Night (8h)	Emission	Reference:	Vestas V172 10 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	46.9 53.2 59.1	64.9 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.4 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.4 92.0	89.3 86.1 82.6	78.7 74.3 69.6	
	Evening (4h)	Emission	Reference:	Vestas V172 10 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	46.9 53.2 59.1	64.9 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.4 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.4 92.0	89.3 86.1 82.6	78.7 74.3 69.6	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		0.88890		-11.30		-11.3	
	Evening (4h)		4.00	Evening	110.1		1.00		0.43860		-9.60		-9.6	
	Night (8h)		8.00	Night	110.1		1.00		0.87560		-9.61		-9.6	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		659724.06		256257.39		278.09		175.00	
EQCN209	Label	Pr11*****				Action radius/m							3000.00	
	Group	10 m/s				Lw (Day (12h)) /dB(A)							110.12	
	Number of nodes	1				Lw (Night (8h)) /dB(A)							110.12	
	Length/ m	---				Lw (Evening (4h)) /dB(A)							110.12	
	Length/ m (2D)	---				Emission is							Sound power level (Lw)	
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference:	Vestas V172 10 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	46.9 53.2 59.1	64.9 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.4 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.4 92.0	89.3 86.1 82.6	78.7 74.3 69.6	
	Night (8h)	Emission	Reference:	Vestas V172 10 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	46.9 53.2 59.1	64.9 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.4 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.4 92.0	89.3 86.1 82.6	78.7 74.3 69.6	
	Evening (4h)	Emission	Reference:	Vestas V172 10 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	46.9 53.2 59.1	64.9 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.4 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.4 92.0	89.3 86.1 82.6	78.7 74.3 69.6	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		0.88890		-11.30		-11.3	
	Evening (4h)		4.00	Evening	110.1		1.00		0.43860		-9.60		-9.6	
	Night (8h)		8.00	Night	110.1		1.00		0.87560		-9.61		-9.6	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		660296.51		255945.28		279.00		175.00	
EQCN210	Label	AP2*****				Action radius/m							3000.00	
	Group	10 m/s				Lw (Day (12h)) /dB(A)							110.12	
	Number of nodes	1				Lw (Night (8h)) /dB(A)							110.12	
	Length/ m	---				Lw (Evening (4h)) /dB(A)							110.12	
	Length/ m (2D)	---				Emission is							Sound power level (Lw)	
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference:	Vestas V172 10 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	46.9 53.2 59.1	64.9 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.4 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.4 92.0	89.3 86.1 82.6	78.7 74.3 69.6	
	Night (8h)	Emission	Reference:	Vestas V172 10 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	46.9 53.2 59.1	64.9 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.4 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.4 92.0	89.3 86.1 82.6	78.7 74.3 69.6	
	Evening (4h)	Emission	Reference:	Vestas V172 10 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	46.9 53.2 59.1	64.9 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.4 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.4 92.0	89.3 86.1 82.6	78.7 74.3 69.6	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		0.88890		-11.30		-11.3	
	Evening (4h)		4.00	Evening	110.1		1.00		0.43860		-9.60		-9.6	
	Night (8h)		8.00	Night	110.1		1.00		0.87560		-9.61		-9.6	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

			Geometry:				661860.19	254894.20		282.00	175.00			
EQCN211	Label		AP6.1*****				Action radius/m		3000.00					
	Group		10 m/s				Lw (Day (12h)) /dB(A)		110.12					
	Number of nodes		1				Lw (Night (8h)) /dB(A)		110.12					
	Length/ m		---				Lw (Evening (4h)) /dB(A)		110.12					
	Length/ m (2D)		---				Emission is		Sound power level (Lw)					
	Area /m²		---											
Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)		Emission	Reference: Vestas V172 10 m/s ST											
Day (12h)		Lw /dB (A)	110.1	46.9 53.2 59.1	64.9 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.4 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.4 92.0	89.3 86.1 82.6	78.7 74.3 69.6	
Night (8h)		Emission	Reference: Vestas V172 10 m/s ST											
Night (8h)		Lw /dB (A)	110.1	46.9 53.2 59.1	64.9 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.4 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.4 92.0	89.3 86.1 82.6	78.7 74.3 69.6	
Evening (4h)		Emission	Reference: Vestas V172 10 m/s ST											
Evening (4h)		Lw /dB (A)	110.1	46.9 53.2 59.1	64.9 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.4 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.4 92.0	89.3 86.1 82.6	78.7 74.3 69.6	
Rating method			Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
Lden					-		0.0		0.0		0.0		-	0.0
Rating period / Period			Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)			12.00	Day	110.1		1.00		0.88890		-11.30		-11.3	
Evening (4h)			4.00	Evening	110.1		1.00		0.43860		-9.60		-9.6	
Night (8h)			8.00	Night	110.1		1.00		0.87560		-9.61		-9.6	
Geometry							Nr	x/m		y/m		z(abs) /m		! z(rel) /m
							Geometry:		661549.21		255141.18		282.00	
EQCN212	Label		JU1*****				Action radius/m		3000.00					
	Group		10 m/s				Lw (Day (12h)) /dB(A)		110.12					
	Number of nodes		1				Lw (Night (8h)) /dB(A)		110.12					
	Length/ m		---				Lw (Evening (4h)) /dB(A)		110.12					
	Length/ m (2D)		---				Emission is		Sound power level (Lw)					
	Area /m²		---											
Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)		Emission	Reference: Vestas V172 10 m/s ST											
Day (12h)		Lw /dB (A)	110.1	46.9 53.2 59.1	64.9 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.4 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.4 92.0	89.3 86.1 82.6	78.7 74.3 69.6	
Night (8h)		Emission	Reference: Vestas V172 10 m/s ST											
Night (8h)		Lw /dB (A)	110.1	46.9 53.2 59.1	64.9 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.4 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.4 92.0	89.3 86.1 82.6	78.7 74.3 69.6	
Evening (4h)		Emission	Reference: Vestas V172 10 m/s ST											
Evening (4h)		Lw /dB (A)	110.1	46.9 53.2 59.1	64.9 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.4 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.4 92.0	89.3 86.1 82.6	78.7 74.3 69.6	
Rating method			Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
Lden					-		0.0		0.0		0.0		-	0.0
Rating period / Period			Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)			12.00	Day	110.1		1.00		0.88890		-11.30		-11.3	
Evening (4h)			4.00	Evening	110.1		1.00		0.43860		-9.60		-9.6	
Night (8h)			8.00	Night	110.1		1.00		0.87560		-9.61		-9.6	
Geometry							Nr	x/m		y/m		z(abs) /m		! z(rel) /m
							Geometry:		661068.17		255365.14		281.00	
EQCN213	Label		Pr25*****				Action radius/m		3000.00					
	Group		10 m/s				Lw (Day (12h)) /dB(A)		110.12					
	Number of nodes		1				Lw (Night (8h)) /dB(A)		110.12					
	Length/ m		---				Lw (Evening (4h)) /dB(A)		110.12					
	Length/ m (2D)		---				Emission is		Sound power level (Lw)					
	Area /m²		---											
Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)		Emission	Reference: Vestas V172 10 m/s ST											
Day (12h)		Lw /dB (A)	110.1	46.9 53.2 59.1	64.9 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.4 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.4 92.0	89.3 86.1 82.6	78.7 74.3 69.6	
Night (8h)		Emission	Reference: Vestas V172 10 m/s ST											
Night (8h)		Lw /dB (A)	110.1	46.9 53.2 59.1	64.9 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.4 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.4 92.0	89.3 86.1 82.6	78.7 74.3 69.6	
Evening (4h)		Emission	Reference: Vestas V172 10 m/s ST											
Evening (4h)		Lw /dB (A)	110.1	46.9 53.2 59.1	64.9 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.4 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.4 92.0	89.3 86.1 82.6	78.7 74.3 69.6	
Rating method			Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
Lden					-		0.0		0.0		0.0		-	0.0
Rating period / Period			Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)			12.00	Day	110.1		1.00		0.88890		-11.30		-11.3	
Evening (4h)			4.00	Evening	110.1		1.00		0.43860		-9.60		-9.6	
Night (8h)			8.00	Night	110.1		1.00		0.87560		-9.61		-9.6	
Geometry							Nr	x/m		y/m		z(abs) /m		! z(rel) /m
							Geometry:		662047.55		256166.20		283.00	
EQCN214	Label		PrRR3*****				Action radius/m		3000.00					

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

Group		10 m/s				Lw (Day (12h)) /dB(A)								110.12			
Number of nodes		1				Lw (Night (8h)) /dB(A)								110.12			
Length/ m		----				Lw (Evening (4h)) /dB(A)								110.12			
Length/ m (2D)		----				Emission is								Sound power level (Lw)			
Area /m²		----															
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz					
Day (12h)	Emission	Reference: Vestas V172 10 m/s ST															
Day (12h)	Lw /dB (A)	110.1	46.9	64.9	80.8	92.3	98.4	100.3	99.9	96.3	89.3	78.7					
			53.2	70.4	85.2	94.9	99.4	100.3	99.1	94.4	86.1	74.3					
			59.1	75.9	89.0	97.0	99.9	100.3	97.9	92.0	82.6	69.6					
Night (8h)	Emission	Reference: Vestas V172 10 m/s ST															
Night (8h)	Lw /dB (A)	110.1	46.9	64.9	80.8	92.3	98.4	100.3	99.9	96.3	89.3	78.7					
			53.2	70.4	85.2	94.9	99.4	100.3	99.1	94.4	86.1	74.3					
			59.1	75.9	89.0	97.0	99.9	100.3	97.9	92.0	82.6	69.6					
Evening (4h)	Emission	Reference: Vestas V172 10 m/s ST															
Evening (4h)	Lw /dB (A)	110.1	46.9	64.9	80.8	92.3	98.4	100.3	99.9	96.3	89.3	78.7					
			53.2	70.4	85.2	94.9	99.4	100.3	99.1	94.4	86.1	74.3					
			59.1	75.9	89.0	97.0	99.9	100.3	97.9	92.0	82.6	69.6					
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB					
Lden		-		0.0		0.0		0.0		-		0.0					
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)					
Day (12h)		12.00	Day	110.1		1.00		0.88890		-11.30		-11.3					
Evening (4h)		4.00	Evening	110.1		1.00		0.43860		-9.60		-9.6					
Night (8h)		8.00	Night	110.1		1.00		0.87560		-9.61		-9.6					
Geometry		Nr				x/m		y/m		z(abs) /m		! z(rel) /m					
		Geometry:				662676.13		256121.38		284.00		175.00					
EQCN215		Label				P19.2b*****				Action radius/m				3000.00			
Group		10 m/s				Lw (Day (12h)) /dB(A)								110.12			
Number of nodes		1				Lw (Night (8h)) /dB(A)								110.12			
Length/ m		----				Lw (Evening (4h)) /dB(A)								110.12			
Length/ m (2D)		----				Emission is								Sound power level (Lw)			
Area /m²		----															
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz					
Day (12h)	Emission	Reference: Vestas V172 10 m/s ST															
Day (12h)	Lw /dB (A)	110.1	46.9	64.9	80.8	92.3	98.4	100.3	99.9	96.3	89.3	78.7					
			53.2	70.4	85.2	94.9	99.4	100.3	99.1	94.4	86.1	74.3					
			59.1	75.9	89.0	97.0	99.9	100.3	97.9	92.0	82.6	69.6					
Night (8h)	Emission	Reference: Vestas V172 10 m/s ST															
Night (8h)	Lw /dB (A)	110.1	46.9	64.9	80.8	92.3	98.4	100.3	99.9	96.3	89.3	78.7					
			53.2	70.4	85.2	94.9	99.4	100.3	99.1	94.4	86.1	74.3					
			59.1	75.9	89.0	97.0	99.9	100.3	97.9	92.0	82.6	69.6					
Evening (4h)	Emission	Reference: Vestas V172 10 m/s ST															
Evening (4h)	Lw /dB (A)	110.1	46.9	64.9	80.8	92.3	98.4	100.3	99.9	96.3	89.3	78.7					
			53.2	70.4	85.2	94.9	99.4	100.3	99.1	94.4	86.1	74.3					
			59.1	75.9	89.0	97.0	99.9	100.3	97.9	92.0	82.6	69.6					
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB					
Lden		-		0.0		0.0		0.0		-		0.0					
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)					
Day (12h)		12.00	Day	110.1		1.00		0.88890		-11.30		-11.3					
Evening (4h)		4.00	Evening	110.1		1.00		0.43860		-9.60		-9.6					
Night (8h)		8.00	Night	110.1		1.00		0.87560		-9.61		-9.6					
Geometry		Nr				x/m		y/m		z(abs) /m		! z(rel) /m					
		Geometry:				656671.82		247343.93		280.00		175.00					
EQCN216		Label				Pr3b*****				Action radius/m				3000.00			
Group		10 m/s				Lw (Day (12h)) /dB(A)								110.12			
Number of nodes		1				Lw (Night (8h)) /dB(A)								110.12			
Length/ m		----				Lw (Evening (4h)) /dB(A)								110.12			
Length/ m (2D)		----				Emission is								Sound power level (Lw)			
Area /m²		----															
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz					
Day (12h)	Emission	Reference: Vestas V172 10 m/s ST															
Day (12h)	Lw /dB (A)	110.1	46.9	64.9	80.8	92.3	98.4	100.3	99.9	96.3	89.3	78.7					
			53.2	70.4	85.2	94.9	99.4	100.3	99.1	94.4	86.1	74.3					
			59.1	75.9	89.0	97.0	99.9	100.3	97.9	92.0	82.6	69.6					
Night (8h)	Emission	Reference: Vestas V172 10 m/s ST															
Night (8h)	Lw /dB (A)	110.1	46.9	64.9	80.8	92.3	98.4	100.3	99.9	96.3	89.3	78.7					
			53.2	70.4	85.2	94.9	99.4	100.3	99.1	94.4	86.1	74.3					
			59.1	75.9	89.0	97.0	99.9	100.3	97.9	92.0	82.6	69.6					
Evening (4h)	Emission	Reference: Vestas V172 10 m/s ST															
Evening (4h)	Lw /dB (A)	110.1	46.9	64.9	80.8	92.3	98.4	100.3	99.9	96.3	89.3	78.7					
			53.2	70.4	85.2	94.9	99.4	100.3	99.1	94.4	86.1	74.3					
			59.1	75.9	89.0	97.0	99.9	100.3	97.9	92.0	82.6	69.6					
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB					
Lden		-		0.0		0.0		0.0		-		0.0					
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)					
Day (12h)		12.00	Day	110.1		1.00		0.88890		-11.30		-11.3					
Evening (4h)		4.00	Evening	110.1		1.00		0.43860		-9.60		-9.6					
Night (8h)		8.00	Night	110.1		1.00		0.87560		-9.61		-9.6					
Geometry		Nr				x/m		y/m		z(abs) /m		! z(rel) /m					
		Geometry:				662489.40		255686.03		284.00		175.00					
EQCN217		Label				O2*****				Action radius/m				3000.00			
Group		11 m/s				Lw (Day (12h)) /dB(A)								110.10			
Number of nodes		1				Lw (Night (8h)) /dB(A)								110.10			

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Length/ m	---	Lw (Evening (4h)) /dB(A)								110.10		
	Length/ m (2D)	---	Emission is								Sound power level (Lw)		
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 11 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8
	Night (8h)	Emission	Reference: Vestas V172 11 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8
	Evening (4h)	Emission	Reference: Vestas V172 11 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden		-	0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	110.1		1.00		0.72940		-12.16		-12.2	
	Evening (4h)	4.00	Evening	110.1		1.00		0.35590		-10.51		-10.5	
	Night (8h)	8.00	Night	110.1		1.00		0.73510		-10.37		-10.4	
	Geometry			Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
				Geometry:		655899.72		249092.09		279.27		175.00	
EQCN218	Label	O3*****		Action radius/m								3000.00	
	Group	11 m/s		Lw (Day (12h)) /dB(A)								110.10	
	Number of nodes	1		Lw (Night (8h)) /dB(A)								110.10	
	Length/ m	---		Lw (Evening (4h)) /dB(A)								110.10	
	Length/ m (2D)	---		Emission is								Sound power level (Lw)	
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 11 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8
	Night (8h)	Emission	Reference: Vestas V172 11 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8
	Evening (4h)	Emission	Reference: Vestas V172 11 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden		-	0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	110.1		1.00		0.72940		-12.16		-12.2	
	Evening (4h)	4.00	Evening	110.1		1.00		0.35590		-10.51		-10.5	
	Night (8h)	8.00	Night	110.1		1.00		0.73510		-10.37		-10.4	
	Geometry			Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
				Geometry:		656055.72		248760.81		279.00		175.00	
EQCN219	Label	O5*****		Action radius/m								3000.00	
	Group	11 m/s		Lw (Day (12h)) /dB(A)								110.10	
	Number of nodes	1		Lw (Night (8h)) /dB(A)								110.10	
	Length/ m	---		Lw (Evening (4h)) /dB(A)								110.10	
	Length/ m (2D)	---		Emission is								Sound power level (Lw)	
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 11 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8
	Night (8h)	Emission	Reference: Vestas V172 11 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8
	Evening (4h)	Emission	Reference: Vestas V172 11 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden		-	0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	110.1		1.00		0.72940		-12.16		-12.2	
	Evening (4h)	4.00	Evening	110.1		1.00		0.35590		-10.51		-10.5	
	Night (8h)	8.00	Night	110.1		1.00		0.73510		-10.37		-10.4	
	Geometry			Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
				Geometry:		656292.16		247880.94		279.00		175.00	
EQCN220	Label	O4*****		Action radius/m								3000.00	
	Group	11 m/s		Lw (Day (12h)) /dB(A)								110.10	
	Number of nodes	1		Lw (Night (8h)) /dB(A)								110.10	
	Length/ m	---		Lw (Evening (4h)) /dB(A)								110.10	
	Length/ m (2D)	---		Emission is								Sound power level (Lw)	

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

Area /m²		---											
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)	Emission	Reference: Vestas V172 11 m/s ST											
Day (12h)	Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8	
Night (8h)	Emission	Reference: Vestas V172 11 m/s ST											
Night (8h)	Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8	
Evening (4h)	Emission	Reference: Vestas V172 11 m/s ST											
Evening (4h)	Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8	
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
Lden		-		0.0		0.0		0.0		-		0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)		12.00	Day	110.1		1.00		0.72940		-12.16		-12.2	
Evening (4h)		4.00	Evening	110.1		1.00		0.35590		-10.51		-10.5	
Night (8h)		8.00	Night	110.1		1.00		0.73510		-10.37		-10.4	
Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
				Geometry:		655674.43		248309.07		278.00		175.00	
EQCN221	Label	DD1*****		Action radius/m								3000.00	
	Group	11 m/s		Lw (Day (12h)) /dB(A)								110.10	
	Number of nodes	1		Lw (Night (8h)) /dB(A)								110.10	
	Length/ m	---		Lw (Evening (4h)) /dB(A)								110.10	
	Length/ m (2D)	---		Emission is								Sound power level (Lw)	
	Area /m²	---											
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)	Emission	Reference: Vestas V172 11 m/s ST											
Day (12h)	Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8	
Night (8h)	Emission	Reference: Vestas V172 11 m/s ST											
Night (8h)	Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8	
Evening (4h)	Emission	Reference: Vestas V172 11 m/s ST											
Evening (4h)	Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8	
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
Lden		-		0.0		0.0		0.0		-		0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)		12.00	Day	110.1		1.00		0.72940		-12.16		-12.2	
Evening (4h)		4.00	Evening	110.1		1.00		0.35590		-10.51		-10.5	
Night (8h)		8.00	Night	110.1		1.00		0.73510		-10.37		-10.4	
Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
				Geometry:		656226.07		248421.71		278.00		175.00	
EQCN222	Label	DD3*****		Action radius/m								3000.00	
	Group	11 m/s		Lw (Day (12h)) /dB(A)								110.10	
	Number of nodes	1		Lw (Night (8h)) /dB(A)								110.10	
	Length/ m	---		Lw (Evening (4h)) /dB(A)								110.10	
	Length/ m (2D)	---		Emission is								Sound power level (Lw)	
	Area /m²	---											
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)	Emission	Reference: Vestas V172 11 m/s ST											
Day (12h)	Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8	
Night (8h)	Emission	Reference: Vestas V172 11 m/s ST											
Night (8h)	Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8	
Evening (4h)	Emission	Reference: Vestas V172 11 m/s ST											
Evening (4h)	Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8	
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
Lden		-		0.0		0.0		0.0		-		0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)		12.00	Day	110.1		1.00		0.72940		-12.16		-12.2	
Evening (4h)		4.00	Evening	110.1		1.00		0.35590		-10.51		-10.5	
Night (8h)		8.00	Night	110.1		1.00		0.73510		-10.37		-10.4	
Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
				Geometry:		656792.54		248209.39		279.20		175.00	
EQCN223	Label	O1.b*****		Action radius/m								3000.00	
	Group	11 m/s		Lw (Day (12h)) /dB(A)								110.10	
	Number of nodes	1		Lw (Night (8h)) /dB(A)								110.10	
	Length/ m	---		Lw (Evening (4h)) /dB(A)								110.10	
	Length/ m (2D)	---		Emission is								Sound power level (Lw)	
	Area /m²	---											
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Day (12h)	Emission	Reference: Vestas V172 11 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8	
	Night (8h)	Emission	Reference: Vestas V172 11 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8	
	Evening (4h)	Emission	Reference: Vestas V172 11 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden			-		0.0		0.0		0.0		-		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	110.1		1.00		0.72940		-12.16		-12.2		
	Evening (4h)	4.00	Evening	110.1		1.00		0.35590		-10.51		-10.5		
	Night (8h)	8.00	Night	110.1		1.00		0.73510		-10.37		-10.4		
	Geometry			Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
	Geometry: 655628.52 247870.27 278.00 175.00													
EQCN224	Label	JV1*****				Action radius/m				3000.00				
	Group	11 m/s				Lw (Day (12h)) /dB(A)				110.10				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				110.10				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				110.10				
	Length/ m (2D)	---				Emission is				Sound power level (Lw)				
	Area /m²	---												
	Emiss. variant	Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 11 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8	
	Night (8h)	Emission	Reference: Vestas V172 11 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8	
	Evening (4h)	Emission	Reference: Vestas V172 11 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden			-		0.0		0.0		0.0		-		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	110.1		1.00		0.72940		-12.16		-12.2		
	Evening (4h)	4.00	Evening	110.1		1.00		0.35590		-10.51		-10.5		
	Night (8h)	8.00	Night	110.1		1.00		0.73510		-10.37		-10.4		
	Geometry			Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
	Geometry: 656086.43 247254.47 279.00 175.00													
EQCN225	Label	Pr12*****				Action radius/m				3000.00				
	Group	11 m/s				Lw (Day (12h)) /dB(A)				110.10				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				110.10				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				110.10				
	Length/ m (2D)	---				Emission is				Sound power level (Lw)				
	Area /m²	---												
	Emiss. variant	Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 11 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8	
	Night (8h)	Emission	Reference: Vestas V172 11 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8	
	Evening (4h)	Emission	Reference: Vestas V172 11 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden			-		0.0		0.0		0.0		-		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	110.1		1.00		0.72940		-12.16		-12.2		
	Evening (4h)	4.00	Evening	110.1		1.00		0.35590		-10.51		-10.5		
	Night (8h)	8.00	Night	110.1		1.00		0.73510		-10.37		-10.4		
	Geometry			Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
	Geometry: 659850.41 255599.51 281.00 175.00													
EQCN226	Label	O6*****				Action radius/m				3000.00				
	Group	11 m/s				Lw (Day (12h)) /dB(A)				110.10				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				110.10				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				110.10				
	Length/ m (2D)	---				Emission is				Sound power level (Lw)				
	Area /m²	---												
	Emiss. variant	Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 11 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	46.9	64.9	80.7	92.2	98.4	100.2	99.9	96.4	89.3	78.8	

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

				53.1 59.0	70.4 75.8	85.1 89.0	94.9 96.9	99.4 99.8	100.3 100.3	99.1 97.9	94.4 92.1	86.2 82.7	74.5 69.8		
	Night (8h)	Emission	Reference:	Vestas V172 11 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8		
	Evening (4h)	Emission	Reference:	Vestas V172 11 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1		1.00		0.72940		-12.16		-12.2		
	Evening (4h)		4.00	Evening	110.1		1.00		0.35590		-10.51		-10.5		
	Night (8h)		8.00	Night	110.1		1.00		0.73510		-10.37		-10.4		
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
						Geometry:	659724.06		256257.39		278.09		175.00		
EQCN227	Label		Pr11*****			Action radius/m							3000.00		
	Group		11 m/s			Lw (Day (12h)) /dB(A)							110.10		
	Number of nodes		1			Lw (Night (8h)) /dB(A)							110.10		
	Length/ m		---			Lw (Evening (4h)) /dB(A)							110.10		
	Length/ m (2D)		---			Emission is							Sound power level (Lw)		
	Area /m²		---												
	Emiss. variant		Sum			16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission	Reference:	Vestas V172 11 m/s ST										
	Day (12h)		Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8	
	Night (8h)		Emission	Reference:	Vestas V172 11 m/s ST										
	Night (8h)		Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8	
	Evening (4h)		Emission	Reference:	Vestas V172 11 m/s ST										
	Evening (4h)		Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1		1.00		0.72940		-12.16		-12.2		
	Evening (4h)		4.00	Evening	110.1		1.00		0.35590		-10.51		-10.5		
	Night (8h)		8.00	Night	110.1		1.00		0.73510		-10.37		-10.4		
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
						Geometry:	660296.51		255945.28		279.00		175.00		
EQCN228	Label		AP2*****			Action radius/m							3000.00		
	Group		11 m/s			Lw (Day (12h)) /dB(A)							110.10		
	Number of nodes		1			Lw (Night (8h)) /dB(A)							110.10		
	Length/ m		---			Lw (Evening (4h)) /dB(A)							110.10		
	Length/ m (2D)		---			Emission is							Sound power level (Lw)		
	Area /m²		---												
	Emiss. variant		Sum			16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission	Reference:	Vestas V172 11 m/s ST										
	Day (12h)		Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8	
	Night (8h)		Emission	Reference:	Vestas V172 11 m/s ST										
	Night (8h)		Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8	
	Evening (4h)		Emission	Reference:	Vestas V172 11 m/s ST										
	Evening (4h)		Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1		1.00		0.72940		-12.16		-12.2		
	Evening (4h)		4.00	Evening	110.1		1.00		0.35590		-10.51		-10.5		
	Night (8h)		8.00	Night	110.1		1.00		0.73510		-10.37		-10.4		
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
						Geometry:	661860.19		254894.20		282.00		175.00		
EQCN229	Label		AP6.1*****			Action radius/m							3000.00		
	Group		11 m/s			Lw (Day (12h)) /dB(A)							110.10		
	Number of nodes		1			Lw (Night (8h)) /dB(A)							110.10		
	Length/ m		---			Lw (Evening (4h)) /dB(A)							110.10		
	Length/ m (2D)		---			Emission is							Sound power level (Lw)		
	Area /m²		---												
	Emiss. variant		Sum			16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission	Reference:	Vestas V172 11 m/s ST										
	Day (12h)		Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8	

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Night (8h)	Emission	Reference: Vestas V172 11 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8	
	Evening (4h)	Emission	Reference: Vestas V172 11 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		0.72940		-12.16		-12.2	
	Evening (4h)		4.00	Evening	110.1		1.00		0.35590		-10.51		-10.5	
	Night (8h)		8.00	Night	110.1		1.00		0.73510		-10.37		-10.4	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:		661549.21		255141.18		282.00		175.00			
EQCN230	Label		JU1*****		Action radius/m								3000.00	
	Group		11 m/s		Lw (Day (12h)) /dB(A)								110.10	
	Number of nodes		1		Lw (Night (8h)) /dB(A)								110.10	
	Length/ m		---		Lw (Evening (4h)) /dB(A)								110.10	
	Length/ m (2D)		---		Emission is								Sound power level (Lw)	
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Vestas V172 11 m/s ST									
	Day (12h)		Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8
	Night (8h)		Emission		Reference: Vestas V172 11 m/s ST									
	Night (8h)		Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8
	Evening (4h)		Emission		Reference: Vestas V172 11 m/s ST									
	Evening (4h)		Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		0.72940		-12.16		-12.2	
	Evening (4h)		4.00	Evening	110.1		1.00		0.35590		-10.51		-10.5	
	Night (8h)		8.00	Night	110.1		1.00		0.73510		-10.37		-10.4	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:		661068.17		255365.14		281.00		175.00			
EQCN231	Label		Pr25*****		Action radius/m								3000.00	
	Group		11 m/s		Lw (Day (12h)) /dB(A)								110.10	
	Number of nodes		1		Lw (Night (8h)) /dB(A)								110.10	
	Length/ m		---		Lw (Evening (4h)) /dB(A)								110.10	
	Length/ m (2D)		---		Emission is								Sound power level (Lw)	
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Vestas V172 11 m/s ST									
	Day (12h)		Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8
	Night (8h)		Emission		Reference: Vestas V172 11 m/s ST									
	Night (8h)		Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8
	Evening (4h)		Emission		Reference: Vestas V172 11 m/s ST									
	Evening (4h)		Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		0.72940		-12.16		-12.2	
	Evening (4h)		4.00	Evening	110.1		1.00		0.35590		-10.51		-10.5	
	Night (8h)		8.00	Night	110.1		1.00		0.73510		-10.37		-10.4	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:		662047.55		256166.20		283.00		175.00			
EQCN232	Label		PrRR3*****		Action radius/m								3000.00	
	Group		11 m/s		Lw (Day (12h)) /dB(A)								110.10	
	Number of nodes		1		Lw (Night (8h)) /dB(A)								110.10	
	Length/ m		---		Lw (Evening (4h)) /dB(A)								110.10	
	Length/ m (2D)		---		Emission is								Sound power level (Lw)	
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Vestas V172 11 m/s ST									
	Day (12h)		Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8
	Night (8h)		Emission		Reference: Vestas V172 11 m/s ST									
	Night (8h)		Lw /dB (A)	110.1	46.9 53.1 									

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

				53.1	70.4	85.1	94.9	99.4	100.3	99.1	94.4	86.2	74.5
	Evening (4h)	Emission	Reference: Vestas V172 11 m/s ST	59.0	75.8	89.0	96.9	99.8	100.3	97.9	92.1	82.7	69.8
	Evening (4h)	Lw /dB (A)	110.1	46.9	64.9	80.7	92.2	98.4	100.2	99.9	96.4	89.3	78.8
				53.1	70.4	85.1	94.9	99.4	100.3	99.1	94.4	86.2	74.5
				59.0	75.8	89.0	96.9	99.8	100.3	97.9	92.1	82.7	69.8
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB							Special correction /dB	
	Lden	-	0.0	0.0	0.0							-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB					Lwr /dB(A)	
	Day (12h)	12.00	Day	110.1	1.00	0.72940	-12.16					-12.2	
	Evening (4h)	4.00	Evening	110.1	1.00	0.35590	-10.51					-10.5	
	Night (8h)	8.00	Night	110.1	1.00	0.73510	-10.37					-10.4	
	Geometry		Nr	x/m	y/m	z(abs) /m	! z(rel) /m						
			Geometry:	662676.13	256121.38	284.00	175.00						
EQCN233	Label	P19.2b*****	Action radius/m				3000.00						
	Group	11 m/s	Lw (Day (12h)) /dB(A)				110.10						
	Number of nodes	1	Lw (Night (8h)) /dB(A)				110.10						
	Length/ m	---	Lw (Evening (4h)) /dB(A)				110.10						
	Length/ m (2D)	---	Emission is				Sound power level (Lw)						
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 11 m/s ST	46.9	64.9	80.7	92.2	98.4	100.2	99.9	96.4	89.3	78.8
	Day (12h)	Lw /dB (A)	110.1	53.1	70.4	85.1	94.9	99.4	100.3	99.1	94.4	86.2	74.5
				59.0	75.8	89.0	96.9	99.8	100.3	97.9	92.1	82.7	69.8
	Night (8h)	Emission	Reference: Vestas V172 11 m/s ST	46.9	64.9	80.7	92.2	98.4	100.2	99.9	96.4	89.3	78.8
	Night (8h)	Lw /dB (A)	110.1	53.1	70.4	85.1	94.9	99.4	100.3	99.1	94.4	86.2	74.5
				59.0	75.8	89.0	96.9	99.8	100.3	97.9	92.1	82.7	69.8
	Evening (4h)	Emission	Reference: Vestas V172 11 m/s ST	46.9	64.9	80.7	92.2	98.4	100.2	99.9	96.4	89.3	78.8
	Evening (4h)	Lw /dB (A)	110.1	53.1	70.4	85.1	94.9	99.4	100.3	99.1	94.4	86.2	74.5
				59.0	75.8	89.0	96.9	99.8	100.3	97.9	92.1	82.7	69.8
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB							Special correction /dB	
	Lden	-	0.0	0.0	0.0							-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB					Lwr /dB(A)	
	Day (12h)	12.00	Day	110.1	1.00	0.72940	-12.16					-12.2	
	Evening (4h)	4.00	Evening	110.1	1.00	0.35590	-10.51					-10.5	
	Night (8h)	8.00	Night	110.1	1.00	0.73510	-10.37					-10.4	
	Geometry		Nr	x/m	y/m	z(abs) /m	! z(rel) /m						
			Geometry:	656671.82	247343.93	280.00	175.00						
EQCN234	Label	Pr3b*****	Action radius/m				3000.00						
	Group	11 m/s	Lw (Day (12h)) /dB(A)				110.10						
	Number of nodes	1	Lw (Night (8h)) /dB(A)				110.10						
	Length/ m	---	Lw (Evening (4h)) /dB(A)				110.10						
	Length/ m (2D)	---	Emission is				Sound power level (Lw)						
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 11 m/s ST	46.9	64.9	80.7	92.2	98.4	100.2	99.9	96.4	89.3	78.8
	Day (12h)	Lw /dB (A)	110.1	53.1	70.4	85.1	94.9	99.4	100.3	99.1	94.4	86.2	74.5
				59.0	75.8	89.0	96.9	99.8	100.3	97.9	92.1	82.7	69.8
	Night (8h)	Emission	Reference: Vestas V172 11 m/s ST	46.9	64.9	80.7	92.2	98.4	100.2	99.9	96.4	89.3	78.8
	Night (8h)	Lw /dB (A)	110.1	53.1	70.4	85.1	94.9	99.4	100.3	99.1	94.4	86.2	74.5
				59.0	75.8	89.0	96.9	99.8	100.3	97.9	92.1	82.7	69.8
	Evening (4h)	Emission	Reference: Vestas V172 11 m/s ST	46.9	64.9	80.7	92.2	98.4	100.2	99.9	96.4	89.3	78.8
	Evening (4h)	Lw /dB (A)	110.1	53.1	70.4	85.1	94.9	99.4	100.3	99.1	94.4	86.2	74.5
				59.0	75.8	89.0	96.9	99.8	100.3	97.9	92.1	82.7	69.8
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB							Special correction /dB	
	Lden	-	0.0	0.0	0.0							-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB					Lwr /dB(A)	
	Day (12h)	12.00	Day	110.1	1.00	0.72940	-12.16					-12.2	
	Evening (4h)	4.00	Evening	110.1	1.00	0.35590	-10.51					-10.5	
	Night (8h)	8.00	Night	110.1	1.00	0.73510	-10.37					-10.4	
	Geometry		Nr	x/m	y/m	z(abs) /m	! z(rel) /m						
			Geometry:	662489.40	255686.03	284.00	175.00						
EQCN235	Label	O2*****	Action radius/m				3000.00						
	Group	12 m/s	Lw (Day (12h)) /dB(A)				110.10						
	Number of nodes	1	Lw (Night (8h)) /dB(A)				110.10						
	Length/ m	---	Lw (Evening (4h)) /dB(A)				110.10						
	Length/ m (2D)	---	Emission is				Sound power level (Lw)						
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 12 m/s ST	47.0	65.0	80.8	92.2	98.4	100.2	99.9	96.4	89.4	79.0
	Day (12h)	Lw /dB (A)	110.1	53.2	70.4	85.2	94.9	99.4	100.2	99.1	94.5	86.3	74.7
				59.1	75.8	89.0	96.9	99.8	100.3	98.0	92.2	82.8	70.0
	Night (8h)	Emission	Reference: Vestas V172 12 m/s ST	47.0	65.0	80.8	92.2	98.4	100.2	99.9	96.4	89.4	79.0
	Night (8h)	Lw /dB (A)	110.1	53.2	70.4	85.2	94.9	99.4	100.2	99.1	94.5	86.3	74.7
				59.1	75.8	89.0	96.9	99.8	100.3	98.0	92.2	82.8	70.0

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Evening (4h)	Emission	Reference: Vestas V172 12 m/s ST												
	Evening (4h)	Lw /dB (A)	110.1	47.0 53.2 59.1	65.0 70.4 75.8	80.8 85.2 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.2 100.3	99.9 99.1 98.0	96.4 94.5 92.2	89.4 86.3 82.8	79.0 74.7 70.0		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1		1.00		0.49190		-13.87		-13.9		
	Evening (4h)		4.00	Evening	110.1		1.00		0.22930		-12.42		-12.4		
	Night (8h)		8.00	Night	110.1		1.00		0.44820		-12.52		-12.5		
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
					Geometry:		655899.72		249092.09		279.27		175.00		
EQCN236	Label		O3*****				Action radius/m						3000.00		
	Group		12 m/s				Lw (Day (12h)) /dB(A)						110.10		
	Number of nodes		1				Lw (Night (8h)) /dB(A)						110.10		
	Length/ m		---				Lw (Evening (4h)) /dB(A)						110.10		
	Length/ m (2D)		---				Emission is						Sound power level (Lw)		
	Area /m²		---												
	Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Vestas V172 12 m/s ST										
	Day (12h)		Lw /dB (A)	110.1	47.0 53.2 59.1	65.0 70.4 75.8	80.8 85.2 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.2 100.3	99.9 99.1 98.0	96.4 94.5 92.2	89.4 86.3 82.8	79.0 74.7 70.0	
	Night (8h)		Emission		Reference: Vestas V172 12 m/s ST										
	Night (8h)		Lw /dB (A)	110.1	47.0 53.2 59.1	65.0 70.4 75.8	80.8 85.2 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.2 100.3	99.9 99.1 98.0	96.4 94.5 92.2	89.4 86.3 82.8	79.0 74.7 70.0	
	Evening (4h)		Emission		Reference: Vestas V172 12 m/s ST										
	Evening (4h)		Lw /dB (A)	110.1	47.0 53.2 59.1	65.0 70.4 75.8	80.8 85.2 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.2 100.3	99.9 99.1 98.0	96.4 94.5 92.2	89.4 86.3 82.8	79.0 74.7 70.0	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1		1.00		0.49190		-13.87		-13.9		
	Evening (4h)		4.00	Evening	110.1		1.00		0.22930		-12.42		-12.4		
	Night (8h)		8.00	Night	110.1		1.00		0.44820		-12.52		-12.5		
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
					Geometry:		656055.72		248760.81		279.00		175.00		
EQCN237	Label		O5*****				Action radius/m						3000.00		
	Group		12 m/s				Lw (Day (12h)) /dB(A)						110.10		
	Number of nodes		1				Lw (Night (8h)) /dB(A)						110.10		
	Length/ m		---				Lw (Evening (4h)) /dB(A)						110.10		
	Length/ m (2D)		---				Emission is						Sound power level (Lw)		
	Area /m²		---												
	Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Vestas V172 12 m/s ST										
	Day (12h)		Lw /dB (A)	110.1	47.0 53.2 59.1	65.0 70.4 75.8	80.8 85.2 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.2 100.3	99.9 99.1 98.0	96.4 94.5 92.2	89.4 86.3 82.8	79.0 74.7 70.0	
	Night (8h)		Emission		Reference: Vestas V172 12 m/s ST										
	Night (8h)		Lw /dB (A)	110.1	47.0 53.2 59.1	65.0 70.4 75.8	80.8 85.2 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.2 100.3	99.9 99.1 98.0	96.4 94.5 92.2	89.4 86.3 82.8	79.0 74.7 70.0	
	Evening (4h)		Emission		Reference: Vestas V172 12 m/s ST										
	Evening (4h)		Lw /dB (A)	110.1	47.0 53.2 59.1	65.0 70.4 75.8	80.8 85.2 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.2 100.3	99.9 99.1 98.0	96.4 94.5 92.2	89.4 86.3 82.8	79.0 74.7 70.0	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1		1.00		0.49190		-13.87		-13.9		
	Evening (4h)		4.00	Evening	110.1		1.00		0.22930		-12.42		-12.4		
	Night (8h)		8.00	Night	110.1		1.00		0.44820		-12.52		-12.5		
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
					Geometry:		656292.16		247880.94		279.00		175.00		
EQCN238	Label		O4*****				Action radius/m						3000.00		
	Group		12 m/s				Lw (Day (12h)) /dB(A)						110.10		
	Number of nodes		1				Lw (Night (8h)) /dB(A)						110.10		
	Length/ m		---				Lw (Evening (4h)) /dB(A)						110.10		
	Length/ m (2D)		---				Emission is						Sound power level (Lw)		
	Area /m²		---												
	Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Vestas V172 12 m/s ST										
	Day (12h)		Lw /dB (A)	110.1	47.0 53.2 59.1	65.0 70.4 75.8	80.8 85.2 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.2 100.3	99.9 99.1 98.0	96.4 94.5 92.2	89.4 86.3 82.8	79.0 74.7 70.0	
	Night (8h)		Emission		Reference: Vestas V172 12 m/s ST										
	Night (8h)		Lw /dB (A)	110.1	47.0 53.2 59.1	65.0 70.4 75.8	80.8 85.2 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.2 100.3	99.9 99.1 98.0	96.4 94.5 92.2	89.4 86.3 82.8	79.0 74.7 70.0	
	Evening (4h)		Emission		Reference: Vestas V172 12 m/s ST										
	Evening (4h)		Lw /dB (A)	110.1	47.0 53.2 59.1	65.0 70.4 75.8	80.8 85.2 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.2 100.3	99.9 99.1 98.0	96.4 94.5 92.2	89.4 86.3 82.8	79.0 74.7 70.0	

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

				53.2	70.4	85.2	94.9	99.4	100.2	99.1	94.5	86.3	74.7
				59.1	75.8	89.0	96.9	99.8	100.3	98.0	92.2	82.8	70.0
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden	-	0.0	0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	110.1		1.00		0.49190		-13.87		-13.9	
	Evening (4h)	4.00	Evening	110.1		1.00		0.22930		-12.42		-12.4	
	Night (8h)	8.00	Night	110.1		1.00		0.44820		-12.52		-12.5	
	Geometry	Nr		x/m		y/m		z(abs) /m		z(rel) /m			
		Geometry:		655674.43		248309.07		278.00		175.00			
EQCN239	Label	DD1*****		Action radius/m								3000.00	
	Group	12 m/s		Lw (Day (12h)) /dB(A)								110.10	
	Number of nodes	1		Lw (Night (8h)) /dB(A)								110.10	
	Length/ m	---		Lw (Evening (4h)) /dB(A)								110.10	
	Length/ m (2D)	---		Emission is								Sound power level (Lw)	
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 12 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	47.0	65.0	80.8	92.2	98.4	100.2	99.9	96.4	89.4	79.0
				53.2	70.4	85.2	94.9	99.4	100.2	99.1	94.5	86.3	74.7
				59.1	75.8	89.0	96.9	99.8	100.3	98.0	92.2	82.8	70.0
	Night (8h)	Emission	Reference: Vestas V172 12 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	47.0	65.0	80.8	92.2	98.4	100.2	99.9	96.4	89.4	79.0
				53.2	70.4	85.2	94.9	99.4	100.2	99.1	94.5	86.3	74.7
				59.1	75.8	89.0	96.9	99.8	100.3	98.0	92.2	82.8	70.0
	Evening (4h)	Emission	Reference: Vestas V172 12 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	47.0	65.0	80.8	92.2	98.4	100.2	99.9	96.4	89.4	79.0
				53.2	70.4	85.2	94.9	99.4	100.2	99.1	94.5	86.3	74.7
				59.1	75.8	89.0	96.9	99.8	100.3	98.0	92.2	82.8	70.0
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden	-	0.0	0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	110.1		1.00		0.49190		-13.87		-13.9	
	Evening (4h)	4.00	Evening	110.1		1.00		0.22930		-12.42		-12.4	
	Night (8h)	8.00	Night	110.1		1.00		0.44820		-12.52		-12.5	
	Geometry	Nr		x/m		y/m		z(abs) /m		z(rel) /m			
		Geometry:		656226.07		248421.71		278.00		175.00			
EQCN240	Label	DD3*****		Action radius/m								3000.00	
	Group	12 m/s		Lw (Day (12h)) /dB(A)								110.10	
	Number of nodes	1		Lw (Night (8h)) /dB(A)								110.10	
	Length/ m	---		Lw (Evening (4h)) /dB(A)								110.10	
	Length/ m (2D)	---		Emission is								Sound power level (Lw)	
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 12 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	47.0	65.0	80.8	92.2	98.4	100.2	99.9	96.4	89.4	79.0
				53.2	70.4	85.2	94.9	99.4	100.2	99.1	94.5	86.3	74.7
				59.1	75.8	89.0	96.9	99.8	100.3	98.0	92.2	82.8	70.0
	Night (8h)	Emission	Reference: Vestas V172 12 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	47.0	65.0	80.8	92.2	98.4	100.2	99.9	96.4	89.4	79.0
				53.2	70.4	85.2	94.9	99.4	100.2	99.1	94.5	86.3	74.7
				59.1	75.8	89.0	96.9	99.8	100.3	98.0	92.2	82.8	70.0
	Evening (4h)	Emission	Reference: Vestas V172 12 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	47.0	65.0	80.8	92.2	98.4	100.2	99.9	96.4	89.4	79.0
				53.2	70.4	85.2	94.9	99.4	100.2	99.1	94.5	86.3	74.7
				59.1	75.8	89.0	96.9	99.8	100.3	98.0	92.2	82.8	70.0
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden	-	0.0	0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	110.1		1.00		0.49190		-13.87		-13.9	
	Evening (4h)	4.00	Evening	110.1		1.00		0.22930		-12.42		-12.4	
	Night (8h)	8.00	Night	110.1		1.00		0.44820		-12.52		-12.5	
	Geometry	Nr		x/m		y/m		z(abs) /m		z(rel) /m			
		Geometry:		656792.54		248209.39		279.20		175.00			
EQCN241	Label	O1.b*****		Action radius/m								3000.00	
	Group	12 m/s		Lw (Day (12h)) /dB(A)								110.10	
	Number of nodes	1		Lw (Night (8h)) /dB(A)								110.10	
	Length/ m	---		Lw (Evening (4h)) /dB(A)								110.10	
	Length/ m (2D)	---		Emission is								Sound power level (Lw)	
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 12 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	47.0	65.0	80.8	92.2	98.4	100.2	99.9	96.4	89.4	79.0
				53.2	70.4	85.2	94.9	99.4	100.2	99.1	94.5	86.3	74.7
				59.1	75.8	89.0	96.9	99.8	100.3	98.0	92.2	82.8	70.0
	Night (8h)	Emission	Reference: Vestas V172 12 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	47.0	65.0	80.8	92.2	98.4	100.2	99.9	96.4	89.4	79.0
				53.2	70.4	85.2	94.9	99.4	100.2	99.1	94.5	86.3	74.7
				59.1	75.8	89.0	96.9	99.8	100.3	98.0	92.2	82.8	70.0
	Evening (4h)	Emission	Reference: Vestas V172 12 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	47.0	65.0	80.8	92.2	98.4	100.2	99.9	96.4	89.4	79.0
				53.2	70.4	85.2	94.9	99.4	100.2	99.1	94.5	86.3	74.7
				59.1	75.8	89.0	96.9	99.8	100.3	98.0	92.2	82.8	70.0

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB						Special correction /dB	
	Lden			-	0.0	0.0		0.0				-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)	12.00	Day	110.1	1.00	0.49190		-13.87		-13.9			
	Evening (4h)	4.00	Evening	110.1	1.00	0.22930		-12.42		-12.4			
	Night (8h)	8.00	Night	110.1	1.00	0.44820		-12.52		-12.5			
	Geometry	Nr			x/m	y/m	z(abs) /m		! z(rel) /m				
		Geometry:			655628.52	247870.27	278.00		175.00				
EQCN242	Label	JV1*****			Action radius/m				3000.00				
	Group	12 m/s			Lw (Day (12h)) /dB(A)				110.10				
	Number of nodes	1			Lw (Night (8h)) /dB(A)				110.10				
	Length/ m	---			Lw (Evening (4h)) /dB(A)				110.10				
	Length/ m (2D)	---			Emission is				Sound power level (Lw)				
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 12 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	47.0 53.2 59.1	65.0 70.4 75.8	80.8 85.2 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.2 100.3	99.9 99.1 98.0	96.4 94.5 92.2	89.4 86.3 82.8	79.0 74.7 70.0
	Night (8h)	Emission	Reference: Vestas V172 12 m/s ST										
Night (8h)	Lw /dB (A)	110.1	47.0 53.2 59.1	65.0 70.4 75.8	80.8 85.2 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.2 100.3	99.9 99.1 98.0	96.4 94.5 92.2	89.4 86.3 82.8	79.0 74.7 70.0	
Evening (4h)	Emission	Reference: Vestas V172 12 m/s ST											
Evening (4h)	Lw /dB (A)	110.1	47.0 53.2 59.1	65.0 70.4 75.8	80.8 85.2 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.2 100.3	99.9 99.1 98.0	96.4 94.5 92.2	89.4 86.3 82.8	79.0 74.7 70.0	
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB						Special correction /dB	
	Lden			-	0.0	0.0		0.0				-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)	12.00	Day	110.1	1.00	0.49190		-13.87		-13.9			
	Evening (4h)	4.00	Evening	110.1	1.00	0.22930		-12.42		-12.4			
	Night (8h)	8.00	Night	110.1	1.00	0.44820		-12.52		-12.5			
	Geometry	Nr			x/m	y/m	z(abs) /m		! z(rel) /m				
		Geometry:			656086.43	247254.47	279.00		175.00				
EQCN243	Label	Pr12*****			Action radius/m				3000.00				
	Group	12 m/s			Lw (Day (12h)) /dB(A)				110.10				
	Number of nodes	1			Lw (Night (8h)) /dB(A)				110.10				
	Length/ m	---			Lw (Evening (4h)) /dB(A)				110.10				
	Length/ m (2D)	---			Emission is				Sound power level (Lw)				
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 12 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	47.0 53.2 59.1	65.0 70.4 75.8	80.8 85.2 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.2 100.3	99.9 99.1 98.0	96.4 94.5 92.2	89.4 86.3 82.8	79.0 74.7 70.0
	Night (8h)	Emission	Reference: Vestas V172 12 m/s ST										
Night (8h)	Lw /dB (A)	110.1	47.0 53.2 59.1	65.0 70.4 75.8	80.8 85.2 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.2 100.3	99.9 99.1 98.0	96.4 94.5 92.2	89.4 86.3 82.8	79.0 74.7 70.0	
Evening (4h)	Emission	Reference: Vestas V172 12 m/s ST											
Evening (4h)	Lw /dB (A)	110.1	47.0 53.2 59.1	65.0 70.4 75.8	80.8 85.2 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.2 100.3	99.9 99.1 98.0	96.4 94.5 92.2	89.4 86.3 82.8	79.0 74.7 70.0	
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB						Special correction /dB	
	Lden			-	0.0	0.0		0.0				-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)	12.00	Day	110.1	1.00	0.49190		-13.87		-13.9			
	Evening (4h)	4.00	Evening	110.1	1.00	0.22930		-12.42		-12.4			
	Night (8h)	8.00	Night	110.1	1.00	0.44820		-12.52		-12.5			
	Geometry	Nr			x/m	y/m	z(abs) /m		! z(rel) /m				
		Geometry:			659850.41	255599.51	281.00		175.00				
EQCN244	Label	O6*****			Action radius/m				3000.00				
	Group	12 m/s			Lw (Day (12h)) /dB(A)				110.10				
	Number of nodes	1			Lw (Night (8h)) /dB(A)				110.10				
	Length/ m	---			Lw (Evening (4h)) /dB(A)				110.10				
	Length/ m (2D)	---			Emission is				Sound power level (Lw)				
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 12 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	47.0 53.2 59.1	65.0 70.4 75.8	80.8 85.2 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.2 100.3	99.9 99.1 98.0	96.4 94.5 92.2	89.4 86.3 82.8	79.0 74.7 70.0
	Night (8h)	Emission	Reference: Vestas V172 12 m/s ST										
Night (8h)	Lw /dB (A)	110.1	47.0 53.2 59.1	65.0 70.4 75.8	80.8 85.2 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.2 100.3	99.9 99.1 98.0	96.4 94.5 92.2	89.4 86.3 82.8	79.0 74.7 70.0	
Evening (4h)	Emission	Reference: Vestas V172 12 m/s ST											
Evening (4h)	Lw /dB (A)	110.1	47.0 53.2 59.1	65.0 70.4 75.8	80.8 85.2 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.2 100.3	99.9 99.1 98.0	96.4 94.5 92.2	89.4 86.3 82.8	79.0 74.7 70.0	
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB						Special correction /dB	

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Lden	-	0.0	0.0	0.0	-	0.0						
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	110.1	1.00	0.49190	-13.87	-13.9					
	Evening (4h)	4.00	Evening	110.1	1.00	0.22930	-12.42	-12.4					
	Night (8h)	8.00	Night	110.1	1.00	0.44820	-12.52	-12.5					
	Geometry	Nr		x/m	y/m	z(abs) /m	! z(rel) /m						
		Geometry:		659724.06	256257.39	278.09	175.00						
EQCN245	Label	Pr11*****		Action radius/m		3000.00							
	Group	12 m/s		Lw (Day (12h)) /dB(A)		110.10							
	Number of nodes	1		Lw (Night (8h)) /dB(A)		110.10							
	Length/ m	---		Lw (Evening (4h)) /dB(A)		110.10							
	Length/ m (2D)	---		Emission is		Sound power level (Lw)							
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 12 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	47.0 53.2 59.1	65.0 70.4 75.8	80.8 85.2 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.2 100.3	99.9 99.1 98.0	96.4 94.5 92.2	89.4 86.3 82.8	79.0 74.7 70.0
	Night (8h)	Emission	Reference: Vestas V172 12 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	47.0 53.2 59.1	65.0 70.4 75.8	80.8 85.2 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.2 100.3	99.9 99.1 98.0	96.4 94.5 92.2	89.4 86.3 82.8	79.0 74.7 70.0
	Evening (4h)	Emission	Reference: Vestas V172 12 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	47.0 53.2 59.1	65.0 70.4 75.8	80.8 85.2 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.2 100.3	99.9 99.1 98.0	96.4 94.5 92.2	89.4 86.3 82.8	79.0 74.7 70.0
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden	-		0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	110.1	1.00	0.49190	-13.87	-13.9					
	Evening (4h)	4.00	Evening	110.1	1.00	0.22930	-12.42	-12.4					
	Night (8h)	8.00	Night	110.1	1.00	0.44820	-12.52	-12.5					
	Geometry	Nr		x/m	y/m	z(abs) /m	! z(rel) /m						
		Geometry:		660296.51	255945.28	279.00	175.00						
EQCN246	Label	AP2*****		Action radius/m		3000.00							
	Group	12 m/s		Lw (Day (12h)) /dB(A)		110.10							
	Number of nodes	1		Lw (Night (8h)) /dB(A)		110.10							
	Length/ m	---		Lw (Evening (4h)) /dB(A)		110.10							
	Length/ m (2D)	---		Emission is		Sound power level (Lw)							
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 12 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	47.0 53.2 59.1	65.0 70.4 75.8	80.8 85.2 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.2 100.3	99.9 99.1 98.0	96.4 94.5 92.2	89.4 86.3 82.8	79.0 74.7 70.0
	Night (8h)	Emission	Reference: Vestas V172 12 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	47.0 53.2 59.1	65.0 70.4 75.8	80.8 85.2 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.2 100.3	99.9 99.1 98.0	96.4 94.5 92.2	89.4 86.3 82.8	79.0 74.7 70.0
	Evening (4h)	Emission	Reference: Vestas V172 12 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	47.0 53.2 59.1	65.0 70.4 75.8	80.8 85.2 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.2 100.3	99.9 99.1 98.0	96.4 94.5 92.2	89.4 86.3 82.8	79.0 74.7 70.0
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden	-		0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	110.1	1.00	0.49190	-13.87	-13.9					
	Evening (4h)	4.00	Evening	110.1	1.00	0.22930	-12.42	-12.4					
	Night (8h)	8.00	Night	110.1	1.00	0.44820	-12.52	-12.5					
	Geometry	Nr		x/m	y/m	z(abs) /m	! z(rel) /m						
		Geometry:		661860.19	254894.20	282.00	175.00						
EQCN247	Label	AP6.1*****		Action radius/m		3000.00							
	Group	12 m/s		Lw (Day (12h)) /dB(A)		110.10							
	Number of nodes	1		Lw (Night (8h)) /dB(A)		110.10							
	Length/ m	---		Lw (Evening (4h)) /dB(A)		110.10							
	Length/ m (2D)	---		Emission is		Sound power level (Lw)							
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 12 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	47.0 53.2 59.1	65.0 70.4 75.8	80.8 85.2 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.2 100.3	99.9 99.1 98.0	96.4 94.5 92.2	89.4 86.3 82.8	79.0 74.7 70.0
	Night (8h)	Emission	Reference: Vestas V172 12 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	47.0 53.2 59.1	65.0 70.4 75.8	80.8 85.2 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.2 100.3	99.9 99.1 98.0	96.4 94.5 92.2	89.4 86.3 82.8	79.0 74.7 70.0
	Evening (4h)	Emission	Reference: Vestas V172 12 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	47.0 53.2 59.1	65.0 70.4 75.8	80.8 85.2 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.2 100.3	99.9 99.1 98.0	96.4 94.5 92.2	89.4 86.3 82.8	79.0 74.7 70.0
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden	-		0.0		0.0		0.0		-		0.0	

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h		dLi /dB	Lwr /dB(A)				
	Day (12h)		12.00	Day	110.1	1.00	0.49190		-13.87	-13.9				
	Evening (4h)		4.00	Evening	110.1	1.00	0.22930		-12.42	-12.4				
	Night (8h)		8.00	Night	110.1	1.00	0.44820		-12.52	-12.5				
	Geometry				Nr	x/m	y/m	z(abs) /m		! z(rel) /m				
					Geometry:		661549.21	255141.18	282.00	175.00				
EQCN248	Label		JU1*****			Action radius/m			3000.00					
	Group		12 m/s			Lw (Day (12h)) /dB(A)			110.10					
	Number of nodes		1			Lw (Night (8h)) /dB(A)			110.10					
	Length/ m		---			Lw (Evening (4h)) /dB(A)			110.10					
	Length/ m (2D)		---			Emission is			Sound power level (Lw)					
	Area /m²		---											
	Emiss. variant		Sum			16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz
Day (12h)		Emission		Reference: Vestas V172 12 m/s ST										
Day (12h)		Lw /dB (A)		110.1	47.0 53.2 59.1	65.0 70.4 75.8	80.8 85.2 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.2 100.3	99.9 99.1 98.0	96.4 94.5 92.2	89.4 86.3 82.8	79.0 74.7 70.0
Night (8h)		Emission		Reference: Vestas V172 12 m/s ST										
Night (8h)		Lw /dB (A)		110.1	47.0 53.2 59.1	65.0 70.4 75.8	80.8 85.2 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.2 100.3	99.9 99.1 98.0	96.4 94.5 92.2	89.4 86.3 82.8	79.0 74.7 70.0
Evening (4h)		Emission		Reference: Vestas V172 12 m/s ST										
Evening (4h)		Lw /dB (A)		110.1	47.0 53.2 59.1	65.0 70.4 75.8	80.8 85.2 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.2 100.3	99.9 99.1 98.0	96.4 94.5 92.2	89.4 86.3 82.8	79.0 74.7 70.0
Rating method			Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
Lden					-		0.0		0.0		0.0			
Rating period / Period			Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)			12.00	Day	110.1		1.00		0.49190		-13.87		-13.9	
Evening (4h)			4.00	Evening	110.1		1.00		0.22930		-12.42		-12.4	
Night (8h)			8.00	Night	110.1		1.00		0.44820		-12.52		-12.5	
Geometry					Nr	x/m	y/m	z(abs) /m		! z(rel) /m				
					Geometry:		661068.17	255365.14	281.00		175.00			
EQCN249	Label		Pr25*****			Action radius/m			3000.00					
	Group		12 m/s			Lw (Day (12h)) /dB(A)			110.10					
	Number of nodes		1			Lw (Night (8h)) /dB(A)			110.10					
	Length/ m		---			Lw (Evening (4h)) /dB(A)			110.10					
	Length/ m (2D)		---			Emission is			Sound power level (Lw)					
	Area /m²		---											
	Emiss. variant		Sum			16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz
Day (12h)		Emission		Reference: Vestas V172 12 m/s ST										
Day (12h)		Lw /dB (A)		110.1	47.0 53.2 59.1	65.0 70.4 75.8	80.8 85.2 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.2 100.3	99.9 99.1 98.0	96.4 94.5 92.2	89.4 86.3 82.8	79.0 74.7 70.0
Night (8h)		Emission		Reference: Vestas V172 12 m/s ST										
Night (8h)		Lw /dB (A)		110.1	47.0 53.2 59.1	65.0 70.4 75.8	80.8 85.2 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.2 100.3	99.9 99.1 98.0	96.4 94.5 92.2	89.4 86.3 82.8	79.0 74.7 70.0
Evening (4h)		Emission		Reference: Vestas V172 12 m/s ST										
Evening (4h)		Lw /dB (A)		110.1	47.0 53.2 59.1	65.0 70.4 75.8	80.8 85.2 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.2 100.3	99.9 99.1 98.0	96.4 94.5 92.2	89.4 86.3 82.8	79.0 74.7 70.0
Rating method			Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
Lden					-		0.0		0.0		0.0			
Rating period / Period			Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)			12.00	Day	110.1		1.00		0.49190		-13.87		-13.9	
Evening (4h)			4.00	Evening	110.1		1.00		0.22930		-12.42		-12.4	
Night (8h)			8.00	Night	110.1		1.00		0.44820		-12.52		-12.5	
Geometry					Nr	x/m	y/m	z(abs) /m		! z(rel) /m				
					Geometry:		662047.55	256166.20	283.00		175.00			
EQCN250	Label		PrRR3*****			Action radius/m			3000.00					
	Group		12 m/s			Lw (Day (12h)) /dB(A)			110.10					
	Number of nodes		1			Lw (Night (8h)) /dB(A)			110.10					
	Length/ m		---			Lw (Evening (4h)) /dB(A)			110.10					
	Length/ m (2D)		---			Emission is			Sound power level (Lw)					
	Area /m²		---											
	Emiss. variant		Sum			16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz
Day (12h)		Emission		Reference: Vestas V172 12 m/s ST										
Day (12h)		Lw /dB (A)		110.1	47.0 53.2 59.1	65.0 70.4 75.8	80.8 85.2 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.2 100.3	99.9 99.1 98.0	96.4 94.5 92.2	89.4 86.3 82.8	79.0 74.7 70.0
Night (8h)		Emission		Reference: Vestas V172 12 m/s ST										
Night (8h)		Lw /dB (A)		110.1	47.0 53.2 59.1	65.0 70.4 75.8	80.8 85.2 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.2 100.3	99.9 99.1 98.0	96.4 94.5 92.2	89.4 86.3 82.8	79.0 74.7 70.0
Evening (4h)		Emission		Reference: Vestas V172 12 m/s ST										
Evening (4h)		Lw /dB (A)		110.1	47.0 53.2 59.1	65.0 70.4 75.8	80.8 85.2 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.2 100.3	99.9 99.1 98.0	96.4 94.5 92.2	89.4 86.3 82.8	79.0 74.7 70.0
Rating method			Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
Lden					-		0.0		0.0		0.0			
Rating period / Period			Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Day (12h)	12.00	Day	110.1	1.00	0.49190	-13.87	-13.9					
	Evening (4h)	4.00	Evening	110.1	1.00	0.22930	-12.42	-12.4					
	Night (8h)	8.00	Night	110.1	1.00	0.44820	-12.52	-12.5					
	Geometry		Nr	x/m	y/m	z(abs) /m	! z(rel) /m						
			Geometry:	662676.13	256121.38	284.00		175.00					
EQCN251	Label	P19.2b*****			Action radius/m			3000.00					
	Group	12 m/s			Lw (Day (12h)) /dB(A)			110.10					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			110.10					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			110.10					
	Length/ m (2D)	---			Emission is			Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 12 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	47.0	65.0	80.8	92.2	98.4	100.2	99.9	96.4	89.4	79.0
				53.2	70.4	85.2	94.9	99.4	100.2	99.1	94.5	86.3	74.7
				59.1	75.8	89.0	96.9	99.8	100.3	98.0	92.2	82.8	70.0
	Night (8h)	Emission	Reference: Vestas V172 12 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	47.0	65.0	80.8	92.2	98.4	100.2	99.9	96.4	89.4	79.0
				53.2	70.4	85.2	94.9	99.4	100.2	99.1	94.5	86.3	74.7
			59.1	75.8	89.0	96.9	99.8	100.3	98.0	92.2	82.8	70.0	
Evening (4h)	Emission	Reference: Vestas V172 12 m/s ST											
Evening (4h)	Lw /dB (A)	110.1	47.0	65.0	80.8	92.2	98.4	100.2	99.9	96.4	89.4	79.0	
			53.2	70.4	85.2	94.9	99.4	100.2	99.1	94.5	86.3	74.7	
			59.1	75.8	89.0	96.9	99.8	100.3	98.0	92.2	82.8	70.0	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden	-		0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	110.1		1.00		0.49190		-13.87		-13.9	
	Evening (4h)	4.00	Evening	110.1		1.00		0.22930		-12.42		-12.4	
	Night (8h)	8.00	Night	110.1		1.00		0.44820		-12.52		-12.5	
	Geometry		Nr	x/m	y/m	z(abs) /m	! z(rel) /m						
			Geometry:	656671.82	247343.93	280.00		175.00					
EQCN252	Label	Pr3b*****			Action radius/m			3000.00					
	Group	12 m/s			Lw (Day (12h)) /dB(A)			110.10					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			110.10					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			110.10					
	Length/ m (2D)	---			Emission is			Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 12 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	47.0	65.0	80.8	92.2	98.4	100.2	99.9	96.4	89.4	79.0
				53.2	70.4	85.2	94.9	99.4	100.2	99.1	94.5	86.3	74.7
				59.1	75.8	89.0	96.9	99.8	100.3	98.0	92.2	82.8	70.0
	Night (8h)	Emission	Reference: Vestas V172 12 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	47.0	65.0	80.8	92.2	98.4	100.2	99.9	96.4	89.4	79.0
				53.2	70.4	85.2	94.9	99.4	100.2	99.1	94.5	86.3	74.7
			59.1	75.8	89.0	96.9	99.8	100.3	98.0	92.2	82.8	70.0	
Evening (4h)	Emission	Reference: Vestas V172 12 m/s ST											
Evening (4h)	Lw /dB (A)	110.1	47.0	65.0	80.8	92.2	98.4	100.2	99.9	96.4	89.4	79.0	
			53.2	70.4	85.2	94.9	99.4	100.2	99.1	94.5	86.3	74.7	
			59.1	75.8	89.0	96.9	99.8	100.3	98.0	92.2	82.8	70.0	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden	-		0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	110.1		1.00		0.49190		-13.87		-13.9	
	Evening (4h)	4.00	Evening	110.1		1.00		0.22930		-12.42		-12.4	
	Night (8h)	8.00	Night	110.1		1.00		0.44820		-12.52		-12.5	
	Geometry		Nr	x/m	y/m	z(abs) /m	! z(rel) /m						
			Geometry:	662489.40	255686.03	284.00		175.00					
EQCN253	Label	O2*****			Action radius/m			3000.00					
	Group	13 m/s			Lw (Day (12h)) /dB(A)			110.10					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			110.10					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			110.10					
	Length/ m (2D)	---			Emission is			Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 13 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	47.4	65.3	80.9	92.3	98.4	100.2	99.9	96.4	89.5	79.0
				53.6	70.7	85.3	94.9	99.4	100.2	99.1	94.5	86.4	74.8
				59.4	76.1	89.1	97.0	99.8	100.2	97.9	92.2	82.9	70.2
	Night (8h)	Emission	Reference: Vestas V172 13 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	47.4	65.3	80.9	92.3	98.4	100.2	99.9	96.4	89.5	79.0
				53.6	70.7	85.3	94.9	99.4	100.2	99.1	94.5	86.4	74.8
			59.4	76.1	89.1	97.0	99.8	100.2	97.9	92.2	82.9	70.2	
Evening (4h)	Emission	Reference: Vestas V172 13 m/s ST											
Evening (4h)	Lw /dB (A)	110.1	47.4	65.3	80.9	92.3	98.4	100.2	99.9	96.4	89.5	79.0	
			53.6	70.7	85.3	94.9	99.4	100.2	99.1	94.5	86.4	74.8	
			59.4	76.1	89.1	97.0	99.8	100.2	97.9	92.2	82.9	70.2	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden	-		0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	110.1		1.00		0.29890		-16.04		-16.0	
	Evening (4h)	4.00	Evening	110.1		1.00		0.12160		-15.17		-15.2	

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Night (8h)		8.00	Night		110.1		1.00		0.20930		-15.82		-15.8
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		655899.72		249092.09		279.27		175.00	
EQCN254	Label		O3*****			Action radius/m			3000.00					
	Group		13 m/s			Lw (Day (12h)) /dB(A)			110.10					
	Number of nodes		1			Lw (Night (8h)) /dB(A)			110.10					
	Length/ m		---			Lw (Evening (4h)) /dB(A)			110.10					
	Length/ m (2D)		---			Emission is			Sound power level (Lw)					
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 13 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2	
	Night (8h)	Emission	Reference: Vestas V172 13 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2	
	Evening (4h)	Emission	Reference: Vestas V172 13 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		0.29890		-16.04		-16.0	
	Evening (4h)		4.00	Evening	110.1		1.00		0.12160		-15.17		-15.2	
	Night (8h)		8.00	Night	110.1		1.00		0.20930		-15.82		-15.8	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		656055.72		248760.81		279.00		175.00	
EQCN255	Label		O5*****			Action radius/m			3000.00					
	Group		13 m/s			Lw (Day (12h)) /dB(A)			110.10					
	Number of nodes		1			Lw (Night (8h)) /dB(A)			110.10					
	Length/ m		---			Lw (Evening (4h)) /dB(A)			110.10					
	Length/ m (2D)		---			Emission is			Sound power level (Lw)					
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 13 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2	
	Night (8h)	Emission	Reference: Vestas V172 13 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2	
	Evening (4h)	Emission	Reference: Vestas V172 13 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		0.29890		-16.04		-16.0	
	Evening (4h)		4.00	Evening	110.1		1.00		0.12160		-15.17		-15.2	
	Night (8h)		8.00	Night	110.1		1.00		0.20930		-15.82		-15.8	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		656292.16		247880.94		279.00		175.00	
EQCN256	Label		O4*****			Action radius/m			3000.00					
	Group		13 m/s			Lw (Day (12h)) /dB(A)			110.10					
	Number of nodes		1			Lw (Night (8h)) /dB(A)			110.10					
	Length/ m		---			Lw (Evening (4h)) /dB(A)			110.10					
	Length/ m (2D)		---			Emission is			Sound power level (Lw)					
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 13 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2	
	Night (8h)	Emission	Reference: Vestas V172 13 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2	
	Evening (4h)	Emission	Reference: Vestas V172 13 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		0.29890		-16.04		-16.0	
	Evening (4h)		4.00	Evening	110.1		1.00		0.12160		-15.17		-15.2	
	Night (8h)		8.00	Night	110.1		1.00		0.20930		-15.82		-15.8	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

			Geometry:				655674.43	248309.07	278.00	175.00					
EQCN257	Label		DD1*****				Action radius/m		3000.00						
	Group		13 m/s				Lw (Day (12h)) /dB(A)		110.10						
	Number of nodes		1				Lw (Night (8h)) /dB(A)		110.10						
	Length/ m		---				Lw (Evening (4h)) /dB(A)		110.10						
	Length/ m (2D)		---				Emission is		Sound power level (Lw)						
	Area /m²		---												
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Emission		Reference: Vestas V172 13 m/s ST										
	Day (12h)		Lw /dB (A)		110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2
	Night (8h)		Emission		Reference: Vestas V172 13 m/s ST										
Night (8h)		Lw /dB (A)		110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2	
Evening (4h)		Emission		Reference: Vestas V172 13 m/s ST											
Evening (4h)		Lw /dB (A)		110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2	
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
Lden				-		0.0		0.0		0.0		-		0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
Day (12h)		12.00	Day	110.1		1.00		0.29890		-16.04		-16.0			
Evening (4h)		4.00	Evening	110.1		1.00		0.12160		-15.17		-15.2			
Night (8h)		8.00	Night	110.1		1.00		0.20930		-15.82		-15.8			
Geometry		Nr				x/m		y/m		z(abs) /m		! z(rel) /m			
		Geometry:				656226.07		248421.71		278.00		175.00			
EQCN258	Label		DD3*****				Action radius/m		3000.00						
	Group		13 m/s				Lw (Day (12h)) /dB(A)		110.10						
	Number of nodes		1				Lw (Night (8h)) /dB(A)		110.10						
	Length/ m		---				Lw (Evening (4h)) /dB(A)		110.10						
	Length/ m (2D)		---				Emission is		Sound power level (Lw)						
	Area /m²		---												
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Emission		Reference: Vestas V172 13 m/s ST										
	Day (12h)		Lw /dB (A)		110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2
	Night (8h)		Emission		Reference: Vestas V172 13 m/s ST										
Night (8h)		Lw /dB (A)		110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2	
Evening (4h)		Emission		Reference: Vestas V172 13 m/s ST											
Evening (4h)		Lw /dB (A)		110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2	
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
Lden				-		0.0		0.0		0.0		-		0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
Day (12h)		12.00	Day	110.1		1.00		0.29890		-16.04		-16.0			
Evening (4h)		4.00	Evening	110.1		1.00		0.12160		-15.17		-15.2			
Night (8h)		8.00	Night	110.1		1.00		0.20930		-15.82		-15.8			
Geometry		Nr				x/m		y/m		z(abs) /m		! z(rel) /m			
		Geometry:				656792.54		248209.39		279.20		175.00			
EQCN259	Label		O1.b*****				Action radius/m		3000.00						
	Group		13 m/s				Lw (Day (12h)) /dB(A)		110.10						
	Number of nodes		1				Lw (Night (8h)) /dB(A)		110.10						
	Length/ m		---				Lw (Evening (4h)) /dB(A)		110.10						
	Length/ m (2D)		---				Emission is		Sound power level (Lw)						
	Area /m²		---												
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Emission		Reference: Vestas V172 13 m/s ST										
	Day (12h)		Lw /dB (A)		110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2
	Night (8h)		Emission		Reference: Vestas V172 13 m/s ST										
Night (8h)		Lw /dB (A)		110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2	
Evening (4h)		Emission		Reference: Vestas V172 13 m/s ST											
Evening (4h)		Lw /dB (A)		110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2	
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
Lden				-		0.0		0.0		0.0		-		0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
Day (12h)		12.00	Day	110.1		1.00		0.29890		-16.04		-16.0			
Evening (4h)		4.00	Evening	110.1		1.00		0.12160		-15.17		-15.2			
Night (8h)		8.00	Night	110.1		1.00		0.20930		-15.82		-15.8			
Geometry		Nr				x/m		y/m		z(abs) /m		! z(rel) /m			
		Geometry:				655628.52		247870.27		278.00		175.00			
EQCN260	Label		JV1*****				Action radius/m		3000.00						

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

Group		13 m/s				Lw (Day (12h)) /dB(A)				110.10			
Number of nodes		1				Lw (Night (8h)) /dB(A)				110.10			
Length/ m		----				Lw (Evening (4h)) /dB(A)				110.10			
Length/ m (2D)		----				Emission is				Sound power level (Lw)			
Area /m²		----											
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)	Emission	Reference: Vestas V172 13 m/s ST											
Day (12h)	Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2	
Night (8h)	Emission	Reference: Vestas V172 13 m/s ST											
Night (8h)	Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2	
Evening (4h)	Emission	Reference: Vestas V172 13 m/s ST											
Evening (4h)	Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2	
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
Lden		-		0.0		0.0		0.0		-		0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)		12.00	Day	110.1		1.00		0.29890		-16.04		-16.0	
Evening (4h)		4.00	Evening	110.1		1.00		0.12160		-15.17		-15.2	
Night (8h)		8.00	Night	110.1		1.00		0.20930		-15.82		-15.8	
Geometry		Nr				x/m		y/m		z(abs) /m		! z(rel) /m	
		Geometry:				656086.43		247254.47		279.00		175.00	
EQCN261		Label				Action radius/m				3000.00			
Group		13 m/s				Lw (Day (12h)) /dB(A)				110.10			
Number of nodes		1				Lw (Night (8h)) /dB(A)				110.10			
Length/ m		----				Lw (Evening (4h)) /dB(A)				110.10			
Length/ m (2D)		----				Emission is				Sound power level (Lw)			
Area /m²		----											
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)	Emission	Reference: Vestas V172 13 m/s ST											
Day (12h)	Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2	
Night (8h)	Emission	Reference: Vestas V172 13 m/s ST											
Night (8h)	Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2	
Evening (4h)	Emission	Reference: Vestas V172 13 m/s ST											
Evening (4h)	Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2	
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
Lden		-		0.0		0.0		0.0		-		0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)		12.00	Day	110.1		1.00		0.29890		-16.04		-16.0	
Evening (4h)		4.00	Evening	110.1		1.00		0.12160		-15.17		-15.2	
Night (8h)		8.00	Night	110.1		1.00		0.20930		-15.82		-15.8	
Geometry		Nr				x/m		y/m		z(abs) /m		! z(rel) /m	
		Geometry:				659850.41		255599.51		281.00		175.00	
EQCN262		Label				Action radius/m				3000.00			
Group		13 m/s				Lw (Day (12h)) /dB(A)				110.10			
Number of nodes		1				Lw (Night (8h)) /dB(A)				110.10			
Length/ m		----				Lw (Evening (4h)) /dB(A)				110.10			
Length/ m (2D)		----				Emission is				Sound power level (Lw)			
Area /m²		----											
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)	Emission	Reference: Vestas V172 13 m/s ST											
Day (12h)	Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2	
Night (8h)	Emission	Reference: Vestas V172 13 m/s ST											
Night (8h)	Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2	
Evening (4h)	Emission	Reference: Vestas V172 13 m/s ST											
Evening (4h)	Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2	
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
Lden		-		0.0		0.0		0.0		-		0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)		12.00	Day	110.1		1.00		0.29890		-16.04		-16.0	
Evening (4h)		4.00	Evening	110.1		1.00		0.12160		-15.17		-15.2	
Night (8h)		8.00	Night	110.1		1.00		0.20930		-15.82		-15.8	
Geometry		Nr				x/m		y/m		z(abs) /m		! z(rel) /m	
		Geometry:				659724.06		256257.39		278.09		175.00	
EQCN263		Label				Action radius/m				3000.00			
Group		13 m/s				Lw (Day (12h)) /dB(A)				110.10			
Number of nodes		1				Lw (Night (8h)) /dB(A)				110.10			

Vēja parks "Prikulī" B alternatīva - Vestas V172 - 7.2 MW

	Length/ m	---					Lw (Evening (4h)) /dB(A)					110.10		
	Length/ m (2D)	---					Emission is					Sound power level (Lw)		
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 13 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2	
	Night (8h)	Emission	Reference: Vestas V172 13 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2	
	Evening (4h)	Emission	Reference: Vestas V172 13 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden	-		0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	110.1		1.00		0.29890		-16.04		-16.0		
	Evening (4h)	4.00	Evening	110.1		1.00		0.12160		-15.17		-15.2		
	Night (8h)	8.00	Night	110.1		1.00		0.20930		-15.82		-15.8		
	Geometry					Nr	x/m	y/m	z(abs) /m		! z(rel) /m			
						Geometry:	660296.51	255945.28	279.00		175.00			
EQCN264	Label	AP2*****					Action radius/m					3000.00		
	Group	13 m/s					Lw (Day (12h)) /dB(A)					110.10		
	Number of nodes	1					Lw (Night (8h)) /dB(A)					110.10		
	Length/ m	---					Lw (Evening (4h)) /dB(A)					110.10		
	Length/ m (2D)	---					Emission is					Sound power level (Lw)		
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 13 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2	
	Night (8h)	Emission	Reference: Vestas V172 13 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2	
	Evening (4h)	Emission	Reference: Vestas V172 13 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden	-		0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	110.1		1.00		0.29890		-16.04		-16.0		
	Evening (4h)	4.00	Evening	110.1		1.00		0.12160		-15.17		-15.2		
	Night (8h)	8.00	Night	110.1		1.00		0.20930		-15.82		-15.8		
	Geometry					Nr	x/m	y/m	z(abs) /m		! z(rel) /m			
						Geometry:	661860.19	254894.20	282.00		175.00			
EQCN265	Label	AP6.1*****					Action radius/m					3000.00		
	Group	13 m/s					Lw (Day (12h)) /dB(A)					110.10		
	Number of nodes	1					Lw (Night (8h)) /dB(A)					110.10		
	Length/ m	---					Lw (Evening (4h)) /dB(A)					110.10		
	Length/ m (2D)	---					Emission is					Sound power level (Lw)		
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 13 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2	
	Night (8h)	Emission	Reference: Vestas V172 13 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2	
	Evening (4h)	Emission	Reference: Vestas V172 13 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden	-		0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	110.1		1.00		0.29890		-16.04		-16.0		
	Evening (4h)	4.00	Evening	110.1		1.00		0.12160		-15.17		-15.2		
	Night (8h)	8.00	Night	110.1		1.00		0.20930		-15.82		-15.8		
	Geometry					Nr	x/m	y/m	z(abs) /m		! z(rel) /m			
						Geometry:	661549.21	255141.18	282.00		175.00			
EQCN266	Label	JU1*****					Action radius/m					3000.00		
	Group	13 m/s					Lw (Day (12h)) /dB(A)					110.10		
	Number of nodes	1					Lw (Night (8h)) /dB(A)					110.10		
	Length/ m	---					Lw (Evening (4h)) /dB(A)					110.10		
	Length/ m (2D)	---					Emission is					Sound power level (Lw)		

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

Area /m²		---												
Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)		Emission		Reference: Vestas V172 13 m/s ST										
Day (12h)		Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2	
Night (8h)		Emission		Reference: Vestas V172 13 m/s ST										
Night (8h)		Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2	
Evening (4h)		Emission		Reference: Vestas V172 13 m/s ST										
Evening (4h)		Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2	
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
Lden				-		0.0		0.0		0.0		-		
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
Day (12h)		12.00	Day	110.1		1.00		0.29890		-16.04		-16.0		
Evening (4h)		4.00	Evening	110.1		1.00		0.12160		-15.17		-15.2		
Night (8h)		8.00	Night	110.1		1.00		0.20930		-15.82		-15.8		
Geometry						Nr		x/m		y/m		z(abs) /m		
						Geometry:		661068.17		255365.14		281.00		
EQCN267		Label	Pr25*****				Action radius/m		3000.00					
		Group	13 m/s				Lw (Day (12h)) /dB(A)		110.10					
		Number of nodes	1				Lw (Night (8h)) /dB(A)		110.10					
		Length/ m	---				Lw (Evening (4h)) /dB(A)		110.10					
		Length/ m (2D)	---				Emission is		Sound power level (Lw)					
		Area /m²	---											
Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)		Emission		Reference: Vestas V172 13 m/s ST										
Day (12h)		Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2	
Night (8h)		Emission		Reference: Vestas V172 13 m/s ST										
Night (8h)		Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2	
Evening (4h)		Emission		Reference: Vestas V172 13 m/s ST										
Evening (4h)		Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2	
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
Lden				-		0.0		0.0		0.0		-		
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
Day (12h)		12.00	Day	110.1		1.00		0.29890		-16.04		-16.0		
Evening (4h)		4.00	Evening	110.1		1.00		0.12160		-15.17		-15.2		
Night (8h)		8.00	Night	110.1		1.00		0.20930		-15.82		-15.8		
Geometry						Nr		x/m		y/m		z(abs) /m		
						Geometry:		662047.55		256166.20		283.00		
EQCN268		Label	PrRR3*****				Action radius/m		3000.00					
		Group	13 m/s				Lw (Day (12h)) /dB(A)		110.10					
		Number of nodes	1				Lw (Night (8h)) /dB(A)		110.10					
		Length/ m	---				Lw (Evening (4h)) /dB(A)		110.10					
		Length/ m (2D)	---				Emission is		Sound power level (Lw)					
		Area /m²	---											
Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)		Emission		Reference: Vestas V172 13 m/s ST										
Day (12h)		Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2	
Night (8h)		Emission		Reference: Vestas V172 13 m/s ST										
Night (8h)		Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2	
Evening (4h)		Emission		Reference: Vestas V172 13 m/s ST										
Evening (4h)		Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2	
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
Lden				-		0.0		0.0		0.0		-		
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
Day (12h)		12.00	Day	110.1		1.00		0.29890		-16.04		-16.0		
Evening (4h)		4.00	Evening	110.1		1.00		0.12160		-15.17		-15.2		
Night (8h)		8.00	Night	110.1		1.00		0.20930		-15.82		-15.8		
Geometry						Nr		x/m		y/m		z(abs) /m		
						Geometry:		662676.13		256121.38		284.00		
EQCN269		Label	P19.2b*****				Action radius/m		3000.00					
		Group	13 m/s				Lw (Day (12h)) /dB(A)		110.10					
		Number of nodes	1				Lw (Night (8h)) /dB(A)		110.10					
		Length/ m	---				Lw (Evening (4h)) /dB(A)		110.10					
		Length/ m (2D)	---				Emission is		Sound power level (Lw)					
		Area /m²	---											
Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Day (12h)	Emission	Reference: Vestas V172 13 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2	
	Night (8h)	Emission	Reference: Vestas V172 13 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2	
	Evening (4h)	Emission	Reference: Vestas V172 13 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		0.29890		-16.04		-16.0	
	Evening (4h)		4.00	Evening	110.1		1.00		0.12160		-15.17		-15.2	
	Night (8h)		8.00	Night	110.1		1.00		0.20930		-15.82		-15.8	
	Geometry				Nr	x/m	y/m	z(abs) /m		! z(rel) /m				
					Geometry:		656671.82	247343.93	280.00		175.00			
EQCN270	Label		Pr3b*****		Action radius/m		3000.00							
	Group		13 m/s		Lw (Day (12h)) /dB(A)		110.10							
	Number of nodes		1		Lw (Night (8h)) /dB(A)		110.10							
	Length/ m		---		Lw (Evening (4h)) /dB(A)		110.10							
	Length/ m (2D)		---		Emission is		Sound power level (Lw)							
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Vestas V172 13 m/s ST									
	Day (12h)		Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2
	Night (8h)		Emission		Reference: Vestas V172 13 m/s ST									
	Night (8h)		Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2
	Evening (4h)		Emission		Reference: Vestas V172 13 m/s ST									
	Evening (4h)		Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		0.29890		-16.04		-16.0	
	Evening (4h)		4.00	Evening	110.1		1.00		0.12160		-15.17		-15.2	
	Night (8h)		8.00	Night	110.1		1.00		0.20930		-15.82		-15.8	
	Geometry				Nr	x/m	y/m	z(abs) /m		! z(rel) /m				
					Geometry:		662489.40	255686.03	284.00		175.00			
EQCN271	Label		O2*****		Action radius/m		3000.00							
	Group		14 m/s		Lw (Day (12h)) /dB(A)		110.09							
	Number of nodes		1		Lw (Night (8h)) /dB(A)		110.09							
	Length/ m		---		Lw (Evening (4h)) /dB(A)		110.09							
	Length/ m (2D)		---		Emission is		Sound power level (Lw)							
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Vestas V172 14 m/s ST									
	Day (12h)		Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2
	Night (8h)		Emission		Reference: Vestas V172 14 m/s ST									
	Night (8h)		Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2
	Evening (4h)		Emission		Reference: Vestas V172 14 m/s ST									
	Evening (4h)		Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		0.18510		-18.12		-18.1	
	Evening (4h)		4.00	Evening	110.1		1.00		0.06160		-18.12		-18.1	
	Night (8h)		8.00	Night	110.1		1.00		0.11950		-18.26		-18.3	
	Geometry				Nr	x/m	y/m	z(abs) /m		! z(rel) /m				
					Geometry:		655899.72	249092.09	279.27		175.00			
EQCN272	Label		O3*****		Action radius/m		3000.00							
	Group		14 m/s		Lw (Day (12h)) /dB(A)		110.09							
	Number of nodes		1		Lw (Night (8h)) /dB(A)		110.09							
	Length/ m		---		Lw (Evening (4h)) /dB(A)		110.09							
	Length/ m (2D)		---		Emission is		Sound power level (Lw)							
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Vestas V172 14 m/s ST									
	Day (12h)		Lw /dB (A)	110.1	48.0	65.7	81.2	92.5	98.5	100.2	99.8	96.3	89.4	79.0
	Night (8h)		Emission		Reference: Vestas V172 14 m/s ST									
	Night (8h)		Lw /dB (A)	110.1	48.0	65.7	81.2	92.5	98.5	100.2	99.8	96.3	89.4	79.0

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

				54.1 59.9	71.0 76.4	85.5 89.3	95.0 97.0	99.4 99.8	100.2 100.2	99.0 97.9	94.4 92.1	86.3 82.9	74.8 70.2
	Night (8h)	Emission	Reference:	Vestas V172 14 m/s ST									
	Night (8h)	Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2
	Evening (4h)	Emission	Reference:	Vestas V172 14 m/s ST									
	Evening (4h)	Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2
	Rating method		Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden		-	0.0		0.0		0.0		0.0		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1	1.00		0.18510		-18.12		-18.1	
	Evening (4h)		4.00	Evening	110.1	1.00		0.06160		-18.12		-18.1	
	Night (8h)		8.00	Night	110.1	1.00		0.11950		-18.26		-18.3	
	Geometry		Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
			Geometry:		656055.72		248760.81		279.00		175.00		
EQCN273	Label		O5*****		Action radius/m		3000.00						
	Group		14 m/s		Lw (Day (12h)) /dB(A)		110.09						
	Number of nodes		1		Lw (Night (8h)) /dB(A)		110.09						
	Length/ m		---		Lw (Evening (4h)) /dB(A)		110.09						
	Length/ m (2D)		---		Emission is		Sound power level (Lw)						
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission	Reference:	Vestas V172 14 m/s ST								
	Day (12h)		Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9
	Night (8h)		Emission	Reference:	Vestas V172 14 m/s ST								
	Night (8h)		Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9
	Evening (4h)		Emission	Reference:	Vestas V172 14 m/s ST								
	Evening (4h)		Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9
	Rating method		Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden		-	0.0		0.0		0.0		0.0		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1	1.00		0.18510		-18.12		-18.1	
	Evening (4h)		4.00	Evening	110.1	1.00		0.06160		-18.12		-18.1	
	Night (8h)		8.00	Night	110.1	1.00		0.11950		-18.26		-18.3	
	Geometry		Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
			Geometry:		656292.16		247880.94		279.00		175.00		
EQCN274	Label		O4*****		Action radius/m		3000.00						
	Group		14 m/s		Lw (Day (12h)) /dB(A)		110.09						
	Number of nodes		1		Lw (Night (8h)) /dB(A)		110.09						
	Length/ m		---		Lw (Evening (4h)) /dB(A)		110.09						
	Length/ m (2D)		---		Emission is		Sound power level (Lw)						
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission	Reference:	Vestas V172 14 m/s ST								
	Day (12h)		Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9
	Night (8h)		Emission	Reference:	Vestas V172 14 m/s ST								
	Night (8h)		Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9
	Evening (4h)		Emission	Reference:	Vestas V172 14 m/s ST								
	Evening (4h)		Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9
	Rating method		Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden		-	0.0		0.0		0.0		0.0		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1	1.00		0.18510		-18.12		-18.1	
	Evening (4h)		4.00	Evening	110.1	1.00		0.06160		-18.12		-18.1	
	Night (8h)		8.00	Night	110.1	1.00		0.11950		-18.26		-18.3	
	Geometry		Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
			Geometry:		655674.43		248309.07		278.00		175.00		
EQCN275	Label		DD1*****		Action radius/m		3000.00						
	Group		14 m/s		Lw (Day (12h)) /dB(A)		110.09						
	Number of nodes		1		Lw (Night (8h)) /dB(A)		110.09						
	Length/ m		---		Lw (Evening (4h)) /dB(A)		110.09						
	Length/ m (2D)		---		Emission is		Sound power level (Lw)						
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission	Reference:	Vestas V172 14 m/s ST								
	Day (12h)		Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Night (8h)	Emission	Reference: Vestas V172 14 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2	
	Evening (4h)	Emission	Reference: Vestas V172 14 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		0.18510		-18.12		-18.1	
	Evening (4h)		4.00	Evening	110.1		1.00		0.06160		-18.12		-18.1	
	Night (8h)		8.00	Night	110.1		1.00		0.11950		-18.26		-18.3	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		656226.07		248421.71		278.00		175.00	
EQCN276	Label		DD3*****					Action radius/m					3000.00	
	Group		14 m/s					Lw (Day (12h)) /dB(A)					110.09	
	Number of nodes		1					Lw (Night (8h)) /dB(A)					110.09	
	Length/ m		---					Lw (Evening (4h)) /dB(A)					110.09	
	Length/ m (2D)		---					Emission is					Sound power level (Lw)	
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Reference: Vestas V172 14 m/s ST											
	Day (12h)		Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2
	Night (8h)		Reference: Vestas V172 14 m/s ST											
	Night (8h)		Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2
	Evening (4h)		Reference: Vestas V172 14 m/s ST											
	Evening (4h)		Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		0.18510		-18.12		-18.1	
	Evening (4h)		4.00	Evening	110.1		1.00		0.06160		-18.12		-18.1	
	Night (8h)		8.00	Night	110.1		1.00		0.11950		-18.26		-18.3	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		656792.54		248209.39		279.20		175.00	
EQCN277	Label		O1.b*****					Action radius/m					3000.00	
	Group		14 m/s					Lw (Day (12h)) /dB(A)					110.09	
	Number of nodes		1					Lw (Night (8h)) /dB(A)					110.09	
	Length/ m		---					Lw (Evening (4h)) /dB(A)					110.09	
	Length/ m (2D)		---					Emission is					Sound power level (Lw)	
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Reference: Vestas V172 14 m/s ST											
	Day (12h)		Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2
	Night (8h)		Reference: Vestas V172 14 m/s ST											
	Night (8h)		Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2
	Evening (4h)		Reference: Vestas V172 14 m/s ST											
	Evening (4h)		Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		0.18510		-18.12		-18.1	
	Evening (4h)		4.00	Evening	110.1		1.00		0.06160		-18.12		-18.1	
	Night (8h)		8.00	Night	110.1		1.00		0.11950		-18.26		-18.3	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		655628.52		247870.27		278.00		175.00	
EQCN278	Label		JV1*****					Action radius/m					3000.00	
	Group		14 m/s					Lw (Day (12h)) /dB(A)					110.09	
	Number of nodes		1					Lw (Night (8h)) /dB(A)					110.09	
	Length/ m		---					Lw (Evening (4h)) /dB(A)					110.09	
	Length/ m (2D)		---					Emission is					Sound power level (Lw)	
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Reference: Vestas V172 14 m/s ST											
	Day (12h)		Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2
	Night (8h)		Reference: Vestas V172 14 m/s ST											
	Night (8h)		Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

				54.1 59.9	71.0 76.4	85.5 89.3	95.0 97.0	99.4 99.8	100.2 100.2	99.0 97.9	94.4 92.1	86.3 82.9	74.8 70.2
	Evening (4h)	Emission	Reference:	Vestas V172 14 m/s ST									
	Evening (4h)	Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden		-	0.0		0.0		0.0		0.0			
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	110.1		1.00		0.18510		-18.12		-18.1	
	Evening (4h)	4.00	Evening	110.1		1.00		0.06160		-18.12		-18.1	
	Night (8h)	8.00	Night	110.1		1.00		0.11950		-18.26		-18.3	
	Geometry			Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
				Geometry:		656086.43		247254.47		279.00		175.00	
EQCN279	Label	Pr12*****		Action radius/m								3000.00	
	Group	14 m/s		Lw (Day (12h)) /dB(A)								110.09	
	Number of nodes	1		Lw (Night (8h)) /dB(A)								110.09	
	Length/ m	---		Lw (Evening (4h)) /dB(A)								110.09	
	Length/ m (2D)	---		Emission is								Sound power level (Lw)	
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference:	Vestas V172 14 m/s ST									
	Day (12h)	Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2
	Night (8h)	Emission	Reference:	Vestas V172 14 m/s ST									
	Night (8h)	Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2
	Evening (4h)	Emission	Reference:	Vestas V172 14 m/s ST									
	Evening (4h)	Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden		-	0.0		0.0		0.0		0.0			
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	110.1		1.00		0.18510		-18.12		-18.1	
	Evening (4h)	4.00	Evening	110.1		1.00		0.06160		-18.12		-18.1	
	Night (8h)	8.00	Night	110.1		1.00		0.11950		-18.26		-18.3	
	Geometry			Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
				Geometry:		659850.41		255599.51		281.00		175.00	
EQCN280	Label	O6*****		Action radius/m								3000.00	
	Group	14 m/s		Lw (Day (12h)) /dB(A)								110.09	
	Number of nodes	1		Lw (Night (8h)) /dB(A)								110.09	
	Length/ m	---		Lw (Evening (4h)) /dB(A)								110.09	
	Length/ m (2D)	---		Emission is								Sound power level (Lw)	
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference:	Vestas V172 14 m/s ST									
	Day (12h)	Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2
	Night (8h)	Emission	Reference:	Vestas V172 14 m/s ST									
	Night (8h)	Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2
	Evening (4h)	Emission	Reference:	Vestas V172 14 m/s ST									
	Evening (4h)	Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden		-	0.0		0.0		0.0		0.0			
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	110.1		1.00		0.18510		-18.12		-18.1	
	Evening (4h)	4.00	Evening	110.1		1.00		0.06160		-18.12		-18.1	
	Night (8h)	8.00	Night	110.1		1.00		0.11950		-18.26		-18.3	
	Geometry			Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
				Geometry:		659724.06		256257.39		278.09		175.00	
EQCN281	Label	Pr11*****		Action radius/m								3000.00	
	Group	14 m/s		Lw (Day (12h)) /dB(A)								110.09	
	Number of nodes	1		Lw (Night (8h)) /dB(A)								110.09	
	Length/ m	---		Lw (Evening (4h)) /dB(A)								110.09	
	Length/ m (2D)	---		Emission is								Sound power level (Lw)	
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference:	Vestas V172 14 m/s ST									
	Day (12h)	Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2
	Night (8h)	Emission	Reference:	Vestas V172 14 m/s ST									
	Night (8h)	Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Evening (4h)	Emission	Reference: Vestas V172 14 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		0.18510		-18.12		-18.1	
	Evening (4h)		4.00	Evening	110.1		1.00		0.06160		-18.12		-18.1	
	Night (8h)		8.00	Night	110.1		1.00		0.11950		-18.26		-18.3	
	Geometry						Nr	x/m	y/m	z(abs) /m		! z(rel) /m		
			Geometry:				660296.51		255945.28	279.00		175.00		
EQCN282	Label		AP2*****				Action radius/m				3000.00			
	Group		14 m/s				Lw (Day (12h)) /dB(A)				110.09			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.09			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.09			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Vestas V172 14 m/s ST									
	Day (12h)		Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2
	Night (8h)		Emission		Reference: Vestas V172 14 m/s ST									
	Night (8h)		Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2
	Evening (4h)		Emission		Reference: Vestas V172 14 m/s ST									
	Evening (4h)		Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		0.18510		-18.12		-18.1	
	Evening (4h)		4.00	Evening	110.1		1.00		0.06160		-18.12		-18.1	
	Night (8h)		8.00	Night	110.1		1.00		0.11950		-18.26		-18.3	
	Geometry						Nr	x/m	y/m	z(abs) /m		! z(rel) /m		
			Geometry:				661860.19		254894.20	282.00		175.00		
EQCN283	Label		AP6.1*****				Action radius/m				3000.00			
	Group		14 m/s				Lw (Day (12h)) /dB(A)				110.09			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.09			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.09			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Vestas V172 14 m/s ST									
	Day (12h)		Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2
	Night (8h)		Emission		Reference: Vestas V172 14 m/s ST									
	Night (8h)		Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2
	Evening (4h)		Emission		Reference: Vestas V172 14 m/s ST									
	Evening (4h)		Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		0.18510		-18.12		-18.1	
	Evening (4h)		4.00	Evening	110.1		1.00		0.06160		-18.12		-18.1	
	Night (8h)		8.00	Night	110.1		1.00		0.11950		-18.26		-18.3	
	Geometry						Nr	x/m	y/m	z(abs) /m		! z(rel) /m		
			Geometry:				661549.21		255141.18	282.00		175.00		
EQCN284	Label		JU1*****				Action radius/m				3000.00			
	Group		14 m/s				Lw (Day (12h)) /dB(A)				110.09			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.09			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.09			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Vestas V172 14 m/s ST									
	Day (12h)		Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2
	Night (8h)		Emission		Reference: Vestas V172 14 m/s ST									
	Night (8h)		Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2
	Evening (4h)		Emission		Reference: Vestas V172 14 m/s ST									
	Evening (4h)		Lw /dB (A)	110.1	48.0	65.7	81.2	92.5	98.5	100.2	99.8	96.3	89.4	79.0

				54.1	71.0	85.5	95.0	99.4	100.2	99.0	94.4	86.3	70.2
				59.9	76.4	89.3	97.0	99.8	100.2	97.9	92.1	82.9	70.2
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-	0.0		0.0		0.0		0.0		-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	110.1		1.00		0.18510		-18.12		-18.1	
	Evening (4h)	4.00	Evening	110.1		1.00		0.06160		-18.12		-18.1	
	Night (8h)	8.00	Night	110.1		1.00		0.11950		-18.26		-18.3	
	Geometry			Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
				Geometry:		661068.17		255365.14		281.00		175.00	
EQCN285	Label	Pr25*****		Action radius/m								3000.00	
	Group	14 m/s		Lw (Day (12h)) /dB(A)								110.09	
	Number of nodes	1		Lw (Night (8h)) /dB(A)								110.09	
	Length/ m	---		Lw (Evening (4h)) /dB(A)								110.09	
	Length/ m (2D)	---		Emission is								Sound power level (Lw)	
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 14 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2
	Night (8h)	Emission	Reference: Vestas V172 14 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2
	Evening (4h)	Emission	Reference: Vestas V172 14 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-	0.0		0.0		0.0		0.0		-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	110.1		1.00		0.18510		-18.12		-18.1	
	Evening (4h)	4.00	Evening	110.1		1.00		0.06160		-18.12		-18.1	
	Night (8h)	8.00	Night	110.1		1.00		0.11950		-18.26		-18.3	
	Geometry			Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
				Geometry:		662047.55		256166.20		283.00		175.00	
EQCN286	Label	PrRR3*****		Action radius/m								3000.00	
	Group	14 m/s		Lw (Day (12h)) /dB(A)								110.09	
	Number of nodes	1		Lw (Night (8h)) /dB(A)								110.09	
	Length/ m	---		Lw (Evening (4h)) /dB(A)								110.09	
	Length/ m (2D)	---		Emission is								Sound power level (Lw)	
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 14 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	48.0 54.1 59.9									

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB						Special correction /dB	
	Lden			-	0.0	0.0		0.0				-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)	12.00	Day	110.1	1.00	0.18510		-18.12		-18.1			
	Evening (4h)	4.00	Evening	110.1	1.00	0.06160		-18.12		-18.1			
	Night (8h)	8.00	Night	110.1	1.00	0.11950		-18.26		-18.3			
	Geometry	Nr			x/m	y/m	z(abs) /m		! z(rel) /m				
		Geometry:			656671.82	247343.93	280.00		175.00				
EQCN288	Label	Pr3b*****			Action radius/m				3000.00				
	Group	14 m/s			Lw (Day (12h)) /dB(A)				110.09				
	Number of nodes	1			Lw (Night (8h)) /dB(A)				110.09				
	Length/ m	---			Lw (Evening (4h)) /dB(A)				110.09				
	Length/ m (2D)	---			Emission is				Sound power level (Lw)				
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 14 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2
	Night (8h)	Emission	Reference: Vestas V172 14 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2
	Evening (4h)	Emission	Reference: Vestas V172 14 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB						Special correction /dB	
	Lden			-	0.0	0.0		0.0				-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)	12.00	Day	110.1	1.00	0.18510		-18.12		-18.1			
	Evening (4h)	4.00	Evening	110.1	1.00	0.06160		-18.12		-18.1			
	Night (8h)	8.00	Night	110.1	1.00	0.11950		-18.26		-18.3			
	Geometry	Nr			x/m	y/m	z(abs) /m		! z(rel) /m				
		Geometry:			662489.40	255686.03	284.00		175.00				
EQCN289	Label	O2*****			Action radius/m				3000.00				
	Group	15 m/s			Lw (Day (12h)) /dB(A)				110.12				
	Number of nodes	1			Lw (Night (8h)) /dB(A)				110.12				
	Length/ m	---			Lw (Evening (4h)) /dB(A)				110.12				
	Length/ m (2D)	---			Emission is				Sound power level (Lw)				
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB						Special correction /dB	
	Lden			-	0.0	0.0		0.0				-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)	12.00	Day	110.1	1.00	0.09220		-21.14		-21.1			
	Evening (4h)	4.00	Evening	110.1	1.00	0.03640		-20.41		-20.4			
	Night (8h)	8.00	Night	110.1	1.00	0.05420		-21.69		-21.7			
	Geometry	Nr			x/m	y/m	z(abs) /m		! z(rel) /m				
		Geometry:			655899.72	249092.09	279.27		175.00				
EQCN290	Label	O3*****			Action radius/m				3000.00				
	Group	15 m/s			Lw (Day (12h)) /dB(A)				110.12				
	Number of nodes	1			Lw (Night (8h)) /dB(A)				110.12				
	Length/ m	---			Lw (Evening (4h)) /dB(A)				110.12				
	Length/ m (2D)	---			Emission is				Sound power level (Lw)				
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB						Special correction /dB	

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Lden	-	0.0	0.0	0.0	-	0.0						
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	110.1	1.00	0.09220	-21.14	-21.1					
	Evening (4h)	4.00	Evening	110.1	1.00	0.03640	-20.41	-20.4					
	Night (8h)	8.00	Night	110.1	1.00	0.05420	-21.69	-21.7					
	Geometry	Nr		x/m	y/m	z(abs) /m		! z(rel) /m					
		Geometry:		656055.72	248760.81	279.00		175.00					
EQCN291	Label	O5*****		Action radius/m		3000.00							
	Group	15 m/s		Lw (Day (12h)) /dB(A)		110.12							
	Number of nodes	1		Lw (Night (8h)) /dB(A)		110.12							
	Length/ m	---		Lw (Evening (4h)) /dB(A)		110.12							
	Length/ m (2D)	---		Emission is		Sound power level (Lw)							
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden	-		0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	110.1	1.00	0.09220	-21.14	-21.1					
	Evening (4h)	4.00	Evening	110.1	1.00	0.03640	-20.41	-20.4					
	Night (8h)	8.00	Night	110.1	1.00	0.05420	-21.69	-21.7					
	Geometry	Nr		x/m	y/m	z(abs) /m		! z(rel) /m					
		Geometry:		656292.16	247880.94	279.00		175.00					
EQCN292	Label	O4*****		Action radius/m		3000.00							
	Group	15 m/s		Lw (Day (12h)) /dB(A)		110.12							
	Number of nodes	1		Lw (Night (8h)) /dB(A)		110.12							
	Length/ m	---		Lw (Evening (4h)) /dB(A)		110.12							
	Length/ m (2D)	---		Emission is		Sound power level (Lw)							
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden	-		0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	110.1	1.00	0.09220	-21.14	-21.1					
	Evening (4h)	4.00	Evening	110.1	1.00	0.03640	-20.41	-20.4					
	Night (8h)	8.00	Night	110.1	1.00	0.05420	-21.69	-21.7					
	Geometry	Nr		x/m	y/m	z(abs) /m		! z(rel) /m					
		Geometry:		655674.43	248309.07	278.00		175.00					
EQCN293	Label	DD1*****		Action radius/m		3000.00							
	Group	15 m/s		Lw (Day (12h)) /dB(A)		110.12							
	Number of nodes	1		Lw (Night (8h)) /dB(A)		110.12							
	Length/ m	---		Lw (Evening (4h)) /dB(A)		110.12							
	Length/ m (2D)	---		Emission is		Sound power level (Lw)							
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden	-		0.0		0.0		0.0		-		0.0	

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h		dLi /dB	Lwr /dB(A)				
	Day (12h)		12.00	Day	110.1		1.00		0.09220	-21.14		-21.1		
	Evening (4h)		4.00	Evening	110.1		1.00		0.03640	-20.41		-20.4		
	Night (8h)		8.00	Night	110.1		1.00		0.05420	-21.69		-21.7		
	Geometry				Nr	x/m	y/m	z(abs) /m		! z(rel) /m				
					Geometry:		656226.07	248421.71	278.00		175.00			
EQCN294	Label		DD3*****			Action radius/m		3000.00						
	Group		15 m/s			Lw (Day (12h)) /dB(A)		110.12						
	Number of nodes		1			Lw (Night (8h)) /dB(A)		110.12						
	Length/ m		---			Lw (Evening (4h)) /dB(A)		110.12						
	Length/ m (2D)		---			Emission is		Sound power level (Lw)						
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden				-		0.0		0.0		-			0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		0.09220		-21.14		-21.1	
	Evening (4h)		4.00	Evening	110.1		1.00		0.03640		-20.41		-20.4	
	Night (8h)		8.00	Night	110.1		1.00		0.05420		-21.69		-21.7	
	Geometry				Nr	x/m	y/m	z(abs) /m		! z(rel) /m				
					Geometry:		656792.54	248209.39	279.20		175.00			
EQCN295	Label		O1.b*****			Action radius/m		3000.00						
	Group		15 m/s			Lw (Day (12h)) /dB(A)		110.12						
	Number of nodes		1			Lw (Night (8h)) /dB(A)		110.12						
	Length/ m		---			Lw (Evening (4h)) /dB(A)		110.12						
	Length/ m (2D)		---			Emission is		Sound power level (Lw)						
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden				-		0.0		0.0		-			0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		0.09220		-21.14		-21.1	
	Evening (4h)		4.00	Evening	110.1		1.00		0.03640		-20.41		-20.4	
	Night (8h)		8.00	Night	110.1		1.00		0.05420		-21.69		-21.7	
	Geometry				Nr	x/m	y/m	z(abs) /m		! z(rel) /m				
					Geometry:		655628.52	247870.27	278.00		175.00			
EQCN296	Label		JV1*****			Action radius/m		3000.00						
	Group		15 m/s			Lw (Day (12h)) /dB(A)		110.12						
	Number of nodes		1			Lw (Night (8h)) /dB(A)		110.12						
	Length/ m		---			Lw (Evening (4h)) /dB(A)		110.12						
	Length/ m (2D)		---			Emission is		Sound power level (Lw)						
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden				-		0.0		0.0		-			0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Day (12h)	12.00	Day	110.1	1.00	0.09220	-21.14	-21.1					
	Evening (4h)	4.00	Evening	110.1	1.00	0.03640	-20.41	-20.4					
	Night (8h)	8.00	Night	110.1	1.00	0.05420	-21.69	-21.7					
	Geometry		Nr	x/m	y/m	z(abs) /m	! z(rel) /m						
			Geometry:	656086.43	247254.47	279.00		175.00					
EQCN297	Label	Pr12*****			Action radius/m			3000.00					
	Group	15 m/s			Lw (Day (12h)) /dB(A)			110.12					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			110.12					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			110.12					
	Length/ m (2D)	---			Emission is			Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	48.6	66.1	81.5	92.6	98.6	100.2	99.8	96.3	89.3	79.0
				54.7	71.5	85.8	95.2	99.5	100.2	99.0	94.3	86.2	74.7
				60.4	76.7	89.5	97.2	99.9	100.2	97.8	92.0	82.8	70.1
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	48.6	66.1	81.5	92.6	98.6	100.2	99.8	96.3	89.3	79.0
				54.7	71.5	85.8	95.2	99.5	100.2	99.0	94.3	86.2	74.7
				60.4	76.7	89.5	97.2	99.9	100.2	97.8	92.0	82.8	70.1
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	48.6	66.1	81.5	92.6	98.6	100.2	99.8	96.3	89.3	79.0
				54.7	71.5	85.8	95.2	99.5	100.2	99.0	94.3	86.2	74.7
				60.4	76.7	89.5	97.2	99.9	100.2	97.8	92.0	82.8	70.1
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB							Special correction /dB	
	Lden	-	0.0	0.0	0.0							-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB					Lwr /dB(A)	
	Day (12h)	12.00	Day	110.1	1.00	0.09220	-21.14	-21.1					
	Evening (4h)	4.00	Evening	110.1	1.00	0.03640	-20.41	-20.4					
	Night (8h)	8.00	Night	110.1	1.00	0.05420	-21.69	-21.7					
	Geometry		Nr	x/m	y/m	z(abs) /m	! z(rel) /m						
			Geometry:	659850.41	255599.51	281.00		175.00					
EQCN298	Label	O6*****			Action radius/m								
	Group	15 m/s			Lw (Day (12h)) /dB(A)								
	Number of nodes	1			Lw (Night (8h)) /dB(A)								
	Length/ m	---			Lw (Evening (4h)) /dB(A)								
	Length/ m (2D)	---			Emission is								
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	48.6	66.1	81.5	92.6	98.6	100.2	99.8	96.3	89.3	79.0
				54.7	71.5	85.8	95.2	99.5	100.2	99.0	94.3	86.2	74.7
				60.4	76.7	89.5	97.2	99.9	100.2	97.8	92.0	82.8	70.1
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	48.6	66.1	81.5	92.6	98.6	100.2	99.8	96.3	89.3	79.0
				54.7	71.5	85.8	95.2	99.5	100.2	99.0	94.3	86.2	74.7
				60.4	76.7	89.5	97.2	99.9	100.2	97.8	92.0	82.8	70.1
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	48.6	66.1	81.5	92.6	98.6	100.2	99.8	96.3	89.3	79.0
				54.7	71.5	85.8	95.2	99.5	100.2	99.0	94.3	86.2	74.7
				60.4	76.7	89.5	97.2	99.9	100.2	97.8	92.0	82.8	70.1
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB							Special correction /dB	
	Lden	-	0.0	0.0	0.0							-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB					Lwr /dB(A)	
	Day (12h)	12.00	Day	110.1	1.00	0.09220	-21.14	-21.1					
	Evening (4h)	4.00	Evening	110.1	1.00	0.03640	-20.41	-20.4					
	Night (8h)	8.00	Night	110.1	1.00	0.05420	-21.69	-21.7					
	Geometry		Nr	x/m	y/m	z(abs) /m	! z(rel) /m						
			Geometry:	659724.06	256257.39	278.09		175.00					
EQCN299	Label	Pr11*****			Action radius/m								
	Group	15 m/s			Lw (Day (12h)) /dB(A)								
	Number of nodes	1			Lw (Night (8h)) /dB(A)								
	Length/ m	---			Lw (Evening (4h)) /dB(A)								
	Length/ m (2D)	---			Emission is								
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	48.6	66.1	81.5	92.6	98.6	100.2	99.8	96.3	89.3	79.0
				54.7	71.5	85.8	95.2	99.5	100.2	99.0	94.3	86.2	74.7
				60.4	76.7	89.5	97.2	99.9	100.2	97.8	92.0	82.8	70.1
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	48.6	66.1	81.5	92.6	98.6	100.2	99.8	96.3	89.3	79.0
				54.7	71.5	85.8	95.2	99.5	100.2	99.0	94.3	86.2	74.7
				60.4	76.7	89.5	97.2	99.9	100.2	97.8	92.0	82.8	70.1
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	48.6	66.1	81.5	92.6	98.6	100.2	99.8	96.3	89.3	79.0
				54.7	71.5	85.8	95.2	99.5	100.2	99.0	94.3	86.2	74.7
				60.4	76.7	89.5	97.2	99.9	100.2	97.8	92.0	82.8	70.1
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB							Special correction /dB	
	Lden	-	0.0	0.0	0.0							-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB					Lwr /dB(A)	
	Day (12h)	12.00	Day	110.1	1.00	0.09220	-21.14	-21.1					
	Evening (4h)	4.00	Evening	110.1	1.00	0.03640	-20.41	-20.4					

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Night (8h)		8.00	Night		110.1		1.00		0.05420		-21.69		-21.7
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		660296.51		255945.28		279.00		175.00	
EQCN300	Label	AP2*****				Action radius/m				3000.00				
	Group	15 m/s				Lw (Day (12h)) /dB(A)				110.12				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				110.12				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				110.12				
	Length/ m (2D)	---				Emission is				Sound power level (Lw)				
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		0.09220		-21.14		-21.1	
	Evening (4h)		4.00	Evening	110.1		1.00		0.03640		-20.41		-20.4	
	Night (8h)		8.00	Night	110.1		1.00		0.05420		-21.69		-21.7	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		661860.19		254894.20		282.00		175.00	
EQCN301	Label	AP6.1*****				Action radius/m				3000.00				
	Group	15 m/s				Lw (Day (12h)) /dB(A)				110.12				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				110.12				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				110.12				
	Length/ m (2D)	---				Emission is				Sound power level (Lw)				
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		0.09220		-21.14		-21.1	
	Evening (4h)		4.00	Evening	110.1		1.00		0.03640		-20.41		-20.4	
	Night (8h)		8.00	Night	110.1		1.00		0.05420		-21.69		-21.7	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		661549.21		255141.18		282.00		175.00	
EQCN302	Label	JU1*****				Action radius/m				3000.00				
	Group	15 m/s				Lw (Day (12h)) /dB(A)				110.12				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				110.12				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				110.12				
	Length/ m (2D)	---				Emission is				Sound power level (Lw)				
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		0.09220		-21.14		-21.1	
	Evening (4h)		4.00	Evening	110.1		1.00		0.03640		-20.41		-20.4	
	Night (8h)		8.00	Night	110.1		1.00		0.05420		-21.69		-21.7	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		661549.21		255141.18		282.00		175.00	

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

			Geometry:				661068.17	255365.14		281.00	175.00				
EQCN303	Label		Pr25*****				Action radius/m		3000.00						
	Group		15 m/s				Lw (Day (12h)) /dB(A)		110.12						
	Number of nodes		1				Lw (Night (8h)) /dB(A)		110.12						
	Length/ m		---				Lw (Evening (4h)) /dB(A)		110.12						
	Length/ m (2D)		---				Emission is		Sound power level (Lw)						
	Area /m²		---												
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Emission		Reference: Vestas V172 15 m/s ST										
	Day (12h)		Lw /dB (A)		110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Night (8h)		Emission		Reference: Vestas V172 15 m/s ST										
Night (8h)		Lw /dB (A)		110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
Evening (4h)		Emission		Reference: Vestas V172 15 m/s ST											
Evening (4h)		Lw /dB (A)		110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
Lden		-		0.0		0.0		0.0				-		0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
Day (12h)		12.00	Day	110.1		1.00		0.09220		-21.14		-21.1			
Evening (4h)		4.00	Evening	110.1		1.00		0.03640		-20.41		-20.4			
Night (8h)		8.00	Night	110.1		1.00		0.05420		-21.69		-21.7			
Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m			
				Geometry:		662047.55		256166.20		283.00		175.00			
EQCN304	Label		PrRR3*****				Action radius/m		3000.00						
	Group		15 m/s				Lw (Day (12h)) /dB(A)		110.12						
	Number of nodes		1				Lw (Night (8h)) /dB(A)		110.12						
	Length/ m		---				Lw (Evening (4h)) /dB(A)		110.12						
	Length/ m (2D)		---				Emission is		Sound power level (Lw)						
	Area /m²		---												
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Emission		Reference: Vestas V172 15 m/s ST										
	Day (12h)		Lw /dB (A)		110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Night (8h)		Emission		Reference: Vestas V172 15 m/s ST										
Night (8h)		Lw /dB (A)		110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
Evening (4h)		Emission		Reference: Vestas V172 15 m/s ST											
Evening (4h)		Lw /dB (A)		110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
Lden		-		0.0		0.0		0.0				-		0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
Day (12h)		12.00	Day	110.1		1.00		0.09220		-21.14		-21.1			
Evening (4h)		4.00	Evening	110.1		1.00		0.03640		-20.41		-20.4			
Night (8h)		8.00	Night	110.1		1.00		0.05420		-21.69		-21.7			
Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m			
				Geometry:		662676.13		256121.38		284.00		175.00			
EQCN305	Label		P19.2b*****				Action radius/m		3000.00						
	Group		15 m/s				Lw (Day (12h)) /dB(A)		110.12						
	Number of nodes		1				Lw (Night (8h)) /dB(A)		110.12						
	Length/ m		---				Lw (Evening (4h)) /dB(A)		110.12						
	Length/ m (2D)		---				Emission is		Sound power level (Lw)						
	Area /m²		---												
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Emission		Reference: Vestas V172 15 m/s ST										
	Day (12h)		Lw /dB (A)		110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Night (8h)		Emission		Reference: Vestas V172 15 m/s ST										
Night (8h)		Lw /dB (A)		110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
Evening (4h)		Emission		Reference: Vestas V172 15 m/s ST											
Evening (4h)		Lw /dB (A)		110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
Lden		-		0.0		0.0		0.0				-		0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
Day (12h)		12.00	Day	110.1		1.00		0.09220		-21.14		-21.1			
Evening (4h)		4.00	Evening	110.1		1.00		0.03640		-20.41		-20.4			
Night (8h)		8.00	Night	110.1		1.00		0.05420		-21.69		-21.7			
Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m			
				Geometry:		662676.13		256121.38		284.00		175.00			
EQCN306	Label		Pr3b*****				Action radius/m		3000.00						

Group		15 m/s				Lw (Day (12h)) /dB(A)				110.12			
Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12			
Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12			
Length/ m (2D)		---				Emission is				Sound power level (Lw)			
Area /m²		---											
Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
Day (12h)		Reference: Vestas V172 15 m/s ST											
Day (12h)		Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
Night (8h)		Reference: Vestas V172 15 m/s ST											
Night (8h)		Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
Evening (4h)		Reference: Vestas V172 15 m/s ST											
Evening (4h)		Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
Lden		-		0.0		0.0		0.0				0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)		12.00	Day	110.1		1.00		0.09220		-21.14		-21.1	
Evening (4h)		4.00	Evening	110.1		1.00		0.03640		-20.41		-20.4	
Night (8h)		8.00	Night	110.1		1.00		0.05420		-21.69		-21.7	
Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
				Geometry:		662489.40		255686.03		284.00		175.00	
EQCN307		Label		O2*****		Action radius/m						3000.00	
Group		16 m/s				Lw (Day (12h)) /dB(A)						110.12	
Number of nodes		1				Lw (Night (8h)) /dB(A)						110.12	
Length/ m		---				Lw (Evening (4h)) /dB(A)						110.12	
Length/ m (2D)		---				Emission is						Sound power level (Lw)	
Area /m²		---											
Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
Day (12h)		Reference: Vestas V172 15 m/s ST											
Day (12h)		Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
Night (8h)		Reference: Vestas V172 15 m/s ST											
Night (8h)		Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
Evening (4h)		Reference: Vestas V172 15 m/s ST											
Evening (4h)		Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
Lden		-		0.0		0.0		0.0				0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)		12.00	Day	110.1		1.00		0.05390		-23.48		-23.5	
Evening (4h)		4.00	Evening	110.1		1.00		0.01400		-24.56		-24.6	
Night (8h)		8.00	Night	110.1		1.00		0.02710		-24.70		-24.7	
Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
				Geometry:		655899.72		249092.09					

Vēja parks "Prikulī" B alternatīva - Vestas V172 - 7.2 MW

	Length/ m	---	---				Lw (Evening (4h)) /dB(A)				110.12			
	Length/ m (2D)	---	---				Emission is				Sound power level (Lw)			
	Area /m²	---	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		0.05390		-23.48		-23.5	
	Evening (4h)		4.00	Evening	110.1		1.00		0.01400		-24.56		-24.6	
	Night (8h)		8.00	Night	110.1		1.00		0.02710		-24.70		-24.7	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		656292.16		247880.94		279.00		175.00	
EQCN310	Label		O4*****				Action radius/m				3000.00			
	Group		16 m/s				Lw (Day (12h)) /dB(A)				110.12			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12			
	Length/ m	---					Lw (Evening (4h)) /dB(A)				110.12			
	Length/ m (2D)	---					Emission is				Sound power level (Lw)			
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		0.05390		-23.48		-23.5	
	Evening (4h)		4.00	Evening	110.1		1.00		0.01400		-24.56		-24.6	
	Night (8h)		8.00	Night	110.1		1.00		0.02710		-24.70		-24.7	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		655674.43		248309.07		278.00		175.00	
EQCN311	Label		DD1*****				Action radius/m				3000.00			
	Group		16 m/s				Lw (Day (12h)) /dB(A)				110.12			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12			
	Length/ m	---					Lw (Evening (4h)) /dB(A)				110.12			
	Length/ m (2D)	---					Emission is				Sound power level (Lw)			
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		0.05390		-23.48		-23.5	
	Evening (4h)		4.00	Evening	110.1		1.00		0.01400		-24.56		-24.6	
	Night (8h)		8.00	Night	110.1		1.00		0.02710		-24.70		-24.7	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		656226.07		248421.71		278.00		175.00	
EQCN312	Label		DD3*****				Action radius/m				3000.00			
	Group		16 m/s				Lw (Day (12h)) /dB(A)				110.12			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12			
	Length/ m	---					Lw (Evening (4h)) /dB(A)				110.12			
	Length/ m (2D)	---					Emission is				Sound power level (Lw)			

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

Area /m²		---											
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)		Reference: Vestas V172 15 m/s ST											
Day (12h)		110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
Night (8h)		Reference: Vestas V172 15 m/s ST											
Night (8h)		110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
Evening (4h)		Reference: Vestas V172 15 m/s ST											
Evening (4h)		110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
Rating method		Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
Lden		-	0.0		0.0		0.0		-		0.0		
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)		
Day (12h)		12.00	Day	110.1	1.00		0.05390		-23.48		-23.5		
Evening (4h)		4.00	Evening	110.1	1.00		0.01400		-24.56		-24.6		
Night (8h)		8.00	Night	110.1	1.00		0.02710		-24.70		-24.7		
Geometry				Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
				Geometry:		656792.54		248209.39		279.20		175.00	
EQCN313		Label		O1.b*****		Action radius/m		3000.00					
		Group		16 m/s		Lw (Day (12h)) /dB(A)		110.12					
		Number of nodes		1		Lw (Night (8h)) /dB(A)		110.12					
		Length/ m		---		Lw (Evening (4h)) /dB(A)		110.12					
		Length/ m (2D)		---		Emission is		Sound power level (Lw)					
		Area /m²		---									
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)		Reference: Vestas V172 15 m/s ST											
Day (12h)		110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
Night (8h)		Reference: Vestas V172 15 m/s ST											
Night (8h)		110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
Evening (4h)		Reference: Vestas V172 15 m/s ST											
Evening (4h)		110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
Rating method		Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
Lden		-	0.0		0.0		0.0		-		0.0		
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)		
Day (12h)		12.00	Day	110.1	1.00		0.05390		-23.48		-23.5		
Evening (4h)		4.00	Evening	110.1	1.00		0.01400		-24.56		-24.6		
Night (8h)		8.00	Night	110.1	1.00		0.02710		-24.70		-24.7		
Geometry				Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
				Geometry:		655628.52		247870.27		278.00		175.00	
EQCN314		Label		JV1*****		Action radius/m		3000.00					
		Group		16 m/s		Lw (Day (12h)) /dB(A)		110.12					
		Number of nodes		1		Lw (Night (8h)) /dB(A)		110.12					
		Length/ m		---		Lw (Evening (4h)) /dB(A)		110.12					
		Length/ m (2D)		---		Emission is		Sound power level (Lw)					
		Area /m²		---									
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)		Reference: Vestas V172 15 m/s ST											
Day (12h)		110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
Night (8h)		Reference: Vestas V172 15 m/s ST											
Night (8h)		110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
Evening (4h)		Reference: Vestas V172 15 m/s ST											
Evening (4h)		110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
Rating method		Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
Lden		-	0.0		0.0		0.0		-		0.0		
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)		
Day (12h)		12.00	Day	110.1	1.00		0.05390		-23.48		-23.5		
Evening (4h)		4.00	Evening	110.1	1.00		0.01400		-24.56		-24.6		
Night (8h)		8.00	Night	110.1	1.00		0.02710		-24.70		-24.7		
Geometry				Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
				Geometry:		656086.43		247254.47		279.00		175.00	
EQCN315		Label		Pr12*****		Action radius/m		3000.00					
		Group		16 m/s		Lw (Day (12h)) /dB(A)		110.12					
		Number of nodes		1		Lw (Night (8h)) /dB(A)		110.12					
		Length/ m		---		Lw (Evening (4h)) /dB(A)		110.12					
		Length/ m (2D)		---		Emission is		Sound power level (Lw)					
		Area /m²		---									
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	110.1		1.00		0.05390		-23.48		-23.5
	Evening (4h)		4.00	Evening	110.1		1.00		0.01400		-24.56		-24.6
	Night (8h)		8.00	Night	110.1		1.00		0.02710		-24.70		-24.7
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m
						Geometry:		659850.41		255599.51		281.00	175.00
EQCN316	Label		O6*****			Action radius/m			3000.00				
	Group		16 m/s			Lw (Day (12h)) /dB(A)			110.12				
	Number of nodes		1			Lw (Night (8h)) /dB(A)			110.12				
	Length/ m		---			Lw (Evening (4h)) /dB(A)			110.12				
	Length/ m (2D)		---			Emission is			Sound power level (Lw)				
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	110.1		1.00		0.05390		-23.48		-23.5
	Evening (4h)		4.00	Evening	110.1		1.00		0.01400		-24.56		-24.6
	Night (8h)		8.00	Night	110.1		1.00		0.02710		-24.70		-24.7
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m
						Geometry:		659724.06		256257.39		278.09	175.00
EQCN317	Label		Pr11*****			Action radius/m			3000.00				
	Group		16 m/s			Lw (Day (12h)) /dB(A)			110.12				
	Number of nodes		1			Lw (Night (8h)) /dB(A)			110.12				
	Length/ m		---			Lw (Evening (4h)) /dB(A)			110.12				
	Length/ m (2D)		---			Emission is			Sound power level (Lw)				
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	110.1		1.00		0.05390		-23.48		-23.5
	Evening (4h)		4.00	Evening	110.1		1.00		0.01400		-24.56		-24.6
	Night (8h)		8.00	Night	110.1		1.00		0.02710		-24.70		-24.7
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m
						Geometry:		660296.51		255945.28		279.00	175.00
EQCN318	Label		AP2*****			Action radius/m			3000.00				
	Group		16 m/s			Lw (Day (12h)) /dB(A)			110.12				
	Number of nodes		1			Lw (Night (8h)) /dB(A)			110.12				
	Length/ m		---			Lw (Evening (4h)) /dB(A)			110.12				
	Length/ m (2D)		---			Emission is			Sound power level (Lw)				
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	48.6	66.1	81.5	92.6	98.6	100.2	99.8	96.3	89.3	79.0

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

				54.7 60.4	71.5 76.7	85.8 89.5	95.2 97.2	99.5 99.9	100.2 100.2	99.0 97.8	94.3 92.0	86.2 82.8	74.7 70.1
	Night (8h)	Emission	Reference:	Vestas V172 15 m/s ST									
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Evening (4h)	Emission	Reference:	Vestas V172 15 m/s ST									
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Rating method		Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-	0.0		0.0		0.0				0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1	1.00		0.05390				-23.5	
	Evening (4h)		4.00	Evening	110.1	1.00		0.01400				-24.6	
	Night (8h)		8.00	Night	110.1	1.00		0.02710				-24.7	
	Geometry		Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
			Geometry:		661860.19		254894.20		282.00				175.00
EQCN319	Label		AP6.1*****		Action radius/m								3000.00
	Group		16 m/s		Lw (Day (12h)) /dB(A)								110.12
	Number of nodes		1		Lw (Night (8h)) /dB(A)								110.12
	Length/ m		---		Lw (Evening (4h)) /dB(A)								110.12
	Length/ m (2D)		---		Emission is								Sound power level (Lw)
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference:	Vestas V172 15 m/s ST									
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Night (8h)	Emission	Reference:	Vestas V172 15 m/s ST									
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Evening (4h)	Emission	Reference:	Vestas V172 15 m/s ST									
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Rating method		Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-	0.0		0.0		0.0				0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1	1.00		0.05390				-23.5	
	Evening (4h)		4.00	Evening	110.1	1.00		0.01400				-24.6	
	Night (8h)		8.00	Night	110.1	1.00		0.02710				-24.7	
	Geometry		Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
			Geometry:		661549.21		255141.18		282.00				175.00
EQCN320	Label		JU1*****		Action radius/m								3000.00
	Group		16 m/s		Lw (Day (12h)) /dB(A)								110.12
	Number of nodes		1		Lw (Night (8h)) /dB(A)								110.12
	Length/ m		---		Lw (Evening (4h)) /dB(A)								110.12
	Length/ m (2D)		---		Emission is								Sound power level (Lw)
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference:	Vestas V172 15 m/s ST									
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Night (8h)	Emission	Reference:	Vestas V172 15 m/s ST									
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Evening (4h)	Emission	Reference:	Vestas V172 15 m/s ST									
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Rating method		Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-	0.0		0.0		0.0				0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1	1.00		0.05390				-23.5	
	Evening (4h)		4.00	Evening	110.1	1.00		0.01400				-24.6	
	Night (8h)		8.00	Night	110.1	1.00		0.02710				-24.7	
	Geometry		Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
			Geometry:		661068.17		255365.14		281.00				175.00
EQCN321	Label		Pr25*****		Action radius/m								3000.00
	Group		16 m/s		Lw (Day (12h)) /dB(A)								110.12
	Number of nodes		1		Lw (Night (8h)) /dB(A)								110.12
	Length/ m		---		Lw (Evening (4h)) /dB(A)								110.12
	Length/ m (2D)		---		Emission is								Sound power level (Lw)
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference:	Vestas V172 15 m/s ST									
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB	Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1		1.00		0.05390		-23.48	-23.5		
	Evening (4h)		4.00	Evening	110.1		1.00		0.01400		-24.56	-24.6		
	Night (8h)		8.00	Night	110.1		1.00		0.02710		-24.70	-24.7		
	Geometry				Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
			Geometry:			662047.55		256166.20		283.00		175.00		
EQCN322	Label		PrRR3*****				Action radius/m				3000.00			
	Group		16 m/s				Lw (Day (12h)) /dB(A)				110.12			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Reference: Vestas V172 15 m/s ST											
	Day (12h)		Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Night (8h)		Emission	Reference: Vestas V172 15 m/s ST										
Night (8h)		Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
Evening (4h)		Emission	Reference: Vestas V172 15 m/s ST											
Evening (4h)		Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB	Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1		1.00		0.05390		-23.48	-23.5		
	Evening (4h)		4.00	Evening	110.1		1.00		0.01400		-24.56	-24.6		
	Night (8h)		8.00	Night	110.1		1.00		0.02710		-24.70	-24.7		
	Geometry				Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
			Geometry:			662676.13		256121.38		284.00		175.00		
EQCN323	Label		P19.2b*****				Action radius/m				3000.00			
	Group		16 m/s				Lw (Day (12h)) /dB(A)				110.12			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Reference: Vestas V172 15 m/s ST											
	Day (12h)		Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Night (8h)		Emission	Reference: Vestas V172 15 m/s ST										
Night (8h)		Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
Evening (4h)		Emission	Reference: Vestas V172 15 m/s ST											
Evening (4h)		Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB	Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1		1.00		0.05390		-23.48	-23.5		
	Evening (4h)		4.00	Evening	110.1		1.00		0.01400		-24.56	-24.6		
	Night (8h)		8.00	Night	110.1		1.00		0.02710		-24.70	-24.7		
	Geometry				Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
			Geometry:			656671.82		247343.93		280.00		175.00		
EQCN324	Label		Pr3b*****				Action radius/m				3000.00			
	Group		16 m/s				Lw (Day (12h)) /dB(A)				110.12			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Reference: Vestas V172 15 m/s ST											
	Day (12h)		Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Night (8h)		Emission	Reference: Vestas V172 15 m/s ST										
Night (8h)		Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

				54.7 60.4	71.5 76.7	85.8 89.5	95.2 97.2	99.5 99.9	100.2 100.2	99.0 97.8	94.3 92.0	86.2 82.8	74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden			-		0.0		0.0		0.0		-		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	110.1		1.00		0.05390		-23.48		-23.5		
	Evening (4h)	4.00	Evening	110.1		1.00		0.01400		-24.56		-24.6		
	Night (8h)	8.00	Night	110.1		1.00		0.02710		-24.70		-24.7		
	Geometry			Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
				Geometry:		662489.40		255686.03		284.00		175.00		
EQCN325	Label	O2*****		Action radius/m		3000.00								
	Group	17 m/s		Lw (Day (12h)) /dB(A)		110.12								
	Number of nodes	1		Lw (Night (8h)) /dB(A)		110.12								
	Length/ m	---		Lw (Evening (4h)) /dB(A)		110.12								
	Length/ m (2D)	---		Emission is		Sound power level (Lw)								
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden			-		0.0		0.0		0.0		-		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	110.1		1.00		0.02040		-27.70		-27.7		
	Evening (4h)	4.00	Evening	110.1		1.00		0.00630		-28.03		-28.0		
	Night (8h)	8.00	Night	110.1		1.00		0.01210		-28.20		-28.2		
	Geometry			Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
				Geometry:		655899.72		249092.09		279.27		175.00		
EQCN326	Label	O3*****		Action radius/m		3000.00								
	Group	17 m/s		Lw (Day (12h)) /dB(A)		110.12								
	Number of nodes	1		Lw (Night (8h)) /dB(A)		110.12								
	Length/ m	---		Lw (Evening (4h)) /dB(A)		110.12								
	Length/ m (2D)	---		Emission is		Sound power level (Lw)								
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden			-		0.0		0.0		0.0		-		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	110.1		1.00		0.02040		-27.70		-27.7		
	Evening (4h)	4.00	Evening	110.1		1.00		0.00630		-28.03		-28.0		
	Night (8h)	8.00	Night	110.1		1.00		0.01210		-28.20		-28.2		
	Geometry			Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
				Geometry:		656055.72		248760.81		279.00		175.00		
EQCN327	Label	O5*****		Action radius/m		3000.00								
	Group	17 m/s		Lw (Day (12h)) /dB(A)		110.12								
	Number of nodes	1		Lw (Night (8h)) /dB(A)		110.12								
	Length/ m	---		Lw (Evening (4h)) /dB(A)		110.12								
	Length/ m (2D)	---		Emission is		Sound power level (Lw)								
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Rating method		Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden		-	0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	110.1		1.00		0.02040		-27.70		-27.7	
	Evening (4h)	4.00	Evening	110.1		1.00		0.00630		-28.03		-28.0	
	Night (8h)	8.00	Night	110.1		1.00		0.01210		-28.20		-28.2	
	Geometry			 Nr		x/m		y/m		z(abs) /m		l z(rel) /m	
				Geometry:		656292.16		247880.94		279.00		175.00	
EQCN328	Label	O4*****		Action radius/m								3000.00	
	Group	17 m/s		Lw (Day (12h)) /dB(A)								110.12	
	Number of nodes	1		Lw (Night (8h)) /dB(A)								110.12	
	Length/ m	---		Lw (Evening (4h)) /dB(A)								110.12	
	Length/ m (2D)	---		Emission is								Sound power level (Lw)	
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Rating method		Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden		-	0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	110.1		1.00		0.02040		-27.70		-27.7	
	Evening (4h)	4.00	Evening	110.1		1.00		0.00630		-28.03		-28.0	
	Night (8h)	8.00	Night	110.1		1.00		0.01210		-28.20		-28.2	
	Geometry			 Nr		x/m		y/m		z(abs) /m		l z(rel) /m	
				Geometry:		655674.43		248309.07		278.00		175.00	
EQCN329	Label	DD1*****		Action radius/m								3000.00	
	Group	17 m/s		Lw (Day (12h)) /dB(A)								110.12	
	Number of nodes	1		Lw (Night (8h)) /dB(A)								110.12	
	Length/ m	---		Lw (Evening (4h)) /dB(A)								110.12	
	Length/ m (2D)	---		Emission is								Sound power level (Lw)	
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Rating method		Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden		-	0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	110.1		1.00		0.02040		-27.70		-27.7	
	Evening (4h)	4.00	Evening	110.1		1.00		0.00630		-28.03		-28.0	
	Night (8h)	8.00	Night	110.1		1.00		0.01210		-28.20		-28.2	
	Geometry			 Nr		x/m		y/m		z(abs) /m		l z(rel) /m	
				Geometry:		656226.07		248421.71		278.00		175.00	
EQCN330	Label	DD3*****		Action radius/m								3000.00	
	Group	17 m/s		Lw (Day (12h)) /dB(A)								110.12	
	Number of nodes	1		Lw (Night (8h)) /dB(A)								110.12	
	Length/ m	---		Lw (Evening (4h)) /dB(A)								110.12	
	Length/ m (2D)	---		Emission is								Sound power level (Lw)	
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	48.6	66.1	81.5	92.6	98.6	100.2	99.8	96.3	89.3	79.0

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

				54.7 60.4	71.5 76.7	85.8 89.5	95.2 97.2	99.5 99.9	100.2 100.2	99.0 97.8	94.3 92.0	86.2 82.8	74.7 70.1
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB					
	Lden	-	0.0	0.0		0.0		0.0		0.0			
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	110.1		1.00		0.02040		-27.70		-27.7	
	Evening (4h)	4.00	Evening	110.1		1.00		0.00630		-28.03		-28.0	
	Night (8h)	8.00	Night	110.1		1.00		0.01210		-28.20		-28.2	
	Geometry			Nr		x/m		y/m		z(abs) /m		z(rel) /m	
		Geometry:		656792.54		248209.39		279.20		175.00			
EQCN331	Label	O1.b*****		Action radius/m				3000.00					
	Group	17 m/s		Lw (Day (12h)) /dB(A)				110.12					
	Number of nodes	1		Lw (Night (8h)) /dB(A)				110.12					
	Length/ m	---		Lw (Evening (4h)) /dB(A)				110.12					
	Length/ m (2D)	---		Emission is				Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant	Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission		Reference: Vestas V172 15 m/s ST									
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB					
	Lden	-	0.0	0.0		0.0		0.0		0.0			
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	110.1		1.00		0.02040		-27.70		-27.7	
	Evening (4h)	4.00	Evening	110.1		1.00		0.00630		-28.03		-28.0	
	Night (8h)	8.00	Night	110.1		1.00		0.01210		-28.20		-28.2	
	Geometry			Nr		x/m		y/m		z(abs) /m		z(rel) /m	
		Geometry:		655628.52		247870.27		278.00		175.00			
EQCN332	Label	JV1*****		Action radius/m				3000.00					
	Group	17 m/s		Lw (Day (12h)) /dB(A)				110.12					
	Number of nodes	1		Lw (Night (8h)) /dB(A)				110.12					
	Length/ m	---		Lw (Evening (4h)) /dB(A)				110.12					
	Length/ m (2D)	---		Emission is				Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant	Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission		Reference: Vestas V172 15 m/s ST									
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB					
	Lden	-	0.0	0.0		0.0		0.0		0.0			
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	110.1		1.00		0.02040		-27.70		-27.7	
	Evening (4h)	4.00	Evening	110.1		1.00		0.00630		-28.03		-28.0	
	Night (8h)	8.00	Night	110.1		1.00		0.01210		-28.20		-28.2	
	Geometry			Nr		x/m		y/m		z(abs) /m		z(rel) /m	
		Geometry:		656086.43		247254.47		279.00		175.00			
EQCN333	Label	Pr12*****		Action radius/m				3000.00					
	Group	17 m/s		Lw (Day (12h)) /dB(A)				110.12					
	Number of nodes	1		Lw (Night (8h)) /dB(A)				110.12					
	Length/ m	---		Lw (Evening (4h)) /dB(A)				110.12					
	Length/ m (2D)	---		Emission is				Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant	Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission		Reference: Vestas V172 15 m/s ST									
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB					Special correction /dB		
	Lden			-	0.0	0.0		0.0			-	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)	12.00	Day	110.1	1.00	0.02040		-27.70		-27.7			
	Evening (4h)	4.00	Evening	110.1	1.00	0.00630		-28.03		-28.0			
	Night (8h)	8.00	Night	110.1	1.00	0.01210		-28.20		-28.2			
	Geometry	Nr			x/m	y/m	z(abs) /m		! z(rel) /m				
		Geometry:			659850.41	255599.51	281.00		175.00				
EQCN334	Label	O6*****			Action radius/m			3000.00					
	Group	17 m/s			Lw (Day (12h)) /dB(A)			110.12					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			110.12					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			110.12					
	Length/ m (2D)	---			Emission is			Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST										
Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST											
Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB					Special correction /dB		
	Lden			-	0.0	0.0		0.0			-	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)	12.00	Day	110.1	1.00	0.02040		-27.70		-27.7			
	Evening (4h)	4.00	Evening	110.1	1.00	0.00630		-28.03		-28.0			
	Night (8h)	8.00	Night	110.1	1.00	0.01210		-28.20		-28.2			
	Geometry	Nr			x/m	y/m	z(abs) /m		! z(rel) /m				
		Geometry:			659724.06	256257.39	278.09		175.00				
EQCN335	Label	Pr11*****			Action radius/m			3000.00					
	Group	17 m/s			Lw (Day (12h)) /dB(A)			110.12					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			110.12					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			110.12					
	Length/ m (2D)	---			Emission is			Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST										
Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST											
Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB					Special correction /dB		
	Lden			-	0.0	0.0		0.0			-	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)	12.00	Day	110.1	1.00	0.02040		-27.70		-27.7			
	Evening (4h)	4.00	Evening	110.1	1.00	0.00630		-28.03		-28.0			
	Night (8h)	8.00	Night	110.1	1.00	0.01210		-28.20		-28.2			
	Geometry	Nr			x/m	y/m	z(abs) /m		! z(rel) /m				
		Geometry:			660296.51	255945.28	279.00		175.00				
EQCN336	Label	AP2*****			Action radius/m			3000.00					
	Group	17 m/s			Lw (Day (12h)) /dB(A)			110.12					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			110.12					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			110.12					
	Length/ m (2D)	---			Emission is			Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST										
Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST											
Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB					Special correction /dB		

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Lden	-	0.0	0.0	0.0	-	0.0						
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	110.1	1.00	0.02040	-27.70	-27.7					
	Evening (4h)	4.00	Evening	110.1	1.00	0.00630	-28.03	-28.0					
	Night (8h)	8.00	Night	110.1	1.00	0.01210	-28.20	-28.2					
	Geometry	Nr		x/m	y/m	z(abs) /m	! z(rel) /m						
		Geometry:		661860.19	254894.20	282.00	175.00						
EQCN337	Label	AP6.1*****			Action radius/m		3000.00						
	Group	17 m/s			Lw (Day (12h)) /dB(A)		110.12						
	Number of nodes	1			Lw (Night (8h)) /dB(A)		110.12						
	Length/ m	---			Lw (Evening (4h)) /dB(A)		110.12						
	Length/ m (2D)	---			Emission is		Sound power level (Lw)						
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden	-		0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	110.1		1.00		0.02040		-27.70		-27.7	
	Evening (4h)	4.00	Evening	110.1		1.00		0.00630		-28.03		-28.0	
	Night (8h)	8.00	Night	110.1		1.00		0.01210		-28.20		-28.2	
	Geometry	Nr		x/m		y/m		z(abs) /m		! z(rel) /m			
		Geometry:		661549.21		255141.18		282.00		175.00			
EQCN338	Label	JU1*****			Action radius/m		3000.00						
	Group	17 m/s			Lw (Day (12h)) /dB(A)		110.12						
	Number of nodes	1			Lw (Night (8h)) /dB(A)		110.12						
	Length/ m	---			Lw (Evening (4h)) /dB(A)		110.12						
	Length/ m (2D)	---			Emission is		Sound power level (Lw)						
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden	-		0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	110.1		1.00		0.02040		-27.70		-27.7	
	Evening (4h)	4.00	Evening	110.1		1.00		0.00630		-28.03		-28.0	
	Night (8h)	8.00	Night	110.1		1.00		0.01210		-28.20		-28.2	
	Geometry	Nr		x/m		y/m		z(abs) /m		! z(rel) /m			
		Geometry:		661068.17		255365.14		281.00		175.00			
EQCN339	Label	Pr25*****			Action radius/m		3000.00						
	Group	17 m/s			Lw (Day (12h)) /dB(A)		110.12						
	Number of nodes	1			Lw (Night (8h)) /dB(A)		110.12						
	Length/ m	---			Lw (Evening (4h)) /dB(A)		110.12						
	Length/ m (2D)	---			Emission is		Sound power level (Lw)						
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden	-		0.0		0.0		0.0		-		0.0	

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h		dLi /dB	Lwr /dB(A)			
	Day (12h)		12.00	Day	110.1		1.00		0.02040	-27.70		-27.7	
	Evening (4h)		4.00	Evening	110.1		1.00		0.00630	-28.03		-28.0	
	Night (8h)		8.00	Night	110.1		1.00		0.01210	-28.20		-28.2	
	Geometry				Nr	x/m	y/m	z(abs) /m		! z(rel) /m			
					Geometry:		662047.55	256166.20	283.00		175.00		
EQCN340	Label		PrRR3*****			Action radius/m			3000.00				
	Group		17 m/s			Lw (Day (12h)) /dB(A)			110.12				
	Number of nodes		1			Lw (Night (8h)) /dB(A)			110.12				
	Length/ m		---			Lw (Evening (4h)) /dB(A)			110.12				
	Length/ m (2D)		---			Emission is			Sound power level (Lw)				
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB		
	Lden				-		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h		dLi /dB	Lwr /dB(A)			
	Day (12h)		12.00	Day	110.1		1.00		0.02040	-27.70		-27.7	
	Evening (4h)		4.00	Evening	110.1		1.00		0.00630	-28.03		-28.0	
	Night (8h)		8.00	Night	110.1		1.00		0.01210	-28.20		-28.2	
	Geometry				Nr	x/m	y/m	z(abs) /m		! z(rel) /m			
					Geometry:		662676.13	256121.38	284.00		175.00		
EQCN341	Label		P19.2b*****			Action radius/m			3000.00				
	Group		17 m/s			Lw (Day (12h)) /dB(A)			110.12				
	Number of nodes		1			Lw (Night (8h)) /dB(A)			110.12				
	Length/ m		---			Lw (Evening (4h)) /dB(A)			110.12				
	Length/ m (2D)		---			Emission is			Sound power level (Lw)				
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB		
	Lden				-		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h		dLi /dB	Lwr /dB(A)			
	Day (12h)		12.00	Day	110.1		1.00		0.02040	-27.70		-27.7	
	Evening (4h)		4.00	Evening	110.1		1.00		0.00630	-28.03		-28.0	
	Night (8h)		8.00	Night	110.1		1.00		0.01210	-28.20		-28.2	
	Geometry				Nr	x/m	y/m	z(abs) /m		! z(rel) /m			
					Geometry:		656671.82	247343.93	280.00		175.00		
EQCN342	Label		Pr3b*****			Action radius/m			3000.00				
	Group		17 m/s			Lw (Day (12h)) /dB(A)			110.12				
	Number of nodes		1			Lw (Night (8h)) /dB(A)			110.12				
	Length/ m		---			Lw (Evening (4h)) /dB(A)			110.12				
	Length/ m (2D)		---			Emission is			Sound power level (Lw)				
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB		
	Lden				-		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h		dLi /dB	Lwr /dB(A)			

Vēja parks "Pīkuļi" B alternatīva - Vestas V172 - 7.2 MW

	Day (12h)	12.00	Day	110.1	1.00	0.02040	-27.70	-27.7					
	Evening (4h)	4.00	Evening	110.1	1.00	0.00630	-28.03	-28.0					
	Night (8h)	8.00	Night	110.1	1.00	0.01210	-28.20	-28.2					
	Geometry		Nr	x/m	y/m	z(abs) /m	! z(rel) /m						
			Geometry:	662489.40	255686.03	284.00	175.00						
EQCN343	Label	O2*****			Action radius/m		3000.00						
	Group	18 m/s			Lw (Day (12h)) /dB(A)		110.12						
	Number of nodes	1			Lw (Night (8h)) /dB(A)		110.12						
	Length/ m	---			Lw (Evening (4h)) /dB(A)		110.12						
	Length/ m (2D)	---			Emission is		Sound power level (Lw)						
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB							
	Lden	-	0.0	0.0	0.0	-	0.0						0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	110.1	1.00	0.01000	-30.79	-30.8					
	Evening (4h)	4.00	Evening	110.1	1.00	0.00410	-29.89	-29.9					
	Night (8h)	8.00	Night	110.1	1.00	0.00520	-31.87	-31.9					
	Geometry		Nr	x/m	y/m	z(abs) /m	! z(rel) /m						
			Geometry:	655899.72	249092.09	279.27	175.00						
EQCN344	Label	O3*****			Action radius/m		3000.00						
	Group	18 m/s			Lw (Day (12h)) /dB(A)		110.12						
	Number of nodes	1			Lw (Night (8h)) /dB(A)		110.12						
	Length/ m	---			Lw (Evening (4h)) /dB(A)		110.12						
	Length/ m (2D)	---			Emission is		Sound power level (Lw)						
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB							
	Lden	-	0.0	0.0	0.0	-	0.0						0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	110.1	1.00	0.01000	-30.79	-30.8					
	Evening (4h)	4.00	Evening	110.1	1.00	0.00410	-29.89	-29.9					
	Night (8h)	8.00	Night	110.1	1.00	0.00520	-31.87	-31.9					
	Geometry		Nr	x/m	y/m	z(abs) /m	! z(rel) /m						
			Geometry:	656055.72	248760.81	279.00	175.00						
EQCN345	Label	O5*****			Action radius/m		3000.00						
	Group	18 m/s			Lw (Day (12h)) /dB(A)		110.12						
	Number of nodes	1			Lw (Night (8h)) /dB(A)		110.12						
	Length/ m	---			Lw (Evening (4h)) /dB(A)		110.12						
	Length/ m (2D)	---			Emission is		Sound power level (Lw)						
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB							
	Lden	-	0.0	0.0	0.0	-	0.0						0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	110.1	1.00	0.01000	-30.79	-30.8					
	Evening (4h)	4.00	Evening	110.1	1.00	0.00410	-29.89	-29.9					

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Night (8h)		8.00	Night		110.1		1.00		0.00520		-31.87		-31.9
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		656292.16		247880.94		279.00		175.00	
EQCN346	Label	O4*****				Action radius/m				3000.00				
	Group	18 m/s				Lw (Day (12h)) /dB(A)				110.12				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				110.12				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				110.12				
	Length/ m (2D)	---				Emission is				Sound power level (Lw)				
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		0.01000		-30.79		-30.8	
	Evening (4h)		4.00	Evening	110.1		1.00		0.00410		-29.89		-29.9	
	Night (8h)		8.00	Night	110.1		1.00		0.00520		-31.87		-31.9	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		655674.43		248309.07		278.00		175.00	
EQCN347	Label	DD1*****				Action radius/m				3000.00				
	Group	18 m/s				Lw (Day (12h)) /dB(A)				110.12				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				110.12				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				110.12				
	Length/ m (2D)	---				Emission is				Sound power level (Lw)				
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		0.01000		-30.79		-30.8	
	Evening (4h)		4.00	Evening	110.1		1.00		0.00410		-29.89		-29.9	
	Night (8h)		8.00	Night	110.1		1.00		0.00520		-31.87		-31.9	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		656226.07		248421.71		278.00		175.00	
EQCN348	Label	DD3*****				Action radius/m				3000.00				
	Group	18 m/s				Lw (Day (12h)) /dB(A)				110.12				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				110.12				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				110.12				
	Length/ m (2D)	---				Emission is				Sound power level (Lw)				
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		0.01000		-30.79		-30.8	
	Evening (4h)		4.00	Evening	110.1		1.00		0.00410		-29.89		-29.9	
	Night (8h)		8.00	Night	110.1		1.00		0.00520		-31.87		-31.9	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

			Geometry:				656792.54		248209.39		279.20		175.00		
EQCN349	Label		O1.b*****				Action radius/m				3000.00				
	Group		18 m/s				Lw (Day (12h)) /dB(A)				110.12				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Vestas V172 15 m/s ST										
	Day (12h)		Lw /dB (A)		110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Night (8h)		Emission		Reference: Vestas V172 15 m/s ST										
Night (8h)		Lw /dB (A)		110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
Evening (4h)		Emission		Reference: Vestas V172 15 m/s ST											
Evening (4h)		Lw /dB (A)		110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
Lden				-		0.0		0.0		0.0		-		0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
Day (12h)		12.00	Day	110.1		1.00		0.01000		-30.79		-30.8			
Evening (4h)		4.00	Evening	110.1		1.00		0.00410		-29.89		-29.9			
Night (8h)		8.00	Night	110.1		1.00		0.00520		-31.87		-31.9			
Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m			
				Geometry:		655628.52		247870.27		278.00		175.00			
EQCN350	Label		JV1*****				Action radius/m				3000.00				
	Group		18 m/s				Lw (Day (12h)) /dB(A)				110.12				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Vestas V172 15 m/s ST										
	Day (12h)		Lw /dB (A)		110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Night (8h)		Emission		Reference: Vestas V172 15 m/s ST										
Night (8h)		Lw /dB (A)		110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
Evening (4h)		Emission		Reference: Vestas V172 15 m/s ST											
Evening (4h)		Lw /dB (A)		110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
Lden				-		0.0		0.0		0.0		-		0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
Day (12h)		12.00	Day	110.1		1.00		0.01000		-30.79		-30.8			
Evening (4h)		4.00	Evening	110.1		1.00		0.00410		-29.89		-29.9			
Night (8h)		8.00	Night	110.1		1.00		0.00520		-31.87		-31.9			
Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m			
				Geometry:		656086.43		247254.47		279.00		175.00			
EQCN351	Label		Pr12*****				Action radius/m				3000.00				
	Group		18 m/s				Lw (Day (12h)) /dB(A)				110.12				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Vestas V172 15 m/s ST										
	Day (12h)		Lw /dB (A)		110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Night (8h)		Emission		Reference: Vestas V172 15 m/s ST										
Night (8h)		Lw /dB (A)		110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
Evening (4h)		Emission		Reference: Vestas V172 15 m/s ST											
Evening (4h)		Lw /dB (A)		110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
Lden				-		0.0		0.0		0.0		-		0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
Day (12h)		12.00	Day	110.1		1.00		0.01000		-30.79		-30.8			
Evening (4h)		4.00	Evening	110.1		1.00		0.00410		-29.89		-29.9			
Night (8h)		8.00	Night	110.1		1.00		0.00520		-31.87		-31.9			
Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m			
				Geometry:		659850.41		255599.51		281.00		175.00			
EQCN352	Label		O6*****				Action radius/m				3000.00				

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Group	18 m/s	Lw (Day (12h)) /dB(A)								110.12			
	Number of nodes	1	Lw (Night (8h)) /dB(A)								110.12			
	Length/ m	----	Lw (Evening (4h)) /dB(A)								110.12			
	Length/ m (2D)	----	Emission is								Sound power level (Lw)			
	Area /m²	----												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Rating method	Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	110.1		1.00		0.01000		-30.79		-30.8		
	Evening (4h)	4.00	Evening	110.1		1.00		0.00410		-29.89		-29.9		
	Night (8h)	8.00	Night	110.1		1.00		0.00520		-31.87		-31.9		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m
						Geometry:		659724.06		256257.39		278.09		175.00
EQCN353	Label	Pr11*****				Action radius/m				3000.00				
	Group	18 m/s	Lw (Day (12h)) /dB(A)								110.12			
	Number of nodes	1	Lw (Night (8h)) /dB(A)								110.12			
	Length/ m	----	Lw (Evening (4h)) /dB(A)								110.12			
	Length/ m (2D)	----	Emission is								Sound power level (Lw)			
	Area /m²	----												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Rating method	Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	110.1		1.00		0.01000		-30.79		-30.8		
	Evening (4h)	4.00	Evening	110.1		1.00		0.00410		-29.89		-29.9		
	Night (8h)	8.00	Night	110.1		1.00		0.00520		-31.87		-31.9		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m
						Geometry:		660296.51		255945.28		279.00		175.00
EQCN354	Label	AP2*****				Action radius/m				3000.00				
	Group	18 m/s	Lw (Day (12h)) /dB(A)								110.12			
	Number of nodes	1	Lw (Night (8h)) /dB(A)								110.12			
	Length/ m	----	Lw (Evening (4h)) /dB(A)								110.12			
	Length/ m (2D)	----	Emission is								Sound power level (Lw)			
	Area /m²	----												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Rating method	Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	110.1		1.00		0.01000		-30.79		-30.8		
	Evening (4h)	4.00	Evening	110.1		1.00		0.00410		-29.89		-29.9		
	Night (8h)	8.00	Night	110.1		1.00		0.00520		-31.87		-31.9		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m
						Geometry:		661860.19		254894.20		282.00		175.00
EQCN355	Label	AP6,1*****				Action radius/m				3000.00				
	Group	18 m/s	Lw (Day (12h)) /dB(A)								110.12			
	Number of nodes	1	Lw (Night (8h)) /dB(A)								110.12			

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Length/ m	---	Lw (Evening (4h)) /dB(A)				110.12						
	Length/ m (2D)	---	Emission is				Sound power level (Lw)						
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Rating method		Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-	0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1	1.00		0.01000		-30.79		-30.8	
	Evening (4h)		4.00	Evening	110.1	1.00		0.00410		-29.89		-29.9	
	Night (8h)		8.00	Night	110.1	1.00		0.00520		-31.87		-31.9	
	Geometry		Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
			Geometry:		661549.21		255141.18		282.00		175.00		
EQCN356	Label		JU1*****		Action radius/m						3000.00		
	Group		18 m/s		Lw (Day (12h)) /dB(A)						110.12		
	Number of nodes		1		Lw (Night (8h)) /dB(A)						110.12		
	Length/ m	---			Lw (Evening (4h)) /dB(A)						110.12		
	Length/ m (2D)	---			Emission is						Sound power level (Lw)		
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Rating method		Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-	0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1	1.00		0.01000		-30.79		-30.8	
	Evening (4h)		4.00	Evening	110.1	1.00		0.00410		-29.89		-29.9	
	Night (8h)		8.00	Night	110.1	1.00		0.00520		-31.87		-31.9	
	Geometry		Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
			Geometry:		661068.17		255365.14		281.00		175.00		
EQCN357	Label		Pr25*****		Action radius/m						3000.00		
	Group		18 m/s		Lw (Day (12h)) /dB(A)						110.12		
	Number of nodes		1		Lw (Night (8h)) /dB(A)						110.12		
	Length/ m	---			Lw (Evening (4h)) /dB(A)						110.12		
	Length/ m (2D)	---			Emission is						Sound power level (Lw)		
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Rating method		Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-	0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1	1.00		0.01000		-30.79		-30.8	
	Evening (4h)		4.00	Evening	110.1	1.00		0.00410		-29.89		-29.9	
	Night (8h)		8.00	Night	110.1	1.00		0.00520		-31.87		-31.9	
	Geometry		Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
			Geometry:		662047.55		256166.20		283.00		175.00		
EQCN358	Label		PrRR3*****		Action radius/m						3000.00		
	Group		18 m/s		Lw (Day (12h)) /dB(A)						110.12		
	Number of nodes		1		Lw (Night (8h)) /dB(A)						110.12		
	Length/ m	---			Lw (Evening (4h)) /dB(A)						110.12		
	Length/ m (2D)	---			Emission is						Sound power level (Lw)		

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

Area /m²		---											
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)		Reference: Vestas V172 15 m/s ST											
Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
Night (8h)		Reference: Vestas V172 15 m/s ST											
Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
Evening (4h)		Reference: Vestas V172 15 m/s ST											
Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
Rating method		Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
Lden		-	0.0		0.0		0.0		-		0.0		
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)		
Day (12h)		12.00	Day	110.1	1.00		0.01000		-30.79		-30.8		
Evening (4h)		4.00	Evening	110.1	1.00		0.00410		-29.89		-29.9		
Night (8h)		8.00	Night	110.1	1.00		0.00520		-31.87		-31.9		
Geometry				Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
				Geometry:		662676.13		256121.38		284.00		175.00	
EQCN359		Label	P19.2b*****		Action radius/m		3000.00						
		Group	18 m/s		Lw (Day (12h)) /dB(A)		110.12						
		Number of nodes	1		Lw (Night (8h)) /dB(A)		110.12						
		Length/ m	---		Lw (Evening (4h)) /dB(A)		110.12						
		Length/ m (2D)	---		Emission is		Sound power level (Lw)						
		Area /m²	---										
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)		Reference: Vestas V172 15 m/s ST											
Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
Night (8h)		Reference: Vestas V172 15 m/s ST											
Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
Evening (4h)		Reference: Vestas V172 15 m/s ST											
Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
Rating method		Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
Lden		-	0.0		0.0		0.0		-		0.0		
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)		
Day (12h)		12.00	Day	110.1	1.00		0.01000		-30.79		-30.8		
Evening (4h)		4.00	Evening	110.1	1.00		0.00410		-29.89		-29.9		
Night (8h)		8.00	Night	110.1	1.00		0.00520		-31.87		-31.9		
Geometry				Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
				Geometry:		656671.82		247343.93		280.00		175.00	
EQCN360		Label	Pr3b*****		Action radius/m		3000.00						
		Group	18 m/s		Lw (Day (12h)) /dB(A)		110.12						
		Number of nodes	1		Lw (Night (8h)) /dB(A)		110.12						
		Length/ m	---		Lw (Evening (4h)) /dB(A)		110.12						
		Length/ m (2D)	---		Emission is		Sound power level (Lw)						
		Area /m²	---										
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)		Reference: Vestas V172 15 m/s ST											
Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
Night (8h)		Reference: Vestas V172 15 m/s ST											
Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
Evening (4h)		Reference: Vestas V172 15 m/s ST											
Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
Rating method		Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
Lden		-	0.0		0.0		0.0		-		0.0		
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)		
Day (12h)		12.00	Day	110.1	1.00		0.01000		-30.79		-30.8		
Evening (4h)		4.00	Evening	110.1	1.00		0.00410		-29.89		-29.9		
Night (8h)		8.00	Night	110.1	1.00		0.00520		-31.87		-31.9		
Geometry				Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
				Geometry:		662489.40		255686.03		284.00		175.00	
EQCN361		Label	O2*****		Action radius/m		3000.00						
		Group	19 m/s		Lw (Day (12h)) /dB(A)		110.12						
		Number of nodes	1		Lw (Night (8h)) /dB(A)		110.12						
		Length/ m	---		Lw (Evening (4h)) /dB(A)		110.12						
		Length/ m (2D)	---		Emission is		Sound power level (Lw)						
		Area /m²	---										
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		0.00550		-33.39		-33.4	
	Evening (4h)		4.00	Evening	110.1		1.00		0.00250		-32.04		-32.0	
	Night (8h)		8.00	Night	110.1		1.00		0.00190		-36.24		-36.2	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
				Geometry:			655899.72		249092.09		279.27		175.00	
EQCN362	Label		O3*****				Action radius/m						3000.00	
	Group		19 m/s				Lw (Day (12h)) /dB(A)						110.12	
	Number of nodes		1				Lw (Night (8h)) /dB(A)						110.12	
	Length/ m		---				Lw (Evening (4h)) /dB(A)						110.12	
	Length/ m (2D)		---				Emission is						Sound power level (Lw)	
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		0.00550		-33.39		-33.4	
	Evening (4h)		4.00	Evening	110.1		1.00		0.00250		-32.04		-32.0	
	Night (8h)		8.00	Night	110.1		1.00		0.00190		-36.24		-36.2	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
				Geometry:			656055.72		248760.81		279.00		175.00	
EQCN363	Label		O5*****				Action radius/m						3000.00	
	Group		19 m/s				Lw (Day (12h)) /dB(A)						110.12	
	Number of nodes		1				Lw (Night (8h)) /dB(A)						110.12	
	Length/ m		---				Lw (Evening (4h)) /dB(A)						110.12	
	Length/ m (2D)		---				Emission is						Sound power level (Lw)	
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		0.00550		-33.39		-33.4	
	Evening (4h)		4.00	Evening	110.1		1.00		0.00250		-32.04		-32.0	
	Night (8h)		8.00	Night	110.1		1.00		0.00190		-36.24		-36.2	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
				Geometry:			656292.16		247880.94		279.00		175.00	
EQCN364	Label		O4*****				Action radius/m						3000.00	
	Group		19 m/s				Lw (Day (12h)) /dB(A)						110.12	
	Number of nodes		1				Lw (Night (8h)) /dB(A)						110.12	
	Length/ m		---				Lw (Evening (4h)) /dB(A)						110.12	
	Length/ m (2D)		---				Emission is						Sound power level (Lw)	
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	48.6	66.1	81.5	92.6	98.6	100.2	99.8	96.3	89.3	79.0	

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

				54.7 60.4	71.5 76.7	85.8 89.5	95.2 97.2	99.5 99.9	100.2 100.2	99.0 97.8	94.3 92.0	86.2 82.8	74.7 70.1
	Night (8h)	Emission	Reference:	Vestas V172 15 m/s ST									
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Evening (4h)	Emission	Reference:	Vestas V172 15 m/s ST									
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Rating method		Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden		-	0.0		0.0		0.0		0.0		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	110.1		1.00		0.00550		-33.39		-33.4
	Evening (4h)		4.00	Evening	110.1		1.00		0.00250		-32.04		-32.0
	Night (8h)		8.00	Night	110.1		1.00		0.00190		-36.24		-36.2
	Geometry		Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
			Geometry:		655674.43		248309.07		278.00		175.00		
EQCN365	Label		DD1*****		Action radius/m		3000.00						
	Group		19 m/s		Lw (Day (12h)) /dB(A)		110.12						
	Number of nodes		1		Lw (Night (8h)) /dB(A)		110.12						
	Length/ m		---		Lw (Evening (4h)) /dB(A)		110.12						
	Length/ m (2D)		---		Emission is		Sound power level (Lw)						
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission	Reference: Vestas V172 15 m/s ST									
	Day (12h)		Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8
	Night (8h)		Emission	Reference: Vestas V172 15 m/s ST									
	Night (8h)		Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8
	Evening (4h)		Emission	Reference: Vestas V172 15 m/s ST									
	Evening (4h)		Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8
	Rating method		Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden		-	0.0		0.0		0.0		0.0		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	110.1		1.00		0.00550		-33.39		-33.4
	Evening (4h)		4.00	Evening	110.1		1.00		0.00250		-32.04		-32.0
	Night (8h)		8.00	Night	110.1		1.00		0.00190		-36.24		-36.2
	Geometry		Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
			Geometry:		656226.07		248421.71		278.00		175.00		
EQCN366	Label		DD3*****		Action radius/m		3000.00						
	Group		19 m/s		Lw (Day (12h)) /dB(A)		110.12						
	Number of nodes		1		Lw (Night (8h)) /dB(A)		110.12						
	Length/ m		---		Lw (Evening (4h)) /dB(A)		110.12						
	Length/ m (2D)		---		Emission is		Sound power level (Lw)						
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission	Reference: Vestas V172 15 m/s ST									
	Day (12h)		Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8
	Night (8h)		Emission	Reference: Vestas V172 15 m/s ST									
	Night (8h)		Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8
	Evening (4h)		Emission	Reference: Vestas V172 15 m/s ST									
	Evening (4h)		Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8
	Rating method		Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden		-	0.0		0.0		0.0		0.0		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	110.1		1.00		0.00550		-33.39		-33.4
	Evening (4h)		4.00	Evening	110.1		1.00		0.00250		-32.04		-32.0
	Night (8h)		8.00	Night	110.1		1.00		0.00190		-36.24		-36.2
	Geometry		Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
			Geometry:		656792.54		248209.39		279.20		175.00		
EQCN367	Label		O1.b*****		Action radius/m		3000.00						
	Group		19 m/s		Lw (Day (12h)) /dB(A)		110.12						
	Number of nodes		1		Lw (Night (8h)) /dB(A)		110.12						
	Length/ m		---		Lw (Evening (4h)) /dB(A)		110.12						
	Length/ m (2D)		---		Emission is		Sound power level (Lw)						
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission	Reference: Vestas V172 15 m/s ST									
	Day (12h)		Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		0.00550		-33.39		-33.4	
	Evening (4h)		4.00	Evening	110.1		1.00		0.00250		-32.04		-32.0	
	Night (8h)		8.00	Night	110.1		1.00		0.00190		-36.24		-36.2	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		655628.52		247870.27		278.00		175.00	
EQCN368	Label		JV1*****				Action radius/m				3000.00			
	Group		19 m/s				Lw (Day (12h)) /dB(A)				110.12			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission	Reference: Vestas V172 15 m/s ST										
	Day (12h)		Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Night (8h)		Emission	Reference: Vestas V172 15 m/s ST										
	Night (8h)		Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Evening (4h)		Emission	Reference: Vestas V172 15 m/s ST										
	Evening (4h)		Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		0.00550		-33.39		-33.4	
	Evening (4h)		4.00	Evening	110.1		1.00		0.00250		-32.04		-32.0	
	Night (8h)		8.00	Night	110.1		1.00		0.00190		-36.24		-36.2	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		656086.43		247254.47		279.00		175.00	
EQCN369	Label		Pr12*****				Action radius/m				3000.00			
	Group		19 m/s				Lw (Day (12h)) /dB(A)				110.12			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission	Reference: Vestas V172 15 m/s ST										
	Day (12h)		Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Night (8h)		Emission	Reference: Vestas V172 15 m/s ST										
	Night (8h)		Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Evening (4h)		Emission	Reference: Vestas V172 15 m/s ST										
	Evening (4h)		Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		0.00550		-33.39		-33.4	
	Evening (4h)		4.00	Evening	110.1		1.00		0.00250		-32.04		-32.0	
	Night (8h)		8.00	Night	110.1		1.00		0.00190		-36.24		-36.2	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		659850.41		255599.51		281.00		175.00	
EQCN370	Label		O6*****				Action radius/m				3000.00			
	Group		19 m/s				Lw (Day (12h)) /dB(A)				110.12			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission	Reference: Vestas V172 15 m/s ST										
	Day (12h)		Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Night (8h)		Emission	Reference: Vestas V172 15 m/s ST										
	Night (8h)		Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

				54.7 60.4	71.5 76.7	85.8 89.5	95.2 97.2	99.5 99.9	100.2 100.2	99.0 97.8	94.3 92.0	86.2 82.8	74.7 70.1
	Evening (4h)	Emission	Reference:	Vestas V172 15 m/s ST									
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-	0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	110.1		1.00		0.00550		-33.39		-33.4	
	Evening (4h)	4.00	Evening	110.1		1.00		0.00250		-32.04		-32.0	
	Night (8h)	8.00	Night	110.1		1.00		0.00190		-36.24		-36.2	
	Geometry			Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
				Geometry:		659724.06		256257.39		278.09		175.00	
EQCN371	Label	Pr11*****		Action radius/m		3000.00							
	Group	19 m/s		Lw (Day (12h)) /dB(A)		110.12							
	Number of nodes	1		Lw (Night (8h)) /dB(A)		110.12							
	Length/ m	---		Lw (Evening (4h)) /dB(A)		110.12							
	Length/ m (2D)	---		Emission is		Sound power level (Lw)							
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference:	Vestas V172 15 m/s ST									
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Night (8h)	Emission	Reference:	Vestas V172 15 m/s ST									
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Evening (4h)	Emission	Reference:	Vestas V172 15 m/s ST									
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-	0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	110.1		1.00		0.00550		-33.39		-33.4	
	Evening (4h)	4.00	Evening	110.1		1.00		0.00250		-32.04		-32.0	
	Night (8h)	8.00	Night	110.1		1.00		0.00190		-36.24		-36.2	
	Geometry			Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
				Geometry:		660296.51		255945.28		279.00		175.00	
EQCN372	Label	AP2*****		Action radius/m		3000.00							
	Group	19 m/s		Lw (Day (12h)) /dB(A)		110.12							
	Number of nodes	1		Lw (Night (8h)) /dB(A)		110.12							
	Length/ m	---		Lw (Evening (4h)) /dB(A)		110.12							
	Length/ m (2D)	---		Emission is		Sound power level (Lw)							
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference:	Vestas V172 15 m/s ST									
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Night (8h)	Emission	Reference:	Vestas V172 15 m/s ST									
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Evening (4h)	Emission	Reference:	Vestas V172 15 m/s ST									
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-	0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	110.1		1.00		0.00550		-33.39		-33.4	
	Evening (4h)	4.00	Evening	110.1		1.00		0.00250		-32.04		-32.0	
	Night (8h)	8.00	Night	110.1		1.00		0.00190		-36.24		-36.2	
	Geometry			Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
				Geometry:		661860.19		254894.20		282.00		175.00	
EQCN373	Label	AP6.1*****		Action radius/m		3000.00							
	Group	19 m/s		Lw (Day (12h)) /dB(A)		110.12							
	Number of nodes	1		Lw (Night (8h)) /dB(A)		110.12							
	Length/ m	---		Lw (Evening (4h)) /dB(A)		110.12							
	Length/ m (2D)	---		Emission is		Sound power level (Lw)							
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference:	Vestas V172 15 m/s ST									
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Night (8h)	Emission	Reference:	Vestas V172 15 m/s ST									
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	110.1		1.00		0.00550		-33.39		-33.4
	Evening (4h)		4.00	Evening	110.1		1.00		0.00250		-32.04		-32.0
	Night (8h)		8.00	Night	110.1		1.00		0.00190		-36.24		-36.2
	Geometry						Nr	x/m	y/m	z(abs) /m		! z(rel) /m	
			Geometry:				661549.21		255141.18		282.00		175.00
EQCN374	Label		JU1*****				Action radius/m				3000.00		
	Group		19 m/s				Lw (Day (12h)) /dB(A)				110.12		
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12		
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12		
	Length/ m (2D)		---				Emission is				Sound power level (Lw)		
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	110.1		1.00		0.00550		-33.39		-33.4
	Evening (4h)		4.00	Evening	110.1		1.00		0.00250		-32.04		-32.0
	Night (8h)		8.00	Night	110.1		1.00		0.00190		-36.24		-36.2
	Geometry						Nr	x/m	y/m	z(abs) /m		! z(rel) /m	
			Geometry:				661068.17		255365.14		281.00		175.00
EQCN375	Label		Pr25*****				Action radius/m				3000.00		
	Group		19 m/s				Lw (Day (12h)) /dB(A)				110.12		
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12		
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12		
	Length/ m (2D)		---				Emission is				Sound power level (Lw)		
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	110.1		1.00		0.00550		-33.39		-33.4
	Evening (4h)		4.00	Evening	110.1		1.00		0.00250		-32.04		-32.0
	Night (8h)		8.00	Night	110.1		1.00		0.00190		-36.24		-36.2
	Geometry						Nr	x/m	y/m	z(abs) /m		! z(rel) /m	
			Geometry:				662047.55		256166.20		283.00		175.00
EQCN376	Label		PrRR3*****				Action radius/m				3000.00		
	Group		19 m/s				Lw (Day (12h)) /dB(A)				110.12		
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12		
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12		
	Length/ m (2D)		---				Emission is				Sound power level (Lw)		
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	48.6	66.1	81.5	92.6	98.6	100.2	99.8	96.3	89.3	79.0

				54.7 60.4	71.5 76.7	85.8 89.5	95.2 97.2	99.5 99.9	100.2 100.2	99.0 97.8	94.3 92.0	86.2 82.8	79.0 70.1
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden	-		0.0		0.0		0.0				0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	110.1		1.00		0.00550				-33.39	
	Evening (4h)	4.00	Evening	110.1		1.00		0.00250				-32.04	
	Night (8h)	8.00	Night	110.1		1.00		0.00190				-36.24	
	Geometry			Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
				Geometry:		662676.13		256121.38		284.00		175.00	
EQCN377	Label	P19.2b*****		Action radius/m								3000.00	
	Group	19 m/s		Lw (Day (12h)) /dB(A)								110.12	
	Number of nodes	1		Lw (Night (8h)) /dB(A)								110.12	
	Length/ m	---		Lw (Evening (4h)) /dB(A)								110.12	
	Length/ m (2D)	---		Emission is								Sound power level (Lw)	
	Area /m²	---											
	Emiss. variant	Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden	-		0.0		0.0		0.0				0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	110.1		1.00		0.00550				-33.39	
	Evening (4h)	4.00	Evening	110.1		1.00		0.00250				-32.04	
	Night (8h)	8.00	Night	110.1		1.00		0.00190				-36.24	
	Geometry			Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
				Geometry:		656671.82		247343.93		280.00		175.00	
EQCN378	Label	Pr3b*****		Action radius/m								3000.00	
	Group	19 m/s		Lw (Day (12h)) /dB(A)								110.12	
	Number of nodes	1		Lw (Night (8h)) /dB(A)								110.12	
	Length/ m	---		Lw (Evening (4h)) /dB(A)								110.12	
	Length/ m (2D)	---		Emission is								Sound power level (Lw)	
	Area /m²	---											
	Emiss. variant	Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 					

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB					
	Lden			-	0.0	0.0	-	0.0					
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	110.1	1.00	0.00250	-36.81	-36.8					
	Evening (4h)	4.00	Evening	110.1	1.00	0.00080	-36.99	-37.0					
	Night (8h)	8.00	Night	110.1	1.00	0.00140	-37.57	-37.6					
	Geometry	Nr			x/m	y/m	z(abs) /m	! z(rel) /m					
		Geometry:			655899.72	249092.09	279.27	175.00					
EQCN380	Label	O3*****			Action radius/m			3000.00					
	Group	>= 20 m/s			Lw (Day (12h)) /dB(A)			110.12					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			110.12					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			110.12					
	Length/ m (2D)	---			Emission is			Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB					
	Lden			-	0.0	0.0	-	0.0					
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	110.1	1.00	0.00250	-36.81	-36.8					
	Evening (4h)	4.00	Evening	110.1	1.00	0.00080	-36.99	-37.0					
	Night (8h)	8.00	Night	110.1	1.00	0.00140	-37.57	-37.6					
	Geometry	Nr			x/m	y/m	z(abs) /m	! z(rel) /m					
		Geometry:			656055.72	248760.81	279.00	175.00					
EQCN381	Label	O5*****			Action radius/m			3000.00					
	Group	>= 20 m/s			Lw (Day (12h)) /dB(A)			110.12					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			110.12					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			110.12					
	Length/ m (2D)	---			Emission is			Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB					
	Lden			-	0.0	0.0	-	0.0					
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	110.1	1.00	0.00250	-36.81	-36.8					
	Evening (4h)	4.00	Evening	110.1	1.00	0.00080	-36.99	-37.0					
	Night (8h)	8.00	Night	110.1	1.00	0.00140	-37.57	-37.6					
	Geometry	Nr			x/m	y/m	z(abs) /m	! z(rel) /m					
		Geometry:			656292.16	247880.94	279.00	175.00					
EQCN382	Label	O4*****			Action radius/m			3000.00					
	Group	>= 20 m/s			Lw (Day (12h)) /dB(A)			110.12					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			110.12					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			110.12					
	Length/ m (2D)	---			Emission is			Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB					

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Lden	-	0.0	0.0	0.0	-	0.0						
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	110.1	1.00	0.00250	-36.81	-36.8					
	Evening (4h)	4.00	Evening	110.1	1.00	0.00080	-36.99	-37.0					
	Night (8h)	8.00	Night	110.1	1.00	0.00140	-37.57	-37.6					
	Geometry	Nr		x/m	y/m	z(abs) /m	! z(rel) /m						
		Geometry:		655674.43	248309.07	278.00	175.00						
EQCN383	Label	DD1*****		Action radius/m		3000.00							
	Group	>= 20 m/s		Lw (Day (12h)) /dB(A)		110.12							
	Number of nodes	1		Lw (Night (8h)) /dB(A)		110.12							
	Length/ m	---		Lw (Evening (4h)) /dB(A)		110.12							
	Length/ m (2D)	---		Emission is		Sound power level (Lw)							
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden	-		0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	110.1	1.00	0.00250	-36.81	-36.8					
	Evening (4h)	4.00	Evening	110.1	1.00	0.00080	-36.99	-37.0					
	Night (8h)	8.00	Night	110.1	1.00	0.00140	-37.57	-37.6					
	Geometry	Nr		x/m	y/m	z(abs) /m	! z(rel) /m						
		Geometry:		656226.07	248421.71	278.00	175.00						
EQCN384	Label	DD3*****		Action radius/m		3000.00							
	Group	>= 20 m/s		Lw (Day (12h)) /dB(A)		110.12							
	Number of nodes	1		Lw (Night (8h)) /dB(A)		110.12							
	Length/ m	---		Lw (Evening (4h)) /dB(A)		110.12							
	Length/ m (2D)	---		Emission is		Sound power level (Lw)							
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden	-		0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	110.1	1.00	0.00250	-36.81	-36.8					
	Evening (4h)	4.00	Evening	110.1	1.00	0.00080	-36.99	-37.0					
	Night (8h)	8.00	Night	110.1	1.00	0.00140	-37.57	-37.6					
	Geometry	Nr		x/m	y/m	z(abs) /m	! z(rel) /m						
		Geometry:		656792.54	248209.39	279.20	175.00						
EQCN385	Label	O1.b*****		Action radius/m		3000.00							
	Group	>= 20 m/s		Lw (Day (12h)) /dB(A)		110.12							
	Number of nodes	1		Lw (Night (8h)) /dB(A)		110.12							
	Length/ m	---		Lw (Evening (4h)) /dB(A)		110.12							
	Length/ m (2D)	---		Emission is		Sound power level (Lw)							
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden	-		0.0		0.0		0.0		-		0.0	

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h		dLi /dB	Lwr /dB(A)			
	Day (12h)		12.00	Day	110.1		1.00		0.00250	-36.81		-36.8	
	Evening (4h)		4.00	Evening	110.1		1.00		0.00080	-36.99		-37.0	
	Night (8h)		8.00	Night	110.1		1.00		0.00140	-37.57		-37.6	
	Geometry				Nr	x/m	y/m	z(abs) /m		! z(rel) /m			
					Geometry:		655628.52	247870.27	278.00		175.00		
EQCN386	Label		JV1*****			Action radius/m		3000.00					
	Group		>= 20 m/s			Lw (Day (12h)) /dB(A)		110.12					
	Number of nodes		1			Lw (Night (8h)) /dB(A)		110.12					
	Length/ m		---			Lw (Evening (4h)) /dB(A)		110.12					
	Length/ m (2D)		---			Emission is		Sound power level (Lw)					
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB		
	Lden				-		0.0		0.0		-		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	110.1		1.00		0.00250		-36.81		-36.8
	Evening (4h)		4.00	Evening	110.1		1.00		0.00080		-36.99		-37.0
	Night (8h)		8.00	Night	110.1		1.00		0.00140		-37.57		-37.6
	Geometry				Nr	x/m	y/m	z(abs) /m		! z(rel) /m			
					Geometry:		656086.43	247254.47	279.00		175.00		
EQCN387	Label		Pr12*****			Action radius/m		3000.00					
	Group		>= 20 m/s			Lw (Day (12h)) /dB(A)		110.12					
	Number of nodes		1			Lw (Night (8h)) /dB(A)		110.12					
	Length/ m		---			Lw (Evening (4h)) /dB(A)		110.12					
	Length/ m (2D)		---			Emission is		Sound power level (Lw)					
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB		
	Lden				-		0.0		0.0		-		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	110.1		1.00		0.00250		-36.81		-36.8
	Evening (4h)		4.00	Evening	110.1		1.00		0.00080		-36.99		-37.0
	Night (8h)		8.00	Night	110.1		1.00		0.00140		-37.57		-37.6
	Geometry				Nr	x/m	y/m	z(abs) /m		! z(rel) /m			
					Geometry:		659850.41	255599.51	281.00		175.00		
EQCN388	Label		O6*****			Action radius/m		3000.00					
	Group		>= 20 m/s			Lw (Day (12h)) /dB(A)		110.12					
	Number of nodes		1			Lw (Night (8h)) /dB(A)		110.12					
	Length/ m		---			Lw (Evening (4h)) /dB(A)		110.12					
	Length/ m (2D)		---			Emission is		Sound power level (Lw)					
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB		
	Lden				-		0.0		0.0		-		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)

Vēja parks "Pīkuļi" B alternatīva - Vestas V172 - 7.2 MW

	Day (12h)	12.00	Day	110.1	1.00	0.00250	-36.81	-36.8					
	Evening (4h)	4.00	Evening	110.1	1.00	0.00080	-36.99	-37.0					
	Night (8h)	8.00	Night	110.1	1.00	0.00140	-37.57	-37.6					
	Geometry		Nr	x/m	y/m	z(abs) /m	! z(rel) /m						
			Geometry:	659724.06	256257.39	278.09	175.00						
EQCN389	Label	Pr11*****		Action radius/m			3000.00						
	Group	>= 20 m/s		Lw (Day (12h)) /dB(A)			110.12						
	Number of nodes	1		Lw (Night (8h)) /dB(A)			110.12						
	Length/ m	---		Lw (Evening (4h)) /dB(A)			110.12						
	Length/ m (2D)	---		Emission is			Sound power level (Lw)						
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	48.6	66.1	81.5	92.6	98.6	100.2	99.8	96.3	89.3	79.0
				54.7	71.5	85.8	95.2	99.5	100.2	99.0	94.3	86.2	74.7
				60.4	76.7	89.5	97.2	99.9	100.2	97.8	92.0	82.8	70.1
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	48.6	66.1	81.5	92.6	98.6	100.2	99.8	96.3	89.3	79.0
				54.7	71.5	85.8	95.2	99.5	100.2	99.0	94.3	86.2	74.7
				60.4	76.7	89.5	97.2	99.9	100.2	97.8	92.0	82.8	70.1
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	48.6	66.1	81.5	92.6	98.6	100.2	99.8	96.3	89.3	79.0
				54.7	71.5	85.8	95.2	99.5	100.2	99.0	94.3	86.2	74.7
				60.4	76.7	89.5	97.2	99.9	100.2	97.8	92.0	82.8	70.1
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB							Special correction /dB	
	Lden	-	0.0	0.0	0.0							-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB					Lwr /dB(A)	
	Day (12h)	12.00	Day	110.1	1.00	0.00250	-36.81	-36.8					
	Evening (4h)	4.00	Evening	110.1	1.00	0.00080	-36.99	-37.0					
	Night (8h)	8.00	Night	110.1	1.00	0.00140	-37.57	-37.6					
	Geometry		Nr	x/m	y/m	z(abs) /m	! z(rel) /m						
			Geometry:	660296.51	255945.28	279.00	175.00						
EQCN390	Label	AP2*****		Action radius/m			3000.00						
	Group	>= 20 m/s		Lw (Day (12h)) /dB(A)			110.12						
	Number of nodes	1		Lw (Night (8h)) /dB(A)			110.12						
	Length/ m	---		Lw (Evening (4h)) /dB(A)			110.12						
	Length/ m (2D)	---		Emission is			Sound power level (Lw)						
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	48.6	66.1	81.5	92.6	98.6	100.2	99.8	96.3	89.3	79.0
				54.7	71.5	85.8	95.2	99.5	100.2	99.0	94.3	86.2	74.7
				60.4	76.7	89.5	97.2	99.9	100.2	97.8	92.0	82.8	70.1
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	48.6	66.1	81.5	92.6	98.6	100.2	99.8	96.3	89.3	79.0
				54.7	71.5	85.8	95.2	99.5	100.2	99.0	94.3	86.2	74.7
				60.4	76.7	89.5	97.2	99.9	100.2	97.8	92.0	82.8	70.1
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	48.6	66.1	81.5	92.6	98.6	100.2	99.8	96.3	89.3	79.0
				54.7	71.5	85.8	95.2	99.5	100.2	99.0	94.3	86.2	74.7
				60.4	76.7	89.5	97.2	99.9	100.2	97.8	92.0	82.8	70.1
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB							Special correction /dB	
	Lden	-	0.0	0.0	0.0							-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB					Lwr /dB(A)	
	Day (12h)	12.00	Day	110.1	1.00	0.00250	-36.81	-36.8					
	Evening (4h)	4.00	Evening	110.1	1.00	0.00080	-36.99	-37.0					
	Night (8h)	8.00	Night	110.1	1.00	0.00140	-37.57	-37.6					
	Geometry		Nr	x/m	y/m	z(abs) /m	! z(rel) /m						
			Geometry:	661860.19	254894.20	282.00	175.00						
EQCN391	Label	AP6.1*****		Action radius/m			3000.00						
	Group	>= 20 m/s		Lw (Day (12h)) /dB(A)			110.12						
	Number of nodes	1		Lw (Night (8h)) /dB(A)			110.12						
	Length/ m	---		Lw (Evening (4h)) /dB(A)			110.12						
	Length/ m (2D)	---		Emission is			Sound power level (Lw)						
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	48.6	66.1	81.5	92.6	98.6	100.2	99.8	96.3	89.3	79.0
				54.7	71.5	85.8	95.2	99.5	100.2	99.0	94.3	86.2	74.7
				60.4	76.7	89.5	97.2	99.9	100.2	97.8	92.0	82.8	70.1
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	48.6	66.1	81.5	92.6	98.6	100.2	99.8	96.3	89.3	79.0
				54.7	71.5	85.8	95.2	99.5	100.2	99.0	94.3	86.2	74.7
				60.4	76.7	89.5	97.2	99.9	100.2	97.8	92.0	82.8	70.1
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	48.6	66.1	81.5	92.6	98.6	100.2	99.8	96.3	89.3	79.0
				54.7	71.5	85.8	95.2	99.5	100.2	99.0	94.3	86.2	74.7
				60.4	76.7	89.5	97.2	99.9	100.2	97.8	92.0	82.8	70.1
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB							Special correction /dB	
	Lden	-	0.0	0.0	0.0							-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB					Lwr /dB(A)	
	Day (12h)	12.00	Day	110.1	1.00	0.00250	-36.81	-36.8					
	Evening (4h)	4.00	Evening	110.1	1.00	0.00080	-36.99	-37.0					

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Night (8h)		8.00	Night		110.1		1.00		0.00140		-37.57		-37.6
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		661549.21		255141.18		282.00		175.00	
EQCN392	Label		JU1*****			Action radius/m			3000.00					
	Group		>= 20 m/s			Lw (Day (12h)) /dB(A)			110.12					
	Number of nodes		1			Lw (Night (8h)) /dB(A)			110.12					
	Length/ m		---			Lw (Evening (4h)) /dB(A)			110.12					
	Length/ m (2D)		---			Emission is			Sound power level (Lw)					
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		0.00250		-36.81		-36.8	
	Evening (4h)		4.00	Evening	110.1		1.00		0.00080		-36.99		-37.0	
	Night (8h)		8.00	Night	110.1		1.00		0.00140		-37.57		-37.6	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		661068.17		255365.14		281.00		175.00	
EQCN393	Label		Pr25*****			Action radius/m			3000.00					
	Group		>= 20 m/s			Lw (Day (12h)) /dB(A)			110.12					
	Number of nodes		1			Lw (Night (8h)) /dB(A)			110.12					
	Length/ m		---			Lw (Evening (4h)) /dB(A)			110.12					
	Length/ m (2D)		---			Emission is			Sound power level (Lw)					
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		0.00250		-36.81		-36.8	
	Evening (4h)		4.00	Evening	110.1		1.00		0.00080		-36.99		-37.0	
	Night (8h)		8.00	Night	110.1		1.00		0.00140		-37.57		-37.6	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		662047.55		256166.20		283.00		175.00	
EQCN394	Label		PrRR3*****			Action radius/m			3000.00					
	Group		>= 20 m/s			Lw (Day (12h)) /dB(A)			110.12					
	Number of nodes		1			Lw (Night (8h)) /dB(A)			110.12					
	Length/ m		---			Lw (Evening (4h)) /dB(A)			110.12					
	Length/ m (2D)		---			Emission is			Sound power level (Lw)					
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		0.00250		-36.81		-36.8	
	Evening (4h)		4.00	Evening	110.1		1.00		0.00080		-36.99		-37.0	
	Night (8h)		8.00	Night	110.1		1.00		0.00140		-37.57		-37.6	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

			Geometry:				662676.13	256121.38	284.00	175.00				
EQCN395	Label	P19.2b*****				Action radius/m				3000.00				
	Group	>= 20 m/s				Lw (Day (12h)) /dB(A)				110.12				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				110.12				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				110.12				
	Length/ m (2D)	---				Emission is				Sound power level (Lw)				
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST											
Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST												
Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden	-		0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	110.1		1.00		0.00250		-36.81		-36.8		
	Evening (4h)	4.00	Evening	110.1		1.00		0.00080		-36.99		-37.0		
	Night (8h)	8.00	Night	110.1		1.00		0.00140		-37.57		-37.6		
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
		Geometry:			656671.82		247343.93		280.00		175.00			
EQCN396	Label	Pr3b*****				Action radius/m				3000.00				
	Group	>= 20 m/s				Lw (Day (12h)) /dB(A)				110.12				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				110.12				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				110.12				
	Length/ m (2D)	---				Emission is				Sound power level (Lw)				
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST											
Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST												
Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden	-		0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	110.1		1.00		0.00250		-36.81		-36.8		
	Evening (4h)	4.00	Evening	110.1		1.00		0.00080		-36.99		-37.0		
	Night (8h)	8.00	Night	110.1		1.00		0.00140		-37.57		-37.6		
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
		Geometry:			662489.40		255686.03		284.00		175.00			