

Vēja parks "Pīrikuļi" A alternatīva - Vestas V172 - 7.2 MW

Point source /CNOSSO (324)														Variant 0
EQCN001	Label		O2				Action radius/m				3000.00			
	Group		3 m/s				Lw (Day (12h)) /dB(A)				97.82			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				97.82			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				97.82			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 3 m/s ST											
	Day (12h)	Lw /dB (A)	97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7	
	Night (8h)	Emission	Reference: Vestas V172 3 m/s ST											
	Night (8h)	Lw /dB (A)	97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7	
	Evening (4h)	Emission	Reference: Vestas V172 3 m/s ST											
	Evening (4h)	Lw /dB (A)	97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	97.8		1.00		0.95750		-10.98		-11.0	
	Evening (4h)		4.00	Evening	97.8		1.00		0.19480		-13.12		-13.1	
	Night (8h)		8.00	Night	97.8		1.00		0.35530		-13.52		-13.5	
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m
			Geometry:					655899.72		249092.09		279.27		175.00
EQCN002	Label		O3				Action radius/m				3000.00			
	Group		3 m/s				Lw (Day (12h)) /dB(A)				97.82			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				97.82			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				97.82			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 3 m/s ST											
	Day (12h)	Lw /dB (A)	97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7	
	Night (8h)	Emission	Reference: Vestas V172 3 m/s ST											
	Night (8h)	Lw /dB (A)	97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7	
	Evening (4h)	Emission	Reference: Vestas V172 3 m/s ST											
	Evening (4h)	Lw /dB (A)	97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	97.8		1.00		0.95750		-10.98		-11.0	
	Evening (4h)		4.00	Evening	97.8		1.00		0.19480		-13.12		-13.1	
	Night (8h)		8.00	Night	97.8		1.00		0.35530		-13.52		-13.5	
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m
			Geometry:					656055.72		248760.81		279.00		175.00
EQCN003	Label		O5				Action radius/m				3000.00			
	Group		3 m/s				Lw (Day (12h)) /dB(A)				97.82			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				97.82			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				97.82			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 3 m/s ST												
	Day (12h)	Lw /dB (A)	97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7		
	Night (8h)	Emission	Reference: Vestas V172 3 m/s ST												
	Night (8h)	Lw /dB (A)	97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7		
	Evening (4h)	Emission	Reference: Vestas V172 3 m/s ST												
	Evening (4h)	Lw /dB (A)	97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	97.8		1.00		0.95750		-10.98		-11.0		
	Evening (4h)		4.00	Evening	97.8		1.00		0.19480		-13.12		-13.1		
	Night (8h)		8.00	Night	97.8		1.00		0.35530		-13.52		-13.5		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		656292.16		247880.94		279.00		175.00	
EQCN004	Label		O4			Action radius/m			3000.00						
	Group		3 m/s			Lw (Day (12h)) /dB(A)			97.82						
	Number of nodes		1			Lw (Night (8h)) /dB(A)			97.82						
	Length/ m		---			Lw (Evening (4h)) /dB(A)			97.82						
	Length/ m (2D)		---			Emission is			Sound power level (Lw)						
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 3 m/s ST												
	Day (12h)	Lw /dB (A)	97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7		
	Night (8h)	Emission	Reference: Vestas V172 3 m/s ST												
	Night (8h)	Lw /dB (A)	97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7		
	Evening (4h)	Emission	Reference: Vestas V172 3 m/s ST												
	Evening (4h)	Lw /dB (A)	97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	97.8		1.00		0.95750		-10.98		-11.0		
	Evening (4h)		4.00	Evening	97.8		1.00		0.19480		-13.12		-13.1		
	Night (8h)		8.00	Night	97.8		1.00		0.35530		-13.52		-13.5		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		655674.43		248309.07		278.00		175.00	
EQCN005	Label		DD1			Action radius/m			3000.00						
	Group		3 m/s			Lw (Day (12h)) /dB(A)			97.82						
	Number of nodes		1			Lw (Night (8h)) /dB(A)			97.82						
	Length/ m		---			Lw (Evening (4h)) /dB(A)			97.82						
	Length/ m (2D)		---			Emission is			Sound power level (Lw)						
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 3 m/s ST												
	Day (12h)	Lw /dB (A)	97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7		
	Night (8h)	Emission	Reference: Vestas V172 3 m/s ST												
	Night (8h)	Lw /dB (A)	97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7		

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Evening (4h)	Emission	Reference: Vestas V172 3 m/s ST											
	Evening (4h)	Lw /dB (A)	97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	97.8		1.00		0.95750		-10.98		-11.0	
	Evening (4h)		4.00	Evening	97.8		1.00		0.19480		-13.12		-13.1	
	Night (8h)		8.00	Night	97.8		1.00		0.35530		-13.52		-13.5	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:			656226.07		248421.71		278.00		175.00		
EQCN006	Label		DD3				Action radius/m				3000.00			
	Group		3 m/s				Lw (Day (12h)) /dB(A)				97.82			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				97.82			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				97.82			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 3 m/s ST											
	Day (12h)	Lw /dB (A)	97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7	
	Night (8h)	Emission	Reference: Vestas V172 3 m/s ST											
	Night (8h)	Lw /dB (A)	97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7	
	Evening (4h)	Emission	Reference: Vestas V172 3 m/s ST											
	Evening (4h)	Lw /dB (A)	97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	97.8		1.00		0.95750		-10.98		-11.0	
	Evening (4h)		4.00	Evening	97.8		1.00		0.19480		-13.12		-13.1	
	Night (8h)		8.00	Night	97.8		1.00		0.35530		-13.52		-13.5	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:			656792.54		248209.39		279.20		175.00		
EQCN007	Label		O1.b				Action radius/m				3000.00			
	Group		3 m/s				Lw (Day (12h)) /dB(A)				97.82			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				97.82			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				97.82			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 3 m/s ST											
	Day (12h)	Lw /dB (A)	97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7	
	Night (8h)	Emission	Reference: Vestas V172 3 m/s ST											
	Night (8h)	Lw /dB (A)	97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7	
	Evening (4h)	Emission	Reference: Vestas V172 3 m/s ST											
	Evening (4h)	Lw /dB (A)	97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	

--	--	--	--	--

Vēja parks "Pīrikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Number of nodes		1				Lw (Night (8h)) /dB(A)				97.82				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				97.82				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 3 m/s ST												
	Day (12h)	Lw /dB (A)	97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7		
	Night (8h)	Emission	Reference: Vestas V172 3 m/s ST												
	Night (8h)	Lw /dB (A)	97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7		
	Evening (4h)	Emission	Reference: Vestas V172 3 m/s ST												
	Evening (4h)	Lw /dB (A)	97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	97.8		1.00		0.95750		-10.98		-11.0		
	Evening (4h)		4.00	Evening	97.8		1.00		0.19480		-13.12		-13.1		
	Night (8h)		8.00	Night	97.8		1.00		0.35530		-13.52		-13.5		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		659724.06		256257.39		278.09		175.00	
EQCN011	Label		Pr11				Action radius/m				3000.00				
	Group		3 m/s				Lw (Day (12h)) /dB(A)				97.82				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				97.82				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				97.82				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 3 m/s ST												
	Day (12h)	Lw /dB (A)	97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7		
	Night (8h)	Emission	Reference: Vestas V172 3 m/s ST												
	Night (8h)	Lw /dB (A)	97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7		
	Evening (4h)	Emission	Reference: Vestas V172 3 m/s ST												
	Evening (4h)	Lw /dB (A)	97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	97.8		1.00		0.95750		-10.98		-11.0		
	Evening (4h)		4.00	Evening	97.8		1.00		0.19480		-13.12		-13.1		
	Night (8h)		8.00	Night	97.8		1.00		0.35530		-13.52		-13.5		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		660296.51		255945.28		279.00		175.00	
EQCN012	Label		AP2				Action radius/m				3000.00				
	Group		3 m/s				Lw (Day (12h)) /dB(A)				97.82				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				97.82				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				97.82				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 3 m/s ST												
	Day (12h)	Lw /dB (A)	97.8	34.7	53.7	69.1	79.4	84.8	87.7	88.0	84.9	78.3	68.3		

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

				41.3 47.5	59.4 64.5	73.2 76.6	81.7 83.5	86.0 86.9	88.2 88.3	87.4 86.3	83.1 80.9	78.3 72.0	64.2 59.7	
	Night (8h)	Emission	Reference: Vestas V172 3 m/s ST											
	Night (8h)	Lw /dB (A)	97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7	
	Evening (4h)	Emission	Reference: Vestas V172 3 m/s ST											
	Evening (4h)	Lw /dB (A)	97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	97.8		1.00		0.95750		-10.98		-11.0	
	Evening (4h)		4.00	Evening	97.8		1.00		0.19480		-13.12		-13.1	
	Night (8h)		8.00	Night	97.8		1.00		0.35530		-13.52		-13.5	
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m
						Geometry:		661860.19		254894.20		282.00		175.00
EQCN013	Label		AP6.1				Action radius/m				3000.00			
	Group		3 m/s				Lw (Day (12h)) /dB(A)				97.82			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				97.82			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				97.82			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 3 m/s ST											
	Day (12h)	Lw /dB (A)	97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7	
	Night (8h)	Emission	Reference: Vestas V172 3 m/s ST											
	Night (8h)	Lw /dB (A)	97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7	
	Evening (4h)	Emission	Reference: Vestas V172 3 m/s ST											
	Evening (4h)	Lw /dB (A)	97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	97.8		1.00		0.95750		-10.98		-11.0	
	Evening (4h)		4.00	Evening	97.8		1.00		0.19480		-13.12		-13.1	
	Night (8h)		8.00	Night	97.8		1.00		0.35530		-13.52		-13.5	
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m
						Geometry:		661549.21		255141.18		282.00		175.00
EQCN014	Label		JU1				Action radius/m				3000.00			
	Group		3 m/s				Lw (Day (12h)) /dB(A)				97.82			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				97.82			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				97.82			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 3 m/s ST											
	Day (12h)	Lw /dB (A)	97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7	
	Night (8h)	Emission	Reference: Vestas V172 3 m/s ST											
	Night (8h)	Lw /dB (A)	97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7	
	Evening (4h)	Emission	Reference: Vestas V172 3 m/s ST											
	Evening (4h)	Lw /dB (A)	97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7	

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB			Special correction /dB		
	Lden		-		0.0		0.0		0.0			0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	97.8		1.00		0.95750		-10.98		-11.0	
	Evening (4h)		4.00	Evening	97.8		1.00		0.19480		-13.12		-13.1	
	Night (8h)		8.00	Night	97.8		1.00		0.35530		-13.52		-13.5	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		661068.17		255365.14		281.00		175.00	
EQCN015	Label		Pr25				Action radius/m				3000.00			
	Group		3 m/s				Lw (Day (12h)) /dB(A)				97.82			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				97.82			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				97.82			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 3 m/s ST											
	Day (12h)	Lw /dB (A)	97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7	
	Night (8h)	Emission	Reference: Vestas V172 3 m/s ST											
	Night (8h)	Lw /dB (A)	97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7	
	Evening (4h)	Emission	Reference: Vestas V172 3 m/s ST											
	Evening (4h)	Lw /dB (A)	97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB			Special correction /dB		
	Lden		-		0.0		0.0		0.0			0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	97.8		1.00		0.95750		-10.98		-11.0	
	Evening (4h)		4.00	Evening	97.8		1.00		0.19480		-13.12		-13.1	
	Night (8h)		8.00	Night	97.8		1.00		0.35530		-13.52		-13.5	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		662047.55		256166.20		283.00		175.00	
EQCN016	Label		Pr3a				Action radius/m				3000.00			
	Group		3 m/s				Lw (Day (12h)) /dB(A)				97.82			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				97.82			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				97.82			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 3 m/s ST											
	Day (12h)	Lw /dB (A)	97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7	
	Night (8h)	Emission	Reference: Vestas V172 3 m/s ST											
	Night (8h)	Lw /dB (A)	97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7	
	Evening (4h)	Emission	Reference: Vestas V172 3 m/s ST											
	Evening (4h)	Lw /dB (A)	97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB			Special correction /dB		
	Lden		-		0.0		0.0		0.0			0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	97.8		1.00		0.95750		-10.98		-11.0	
	Evening (4h)		4.00	Evening	97.8		1.00		0.19480		-13.12		-13.1	
	Night (8h)		8.00	Night	97.8		1.00		0.35530		-13.52		-13.5	

Vēja parks "Pīrikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Geometry		Nr				x/m		y/m		z(abs) /m		! z(rel) /m			
			Geometry:				662202.01		255681.90		284.00		175.00			
EQCN017	Label		PrRR3				Action radius/m				3000.00					
	Group		3 m/s				Lw (Day (12h)) /dB(A)				97.82					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				97.82					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				97.82					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)		Emission	Reference: Vestas V172 3 m/s ST												
	Day (12h)		Lw /dB (A)	97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7		
	Night (8h)		Emission	Reference: Vestas V172 3 m/s ST												
Night (8h)		Lw /dB (A)	97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7			
Evening (4h)		Emission	Reference: Vestas V172 3 m/s ST													
Evening (4h)		Lw /dB (A)	97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7			
Rating method			Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
Lden					-		0.0		0.0		0.0		-		0.0	
Rating period / Period			Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
Day (12h)			12.00	Day	97.8		1.00		0.95750		-10.98		-11.0			
Evening (4h)			4.00	Evening	97.8		1.00		0.19480		-13.12		-13.1			
Night (8h)			8.00	Night	97.8		1.00		0.35530		-13.52		-13.5			
Geometry							Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:				662676.13		256121.38		284.00		175.00			
EQCN018	Label		P19.2b				Action radius/m				3000.00					
	Group		3 m/s				Lw (Day (12h)) /dB(A)				97.82					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				97.82					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				97.82					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)		Emission	Reference: Vestas V172 3 m/s ST												
	Day (12h)		Lw /dB (A)	97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7		
	Night (8h)		Emission	Reference: Vestas V172 3 m/s ST												
Night (8h)		Lw /dB (A)	97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7			
Evening (4h)		Emission	Reference: Vestas V172 3 m/s ST													
Evening (4h)		Lw /dB (A)	97.8	34.7 41.3 47.5	53.7 59.4 64.5	69.1 73.2 76.6	79.4 81.7 83.5	84.8 86.0 86.9	87.7 88.2 88.3	88.0 87.4 86.3	84.9 83.1 80.9	78.3 78.3 72.0	68.3 64.2 59.7			
Rating method			Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
Lden					-		0.0		0.0		0.0		-		0.0	
Rating period / Period			Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
Day (12h)			12.00	Day	97.8		1.00		0.95750		-10.98		-11.0			
Evening (4h)			4.00	Evening	97.8		1.00		0.19480		-13.12		-13.1			
Night (8h)			8.00	Night	97.8		1.00		0.35530		-13.52		-13.5			
Geometry							Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:				656671.82		247343.93		280.00		175.00			
EQCN091	Label		O2*				Action radius/m				3000.00					
	Group		4 m/s				Lw (Day (12h)) /dB(A)				97.80					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				97.80					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				97.80					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					

Vēja parks "Pīkuļi" A alternatīva - Vestas V172 - 7.2 MW

	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 4 m/s ST												
	Day (12h)	Lw /dB (A)	97.8	33.9 40.6 46.8	53.1 58.9 64.1	68.7 72.8 76.3	79.2 81.6 83.4	84.7 86.0 86.9	87.7 88.2 88.3	88.1 87.4 86.4	84.9 83.1 80.9	78.3 75.3 71.9	68.2 64.1 59.5		
	Night (8h)	Emission	Reference: Vestas V172 4 m/s ST												
	Night (8h)	Lw /dB (A)	97.8	33.9 40.6 46.8	53.1 58.9 64.1	68.7 72.8 76.3	79.2 81.6 83.4	84.7 86.0 86.9	87.7 88.2 88.3	88.1 87.4 86.4	84.9 83.1 80.9	78.3 75.3 71.9	68.2 64.1 59.5		
	Evening (4h)	Emission	Reference: Vestas V172 4 m/s ST												
	Evening (4h)	Lw /dB (A)	97.8	33.9 40.6 46.8	53.1 58.9 64.1	68.7 72.8 76.3	79.2 81.6 83.4	84.7 86.0 86.9	87.7 88.2 88.3	88.1 87.4 86.4	84.9 83.1 80.9	78.3 75.3 71.9	68.2 64.1 59.5		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	97.8		1.00		1.10470		-10.36		-10.4		
	Evening (4h)		4.00	Evening	97.8		1.00		0.26680		-11.76		-11.8		
	Night (8h)		8.00	Night	97.8		1.00		0.51780		-11.89		-11.9		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		655899.72		249092.09		279.27		175.00	
EQCN092	Label		O3*				Action radius/m				3000.00				
	Group		4 m/s				Lw (Day (12h)) /dB(A)				97.80				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				97.80				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				97.80				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 4 m/s ST												
	Day (12h)	Lw /dB (A)	97.8	33.9 40.6 46.8	53.1 58.9 64.1	68.7 72.8 76.3	79.2 81.6 83.4	84.7 86.0 86.9	87.7 88.2 88.3	88.1 87.4 86.4	84.9 83.1 80.9	78.3 75.3 71.9	68.2 64.1 59.5		
	Night (8h)	Emission	Reference: Vestas V172 4 m/s ST												
	Night (8h)	Lw /dB (A)	97.8	33.9 40.6 46.8	53.1 58.9 64.1	68.7 72.8 76.3	79.2 81.6 83.4	84.7 86.0 86.9	87.7 88.2 88.3	88.1 87.4 86.4	84.9 83.1 80.9	78.3 75.3 71.9	68.2 64.1 59.5		
	Evening (4h)	Emission	Reference: Vestas V172 4 m/s ST												
	Evening (4h)	Lw /dB (A)	97.8	33.9 40.6 46.8	53.1 58.9 64.1	68.7 72.8 76.3	79.2 81.6 83.4	84.7 86.0 86.9	87.7 88.2 88.3	88.1 87.4 86.4	84.9 83.1 80.9	78.3 75.3 71.9	68.2 64.1 59.5		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	97.8		1.00		1.10470		-10.36		-10.4		
	Evening (4h)		4.00	Evening	97.8		1.00		0.26680		-11.76		-11.8		
	Night (8h)		8.00	Night	97.8		1.00		0.51780		-11.89		-11.9		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		656055.72		248760.81		279.00		175.00	
EQCN093	Label		O5*				Action radius/m				3000.00				
	Group		4 m/s				Lw (Day (12h)) /dB(A)				97.80				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				97.80				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				97.80				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 4 m/s ST												
	Day (12h)	Lw /dB (A)	97.8	33.9 40.6 46.8	53.1 58.9 64.1	68.7 72.8 76.3	79.2 81.6 83.4	84.7 86.0 86.9	87.7 88.2 88.3	88.1 87.4 86.4	84.9 83.1 80.9	78.3 75.3 71.9	68.2 64.1 59.5		
	Night (8h)	Emission	Reference: Vestas V172 4 m/s ST												
	Night (8h)	Lw /dB (A)	97.8	33.9 40.6	53.1 58.9	68.7 72.8	79.2 81.6	84.7 86.0	87.7 88.2	88.1 87.4	84.9 83.1	78.3 75.3	68.2 64.1		

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

				46.8	64.1	76.3	83.4	86.9	88.3	86.4	80.9	71.9	59.5	
	Evening (4h)	Emission	Reference: Vestas V172 4 m/s ST											
	Evening (4h)	Lw /dB (A)	97.8	33.9 40.6 46.8	53.1 58.9 64.1	68.7 72.8 76.3	79.2 81.6 83.4	84.7 86.0 86.9	87.7 88.2 88.3	88.1 87.4 86.4	84.9 83.1 80.9	78.3 75.3 71.9	68.2 64.1 59.5	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	97.8		1.00		1.10470		-10.36		-10.4	
	Evening (4h)		4.00	Evening	97.8		1.00		0.26680		-11.76		-11.8	
	Night (8h)		8.00	Night	97.8		1.00		0.51780		-11.89		-11.9	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:	656292.16		247880.94		279.00		175.00	
EQCN094	Label		O4*				Action radius/m				3000.00			
	Group		4 m/s				Lw (Day (12h)) /dB(A)				97.80			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				97.80			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				97.80			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 4 m/s ST											
	Day (12h)	Lw /dB (A)	97.8	33.9 40.6 46.8	53.1 58.9 64.1	68.7 72.8 76.3	79.2 81.6 83.4	84.7 86.0 86.9	87.7 88.2 88.3	88.1 87.4 86.4	84.9 83.1 80.9	78.3 75.3 71.9	68.2 64.1 59.5	
	Night (8h)	Emission	Reference: Vestas V172 4 m/s ST											
	Night (8h)	Lw /dB (A)	97.8	33.9 40.6 46.8	53.1 58.9 64.1	68.7 72.8 76.3	79.2 81.6 83.4	84.7 86.0 86.9	87.7 88.2 88.3	88.1 87.4 86.4	84.9 83.1 80.9	78.3 75.3 71.9	68.2 64.1 59.5	
	Evening (4h)	Emission	Reference: Vestas V172 4 m/s ST											
	Evening (4h)	Lw /dB (A)	97.8	33.9 40.6 46.8	53.1 58.9 64.1	68.7 72.8 76.3	79.2 81.6 83.4	84.7 86.0 86.9	87.7 88.2 88.3	88.1 87.4 86.4	84.9 83.1 80.9	78.3 75.3 71.9	68.2 64.1 59.5	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	97.8		1.00		1.10470		-10.36		-10.4	
	Evening (4h)		4.00	Evening	97.8		1.00		0.26680		-11.76		-11.8	
	Night (8h)		8.00	Night	97.8		1.00		0.51780		-11.89		-11.9	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:	655674.43		248309.07		278.00		175.00	
EQCN095	Label		DD1*				Action radius/m				3000.00			
	Group		4 m/s				Lw (Day (12h)) /dB(A)				97.80			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				97.80			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				97.80			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 4 m/s ST											
	Day (12h)	Lw /dB (A)	97.8	33.9 40.6 46.8	53.1 58.9 64.1	68.7 72.8 76.3	79.2 81.6 83.4	84.7 86.0 86.9	87.7 88.2 88.3	88.1 87.4 86.4	84.9 83.1 80.9	78.3 75.3 71.9	68.2 64.1 59.5	
	Night (8h)	Emission	Reference: Vestas V172 4 m/s ST											
	Night (8h)	Lw /dB (A)	97.8	33.9 40.6 46.8	53.1 58.9 64.1	68.7 72.8 76.3	79.2 81.6 83.4	84.7 86.0 86.9	87.7 88.2 88.3	88.1 87.4 86.4	84.9 83.1 80.9	78.3 75.3 71.9	68.2 64.1 59.5	
	Evening (4h)	Emission	Reference: Vestas V172 4 m/s ST											
	Evening (4h)	Lw /dB (A)	97.8	33.9 40.6 46.8	53.1 58.9 64.1	68.7 72.8 76.3	79.2 81.6 83.4	84.7 86.0 86.9	87.7 88.2 88.3	88.1 87.4 86.4	84.9 83.1 80.9	78.3 75.3 71.9	68.2 64.1 59.5	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	97.8		1.00		1.10470		-10.36		-10.4		
	Evening (4h)		4.00	Evening	97.8		1.00		0.26680		-11.76		-11.8		
	Night (8h)		8.00	Night	97.8		1.00		0.51780		-11.89		-11.9		
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
						Geometry:		656226.07		248421.71		278.00		175.00	
EQCN096	Label		DD3*				Action radius/m				3000.00				
	Group		4 m/s				Lw (Day (12h)) /dB(A)				97.80				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				97.80				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				97.80				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 4 m/s ST												
	Day (12h)	Lw /dB (A)	97.8	33.9 40.6 46.8	53.1 58.9 64.1	68.7 72.8 76.3	79.2 81.6 83.4	84.7 86.0 86.9	87.7 88.2 88.3	88.1 87.4 86.4	84.9 83.1 80.9	78.3 75.3 71.9	68.2 64.1 59.5		
	Night (8h)	Emission	Reference: Vestas V172 4 m/s ST												
	Night (8h)	Lw /dB (A)	97.8	33.9 40.6 46.8	53.1 58.9 64.1	68.7 72.8 76.3	79.2 81.6 83.4	84.7 86.0 86.9	87.7 88.2 88.3	88.1 87.4 86.4	84.9 83.1 80.9	78.3 75.3 71.9	68.2 64.1 59.5		
	Evening (4h)	Emission	Reference: Vestas V172 4 m/s ST												
	Evening (4h)	Lw /dB (A)	97.8	33.9 40.6 46.8	53.1 58.9 64.1	68.7 72.8 76.3	79.2 81.6 83.4	84.7 86.0 86.9	87.7 88.2 88.3	88.1 87.4 86.4	84.9 83.1 80.9	78.3 75.3 71.9	68.2 64.1 59.5		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	97.8		1.00		1.10470		-10.36		-10.4		
	Evening (4h)		4.00	Evening	97.8		1.00		0.26680		-11.76		-11.8		
	Night (8h)		8.00	Night	97.8		1.00		0.51780		-11.89		-11.9		
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
						Geometry:		656792.54		248209.39		279.20		175.00	
EQCN097	Label		O1.b*				Action radius/m				3000.00				
	Group		4 m/s				Lw (Day (12h)) /dB(A)				97.80				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				97.80				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				97.80				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 4 m/s ST												
	Day (12h)	Lw /dB (A)	97.8	33.9 40.6 46.8	53.1 58.9 64.1	68.7 72.8 76.3	79.2 81.6 83.4	84.7 86.0 86.9	87.7 88.2 88.3	88.1 87.4 86.4	84.9 83.1 80.9	78.3 75.3 71.9	68.2 64.1 59.5		
	Night (8h)	Emission	Reference: Vestas V172 4 m/s ST												
	Night (8h)	Lw /dB (A)	97.8	33.9 40.6 46.8	53.1 58.9 64.1	68.7 72.8 76.3	79.2 81.6 83.4	84.7 86.0 86.9	87.7 88.2 88.3	88.1 87.4 86.4	84.9 83.1 80.9	78.3 75.3 71.9	68.2 64.1 59.5		
	Evening (4h)	Emission	Reference: Vestas V172 4 m/s ST												
	Evening (4h)	Lw /dB (A)	97.8	33.9 40.6 46.8	53.1 58.9 64.1	68.7 72.8 76.3	79.2 81.6 83.4	84.7 86.0 86.9	87.7 88.2 88.3	88.1 87.4 86.4	84.9 83.1 80.9	78.3 75.3 71.9	68.2 64.1 59.5		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	97.8		1.00		1.10470		-10.36		-10.4		
	Evening (4h)		4.00	Evening	97.8		1.00		0.26680		-11.76		-11.8		
	Night (8h)		8.00	Night	97.8		1.00		0.51780		-11.89		-11.9		
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
						Geometry:		655628.52		247870.27		278.00		175.00	

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

EQCN098	Label		JV1*				Action radius/m				3000.00				
	Group		4 m/s				Lw (Day (12h)) /dB(A)				97.80				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				97.80				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				97.80				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 4 m/s ST												
	Day (12h)	Lw /dB (A)	97.8	33.9 40.6 46.8	53.1 58.9 64.1	68.7 72.8 76.3	79.2 81.6 83.4	84.7 86.0 86.9	87.7 88.2 88.3	88.1 87.4 86.4	84.9 83.1 80.9	78.3 75.3 71.9	68.2 64.1 59.5		
	Night (8h)	Emission	Reference: Vestas V172 4 m/s ST												
	Night (8h)	Lw /dB (A)	97.8	33.9 40.6 46.8	53.1 58.9 64.1	68.7 72.8 76.3	79.2 81.6 83.4	84.7 86.0 86.9	87.7 88.2 88.3	88.1 87.4 86.4	84.9 83.1 80.9	78.3 75.3 71.9	68.2 64.1 59.5		
	Evening (4h)	Emission	Reference: Vestas V172 4 m/s ST												
	Evening (4h)	Lw /dB (A)	97.8	33.9 40.6 46.8	53.1 58.9 64.1	68.7 72.8 76.3	79.2 81.6 83.4	84.7 86.0 86.9	87.7 88.2 88.3	88.1 87.4 86.4	84.9 83.1 80.9	78.3 75.3 71.9	68.2 64.1 59.5		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	97.8		1.00		1.10470		-10.36		-10.4		
	Evening (4h)		4.00	Evening	97.8		1.00		0.26680		-11.76		-11.8		
	Night (8h)		8.00	Night	97.8		1.00		0.51780		-11.89		-11.9		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		656086.43		247254.47		279.00		175.00	
EQCN099	Label		Pr12*				Action radius/m				3000.00				
	Group		4 m/s				Lw (Day (12h)) /dB(A)				97.80				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				97.80				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				97.80				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 4 m/s ST												
	Day (12h)	Lw /dB (A)	97.8	33.9 40.6 46.8	53.1 58.9 64.1	68.7 72.8 76.3	79.2 81.6 83.4	84.7 86.0 86.9	87.7 88.2 88.3	88.1 87.4 86.4	84.9 83.1 80.9	78.3 75.3 71.9	68.2 64.1 59.5		
	Night (8h)	Emission	Reference: Vestas V172 4 m/s ST												
	Night (8h)	Lw /dB (A)	97.8	33.9 40.6 46.8	53.1 58.9 64.1	68.7 72.8 76.3	79.2 81.6 83.4	84.7 86.0 86.9	87.7 88.2 88.3	88.1 87.4 86.4	84.9 83.1 80.9	78.3 75.3 71.9	68.2 64.1 59.5		
	Evening (4h)	Emission	Reference: Vestas V172 4 m/s ST												
	Evening (4h)	Lw /dB (A)	97.8	33.9 40.6 46.8	53.1 58.9 64.1	68.7 72.8 76.3	79.2 81.6 83.4	84.7 86.0 86.9	87.7 88.2 88.3	88.1 87.4 86.4	84.9 83.1 80.9	78.3 75.3 71.9	68.2 64.1 59.5		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	97.8		1.00		1.10470		-10.36		-10.4		
	Evening (4h)		4.00	Evening	97.8		1.00		0.26680		-11.76		-11.8		
	Night (8h)		8.00	Night	97.8		1.00		0.51780		-11.89		-11.9		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		659850.41		255599.51		281.00		175.00	
EQCN100	Label		O6*				Action radius/m				3000.00				
	Group		4 m/s				Lw (Day (12h)) /dB(A)				97.80				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				97.80				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				97.80				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		

	Day (12h)	Emission	Reference: Vestas V172 4 m/s ST											
	Day (12h)	Lw /dB (A)	97.8	33.9 40.6 46.8	53.1 58.9 64.1	68.7 72.8 76.3	79.2 81.6 83.4	84.7 86.0 86.9	87.7 88.2 88.3	88.1 87.4 86.4	84.9 83.1 80.9	78.3 75.3 71.9	68.2 64.1 59.5	
	Night (8h)	Emission	Reference: Vestas V172 4 m/s ST											
	Night (8h)	Lw /dB (A)	97.8	33.9 40.6 46.8	53.1 58.9 64.1	68.7 72.8 76.3	79.2 81.6 83.4	84.7 86.0 86.9	87.7 88.2 88.3	88.1 87.4 86.4	84.9 83.1 80.9	78.3 75.3 71.9	68.2 64.1 59.5	
	Evening (4h)	Emission	Reference: Vestas V172 4 m/s ST											
	Evening (4h)	Lw /dB (A)	97.8	33.9 40.6 46.8	53.1 58.9 64.1	68.7 72.8 76.3	79.2 81.6 83.4	84.7 86.0 86.9	87.7 88.2 88.3	88.1 87.4 86.4	84.9 83.1 80.9	78.3 75.3 71.9	68.2 64.1 59.5	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	97.8		1.00		1.10470		-10.36		-10.4	
	Evening (4h)		4.00	Evening	97.8		1.00		0.26680		-11.76		-11.8	
	Night (8h)		8.00	Night	97.8		1.00		0.51780		-11.89		-11.9	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:	659724.06		256257.39		278.09		175.00	
EQCN101	Label		Pr11*				Action radius/m				3000.00			
	Group		4 m/s				Lw (Day (12h)) /dB(A)				97.80			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				97.80			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				97.80			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 4 m/s ST											
	Day (12h)	Lw /dB (A)	97.8	33.9 40.6 46.8	53.1 58.9 64.1	68.7 72.8 76.3	79.2 81.6 83.4	84.7 86.0 86.9	87.7 88.2 88.3	88.1 87.4 86.4	84.9 83.1 80.9	78.3 75.3 71.9	68.2 64.1 59.5	
	Night (8h)	Emission	Reference: Vestas V172 4 m/s ST											
	Night (8h)	Lw /dB (A)	97.8	33.9 40.6 46.8	53.1 58.9 64.1	68.7 72.8 76.3	79.2 81.6 83.4	84.7 86.0 86.9	87.7 88.2 88.3	88.1 87.4 86.4	84.9 83.1 80.9	78.3 75.3 71.9	68.2 64.1 59.5	
	Evening (4h)	Emission	Reference: Vestas V172 4 m/s ST											
	Evening (4h)	Lw /dB (A)	97.8	33.9 40.6 46.8	53.1 58.9 64.1	68.7 72.8 76.3	79.2 81.6 83.4	84.7 86.0 86.9	87.7 88.2 88.3	88.1 87.4 86.4	84.9 83.1 80.9	78.3 75.3 71.9	68.2 64.1 59.5	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	97.8		1.00		1.10470		-10.36		-10.4	
	Evening (4h)		4.00	Evening	97.8		1.00		0.26680		-11.76		-11.8	
	Night (8h)		8.00	Night	97.8		1.00		0.51780		-11.89		-11.9	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:	660296.51		255945.28		279.00		175.00	
EQCN102	Label		AP2*				Action radius/m				3000.00			
	Group		4 m/s				Lw (Day (12h)) /dB(A)				97.80			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				97.80			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				97.80			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Evening (4h)	Lw /dB (A)	97.8	33.9 40.6 46.8	53.1 58.9 64.1	68.7 72.8 76.3	79.2 81.6 83.4	84.7 86.0 86.9	87.7 88.2 88.3	88.1 87.4 86.4	84.9 83.1 80.9	78.3 75.3 71.9	68.2 64.1 59.5	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	97.8		1.00		1.10470		-10.36		-10.4	
	Evening (4h)		4.00	Evening	97.8		1.00		0.26680		-11.76		-11.8	
	Night (8h)		8.00	Night	97.8		1.00		0.51780		-11.89		-11.9	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:	661860.19		254894.20		282.00		175.00	
EQCN103	Label		AP6.1*				Action radius/m				3000.00			
	Group		4 m/s				Lw (Day (12h)) /dB(A)				97.80			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				97.80			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				97.80			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 4 m/s ST											
	Day (12h)	Lw /dB (A)	97.8	33.9 40.6 46.8	53.1 58.9 64.1	68.7 72.8 76.3	79.2 81.6 83.4	84.7 86.0 86.9	87.7 88.2 88.3	88.1 87.4 86.4	84.9 83.1 80.9	78.3 75.3 71.9	68.2 64.1 59.5	
	Night (8h)	Emission	Reference: Vestas V172 4 m/s ST											
	Night (8h)	Lw /dB (A)	97.8	33.9 40.6 46.8	53.1 58.9 64.1	68.7 72.8 76.3	79.2 81.6 83.4	84.7 86.0 86.9	87.7 88.2 88.3	88.1 87.4 86.4	84.9 83.1 80.9	78.3 75.3 71.9	68.2 64.1 59.5	
	Evening (4h)	Emission	Reference: Vestas V172 4 m/s ST											
	Evening (4h)	Lw /dB (A)	97.8	33.9 40.6 46.8	53.1 58.9 64.1	68.7 72.8 76.3	79.2 81.6 83.4	84.7 86.0 86.9	87.7 88.2 88.3	88.1 87.4 86.4	84.9 83.1 80.9	78.3 75.3 71.9	68.2 64.1 59.5	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	97.8		1.00		1.10470		-10.36		-10.4	
	Evening (4h)		4.00	Evening	97.8		1.00		0.26680		-11.76		-11.8	
	Night (8h)		8.00	Night	97.8		1.00		0.51780		-11.89		-11.9	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:	661549.21		255141.18		282.00		175.00	
EQCN104	Label		JU1*				Action radius/m				3000.00			
	Group		4 m/s				Lw (Day (12h)) /dB(A)				97.80			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				97.80			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				97.80			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 4 m/s ST											
	Day (12h)	Lw /dB (A)	97.8	33.9 40.6 46.8	53.1 58.9 64.1	68.7 72.8 76.3	79.2 81.6 83.4	84.7 86.0 86.9	87.7 88.2 88.3	88.1 87.4 86.4	84.9 83.1 80.9	78.3 75.3 71.9	68.2 64.1 59.5	
	Night (8h)	Emission	Reference: Vestas V172 4 m/s ST											
	Night (8h)	Lw /dB (A)	97.8	33.9 40.6 46.8	53.1 58.9 64.1	68.7 72.8 76.3	79.2 81.6 83.4	84.7 86.0 86.9	87.7 88.2 88.3	88.1 87.4 86.4	84.9 83.1 80.9	78.3 75.3 71.9	68.2 64.1 59.5	
	Evening (4h)	Emission	Reference: Vestas V172 4 m/s ST											
	Evening (4h)	Lw /dB (A)	97.8	33.9 40.6 46.8	53.1 58.9 64.1	68.7 72.8 76.3	79.2 81.6 83.4	84.7 86.0 86.9	87.7 88.2 88.3	88.1 87.4 86.4	84.9 83.1 80.9	78.3 75.3 71.9	68.2 64.1 59.5	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	97.8		1.00		1.10470		-10.36		-10.4	

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Evening (4h)	4.00	Evening	97.8	1.00	0.26680	-11.76	-11.8					
	Night (8h)	8.00	Night	97.8	1.00	0.51780	-11.89	-11.9					
	Geometry	Nr			x/m	y/m	z(abs) /m	! z(rel) /m					
		Geometry:			661068.17	255365.14	281.00	175.00					
EQCN105	Label	Pr25*			Action radius/m			3000.00					
	Group	4 m/s			Lw (Day (12h)) /dB(A)			97.80					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			97.80					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			97.80					
	Length/ m (2D)	---			Emission is			Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 4 m/s ST										
Day (12h)	Lw /dB (A)	97.8	33.9 40.6 46.8	53.1 58.9 64.1	68.7 72.8 76.3	79.2 81.6 83.4	84.7 86.0 86.9	87.7 88.2 88.3	88.1 87.4 86.4	84.9 83.1 80.9	78.3 75.3 71.9	68.2 64.1 59.5	
Night (8h)	Emission	Reference: Vestas V172 4 m/s ST											
Night (8h)	Lw /dB (A)	97.8	33.9 40.6 46.8	53.1 58.9 64.1	68.7 72.8 76.3	79.2 81.6 83.4	84.7 86.0 86.9	87.7 88.2 88.3	88.1 87.4 86.4	84.9 83.1 80.9	78.3 75.3 71.9	68.2 64.1 59.5	
Evening (4h)	Emission	Reference: Vestas V172 4 m/s ST											
Evening (4h)	Lw /dB (A)	97.8	33.9 40.6 46.8	53.1 58.9 64.1	68.7 72.8 76.3	79.2 81.6 83.4	84.7 86.0 86.9	87.7 88.2 88.3	88.1 87.4 86.4	84.9 83.1 80.9	78.3 75.3 71.9	68.2 64.1 59.5	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden	-		0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	97.8		1.00		1.10470		-10.36		-10.4	
	Evening (4h)	4.00	Evening	97.8		1.00		0.26680		-11.76		-11.8	
	Night (8h)	8.00	Night	97.8		1.00		0.51780		-11.89		-11.9	
	Geometry	Nr			x/m	y/m	z(abs) /m	! z(rel) /m					
		Geometry:			662047.55	256166.20	283.00	175.00					
EQCN106	Label	Pr3a*			Action radius/m			3000.00					
	Group	4 m/s			Lw (Day (12h)) /dB(A)			97.80					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			97.80					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			97.80					
	Length/ m (2D)	---			Emission is			Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 4 m/s ST										
Day (12h)	Lw /dB (A)	97.8	33.9 40.6 46.8	53.1 58.9 64.1	68.7 72.8 76.3	79.2 81.6 83.4	84.7 86.0 86.9	87.7 88.2 88.3	88.1 87.4 86.4	84.9 83.1 80.9	78.3 75.3 71.9	68.2 64.1 59.5	
Night (8h)	Emission	Reference: Vestas V172 4 m/s ST											
Night (8h)	Lw /dB (A)	97.8	33.9 40.6 46.8	53.1 58.9 64.1	68.7 72.8 76.3	79.2 81.6 83.4	84.7 86.0 86.9	87.7 88.2 88.3	88.1 87.4 86.4	84.9 83.1 80.9	78.3 75.3 71.9	68.2 64.1 59.5	
Evening (4h)	Emission	Reference: Vestas V172 4 m/s ST											
Evening (4h)	Lw /dB (A)	97.8	33.9 40.6 46.8	53.1 58.9 64.1	68.7 72.8 76.3	79.2 81.6 83.4	84.7 86.0 86.9	87.7 88.2 88.3	88.1 87.4 86.4	84.9 83.1 80.9	78.3 75.3 71.9	68.2 64.1 59.5	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden	-		0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	97.8		1.00		1.10470		-10.36		-10.4	
	Evening (4h)	4.00	Evening	97.8		1.00		0.26680		-11.76		-11.8	
	Night (8h)	8.00	Night	97.8		1.00		0.51780		-11.89		-11.9	
	Geometry	Nr			x/m	y/m	z(abs) /m	! z(rel) /m					
		Geometry:			662202.01	255681.90	284.00	175.00					
EQCN107	Label	PrRR3*			Action radius/m			3000.00					
	Group	4 m/s			Lw (Day (12h)) /dB(A)			97.80					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			97.80					

Vēja parks "Pīrikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Length/ m		---				Lw (Evening (4h)) /dB(A)				97.80				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 4 m/s ST												
	Day (12h)	Lw /dB (A)	97.8	33.9 40.6 46.8	53.1 58.9 64.1	68.7 72.8 76.3	79.2 81.6 83.4	84.7 86.0 86.9	87.7 88.2 88.3	88.1 87.4 86.4	84.9 83.1 80.9	78.3 75.3 71.9	68.2 64.1 59.5		
	Night (8h)	Emission	Reference: Vestas V172 4 m/s ST												
	Night (8h)	Lw /dB (A)	97.8	33.9 40.6 46.8	53.1 58.9 64.1	68.7 72.8 76.3	79.2 81.6 83.4	84.7 86.0 86.9	87.7 88.2 88.3	88.1 87.4 86.4	84.9 83.1 80.9	78.3 75.3 71.9	68.2 64.1 59.5		
	Evening (4h)	Emission	Reference: Vestas V172 4 m/s ST												
	Evening (4h)	Lw /dB (A)	97.8	33.9 40.6 46.8	53.1 58.9 64.1	68.7 72.8 76.3	79.2 81.6 83.4	84.7 86.0 86.9	87.7 88.2 88.3	88.1 87.4 86.4	84.9 83.1 80.9	78.3 75.3 71.9	68.2 64.1 59.5		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	97.8		1.00		1.10470		-10.36		-10.4		
	Evening (4h)		4.00	Evening	97.8		1.00		0.26680		-11.76		-11.8		
	Night (8h)		8.00	Night	97.8		1.00		0.51780		-11.89		-11.9		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		662676.13		256121.38		284.00		175.00	
EQCN108	Label		P19.2b*				Action radius/m				3000.00				
	Group		4 m/s				Lw (Day (12h)) /dB(A)				97.80				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				97.80				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				97.80				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 4 m/s ST												
	Day (12h)	Lw /dB (A)	97.8	33.9 40.6 46.8	53.1 58.9 64.1	68.7 72.8 76.3	79.2 81.6 83.4	84.7 86.0 86.9	87.7 88.2 88.3	88.1 87.4 86.4	84.9 83.1 80.9	78.3 75.3 71.9	68.2 64.1 59.5		
	Night (8h)	Emission	Reference: Vestas V172 4 m/s ST												
	Night (8h)	Lw /dB (A)	97.8	33.9 40.6 46.8	53.1 58.9 64.1	68.7 72.8 76.3	79.2 81.6 83.4	84.7 86.0 86.9	87.7 88.2 88.3	88.1 87.4 86.4	84.9 83.1 80.9	78.3 75.3 71.9	68.2 64.1 59.5		
	Evening (4h)	Emission	Reference: Vestas V172 4 m/s ST												
	Evening (4h)	Lw /dB (A)	97.8	33.9 40.6 46.8	53.1 58.9 64.1	68.7 72.8 76.3	79.2 81.6 83.4	84.7 86.0 86.9	87.7 88.2 88.3	88.1 87.4 86.4	84.9 83.1 80.9	78.3 75.3 71.9	68.2 64.1 59.5		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	97.8		1.00		1.10470		-10.36		-10.4		
	Evening (4h)		4.00	Evening	97.8		1.00		0.26680		-11.76		-11.8		
	Night (8h)		8.00	Night	97.8		1.00		0.51780		-11.89		-11.9		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		656671.82		247343.93		280.00		175.00	
EQCN109	Label		O2**				Action radius/m				3000.00				
	Group		5 m/s				Lw (Day (12h)) /dB(A)				98.39				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				98.39				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				98.39				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 5 m/s ST												
	Day (12h)	Lw /dB (A)	98.4	34.5 41.2 47.5	53.8 59.6 64.8	69.5 73.6 77.1	80.0 82.3 84.1	85.4 86.7 87.5	88.4 88.9 89.0	88.6 87.9 86.8	85.4 83.5 81.2	78.6 75.5 72.1	68.3 64.0 59.4		

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Night (8h)	Emission	Reference: Vestas V172 5 m/s ST											
	Night (8h)	Lw /dB (A)	98.4	34.5 41.2 47.5	53.8 59.6 64.8	69.5 73.6 77.1	80.0 82.3 84.1	85.4 86.7 87.5	88.4 88.9 89.0	88.6 87.9 86.8	85.4 83.5 81.2	78.6 75.5 72.1	68.3 64.0 59.4	
	Evening (4h)	Emission	Reference: Vestas V172 5 m/s ST											
	Evening (4h)	Lw /dB (A)	98.4	34.5 41.2 47.5	53.8 59.6 64.8	69.5 73.6 77.1	80.0 82.3 84.1	85.4 86.7 87.5	88.4 88.9 89.0	88.6 87.9 86.8	85.4 83.5 81.2	78.6 75.5 72.1	68.3 64.0 59.4	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	98.4		1.00		1.32210		-9.58		-9.6	
	Evening (4h)		4.00	Evening	98.4		1.00		0.34710		-10.62		-10.6	
	Night (8h)		8.00	Night	98.4		1.00		0.63860		-10.98		-11.0	
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m
						Geometry:		655899.72		249092.09		279.27		175.00
EQCN110	Label		O3**				Action radius/m				3000.00			
	Group		5 m/s				Lw (Day (12h)) /dB(A)				98.39			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				98.39			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				98.39			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 5 m/s ST											
	Day (12h)	Lw /dB (A)	98.4	34.5 41.2 47.5	53.8 59.6 64.8	69.5 73.6 77.1	80.0 82.3 84.1	85.4 86.7 87.5	88.4 88.9 89.0	88.6 87.9 86.8	85.4 83.5 81.2	78.6 75.5 72.1	68.3 64.0 59.4	
	Night (8h)	Emission	Reference: Vestas V172 5 m/s ST											
	Night (8h)	Lw /dB (A)	98.4	34.5 41.2 47.5	53.8 59.6 64.8	69.5 73.6 77.1	80.0 82.3 84.1	85.4 86.7 87.5	88.4 88.9 89.0	88.6 87.9 86.8	85.4 83.5 81.2	78.6 75.5 72.1	68.3 64.0 59.4	
	Evening (4h)	Emission	Reference: Vestas V172 5 m/s ST											
	Evening (4h)	Lw /dB (A)	98.4	34.5 41.2 47.5	53.8 59.6 64.8	69.5 73.6 77.1	80.0 82.3 84.1	85.4 86.7 87.5	88.4 88.9 89.0	88.6 87.9 86.8	85.4 83.5 81.2	78.6 75.5 72.1	68.3 64.0 59.4	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	98.4		1.00		1.32210		-9.58		-9.6	
	Evening (4h)		4.00	Evening	98.4		1.00		0.34710		-10.62		-10.6	
	Night (8h)		8.00	Night	98.4		1.00		0.63860		-10.98		-11.0	
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m
						Geometry:		656055.72		248760.81		279.00		175.00
EQCN111	Label		O5**				Action radius/m				3000.00			
	Group		5 m/s				Lw (Day (12h)) /dB(A)				98.39			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				98.39			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				98.39			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 5 m/s ST											
	Day (12h)	Lw /dB (A)	98.4	34.5 41.2 47.5	53.8 59.6 64.8	69.5 73.6 77.1	80.0 82.3 84.1	85.4 86.7 87.5	88.4 88.9 89.0	88.6 87.9 86.8	85.4 83.5 81.2	78.6 75.5 72.1	68.3 64.0 59.4	
	Night (8h)	Emission	Reference: Vestas V172 5 m/s ST											
	Night (8h)	Lw /dB (A)	98.4	34.5 41.2 47.5	53.8 59.6 64.8	69.5 73.6 77.1	80.0 82.3 84.1	85.4 86.7 87.5	88.4 88.9 89.0	88.6 87.9 86.8	85.4 83.5 81.2	78.6 75.5 72.1	68.3 64.0 59.4	
	Evening (4h)	Emission	Reference: Vestas V172 5 m/s ST											
	Evening (4h)	Lw /dB (A)	98.4	34.5 41.2 47.5	53.8 59.6 64.8	69.5 73.6 77.1	80.0 82.3 84.1	85.4 86.7 87.5	88.4 88.9 89.0	88.6 87.9 86.8	85.4 83.5 81.2	78.6 75.5 72.1	68.3 64.0 59.4	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	98.4		1.00		1.32210		-9.58		-9.6		
	Evening (4h)		4.00	Evening	98.4		1.00		0.34710		-10.62		-10.6		
	Night (8h)		8.00	Night	98.4		1.00		0.63860		-10.98		-11.0		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		656292.16		247880.94		279.00		175.00	
EQCN112	Label		O4**				Action radius/m				3000.00				
	Group		5 m/s				Lw (Day (12h)) /dB(A)				98.39				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				98.39				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				98.39				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 5 m/s ST												
	Day (12h)	Lw /dB (A)	98.4	34.5 41.2 47.5	53.8 59.6 64.8	69.5 73.6 77.1	80.0 82.3 84.1	85.4 86.7 87.5	88.4 88.9 89.0	88.6 87.9 86.8	85.4 83.5 81.2	78.6 75.5 72.1	68.3 64.0 59.4		
	Night (8h)	Emission	Reference: Vestas V172 5 m/s ST												
	Night (8h)	Lw /dB (A)	98.4	34.5 41.2 47.5	53.8 59.6 64.8	69.5 73.6 77.1	80.0 82.3 84.1	85.4 86.7 87.5	88.4 88.9 89.0	88.6 87.9 86.8	85.4 83.5 81.2	78.6 75.5 72.1	68.3 64.0 59.4		
	Evening (4h)	Emission	Reference: Vestas V172 5 m/s ST												
	Evening (4h)	Lw /dB (A)	98.4	34.5 41.2 47.5	53.8 59.6 64.8	69.5 73.6 77.1	80.0 82.3 84.1	85.4 86.7 87.5	88.4 88.9 89.0	88.6 87.9 86.8	85.4 83.5 81.2	78.6 75.5 72.1	68.3 64.0 59.4		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	98.4		1.00		1.32210		-9.58		-9.6		
	Evening (4h)		4.00	Evening	98.4		1.00		0.34710		-10.62		-10.6		
	Night (8h)		8.00	Night	98.4		1.00		0.63860		-10.98		-11.0		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		655674.43		248309.07		278.00		175.00	
EQCN113	Label		DD1**				Action radius/m				3000.00				
	Group		5 m/s				Lw (Day (12h)) /dB(A)				98.39				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				98.39				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				98.39				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 5 m/s ST												
	Day (12h)	Lw /dB (A)	98.4	34.5 41.2 47.5	53.8 59.6 64.8	69.5 73.6 77.1	80.0 82.3 84.1	85.4 86.7 87.5	88.4 88.9 89.0	88.6 87.9 86.8	85.4 83.5 81.2	78.6 75.5 72.1	68.3 64.0 59.4		
	Night (8h)	Emission	Reference: Vestas V172 5 m/s ST												
	Night (8h)	Lw /dB (A)	98.4	34.5 41.2 47.5	53.8 59.6 64.8	69.5 73.6 77.1	80.0 82.3 84.1	85.4 86.7 87.5	88.4 88.9 89.0	88.6 87.9 86.8	85.4 83.5 81.2	78.6 75.5 72.1	68.3 64.0 59.4		
	Evening (4h)	Emission	Reference: Vestas V172 5 m/s ST												
	Evening (4h)	Lw /dB (A)	98.4	34.5 41.2 47.5	53.8 59.6 64.8	69.5 73.6 77.1	80.0 82.3 84.1	85.4 86.7 87.5	88.4 88.9 89.0	88.6 87.9 86.8	85.4 83.5 81.2	78.6 75.5 72.1	68.3 64.0 59.4		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	98.4		1.00		1.32210		-9.58		-9.6		
	Evening (4h)		4.00	Evening	98.4		1.00		0.34710		-10.62		-10.6		
	Night (8h)		8.00	Night	98.4		1.00		0.63860		-10.98		-11.0		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	

Vēja parks "Pīrikuļi" A alternatīva - Vestas V172 - 7.2 MW

		Geometry:				656226.07	248421.71	278.00	175.00					
EQCN114	Label	DD3**				Action radius/m				3000.00				
	Group	5 m/s				Lw (Day (12h)) /dB(A)				98.39				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				98.39				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				98.39				
	Length/ m (2D)	---				Emission is				Sound power level (Lw)				
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 5 m/s ST											
	Day (12h)	Lw /dB (A)	98.4	34.5 41.2 47.5	53.8 59.6 64.8	69.5 73.6 77.1	80.0 82.3 84.1	85.4 86.7 87.5	88.4 88.9 89.0	88.6 87.9 86.8	85.4 83.5 81.2	78.6 75.5 72.1	68.3 64.0 59.4	
	Night (8h)	Emission	Reference: Vestas V172 5 m/s ST											
	Night (8h)	Lw /dB (A)	98.4	34.5 41.2 47.5	53.8 59.6 64.8	69.5 73.6 77.1	80.0 82.3 84.1	85.4 86.7 87.5	88.4 88.9 89.0	88.6 87.9 86.8	85.4 83.5 81.2	78.6 75.5 72.1	68.3 64.0 59.4	
	Evening (4h)	Emission	Reference: Vestas V172 5 m/s ST											
	Evening (4h)	Lw /dB (A)	98.4	34.5 41.2 47.5	53.8 59.6 64.8	69.5 73.6 77.1	80.0 82.3 84.1	85.4 86.7 87.5	88.4 88.9 89.0	88.6 87.9 86.8	85.4 83.5 81.2	78.6 75.5 72.1	68.3 64.0 59.4	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden	-		0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	98.4		1.00		1.32210		-9.58		-9.6		
	Evening (4h)	4.00	Evening	98.4		1.00		0.34710		-10.62		-10.6		
	Night (8h)	8.00	Night	98.4		1.00		0.63860		-10.98		-11.0		
	Geometry				Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
		Geometry:				656792.54	248209.39	279.20	175.00					
EQCN115	Label	O1.b**				Action radius/m				3000.00				
	Group	5 m/s				Lw (Day (12h)) /dB(A)				98.39				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				98.39				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				98.39				
	Length/ m (2D)	---				Emission is				Sound power level (Lw)				
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 5 m/s ST											
	Day (12h)	Lw /dB (A)	98.4	34.5 41.2 47.5	53.8 59.6 64.8	69.5 73.6 77.1	80.0 82.3 84.1	85.4 86.7 87.5	88.4 88.9 89.0	88.6 87.9 86.8	85.4 83.5 81.2	78.6 75.5 72.1	68.3 64.0 59.4	
	Night (8h)	Emission	Reference: Vestas V172 5 m/s ST											
	Night (8h)	Lw /dB (A)	98.4	34.5 41.2 47.5	53.8 59.6 64.8	69.5 73.6 77.1	80.0 82.3 84.1	85.4 86.7 87.5	88.4 88.9 89.0	88.6 87.9 86.8	85.4 83.5 81.2	78.6 75.5 72.1	68.3 64.0 59.4	
	Evening (4h)	Emission	Reference: Vestas V172 5 m/s ST											
	Evening (4h)	Lw /dB (A)	98.4	34.5 41.2 47.5	53.8 59.6 64.8	69.5 73.6 77.1	80.0 82.3 84.1	85.4 86.7 87.5	88.4 88.9 89.0	88.6 87.9 86.8	85.4 83.5 81.2	78.6 75.5 72.1	68.3 64.0 59.4	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden	-		0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	98.4		1.00		1.32210		-9.58		-9.6		
	Evening (4h)	4.00	Evening	98.4		1.00		0.34710		-10.62		-10.6		
	Night (8h)	8.00	Night	98.4		1.00		0.63860		-10.98		-11.0		
	Geometry				Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
		Geometry:				655628.52	247870.27	278.00	175.00					
EQCN116	Label	JV1**				Action radius/m				3000.00				
	Group	5 m/s				Lw (Day (12h)) /dB(A)				98.39				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				98.39				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				98.39				
	Length/ m (2D)	---				Emission is				Sound power level (Lw)				
	Area /m²	---												

Vēja parks "Pīrikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 5 m/s ST												
	Day (12h)	Lw /dB (A)	98.4	34.5 41.2 47.5	53.8 59.6 64.8	69.5 73.6 77.1	80.0 82.3 84.1	85.4 86.7 87.5	88.4 88.9 89.0	88.6 87.9 86.8	85.4 83.5 81.2	78.6 75.5 72.1	68.3 64.0 59.4		
	Night (8h)	Emission	Reference: Vestas V172 5 m/s ST												
	Night (8h)	Lw /dB (A)	98.4	34.5 41.2 47.5	53.8 59.6 64.8	69.5 73.6 77.1	80.0 82.3 84.1	85.4 86.7 87.5	88.4 88.9 89.0	88.6 87.9 86.8	85.4 83.5 81.2	78.6 75.5 72.1	68.3 64.0 59.4		
	Evening (4h)	Emission	Reference: Vestas V172 5 m/s ST												
	Evening (4h)	Lw /dB (A)	98.4	34.5 41.2 47.5	53.8 59.6 64.8	69.5 73.6 77.1	80.0 82.3 84.1	85.4 86.7 87.5	88.4 88.9 89.0	88.6 87.9 86.8	85.4 83.5 81.2	78.6 75.5 72.1	68.3 64.0 59.4		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	98.4		1.00		1.32210		-9.58		-9.6		
	Evening (4h)		4.00	Evening	98.4		1.00		0.34710		-10.62		-10.6		
	Night (8h)		8.00	Night	98.4		1.00		0.63860		-10.98		-11.0		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		656086.43		247254.47		279.00		175.00	
EQCN117	Label		Pr12**				Action radius/m				3000.00				
	Group		5 m/s				Lw (Day (12h)) /dB(A)				98.39				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				98.39				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				98.39				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 5 m/s ST												
	Day (12h)	Lw /dB (A)	98.4	34.5 41.2 47.5	53.8 59.6 64.8	69.5 73.6 77.1	80.0 82.3 84.1	85.4 86.7 87.5	88.4 88.9 89.0	88.6 87.9 86.8	85.4 83.5 81.2	78.6 75.5 72.1	68.3 64.0 59.4		
	Night (8h)	Emission	Reference: Vestas V172 5 m/s ST												
	Night (8h)	Lw /dB (A)	98.4	34.5 41.2 47.5	53.8 59.6 64.8	69.5 73.6 77.1	80.0 82.3 84.1	85.4 86.7 87.5	88.4 88.9 89.0	88.6 87.9 86.8	85.4 83.5 81.2	78.6 75.5 72.1	68.3 64.0 59.4		
	Evening (4h)	Emission	Reference: Vestas V172 5 m/s ST												
	Evening (4h)	Lw /dB (A)	98.4	34.5 41.2 47.5	53.8 59.6 64.8	69.5 73.6 77.1	80.0 82.3 84.1	85.4 86.7 87.5	88.4 88.9 89.0	88.6 87.9 86.8	85.4 83.5 81.2	78.6 75.5 72.1	68.3 64.0 59.4		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	98.4		1.00		1.32210		-9.58		-9.6		
	Evening (4h)		4.00	Evening	98.4		1.00		0.34710		-10.62		-10.6		
	Night (8h)		8.00	Night	98.4		1.00		0.63860		-10.98		-11.0		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		659850.41		255599.51		281.00		175.00	
EQCN118	Label		O6**				Action radius/m				3000.00				
	Group		5 m/s				Lw (Day (12h)) /dB(A)				98.39				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				98.39				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				98.39				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 5 m/s ST												
	Day (12h)	Lw /dB (A)	98.4	34.5 41.2 47.5	53.8 59.6 64.8	69.5 73.6 77.1	80.0 82.3 84.1	85.4 86.7 87.5	88.4 88.9 89.0	88.6 87.9 86.8	85.4 83.5 81.2	78.6 75.5 72.1	68.3 64.0 59.4		
	Night (8h)	Emission	Reference: Vestas V172 5 m/s ST												
	Night (8h)	Lw /dB (A)	98.4	34.5 41.2 47.5	53.8 59.6 64.8	69.5 73.6 77.1	80.0 82.3 84.1	85.4 86.7 87.5	88.4 88.9 89.0	88.6 87.9 86.8	85.4 83.5 81.2	78.6 75.5 72.1	68.3 64.0 59.4		

Vēja parks "Pīrikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Evening (4h)	Emission	Reference: Vestas V172 5 m/s ST												
	Evening (4h)	Lw /dB (A)	98.4	34.5 41.2 47.5	53.8 59.6 64.8	69.5 73.6 77.1	80.0 82.3 84.1	85.4 86.7 87.5	88.4 88.9 89.0	88.6 87.9 86.8	85.4 83.5 81.2	78.6 75.5 72.1	68.3 64.0 59.4		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	98.4		1.00		1.32210		-9.58		-9.6		
	Evening (4h)		4.00	Evening	98.4		1.00		0.34710		-10.62		-10.6		
	Night (8h)		8.00	Night	98.4		1.00		0.63860		-10.98		-11.0		
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
			Geometry:			659724.06		256257.39		278.09		175.00			
EQCN119	Label		Pr11**					Action radius/m					3000.00		
	Group		5 m/s					Lw (Day (12h)) /dB(A)					98.39		
	Number of nodes		1					Lw (Night (8h)) /dB(A)					98.39		
	Length/ m		---					Lw (Evening (4h)) /dB(A)					98.39		
	Length/ m (2D)		---					Emission is					Sound power level (Lw)		
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 5 m/s ST												
	Day (12h)	Lw /dB (A)	98.4	34.5 41.2 47.5	53.8 59.6 64.8	69.5 73.6 77.1	80.0 82.3 84.1	85.4 86.7 87.5	88.4 88.9 89.0	88.6 87.9 86.8	85.4 83.5 81.2	78.6 75.5 72.1	68.3 64.0 59.4		
	Night (8h)	Emission	Reference: Vestas V172 5 m/s ST												
	Night (8h)	Lw /dB (A)	98.4	34.5 41.2 47.5	53.8 59.6 64.8	69.5 73.6 77.1	80.0 82.3 84.1	85.4 86.7 87.5	88.4 88.9 89.0	88.6 87.9 86.8	85.4 83.5 81.2	78.6 75.5 72.1	68.3 64.0 59.4		
	Evening (4h)	Emission	Reference: Vestas V172 5 m/s ST												
	Evening (4h)	Lw /dB (A)	98.4	34.5 41.2 47.5	53.8 59.6 64.8	69.5 73.6 77.1	80.0 82.3 84.1	85.4 86.7 87.5	88.4 88.9 89.0	88.6 87.9 86.8	85.4 83.5 81.2	78.6 75.5 72.1	68.3 64.0 59.4		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	98.4		1.00		1.32210		-9.58		-9.6		
	Evening (4h)		4.00	Evening	98.4		1.00		0.34710		-10.62		-10.6		
	Night (8h)		8.00	Night	98.4		1.00		0.63860		-10.98		-11.0		
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
			Geometry:			660296.51		255945.28		279.00		175.00			
EQCN120	Label		AP2**					Action radius/m					3000.00		
	Group		5 m/s					Lw (Day (12h)) /dB(A)					98.39		
	Number of nodes		1					Lw (Night (8h)) /dB(A)					98.39		
	Length/ m		---					Lw (Evening (4h)) /dB(A)					98.39		
	Length/ m (2D)		---					Emission is					Sound power level (Lw)		
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 5 m/s ST												
	Day (12h)	Lw /dB (A)	98.4	34.5 41.2 47.5	53.8 59.6 64.8	69.5 73.6 77.1	80.0 82.3 84.1	85.4 86.7 87.5	88.4 88.9 89.0	88.6 87.9 86.8	85.4 83.5 81.2	78.6 75.5 72.1	68.3 64.0 59.4		
	Night (8h)	Emission	Reference: Vestas V172 5 m/s ST												
	Night (8h)	Lw /dB (A)	98.4	34.5 41.2 47.5	53.8 59.6 64.8	69.5 73.6 77.1	80.0 82.3 84.1	85.4 86.7 87.5	88.4 88.9 89.0	88.6 87.9 86.8	85.4 83.5 81.2	78.6 75.5 72.1	68.3 64.0 59.4		
	Evening (4h)	Emission	Reference: Vestas V172 5 m/s ST												
	Evening (4h)	Lw /dB (A)	98.4	34.5 41.2 47.5	53.8 59.6 64.8	69.5 73.6 77.1	80.0 82.3 84.1	85.4 86.7 87.5	88.4 88.9 89.0	88.6 87.9 86.8	85.4 83.5 81.2	78.6 75.5 72.1	68.3 64.0 59.4		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		

--	--	--	--	--

Vēja parks "Pīrikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Number of nodes		1				Lw (Night (8h)) /dB(A)				98.39				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				98.39				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 5 m/s ST												
	Day (12h)	Lw /dB (A)	98.4	34.5 41.2 47.5	53.8 59.6 64.8	69.5 73.6 77.1	80.0 82.3 84.1	85.4 86.7 87.5	88.4 88.9 89.0	88.6 87.9 86.8	85.4 83.5 81.2	78.6 75.5 72.1	68.3 64.0 59.4		
	Night (8h)	Emission	Reference: Vestas V172 5 m/s ST												
	Night (8h)	Lw /dB (A)	98.4	34.5 41.2 47.5	53.8 59.6 64.8	69.5 73.6 77.1	80.0 82.3 84.1	85.4 86.7 87.5	88.4 88.9 89.0	88.6 87.9 86.8	85.4 83.5 81.2	78.6 75.5 72.1	68.3 64.0 59.4		
	Evening (4h)	Emission	Reference: Vestas V172 5 m/s ST												
	Evening (4h)	Lw /dB (A)	98.4	34.5 41.2 47.5	53.8 59.6 64.8	69.5 73.6 77.1	80.0 82.3 84.1	85.4 86.7 87.5	88.4 88.9 89.0	88.6 87.9 86.8	85.4 83.5 81.2	78.6 75.5 72.1	68.3 64.0 59.4		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	98.4		1.00		1.32210		-9.58		-9.6		
	Evening (4h)		4.00	Evening	98.4		1.00		0.34710		-10.62		-10.6		
	Night (8h)		8.00	Night	98.4		1.00		0.63860		-10.98		-11.0		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		662047.55		256166.20		283.00		175.00	
EQCN124	Label		Pr3a**				Action radius/m				3000.00				
	Group		5 m/s				Lw (Day (12h)) /dB(A)				98.39				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				98.39				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				98.39				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 5 m/s ST												
	Day (12h)	Lw /dB (A)	98.4	34.5 41.2 47.5	53.8 59.6 64.8	69.5 73.6 77.1	80.0 82.3 84.1	85.4 86.7 87.5	88.4 88.9 89.0	88.6 87.9 86.8	85.4 83.5 81.2	78.6 75.5 72.1	68.3 64.0 59.4		
	Night (8h)	Emission	Reference: Vestas V172 5 m/s ST												
	Night (8h)	Lw /dB (A)	98.4	34.5 41.2 47.5	53.8 59.6 64.8	69.5 73.6 77.1	80.0 82.3 84.1	85.4 86.7 87.5	88.4 88.9 89.0	88.6 87.9 86.8	85.4 83.5 81.2	78.6 75.5 72.1	68.3 64.0 59.4		
	Evening (4h)	Emission	Reference: Vestas V172 5 m/s ST												
	Evening (4h)	Lw /dB (A)	98.4	34.5 41.2 47.5	53.8 59.6 64.8	69.5 73.6 77.1	80.0 82.3 84.1	85.4 86.7 87.5	88.4 88.9 89.0	88.6 87.9 86.8	85.4 83.5 81.2	78.6 75.5 72.1	68.3 64.0 59.4		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	98.4		1.00		1.32210		-9.58		-9.6		
	Evening (4h)		4.00	Evening	98.4		1.00		0.34710		-10.62		-10.6		
	Night (8h)		8.00	Night	98.4		1.00		0.63860		-10.98		-11.0		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		662202.01		255681.90		284.00		175.00	
EQCN125	Label		PrRR3**				Action radius/m				3000.00				
	Group		5 m/s				Lw (Day (12h)) /dB(A)				98.39				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				98.39				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				98.39				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 5 m/s ST												
	Day (12h)	Lw /dB (A)	98.4	34.5	53.8	69.5	80.0	85.4	88.4	88.6	85.4	78.6	68.3		

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

				41.2 47.5	59.6 64.8	73.6 77.1	82.3 84.1	86.7 87.5	88.9 89.0	87.9 86.8	83.5 81.2	75.5 72.1	64.0 59.4		
	Night (8h)	Emission	Reference: Vestas V172 5 m/s ST												
	Night (8h)	Lw /dB (A)	98.4	34.5 41.2 47.5	53.8 59.6 64.8	69.5 73.6 77.1	80.0 82.3 84.1	85.4 86.7 87.5	88.4 88.9 89.0	88.6 87.9 86.8	85.4 83.5 81.2	78.6 75.5 72.1	68.3 64.0 59.4		
	Evening (4h)	Emission	Reference: Vestas V172 5 m/s ST												
	Evening (4h)	Lw /dB (A)	98.4	34.5 41.2 47.5	53.8 59.6 64.8	69.5 73.6 77.1	80.0 82.3 84.1	85.4 86.7 87.5	88.4 88.9 89.0	88.6 87.9 86.8	85.4 83.5 81.2	78.6 75.5 72.1	68.3 64.0 59.4		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	98.4		1.00		1.32210		-9.58		-9.6		
	Evening (4h)		4.00	Evening	98.4		1.00		0.34710		-10.62		-10.6		
	Night (8h)		8.00	Night	98.4		1.00		0.63860		-10.98		-11.0		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		662676.13		256121.38		284.00		175.00	
EQCN126	Label		P19.2b**					Action radius/m					3000.00		
	Group		5 m/s					Lw (Day (12h)) /dB(A)					98.39		
	Number of nodes		1					Lw (Night (8h)) /dB(A)					98.39		
	Length/ m		---					Lw (Evening (4h)) /dB(A)					98.39		
	Length/ m (2D)		---					Emission is					Sound power level (Lw)		
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 5 m/s ST												
	Day (12h)	Lw /dB (A)	98.4	34.5 41.2 47.5	53.8 59.6 64.8	69.5 73.6 77.1	80.0 82.3 84.1	85.4 86.7 87.5	88.4 88.9 89.0	88.6 87.9 86.8	85.4 83.5 81.2	78.6 75.5 72.1	68.3 64.0 59.4		
	Night (8h)	Emission	Reference: Vestas V172 5 m/s ST												
	Night (8h)	Lw /dB (A)	98.4	34.5 41.2 47.5	53.8 59.6 64.8	69.5 73.6 77.1	80.0 82.3 84.1	85.4 86.7 87.5	88.4 88.9 89.0	88.6 87.9 86.8	85.4 83.5 81.2	78.6 75.5 72.1	68.3 64.0 59.4		
	Evening (4h)	Emission	Reference: Vestas V172 5 m/s ST												
	Evening (4h)	Lw /dB (A)	98.4	34.5 41.2 47.5	53.8 59.6 64.8	69.5 73.6 77.1	80.0 82.3 84.1	85.4 86.7 87.5	88.4 88.9 89.0	88.6 87.9 86.8	85.4 83.5 81.2	78.6 75.5 72.1	68.3 64.0 59.4		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	98.4		1.00		1.32210		-9.58		-9.6		
	Evening (4h)		4.00	Evening	98.4		1.00		0.34710		-10.62		-10.6		
	Night (8h)		8.00	Night	98.4		1.00		0.63860		-10.98		-11.0		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		656671.82		247343.93		280.00		175.00	
EQCN127	Label		O2***					Action radius/m					3000.00		
	Group		6 m/s					Lw (Day (12h)) /dB(A)					101.80		
	Number of nodes		1					Lw (Night (8h)) /dB(A)					101.80		
	Length/ m		---					Lw (Evening (4h)) /dB(A)					101.80		
	Length/ m (2D)		---					Emission is					Sound power level (Lw)		
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 6 m/s ST												
	Day (12h)	Lw /dB (A)	101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1		
	Night (8h)	Emission	Reference: Vestas V172 6 m/s ST												
	Night (8h)	Lw /dB (A)	101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1		
	Evening (4h)	Emission	Reference: Vestas V172 6 m/s ST												
	Evening (4h)	Lw /dB (A)	101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1		

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB			Special correction /dB		
	Lden		-		0.0		0.0		0.0			-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	101.8		1.00		1.36470		-9.44		-9.4	
	Evening (4h)		4.00	Evening	101.8		1.00		0.40880		-9.91		-9.9	
	Night (8h)		8.00	Night	101.8		1.00		0.75370		-10.26		-10.3	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		655899.72		249092.09		279.27		175.00	
EQCN128	Label		O3***				Action radius/m				3000.00			
	Group		6 m/s				Lw (Day (12h)) /dB(A)				101.80			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				101.80			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				101.80			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 6 m/s ST											
	Day (12h)	Lw /dB (A)	101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1	
	Night (8h)	Emission	Reference: Vestas V172 6 m/s ST											
	Night (8h)	Lw /dB (A)	101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1	
	Evening (4h)	Emission	Reference: Vestas V172 6 m/s ST											
	Evening (4h)	Lw /dB (A)	101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB			Special correction /dB		
	Lden		-		0.0		0.0		0.0			-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	101.8		1.00		1.36470		-9.44		-9.4	
	Evening (4h)		4.00	Evening	101.8		1.00		0.40880		-9.91		-9.9	
	Night (8h)		8.00	Night	101.8		1.00		0.75370		-10.26		-10.3	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		656055.72		248760.81		279.00		175.00	
EQCN129	Label		O5***				Action radius/m				3000.00			
	Group		6 m/s				Lw (Day (12h)) /dB(A)				101.80			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				101.80			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				101.80			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 6 m/s ST											
	Day (12h)	Lw /dB (A)	101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1	
	Night (8h)	Emission	Reference: Vestas V172 6 m/s ST											
	Night (8h)	Lw /dB (A)	101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1	
	Evening (4h)	Emission	Reference: Vestas V172 6 m/s ST											
	Evening (4h)	Lw /dB (A)	101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB			Special correction /dB		
	Lden		-		0.0		0.0		0.0			-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	101.8		1.00		1.36470		-9.44		-9.4	
	Evening (4h)		4.00	Evening	101.8		1.00		0.40880		-9.91		-9.9	
	Night (8h)		8.00	Night	101.8		1.00		0.75370		-10.26		-10.3	

	Geometry						Nr	x/m			y/m			z(abs) /m		! z(rel) /m			
							Geometry:			656292.16			247880.94			279.00		175.00	
EQCN130	Label			O4***						Action radius/m			3000.00						
	Group			6 m/s						Lw (Day (12h)) /dB(A)			101.80						
	Number of nodes			1						Lw (Night (8h)) /dB(A)			101.80						
	Length/ m			---						Lw (Evening (4h)) /dB(A)			101.80						
	Length/ m (2D)			---						Emission is			Sound power level (Lw)						
	Area /m²			---															
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz					
	Day (12h)		Emission	Reference: Vestas V172 6 m/s ST															
	Day (12h)		Lw /dB (A)	101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1					
	Night (8h)		Emission	Reference: Vestas V172 6 m/s ST															
	Night (8h)		Lw /dB (A)	101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1					
	Evening (4h)		Emission	Reference: Vestas V172 6 m/s ST															
	Evening (4h)		Lw /dB (A)	101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1					
	Rating method			Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB					
	Lden			-		0.0		0.0		0.0		-		0.0					
	Rating period / Period			Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)					
	Day (12h)			12.00	Day	101.8		1.00		1.36470		-9.44		-9.4					
	Evening (4h)			4.00	Evening	101.8		1.00		0.40880		-9.91		-9.9					
	Night (8h)			8.00	Night	101.8		1.00		0.75370		-10.26		-10.3					
	Geometry						Nr	x/m			y/m			z(abs) /m		! z(rel) /m			
							Geometry:			655674.43			248309.07			278.00		175.00	
EQCN131	Label			DD1***						Action radius/m			3000.00						
	Group			6 m/s						Lw (Day (12h)) /dB(A)			101.80						
	Number of nodes			1						Lw (Night (8h)) /dB(A)			101.80						
	Length/ m			---						Lw (Evening (4h)) /dB(A)			101.80						
	Length/ m (2D)			---						Emission is			Sound power level (Lw)						
	Area /m²			---															
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz					
	Day (12h)		Emission	Reference: Vestas V172 6 m/s ST															
	Day (12h)		Lw /dB (A)	101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1					
	Night (8h)		Emission	Reference: Vestas V172 6 m/s ST															
	Night (8h)		Lw /dB (A)	101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1					
	Evening (4h)		Emission	Reference: Vestas V172 6 m/s ST															
	Evening (4h)		Lw /dB (A)	101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1					
	Rating method			Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB					
	Lden			-		0.0		0.0		0.0		-		0.0					
	Rating period / Period			Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)					
	Day (12h)			12.00	Day	101.8		1.00		1.36470		-9.44		-9.4					
	Evening (4h)			4.00	Evening	101.8		1.00		0.40880		-9.91		-9.9					
	Night (8h)			8.00	Night	101.8		1.00		0.75370		-10.26		-10.3					
	Geometry						Nr	x/m			y/m			z(abs) /m		! z(rel) /m			
							Geometry:			656226.07			248421.71			278.00		175.00	
EQCN132	Label			DD3***						Action radius/m			3000.00						
	Group			6 m/s						Lw (Day (12h)) /dB(A)			101.80						
	Number of nodes			1						Lw (Night (8h)) /dB(A)			101.80						
	Length/ m			---						Lw (Evening (4h)) /dB(A)			101.80						
	Length/ m (2D)			---						Emission is			Sound power level (Lw)						

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 6 m/s ST											
	Day (12h)	Lw /dB (A)	101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1	
	Night (8h)	Emission	Reference: Vestas V172 6 m/s ST											
	Night (8h)	Lw /dB (A)	101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1	
	Evening (4h)	Emission	Reference: Vestas V172 6 m/s ST											
	Evening (4h)	Lw /dB (A)	101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	101.8		1.00		1.36470		-9.44		-9.4	
	Evening (4h)		4.00	Evening	101.8		1.00		0.40880		-9.91		-9.9	
	Night (8h)		8.00	Night	101.8		1.00		0.75370		-10.26		-10.3	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:	656792.54		248209.39		279.20		175.00	
EQCN133	Label		O1.b***				Action radius/m				3000.00			
	Group		6 m/s				Lw (Day (12h)) /dB(A)				101.80			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				101.80			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				101.80			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 6 m/s ST											
	Day (12h)	Lw /dB (A)	101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1	
	Night (8h)	Emission	Reference: Vestas V172 6 m/s ST											
	Night (8h)	Lw /dB (A)	101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1	
	Evening (4h)	Emission	Reference: Vestas V172 6 m/s ST											
	Evening (4h)	Lw /dB (A)	101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	101.8		1.00		1.36470		-9.44		-9.4	
	Evening (4h)		4.00	Evening	101.8		1.00		0.40880		-9.91		-9.9	
	Night (8h)		8.00	Night	101.8		1.00		0.75370		-10.26		-10.3	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:	655628.52		247870.27		278.00		175.00	
EQCN134	Label		JV1***				Action radius/m				3000.00			
	Group		6 m/s				Lw (Day (12h)) /dB(A)				101.80			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				101.80			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				101.80			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 6 m/s ST											
	Day (12h)	Lw /dB (A)	101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1	
	Night (8h)	Emission	Reference: Vestas V172 6 m/s ST											
	Night (8h)	Lw /dB (A)	101.8	38.3 44.6	56.8 62.6	72.8 77.1	83.8 86.3	89.6 90.5	91.7 92.1	91.8 91.1	88.4 86.5	81.5 78.4	71.0 66.8	

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

				50.9	68.0	80.7	88.2	91.3	92.2	90.0	84.2	74.9	62.1	
	Evening (4h)	Emission	Reference: Vestas V172 6 m/s ST											
	Evening (4h)	Lw /dB (A)	101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB			Special correction /dB		
	Lden		-		0.0		0.0		0.0			0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	101.8		1.00		1.36470		-9.44		-9.4	
	Evening (4h)		4.00	Evening	101.8		1.00		0.40880		-9.91		-9.9	
	Night (8h)		8.00	Night	101.8		1.00		0.75370		-10.26		-10.3	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:	656086.43		247254.47		279.00		175.00	
EQCN135	Label		Pr12***					Action radius/m					3000.00	
	Group		6 m/s					Lw (Day (12h)) /dB(A)					101.80	
	Number of nodes		1					Lw (Night (8h)) /dB(A)					101.80	
	Length/ m		---					Lw (Evening (4h)) /dB(A)					101.80	
	Length/ m (2D)		---					Emission is					Sound power level (Lw)	
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 6 m/s ST											
	Day (12h)	Lw /dB (A)	101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1	
	Night (8h)	Emission	Reference: Vestas V172 6 m/s ST											
	Night (8h)	Lw /dB (A)	101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1	
	Evening (4h)	Emission	Reference: Vestas V172 6 m/s ST											
	Evening (4h)	Lw /dB (A)	101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB			Special correction /dB		
	Lden		-		0.0		0.0		0.0			0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	101.8		1.00		1.36470		-9.44		-9.4	
	Evening (4h)		4.00	Evening	101.8		1.00		0.40880		-9.91		-9.9	
	Night (8h)		8.00	Night	101.8		1.00		0.75370		-10.26		-10.3	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:	659850.41		255599.51		281.00		175.00	
EQCN136	Label		O6***					Action radius/m					3000.00	
	Group		6 m/s					Lw (Day (12h)) /dB(A)					101.80	
	Number of nodes		1					Lw (Night (8h)) /dB(A)					101.80	
	Length/ m		---					Lw (Evening (4h)) /dB(A)					101.80	
	Length/ m (2D)		---					Emission is					Sound power level (Lw)	
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 6 m/s ST											
	Day (12h)	Lw /dB (A)	101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1	
	Night (8h)	Emission	Reference: Vestas V172 6 m/s ST											
	Night (8h)	Lw /dB (A)	101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1	
	Evening (4h)	Emission	Reference: Vestas V172 6 m/s ST											
	Evening (4h)	Lw /dB (A)	101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB			Special correction /dB		
	Lden		-		0.0		0.0		0.0			0.0		

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	101.8		1.00		1.36470		-9.44		-9.4		
	Evening (4h)		4.00	Evening	101.8		1.00		0.40880		-9.91		-9.9		
	Night (8h)		8.00	Night	101.8		1.00		0.75370		-10.26		-10.3		
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
						Geometry:		659724.06		256257.39		278.09		175.00	
EQCN137	Label		Pr11***				Action radius/m				3000.00				
	Group		6 m/s				Lw (Day (12h)) /dB(A)				101.80				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				101.80				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				101.80				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 6 m/s ST												
	Day (12h)	Lw /dB (A)	101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1		
	Night (8h)	Emission	Reference: Vestas V172 6 m/s ST												
	Night (8h)	Lw /dB (A)	101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1		
	Evening (4h)	Emission	Reference: Vestas V172 6 m/s ST												
	Evening (4h)	Lw /dB (A)	101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	101.8		1.00		1.36470		-9.44		-9.4		
	Evening (4h)		4.00	Evening	101.8		1.00		0.40880		-9.91		-9.9		
	Night (8h)		8.00	Night	101.8		1.00		0.75370		-10.26		-10.3		
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
						Geometry:		660296.51		255945.28		279.00		175.00	
EQCN138	Label		AP2***				Action radius/m				3000.00				
	Group		6 m/s				Lw (Day (12h)) /dB(A)				101.80				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				101.80				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				101.80				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 6 m/s ST												
	Day (12h)	Lw /dB (A)	101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1		
	Night (8h)	Emission	Reference: Vestas V172 6 m/s ST												
	Night (8h)	Lw /dB (A)	101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1		
	Evening (4h)	Emission	Reference: Vestas V172 6 m/s ST												
	Evening (4h)	Lw /dB (A)	101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	101.8		1.00		1.36470		-9.44		-9.4		
	Evening (4h)		4.00	Evening	101.8		1.00		0.40880		-9.91		-9.9		
	Night (8h)		8.00	Night	101.8		1.00		0.75370		-10.26		-10.3		
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
						Geometry:		661860.19		254894.20		282.00		175.00	

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

EQCN139	Label		AP6.1***				Action radius/m				3000.00				
	Group		6 m/s				Lw (Day (12h)) /dB(A)				101.80				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				101.80				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				101.80				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 6 m/s ST												
	Day (12h)	Lw /dB (A)	101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1		
	Night (8h)	Emission	Reference: Vestas V172 6 m/s ST												
	Night (8h)	Lw /dB (A)	101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1		
	Evening (4h)	Emission	Reference: Vestas V172 6 m/s ST												
	Evening (4h)	Lw /dB (A)	101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	101.8		1.00		1.36470		-9.44		-9.4		
	Evening (4h)		4.00	Evening	101.8		1.00		0.40880		-9.91		-9.9		
	Night (8h)		8.00	Night	101.8		1.00		0.75370		-10.26		-10.3		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		661549.21		255141.18		282.00		175.00	
EQCN140	Label		JU1***				Action radius/m				3000.00				
	Group		6 m/s				Lw (Day (12h)) /dB(A)				101.80				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				101.80				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				101.80				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 6 m/s ST												
	Day (12h)	Lw /dB (A)	101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1		
	Night (8h)	Emission	Reference: Vestas V172 6 m/s ST												
	Night (8h)	Lw /dB (A)	101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1		
	Evening (4h)	Emission	Reference: Vestas V172 6 m/s ST												
	Evening (4h)	Lw /dB (A)	101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	101.8		1.00		1.36470		-9.44		-9.4		
	Evening (4h)		4.00	Evening	101.8		1.00		0.40880		-9.91		-9.9		
	Night (8h)		8.00	Night	101.8		1.00		0.75370		-10.26		-10.3		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		661068.17		255365.14		281.00		175.00	
EQCN141	Label		Pr25***				Action radius/m				3000.00				
	Group		6 m/s				Lw (Day (12h)) /dB(A)				101.80				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				101.80				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				101.80				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		

	Day (12h)	Emission	Reference: Vestas V172 6 m/s ST												
	Day (12h)	Lw /dB (A)	101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1		
	Night (8h)	Emission	Reference: Vestas V172 6 m/s ST												
	Night (8h)	Lw /dB (A)	101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1		
	Evening (4h)	Emission	Reference: Vestas V172 6 m/s ST												
	Evening (4h)	Lw /dB (A)	101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	101.8		1.00		1.36470		-9.44		-9.4		
	Evening (4h)		4.00	Evening	101.8		1.00		0.40880		-9.91		-9.9		
	Night (8h)		8.00	Night	101.8		1.00		0.75370		-10.26		-10.3		
	Geometry					Nr		x/m		y/m		z(abs) /m	! z(rel) /m		
						Geometry:		662047.55		256166.20		283.00	175.00		
EQCN142	Label		Pr3a***					Action radius/m					3000.00		
	Group		6 m/s					Lw (Day (12h)) /dB(A)					101.80		
	Number of nodes		1					Lw (Night (8h)) /dB(A)					101.80		
	Length/ m		---					Lw (Evening (4h)) /dB(A)					101.80		
	Length/ m (2D)		---					Emission is					Sound power level (Lw)		
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 6 m/s ST												
	Day (12h)	Lw /dB (A)	101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1		
	Night (8h)	Emission	Reference: Vestas V172 6 m/s ST												
	Night (8h)	Lw /dB (A)	101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1		
	Evening (4h)	Emission	Reference: Vestas V172 6 m/s ST												
	Evening (4h)	Lw /dB (A)	101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	101.8		1.00		1.36470		-9.44		-9.4		
	Evening (4h)		4.00	Evening	101.8		1.00		0.40880		-9.91		-9.9		
	Night (8h)		8.00	Night	101.8		1.00		0.75370		-10.26		-10.3		
	Geometry					Nr		x/m		y/m		z(abs) /m	! z(rel) /m		
						Geometry:		662202.01		255681.90		284.00	175.00		
EQCN143	Label		PrRR3***					Action radius/m					3000.00		
	Group		6 m/s					Lw (Day (12h)) /dB(A)					101.80		
	Number of nodes		1					Lw (Night (8h)) /dB(A)					101.80		
	Length/ m		---					Lw (Evening (4h)) /dB(A)					101.80		
	Length/ m (2D)		---					Emission is					Sound power level (Lw)		
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	40			

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Evening (4h)	Lw /dB (A)	101.8		38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1			
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB				
	Lden		-		0.0		0.0		0.0		-		0.0				
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)				
	Day (12h)		12.00	Day	101.8		1.00		1.36470		-9.44		-9.4				
	Evening (4h)		4.00	Evening	101.8		1.00		0.40880		-9.91		-9.9				
	Night (8h)		8.00	Night	101.8		1.00		0.75370		-10.26		-10.3				
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m			
						Geometry:		662676.13		256121.38		284.00		175.00			
EQCN144	Label		P19.2b***					Action radius/m					3000.00				
	Group		6 m/s					Lw (Day (12h)) /dB(A)					101.80				
	Number of nodes		1					Lw (Night (8h)) /dB(A)					101.80				
	Length/ m		---					Lw (Evening (4h)) /dB(A)					101.80				
	Length/ m (2D)		---					Emission is					Sound power level (Lw)				
	Area /m²		---														
	Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 6 m/s ST														
	Day (12h)	Lw /dB (A)	101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1				
	Night (8h)	Emission	Reference: Vestas V172 6 m/s ST														
	Night (8h)	Lw /dB (A)	101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1				
	Evening (4h)	Emission	Reference: Vestas V172 6 m/s ST														
	Evening (4h)	Lw /dB (A)	101.8	38.3 44.6 50.9	56.8 62.6 68.0	72.8 77.1 80.7	83.8 86.3 88.2	89.6 90.5 91.3	91.7 92.1 92.2	91.8 91.1 90.0	88.4 86.5 84.2	81.5 78.4 74.9	71.0 66.8 62.1				
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB				
	Lden		-		0.0		0.0		0.0		-		0.0				
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)				
	Day (12h)		12.00	Day	101.8		1.00		1.36470		-9.44		-9.4				
	Evening (4h)		4.00	Evening	101.8		1.00		0.40880		-9.91		-9.9				
	Night (8h)		8.00	Night	101.8		1.00		0.75370		-10.26		-10.3				
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m			
						Geometry:		656671.82		247343.93		280.00		175.00			
EQCN145	Label		O2****					Action radius/m					3000.00				
	Group		7 m/s					Lw (Day (12h)) /dB(A)					105.39				
	Number of nodes		1					Lw (Night (8h)) /dB(A)					105.39				
	Length/ m		---					Lw (Evening (4h)) /dB(A)					105.39				
	Length/ m (2D)		---					Emission is					Sound power level (Lw)				
	Area /m²		---														
	Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 7 m/s ST														
	Day (12h)	Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5				
	Night (8h)	Emission	Reference: Vestas V172 7 m/s ST														
	Night (8h)	Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5				
	Evening (4h)	Emission	Reference: Vestas V172 7 m/s ST														
	Evening (4h)	Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5				
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB				
	Lden		-		0.0		0.0		0.0		-		0.0				
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)				
	Day (12h)		12.00	Day	105.4		1.00		1.28160		-9.71		-9.7				

--	--	--	--	--

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Length/ m		---				Lw (Evening (4h)) /dB(A)				105.39				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 7 m/s ST												
	Day (12h)	Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5		
	Night (8h)	Emission	Reference: Vestas V172 7 m/s ST												
	Night (8h)	Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5		
	Evening (4h)	Emission	Reference: Vestas V172 7 m/s ST												
	Evening (4h)	Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	105.4		1.00		1.28160		-9.71		-9.7		
	Evening (4h)		4.00	Evening	105.4		1.00		0.42000		-9.79		-9.8		
	Night (8h)		8.00	Night	105.4		1.00		0.85890		-9.69		-9.7		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:					655674.43		248309.07		278.00		175.00	
EQCN149	Label		DD1****				Action radius/m				3000.00				
	Group		7 m/s				Lw (Day (12h)) /dB(A)				105.39				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				105.39				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				105.39				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 7 m/s ST												
	Day (12h)	Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5		
	Night (8h)	Emission	Reference: Vestas V172 7 m/s ST												
	Night (8h)	Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5		
	Evening (4h)	Emission	Reference: Vestas V172 7 m/s ST												
	Evening (4h)	Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	105.4		1.00		1.28160		-9.71		-9.7		
	Evening (4h)		4.00	Evening	105.4		1.00		0.42000		-9.79		-9.8		
	Night (8h)		8.00	Night	105.4		1.00		0.85890		-9.69		-9.7		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:					656226.07		248421.71		278.00		175.00	
EQCN150	Label		DD3****				Action radius/m				3000.00				
	Group		7 m/s				Lw (Day (12h)) /dB(A)				105.39				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				105.39				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				105.39				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 7 m/s ST												
	Day (12h)	Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5		

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Night (8h)	Emission	Reference: Vestas V172 7 m/s ST											
	Night (8h)	Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5	
	Evening (4h)	Emission	Reference: Vestas V172 7 m/s ST											
	Evening (4h)	Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	105.4		1.00		1.28160		-9.71		-9.7	
	Evening (4h)		4.00	Evening	105.4		1.00		0.42000		-9.79		-9.8	
	Night (8h)		8.00	Night	105.4		1.00		0.85890		-9.69		-9.7	
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m
			Geometry:			656792.54		248209.39		279.20		175.00		
EQCN151	Label		O1.b****				Action radius/m				3000.00			
	Group		7 m/s				Lw (Day (12h)) /dB(A)				105.39			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				105.39			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				105.39			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 7 m/s ST											
	Day (12h)	Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5	
	Night (8h)	Emission	Reference: Vestas V172 7 m/s ST											
	Night (8h)	Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5	
	Evening (4h)	Emission	Reference: Vestas V172 7 m/s ST											
	Evening (4h)	Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	105.4		1.00		1.28160		-9.71		-9.7	
	Evening (4h)		4.00	Evening	105.4		1.00		0.42000		-9.79		-9.8	
	Night (8h)		8.00	Night	105.4		1.00		0.85890		-9.69		-9.7	
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m
			Geometry:			655628.52		247870.27		278.00		175.00		
EQCN152	Label		JV1****				Action radius/m				3000.00			
	Group		7 m/s				Lw (Day (12h)) /dB(A)				105.39			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				105.39			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				105.39			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 7 m/s ST											
	Day (12h)	Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5	
	Night (8h)	Emission	Reference: Vestas V172 7 m/s ST											
	Night (8h)	Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5	
	Evening (4h)	Emission	Reference: Vestas V172 7 m/s ST											
	Evening (4h)	Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Lden		-		0.0		0.0		0.0		-		0.0				
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)				
	Day (12h)		12.00	Day	105.4		1.00		1.28160		-9.71		-9.7				
	Evening (4h)		4.00	Evening	105.4		1.00		0.42000		-9.79		-9.8				
	Night (8h)		8.00	Night	105.4		1.00		0.85890		-9.69		-9.7				
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m			
						Geometry:		656086.43		247254.47		279.00		175.00			
EQCN153	Label		Pr12****					Action radius/m					3000.00				
	Group		7 m/s					Lw (Day (12h)) /dB(A)					105.39				
	Number of nodes		1					Lw (Night (8h)) /dB(A)					105.39				
	Length/ m		---					Lw (Evening (4h)) /dB(A)					105.39				
	Length/ m (2D)		---					Emission is					Sound power level (Lw)				
	Area /m²		---														
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz				
	Day (12h)	Emission	Reference: Vestas V172 7 m/s ST														
	Day (12h)	Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5				
	Night (8h)	Emission	Reference: Vestas V172 7 m/s ST														
	Night (8h)	Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5				
	Evening (4h)	Emission	Reference: Vestas V172 7 m/s ST														
	Evening (4h)	Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5				
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB				
	Lden		-		0.0		0.0		0.0		-		0.0				
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)				
	Day (12h)		12.00	Day	105.4		1.00		1.28160		-9.71		-9.7				
	Evening (4h)		4.00	Evening	105.4		1.00		0.42000		-9.79		-9.8				
	Night (8h)		8.00	Night	105.4		1.00		0.85890		-9.69		-9.7				
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m			
						Geometry:		659850.41		255599.51		281.00		175.00			
EQCN154	Label		O6****					Action radius/m					3000.00				
	Group		7 m/s					Lw (Day (12h)) /dB(A)					105.39				
	Number of nodes		1					Lw (Night (8h)) /dB(A)					105.39				
	Length/ m		---					Lw (Evening (4h)) /dB(A)					105.39				
	Length/ m (2D)		---					Emission is					Sound power level (Lw)				
	Area /m²		---														
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz				
	Day (12h)	Emission	Reference: Vestas V172 7 m/s ST														
	Day (12h)	Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5				
	Night (8h)	Emission	Reference: Vestas V172 7 m/s ST														
	Night (8h)	Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5				
	Evening (4h)	Emission	Reference: Vestas V172 7 m/s ST														
	Evening (4h)	Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5				
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB				
	Lden		-		0.0		0.0		0.0		-		0.0				
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)				
	Day (12h)		12.00	Day	105.4		1.00		1.28160		-9.71		-9.7				
	Evening (4h)		4.00	Evening	105.4		1.00		0.42000		-9.79		-9.8				
	Night (8h)		8.00	Night	105.4		1.00		0.85890		-9.69		-9.7				
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m			

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

		Geometry:				659724.06	256257.39	278.09	175.00					
EQCN155	Label	Pr11****				Action radius/m				3000.00				
	Group	7 m/s				Lw (Day (12h)) /dB(A)				105.39				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				105.39				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				105.39				
	Length/ m (2D)	---				Emission is				Sound power level (Lw)				
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 7 m/s ST											
	Day (12h)	Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5	
	Night (8h)	Emission	Reference: Vestas V172 7 m/s ST											
	Night (8h)	Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5	
	Evening (4h)	Emission	Reference: Vestas V172 7 m/s ST											
	Evening (4h)	Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden			-		0.0		0.0		0.0		-		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	105.4		1.00		1.28160		-9.71		-9.7		
	Evening (4h)	4.00	Evening	105.4		1.00		0.42000		-9.79		-9.8		
	Night (8h)	8.00	Night	105.4		1.00		0.85890		-9.69		-9.7		
	Geometry				Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
		Geometry:				660296.51	255945.28		279.00		175.00			
EQCN156	Label	AP2****				Action radius/m				3000.00				
	Group	7 m/s				Lw (Day (12h)) /dB(A)				105.39				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				105.39				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				105.39				
	Length/ m (2D)	---				Emission is				Sound power level (Lw)				
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 7 m/s ST											
	Day (12h)	Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5	
	Night (8h)	Emission	Reference: Vestas V172 7 m/s ST											
	Night (8h)	Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5	
	Evening (4h)	Emission	Reference: Vestas V172 7 m/s ST											
	Evening (4h)	Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden			-		0.0		0.0		0.0		-		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	105.4		1.00		1.28160		-9.71		-9.7		
	Evening (4h)	4.00	Evening	105.4		1.00		0.42000		-9.79		-9.8		
	Night (8h)	8.00	Night	105.4		1.00		0.85890		-9.69		-9.7		
	Geometry				Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
		Geometry:				661860.19	254894.20		282.00		175.00			
EQCN157	Label	AP6.1****				Action radius/m				3000.00				
	Group	7 m/s				Lw (Day (12h)) /dB(A)				105.39				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				105.39				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				105.39				
	Length/ m (2D)	---				Emission is				Sound power level (Lw)				
	Area /m²	---												

Vēja parks "Pīrikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 7 m/s ST												
	Day (12h)	Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5		
	Night (8h)	Emission	Reference: Vestas V172 7 m/s ST												
	Night (8h)	Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5		
	Evening (4h)	Emission	Reference: Vestas V172 7 m/s ST												
	Evening (4h)	Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	105.4		1.00		1.28160		-9.71		-9.7		
	Evening (4h)		4.00	Evening	105.4		1.00		0.42000		-9.79		-9.8		
	Night (8h)		8.00	Night	105.4		1.00		0.85890		-9.69		-9.7		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		661549.21		255141.18		282.00		175.00	
EQCN158	Label		JU1****				Action radius/m				3000.00				
	Group		7 m/s				Lw (Day (12h)) /dB(A)				105.39				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				105.39				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				105.39				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 7 m/s ST												
	Day (12h)	Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5		
	Night (8h)	Emission	Reference: Vestas V172 7 m/s ST												
	Night (8h)	Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5		
	Evening (4h)	Emission	Reference: Vestas V172 7 m/s ST												
	Evening (4h)	Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	105.4		1.00		1.28160		-9.71		-9.7		
	Evening (4h)		4.00	Evening	105.4		1.00		0.42000		-9.79		-9.8		
	Night (8h)		8.00	Night	105.4		1.00		0.85890		-9.69		-9.7		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		661068.17		255365.14		281.00		175.00	
EQCN159	Label		Pr25****				Action radius/m				3000.00				
	Group		7 m/s				Lw (Day (12h)) /dB(A)				105.39				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				105.39				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				105.39				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 7 m/s ST												
	Day (12h)	Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5		
	Night (8h)	Emission	Reference: Vestas V172 7 m/s ST												
	Night (8h)	Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5		

Vēja parks "Pīrikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Evening (4h)	Emission	Reference: Vestas V172 7 m/s ST											
	Evening (4h)	Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	105.4		1.00		1.28160		-9.71		-9.7	
	Evening (4h)		4.00	Evening	105.4		1.00		0.42000		-9.79		-9.8	
	Night (8h)		8.00	Night	105.4		1.00		0.85890		-9.69		-9.7	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:				662047.55		256166.20		283.00		175.00	
EQCN160	Label		Pr3a****				Action radius/m				3000.00			
	Group		7 m/s				Lw (Day (12h)) /dB(A)				105.39			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				105.39			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				105.39			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 7 m/s ST											
	Day (12h)	Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5	
	Night (8h)	Emission	Reference: Vestas V172 7 m/s ST											
	Night (8h)	Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5	
	Evening (4h)	Emission	Reference: Vestas V172 7 m/s ST											
	Evening (4h)	Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	105.4		1.00		1.28160		-9.71		-9.7	
	Evening (4h)		4.00	Evening	105.4		1.00		0.42000		-9.79		-9.8	
	Night (8h)		8.00	Night	105.4		1.00		0.85890		-9.69		-9.7	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:				662202.01		255681.90		284.00		175.00	
EQCN161	Label		PrRR3****				Action radius/m				3000.00			
	Group		7 m/s				Lw (Day (12h)) /dB(A)				105.39			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				105.39			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				105.39			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 7 m/s ST											
	Day (12h)	Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5	
	Night (8h)	Emission	Reference: Vestas V172 7 m/s ST											
	Night (8h)	Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5	
	Evening (4h)	Emission	Reference: Vestas V172 7 m/s ST											
	Evening (4h)	Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	

Vēja parks "Pīrikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Day (12h)	12.00	Day	105.4	1.00	1.28160	-9.71	-9.7						
	Evening (4h)	4.00	Evening	105.4	1.00	0.42000	-9.79	-9.8						
	Night (8h)	8.00	Night	105.4	1.00	0.85890	-9.69	-9.7						
	Geometry	Nr			x/m	y/m	z(abs) /m	! z(rel) /m						
	Geometry:				662676.13	256121.38	284.00	175.00						
EQCN162	Label	P19.2b****			Action radius/m			3000.00						
	Group	7 m/s			Lw (Day (12h)) /dB(A)			105.39						
	Number of nodes	1			Lw (Night (8h)) /dB(A)			105.39						
	Length/ m	---			Lw (Evening (4h)) /dB(A)			105.39						
	Length/ m (2D)	---			Emission is			Sound power level (Lw)						
	Area /m²	---												
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 7 m/s ST											
	Day (12h)	Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5	
	Night (8h)	Emission	Reference: Vestas V172 7 m/s ST											
	Night (8h)	Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5	
	Evening (4h)	Emission	Reference: Vestas V172 7 m/s ST											
	Evening (4h)	Lw /dB (A)	105.4	42.1 48.4 54.7	60.6 66.4 71.7	76.6 80.8 84.5	87.5 90.0 91.9	93.2 94.1 94.9	95.3 95.8 95.8	95.4 94.6 93.5	91.9 90.0 87.7	85.0 81.8 78.3	74.4 70.1 65.5	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden	-		0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	105.4		1.00		1.28160		-9.71		-9.7		
	Evening (4h)	4.00	Evening	105.4		1.00		0.42000		-9.79		-9.8		
	Night (8h)	8.00	Night	105.4		1.00		0.85890		-9.69		-9.7		
	Geometry	Nr			x/m	y/m	z(abs) /m	! z(rel) /m						
	Geometry:				656671.82	247343.93	280.00	175.00						
EQCN163	Label	O2*****			Action radius/m			3000.00						
	Group	8 m/s			Lw (Day (12h)) /dB(A)			108.80						
	Number of nodes	1			Lw (Night (8h)) /dB(A)			108.80						
	Length/ m	---			Lw (Evening (4h)) /dB(A)			108.80						
	Length/ m (2D)	---			Emission is			Sound power level (Lw)						
	Area /m²	---												
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 8 m/s ST											
	Day (12h)	Lw /dB (A)	108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4	
	Night (8h)	Emission	Reference: Vestas V172 8 m/s ST											
	Night (8h)	Lw /dB (A)	108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4	
	Evening (4h)	Emission	Reference: Vestas V172 8 m/s ST											
	Evening (4h)	Lw /dB (A)	108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden	-		0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	108.8		1.00		1.13610		-10.24		-10.2		
	Evening (4h)	4.00	Evening	108.8		1.00		0.45230		-9.47		-9.5		
	Night (8h)	8.00	Night	108.8		1.00		0.97180		-9.16		-9.2		
	Geometry	Nr			x/m	y/m	z(abs) /m	! z(rel) /m						
	Geometry:				655899.72	249092.09	279.27	175.00						
EQCN164	Label	O3*****			Action radius/m			3000.00						
	Group	8 m/s			Lw (Day (12h)) /dB(A)			108.80						

Vēja parks "Pīkuļi" A alternatīva - Vestas V172 - 7.2 MW

	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.80				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.80				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 8 m/s ST												
	Day (12h)	Lw /dB (A)	108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4		
	Night (8h)	Emission	Reference: Vestas V172 8 m/s ST												
	Night (8h)	Lw /dB (A)	108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4		
	Evening (4h)	Emission	Reference: Vestas V172 8 m/s ST												
	Evening (4h)	Lw /dB (A)	108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	108.8		1.00		1.13610		-10.24		-10.2		
	Evening (4h)		4.00	Evening	108.8		1.00		0.45230		-9.47		-9.5		
	Night (8h)		8.00	Night	108.8		1.00		0.97180		-9.16		-9.2		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		656055.72		248760.81		279.00		175.00	
EQCN165	Label		O5****				Action radius/m				3000.00				
	Group		8 m/s				Lw (Day (12h)) /dB(A)				108.80				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.80				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.80				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 8 m/s ST												
	Day (12h)	Lw /dB (A)	108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4		
	Night (8h)	Emission	Reference: Vestas V172 8 m/s ST												
	Night (8h)	Lw /dB (A)	108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4		
	Evening (4h)	Emission	Reference: Vestas V172 8 m/s ST												
	Evening (4h)	Lw /dB (A)	108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	108.8		1.00		1.13610		-10.24		-10.2		
	Evening (4h)		4.00	Evening	108.8		1.00		0.45230		-9.47		-9.5		
	Night (8h)		8.00	Night	108.8		1.00		0.97180		-9.16		-9.2		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		656292.16		247880.94		279.00		175.00	
EQCN166	Label		O4****				Action radius/m				3000.00				
	Group		8 m/s				Lw (Day (12h)) /dB(A)				108.80				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.80				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.80				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 8 m/s ST												
	Day (12h)	Lw /dB (A)	108.8	45.5	63.5	79.4	90.9	97.1	98.9	98.6	95.1	88.0	77.5		

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

				51.7 57.6	69.0 74.5	83.8 87.7	93.6 95.6	98.1 98.5	99.0 99.0	97.8 96.6	93.1 90.8	84.9 81.4	73.1 68.4	
	Night (8h)	Emission	Reference: Vestas V172 8 m/s ST											
	Night (8h)	Lw /dB (A)	108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4	
	Evening (4h)	Emission	Reference: Vestas V172 8 m/s ST											
	Evening (4h)	Lw /dB (A)	108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.8		1.00		1.13610		-10.24		-10.2	
	Evening (4h)		4.00	Evening	108.8		1.00		0.45230		-9.47		-9.5	
	Night (8h)		8.00	Night	108.8		1.00		0.97180		-9.16		-9.2	
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m
						Geometry:		655674.43		248309.07		278.00		175.00
EQCN167	Label		DD1*****				Action radius/m				3000.00			
	Group		8 m/s				Lw (Day (12h)) /dB(A)				108.80			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.80			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.80			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 8 m/s ST											
	Day (12h)	Lw /dB (A)	108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4	
	Night (8h)	Emission	Reference: Vestas V172 8 m/s ST											
	Night (8h)	Lw /dB (A)	108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4	
	Evening (4h)	Emission	Reference: Vestas V172 8 m/s ST											
	Evening (4h)	Lw /dB (A)	108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.8		1.00		1.13610		-10.24		-10.2	
	Evening (4h)		4.00	Evening	108.8		1.00		0.45230		-9.47		-9.5	
	Night (8h)		8.00	Night	108.8		1.00		0.97180		-9.16		-9.2	
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m
						Geometry:		656226.07		248421.71		278.00		175.00
EQCN168	Label		DD3*****				Action radius/m				3000.00			
	Group		8 m/s				Lw (Day (12h)) /dB(A)				108.80			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.80			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.80			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 8 m/s ST											
	Day (12h)	Lw /dB (A)	108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4	
	Night (8h)	Emission	Reference: Vestas V172 8 m/s ST											
	Night (8h)	Lw /dB (A)	108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4	
	Evening (4h)	Emission	Reference: Vestas V172 8 m/s ST											
	Evening (4h)	Lw /dB (A)	108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4	

Vēja parks "Pīrikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB			Special correction /dB			
	Lden		-		0.0		0.0		0.0			-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	108.8		1.00		1.13610		-10.24		-10.2		
	Evening (4h)		4.00	Evening	108.8		1.00		0.45230		-9.47		-9.5		
	Night (8h)		8.00	Night	108.8		1.00		0.97180		-9.16		-9.2		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		656792.54		248209.39		279.20		175.00	
EQCN169	Label		O1.b*****				Action radius/m				3000.00				
	Group		8 m/s				Lw (Day (12h)) /dB(A)				108.80				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.80				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.80				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 8 m/s ST												
	Day (12h)	Lw /dB (A)	108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4		
	Night (8h)	Emission	Reference: Vestas V172 8 m/s ST												
	Night (8h)	Lw /dB (A)	108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4		
	Evening (4h)	Emission	Reference: Vestas V172 8 m/s ST												
	Evening (4h)	Lw /dB (A)	108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB			Special correction /dB			
	Lden		-		0.0		0.0		0.0			-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	108.8		1.00		1.13610		-10.24		-10.2		
	Evening (4h)		4.00	Evening	108.8		1.00		0.45230		-9.47		-9.5		
	Night (8h)		8.00	Night	108.8		1.00		0.97180		-9.16		-9.2		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		655628.52		247870.27		278.00		175.00	
EQCN170	Label		JV1*****				Action radius/m				3000.00				
	Group		8 m/s				Lw (Day (12h)) /dB(A)				108.80				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.80				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.80				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 8 m/s ST												
	Day (12h)	Lw /dB (A)	108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4		
	Night (8h)	Emission	Reference: Vestas V172 8 m/s ST												
	Night (8h)	Lw /dB (A)	108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4		
	Evening (4h)	Emission	Reference: Vestas V172 8 m/s ST												
	Evening (4h)	Lw /dB (A)	108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB			Special correction /dB			
	Lden		-		0.0		0.0		0.0			-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	108.8		1.00		1.13610		-10.24		-10.2		
	Evening (4h)		4.00	Evening	108.8		1.00		0.45230		-9.47		-9.5		
	Night (8h)		8.00	Night	108.8		1.00		0.97180		-9.16		-9.2		

Vēja parks "Pīrikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Geometry		Nr				x/m		y/m		z(abs) /m		! z(rel) /m		
			Geometry:				656086.43		247254.47		279.00		175.00		
EQCN171	Label		Pr12*****				Action radius/m				3000.00				
	Group		8 m/s				Lw (Day (12h)) /dB(A)				108.80				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.80				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.80				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Emission	Reference: Vestas V172 8 m/s ST											
	Day (12h)		Lw /dB (A)	108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4	
	Night (8h)		Emission	Reference: Vestas V172 8 m/s ST											
Night (8h)		Lw /dB (A)	108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4		
Evening (4h)		Emission	Reference: Vestas V172 8 m/s ST												
Evening (4h)		Lw /dB (A)	108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4		
Rating method			Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
Lden					-		0.0		0.0		0.0		-		
Rating period / Period			Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
Day (12h)			12.00	Day	108.8		1.00		1.13610		-10.24		-10.2		
Evening (4h)			4.00	Evening	108.8		1.00		0.45230		-9.47		-9.5		
Night (8h)			8.00	Night	108.8		1.00		0.97180		-9.16		-9.2		
Geometry							Nr		x/m		y/m		z(abs) /m		
							Geometry:		659850.41		255599.51		281.00		
									659850.41		255599.51		281.00		
EQCN172	Label		O6*****				Action radius/m				3000.00				
	Group		8 m/s				Lw (Day (12h)) /dB(A)				108.80				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.80				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.80				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Emission	Reference: Vestas V172 8 m/s ST											
	Day (12h)		Lw /dB (A)	108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4	
	Night (8h)		Emission	Reference: Vestas V172 8 m/s ST											
Night (8h)		Lw /dB (A)	108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4		
Evening (4h)		Emission	Reference: Vestas V172 8 m/s ST												
Evening (4h)		Lw /dB (A)	108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4		
Rating method			Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
Lden					-		0.0		0.0		0.0		-		
Rating period / Period			Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
Day (12h)			12.00	Day	108.8		1.00		1.13610		-10.24		-10.2		
Evening (4h)			4.00	Evening	108.8		1.00		0.45230		-9.47		-9.5		
Night (8h)			8.00	Night	108.8		1.00		0.97180		-9.16		-9.2		
Geometry							Nr		x/m		y/m		z(abs) /m		
							Nr		x/m		y/m		z(abs) /m		
							Geometry:		659724.06		256257.39		278.09		
EQCN173	Label		Pr11*****				Action radius/m				3000.00				
	Group		8 m/s				Lw (Day (12h)) /dB(A)				108.80				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.80				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.80				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				

Vēja parks "Pīrikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 8 m/s ST												
	Day (12h)	Lw /dB (A)	108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4		
	Night (8h)	Emission	Reference: Vestas V172 8 m/s ST												
	Night (8h)	Lw /dB (A)	108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4		
	Evening (4h)	Emission	Reference: Vestas V172 8 m/s ST												
	Evening (4h)	Lw /dB (A)	108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	108.8		1.00		1.13610		-10.24		-10.2		
	Evening (4h)		4.00	Evening	108.8		1.00		0.45230		-9.47		-9.5		
	Night (8h)		8.00	Night	108.8		1.00		0.97180		-9.16		-9.2		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		660296.51		255945.28		279.00		175.00	
EQCN174	Label		AP2*****				Action radius/m				3000.00				
	Group		8 m/s				Lw (Day (12h)) /dB(A)				108.80				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.80				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.80				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 8 m/s ST												
	Day (12h)	Lw /dB (A)	108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4		
	Night (8h)	Emission	Reference: Vestas V172 8 m/s ST												
	Night (8h)	Lw /dB (A)	108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4		
	Evening (4h)	Emission	Reference: Vestas V172 8 m/s ST												
	Evening (4h)	Lw /dB (A)	108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	108.8		1.00		1.13610		-10.24		-10.2		
	Evening (4h)		4.00	Evening	108.8		1.00		0.45230		-9.47		-9.5		
	Night (8h)		8.00	Night	108.8		1.00		0.97180		-9.16		-9.2		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		661860.19		254894.20		282.00		175.00	
EQCN175	Label		AP6.1*****				Action radius/m				3000.00				
	Group		8 m/s				Lw (Day (12h)) /dB(A)				108.80				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.80				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.80				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 8 m/s ST												
	Day (12h)	Lw /dB (A)	108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4		
	Night (8h)	Emission	Reference: Vestas V172 8 m/s ST												
	Night (8h)	Lw /dB (A)	108.8	45.5 51.7	63.5 69.0	79.4 83.8	90.9 93.6	97.1 98.1	98.9 99.0	98.6 97.8	95.1 93.1	88.0 84.9	77.5 73.1		

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

				57.6	74.5	87.7	95.6	98.5	99.0	96.6	90.8	81.4	68.4	
	Evening (4h)	Emission	Reference: Vestas V172 8 m/s ST											
	Evening (4h)	Lw /dB (A)	108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.8		1.00		1.13610		-10.24		-10.2	
	Evening (4h)		4.00	Evening	108.8		1.00		0.45230		-9.47		-9.5	
	Night (8h)		8.00	Night	108.8		1.00		0.97180		-9.16		-9.2	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:				661549.21		255141.18		282.00		175.00	
EQCN176	Label		JU1*****				Action radius/m				3000.00			
	Group		8 m/s				Lw (Day (12h)) /dB(A)				108.80			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.80			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.80			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission	Reference: Vestas V172 8 m/s ST										
	Day (12h)		Lw /dB (A)	108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4
	Night (8h)		Emission	Reference: Vestas V172 8 m/s ST										
	Night (8h)		Lw /dB (A)	108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4
	Evening (4h)		Emission	Reference: Vestas V172 8 m/s ST										
	Evening (4h)		Lw /dB (A)	108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.8		1.00		1.13610		-10.24		-10.2	
	Evening (4h)		4.00	Evening	108.8		1.00		0.45230		-9.47		-9.5	
	Night (8h)		8.00	Night	108.8		1.00		0.97180		-9.16		-9.2	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:				661068.17		255365.14		281.00		175.00	
EQCN177	Label		Pr25*****				Action radius/m				3000.00			
	Group		8 m/s				Lw (Day (12h)) /dB(A)				108.80			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.80			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.80			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission	Reference: Vestas V172 8 m/s ST										
	Day (12h)		Lw /dB (A)	108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4
	Night (8h)		Emission	Reference: Vestas V172 8 m/s ST										
	Night (8h)		Lw /dB (A)	108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4
	Evening (4h)		Emission	Reference: Vestas V172 8 m/s ST										
	Evening (4h)		Lw /dB (A)	108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	108.8		1.00		1.13610		-10.24		-10.2		
	Evening (4h)		4.00	Evening	108.8		1.00		0.45230		-9.47		-9.5		
	Night (8h)		8.00	Night	108.8		1.00		0.97180		-9.16		-9.2		
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
						Geometry:		662047.55		256166.20		283.00		175.00	
EQCN178	Label		Pr3a*****				Action radius/m				3000.00				
	Group		8 m/s				Lw (Day (12h)) /dB(A)				108.80				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.80				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.80				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 8 m/s ST												
	Day (12h)	Lw /dB (A)	108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4		
	Night (8h)	Emission	Reference: Vestas V172 8 m/s ST												
	Night (8h)	Lw /dB (A)	108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4		
	Evening (4h)	Emission	Reference: Vestas V172 8 m/s ST												
	Evening (4h)	Lw /dB (A)	108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	108.8		1.00		1.13610		-10.24		-10.2		
	Evening (4h)		4.00	Evening	108.8		1.00		0.45230		-9.47		-9.5		
	Night (8h)		8.00	Night	108.8		1.00		0.97180		-9.16		-9.2		
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
						Geometry:		662202.01		255681.90		284.00		175.00	
EQCN179	Label		PrRR3*****				Action radius/m				3000.00				
	Group		8 m/s				Lw (Day (12h)) /dB(A)				108.80				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.80				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.80				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 8 m/s ST												
	Day (12h)	Lw /dB (A)	108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4		
	Night (8h)	Emission	Reference: Vestas V172 8 m/s ST												
	Night (8h)	Lw /dB (A)	108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4		
	Evening (4h)	Emission	Reference: Vestas V172 8 m/s ST												
	Evening (4h)	Lw /dB (A)	108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	108.8		1.00		1.13610		-10.24		-10.2		
	Evening (4h)		4.00	Evening	108.8		1.00		0.45230		-9.47		-9.5		
	Night (8h)		8.00	Night	108.8		1.00		0.97180		-9.16		-9.2		
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
						Geometry:		662676.13		256121.38		284.00		175.00	

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

EQCN180	Label		P19.2b*****				Action radius/m				3000.00				
	Group		8 m/s				Lw (Day (12h)) /dB(A)				108.80				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.80				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.80				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 8 m/s ST												
	Day (12h)	Lw /dB (A)	108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4		
	Night (8h)	Emission	Reference: Vestas V172 8 m/s ST												
	Night (8h)	Lw /dB (A)	108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4		
	Evening (4h)	Emission	Reference: Vestas V172 8 m/s ST												
	Evening (4h)	Lw /dB (A)	108.8	45.5 51.7 57.6	63.5 69.0 74.5	79.4 83.8 87.7	90.9 93.6 95.6	97.1 98.1 98.5	98.9 99.0 99.0	98.6 97.8 96.6	95.1 93.1 90.8	88.0 84.9 81.4	77.5 73.1 68.4		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	108.8		1.00		1.13610		-10.24		-10.2		
	Evening (4h)		4.00	Evening	108.8		1.00		0.45230		-9.47		-9.5		
	Night (8h)		8.00	Night	108.8		1.00		0.97180		-9.16		-9.2		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		656671.82		247343.93		280.00		175.00	
EQCN181	Label		O2*****				Action radius/m				3000.00				
	Group		9 m/s				Lw (Day (12h)) /dB(A)				110.13				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.13				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.13				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 9 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	46.9 53.2 59.1	65.0 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.5 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.3 92.0	89.2 86.1 82.5	78.6 74.3 69.6		
	Night (8h)	Emission	Reference: Vestas V172 9 m/s ST												
	Night (8h)	Lw /dB (A)	110.1	46.9 53.2 59.1	65.0 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.5 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.3 92.0	89.2 86.1 82.5	78.6 74.3 69.6		
	Evening (4h)	Emission	Reference: Vestas V172 9 m/s ST												
	Evening (4h)	Lw /dB (A)	110.1	46.9 53.2 59.1	65.0 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.5 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.3 92.0	89.2 86.1 82.5	78.6 74.3 69.6		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1		1.00		1.01770		-10.72		-10.7		
	Evening (4h)		4.00	Evening	110.1		1.00		0.44330		-9.55		-9.6		
	Night (8h)		8.00	Night	110.1		1.00		1.01840		-8.95		-9.0		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		655899.72		249092.09		279.27		175.00	
EQCN182	Label		O3*****				Action radius/m				3000.00				
	Group		9 m/s				Lw (Day (12h)) /dB(A)				110.13				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.13				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.13				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		

	Day (12h)	Emission	Reference: Vestas V172 9 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	46.9 53.2 59.1	65.0 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.5 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.3 92.0	89.2 86.1 82.5	78.6 74.3 69.6
	Night (8h)	Emission	Reference: Vestas V172 9 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	46.9 53.2 59.1	65.0 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.5 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.3 92.0	89.2 86.1 82.5	78.6 74.3 69.6
	Evening (4h)	Emission	Reference: Vestas V172 9 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	46.9 53.2 59.1	65.0 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.5 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.3 92.0	89.2 86.1 82.5	78.6 74.3 69.6
	Rating method	Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB				
	Lden	-	0.0		0.0		0.0		-				
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	110.1		1.00		1.01770		-10.72		-10.7	
	Evening (4h)	4.00	Evening	110.1		1.00		0.44330		-9.55		-9.6	
	Night (8h)	8.00	Night	110.1		1.00		1.01840		-8.95		-9.0	
	Geometry	Nr				x/m		y/m		z(abs) /m		! z(rel) /m	
	Geometry:				656055.72		248760.81		279.00		175.00		
EQCN183	Label	O5*****				Action radius/m				3000.00			
	Group	9 m/s				Lw (Day (12h)) /dB(A)				110.13			
	Number of nodes	1				Lw (Night (8h)) /dB(A)				110.13			
	Length/ m	---				Lw (Evening (4h)) /dB(A)				110.13			
	Length/ m (2D)	---				Emission is				Sound power level (Lw)			
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 9 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	46.9 53.2 59.1	65.0 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.5 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.3 92.0	89.2 86.1 82.5	78.6 74.3 69.6
	Night (8h)	Emission	Reference: Vestas V172 9 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	46.9 53.2 59.1	65.0 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.5 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.3 92.0	89.2 86.1 82.5	78.6 74.3 69.6
	Evening (4h)	Emission	Reference: Vestas V172 9 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	46.9 53.2 59.1	65.0 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.5 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.3 92.0	89.2 86.1 82.5	78.6 74.3 69.6
	Rating method	Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB				
	Lden	-	0.0		0.0		0.0		-				
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	110.1		1.00		1.01770		-10.72		-10.7	
	Evening (4h)	4.00	Evening	110.1		1.00		0.44330		-9.55		-9.6	
	Night (8h)	8.00	Night	110.1		1.00		1.01840		-8.95		-9.0	
	Geometry	Nr				x/m		y/m		z(abs) /m		! z(rel) /m	
	Geometry:				656292.16		247880.94		279.00		175.00		
EQCN184	Label	O4*****				Action radius/m				3000.00			
	Group	9 m/s				Lw (Day (12h)) /dB(A)				110.13			
	Number of nodes	1				Lw (Night (8h)) /dB(A)				110.13			
	Length/ m	---				Lw (Evening (4h)) /dB(A)				110.13			
	Length/ m (2D)	---				Emission is				Sound power level (Lw)			
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 9 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	46.9 53.2 59.1	65.0 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.5 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.3 92.0	89.2 86.1 82.5	78.6 74.3 69.6
	Night (8h)	Emission	Reference: Vestas V172 9 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	46.9 53.2 59.1	65.0 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.5 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.3 92.0	89.2 86.1 82.5	78.6 74.3 69.6
	Evening (4h)	Emission	Reference: Vestas V172 9 m/s ST										

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Evening (4h)	Lw /dB (A)	110.1	46.9 53.2 59.1	65.0 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.5 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.3 92.0	89.2 86.1 82.5	78.6 74.3 69.6
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	110.1		1.00		1.01770		-10.72		-10.7
	Evening (4h)		4.00	Evening	110.1		1.00		0.44330		-9.55		-9.6
	Night (8h)		8.00	Night	110.1		1.00		1.01840		-8.95		-9.0
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
			Geometry:		655674.43		248309.07		278.00		175.00		
EQCN185	Label		DD1*****		Action radius/m								3000.00
	Group		9 m/s		Lw (Day (12h)) /dB(A)								110.13
	Number of nodes		1		Lw (Night (8h)) /dB(A)								110.13
	Length/ m		---		Lw (Evening (4h)) /dB(A)								110.13
	Length/ m (2D)		---		Emission is								Sound power level (Lw)
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 9 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	46.9 53.2 59.1	65.0 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.5 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.3 92.0	89.2 86.1 82.5	78.6 74.3 69.6
	Night (8h)	Emission	Reference: Vestas V172 9 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	46.9 53.2 59.1	65.0 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.5 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.3 92.0	89.2 86.1 82.5	78.6 74.3 69.6
	Evening (4h)	Emission	Reference: Vestas V172 9 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	46.9 53.2 59.1	65.0 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.5 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.3 92.0	89.2 86.1 82.5	78.6 74.3 69.6
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	110.1		1.00		1.01770		-10.72		-10.7
	Evening (4h)		4.00	Evening	110.1		1.00		0.44330		-9.55		-9.6
	Night (8h)		8.00	Night	110.1		1.00		1.01840		-8.95		-9.0
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
			Geometry:		656226.07		248421.71		278.00		175.00		
EQCN186	Label		DD3*****		Action radius/m								3000.00
	Group		9 m/s		Lw (Day (12h)) /dB(A)								110.13
	Number of nodes		1		Lw (Night (8h)) /dB(A)								110.13
	Length/ m		---		Lw (Evening (4h)) /dB(A)								110.13
	Length/ m (2D)		---		Emission is								Sound power level (Lw)
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 9 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	46.9 53.2 59.1	65.0 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.5 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.3 92.0	89.2 86.1 82.5	78.6 74.3 69.6
	Night (8h)	Emission	Reference: Vestas V172 9 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	46.9 53.2 59.1	65.0 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.5 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.3 92.0	89.2 86.1 82.5	78.6 74.3 69.6
	Evening (4h)	Emission	Reference: Vestas V172 9 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	46.9 53.2 59.1	65.0 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.5 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.3 92.0	89.2 86.1 82.5	78.6 74.3 69.6
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	110.1		1.00		1.01770		-10.72		-10.7

	Evening (4h)		4.00		Evening		110.1		1.00		0.44330		-9.55		-9.6	
	Night (8h)		8.00		Night		110.1		1.00		1.01840		-8.95		-9.0	
	Geometry						Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
							Geometry:		656792.54		248209.39		279.20		175.00	
EQCN187	Label		O1.b*****				Action radius/m				3000.00					
	Group		9 m/s				Lw (Day (12h)) /dB(A)				110.13					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.13					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.13					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
	Day (12h)	Emission	Reference: Vestas V172 9 m/s ST													
	Day (12h)	Lw /dB (A)	110.1	46.9 53.2 59.1	65.0 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.5 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.3 92.0	89.2 86.1 82.5	78.6 74.3 69.6			
	Night (8h)	Emission	Reference: Vestas V172 9 m/s ST													
	Night (8h)	Lw /dB (A)	110.1	46.9 53.2 59.1	65.0 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.5 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.3 92.0	89.2 86.1 82.5	78.6 74.3 69.6			
	Evening (4h)	Emission	Reference: Vestas V172 9 m/s ST													
	Evening (4h)	Lw /dB (A)	110.1	46.9 53.2 59.1	65.0 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.5 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.3 92.0	89.2 86.1 82.5	78.6 74.3 69.6			
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden		-		0.0		0.0		0.0		-		0.0			
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)		12.00	Day	110.1		1.00		1.01770		-10.72		-10.7			
	Evening (4h)		4.00	Evening	110.1		1.00		0.44330		-9.55		-9.6			
	Night (8h)		8.00	Night	110.1		1.00		1.01840		-8.95		-9.0			
	Geometry						Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
							Geometry:		655628.52		247870.27		278.00		175.00	
EQCN188	Label		JV1*****				Action radius/m				3000.00					
	Group		9 m/s				Lw (Day (12h)) /dB(A)				110.13					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.13					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.13					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
	Day (12h)	Emission	Reference: Vestas V172 9 m/s ST													
	Day (12h)	Lw /dB (A)	110.1	46.9 53.2 59.1	65.0 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.5 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.3 92.0	89.2 86.1 82.5	78.6 74.3 69.6			
	Night (8h)	Emission	Reference: Vestas V172 9 m/s ST													
	Night (8h)	Lw /dB (A)	110.1	46.9 53.2 59.1	65.0 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.5 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.3 92.0	89.2 86.1 82.5	78.6 74.3 69.6			
	Evening (4h)	Emission	Reference: Vestas V172 9 m/s ST													
	Evening (4h)	Lw /dB (A)	110.1	46.9 53.2 59.1	65.0 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.5 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.3 92.0	89.2 86.1 82.5	78.6 74.3 69.6			
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden		-		0.0		0.0		0.0		-		0.0			
	Rating period / Period		Duration /h	Emiss												

Vēja parks "Pīkuļi" A alternatīva - Vestas V172 - 7.2 MW

	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.13				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 9 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	46.9 53.2 59.1	65.0 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.5 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.3 92.0	89.2 86.1 82.5	78.6 74.3 69.6		
	Night (8h)	Emission	Reference: Vestas V172 9 m/s ST												
	Night (8h)	Lw /dB (A)	110.1	46.9 53.2 59.1	65.0 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.5 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.3 92.0	89.2 86.1 82.5	78.6 74.3 69.6		
	Evening (4h)	Emission	Reference: Vestas V172 9 m/s ST												
	Evening (4h)	Lw /dB (A)	110.1	46.9 53.2 59.1	65.0 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.5 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.3 92.0	89.2 86.1 82.5	78.6 74.3 69.6		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0				0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)	12.00	Day	110.1		1.00		1.01770		-10.72		-10.7			
	Evening (4h)	4.00	Evening	110.1		1.00		0.44330		-9.55		-9.6			
	Night (8h)	8.00	Night	110.1		1.00		1.01840		-8.95		-9.0			
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		659850.41		255599.51		281.00		175.00	
EQCN190	Label	O6*****				Action radius/m				3000.00					
	Group	9 m/s				Lw (Day (12h)) /dB(A)				110.13					
	Number of nodes	1				Lw (Night (8h)) /dB(A)				110.13					
	Length/ m	---				Lw (Evening (4h)) /dB(A)				110.13					
	Length/ m (2D)	---				Emission is				Sound power level (Lw)					
	Area /m²	---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 9 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	46.9 53.2 59.1	65.0 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.5 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.3 92.0	89.2 86.1 82.5	78.6 74.3 69.6		
	Night (8h)	Emission	Reference: Vestas V172 9 m/s ST												
	Night (8h)	Lw /dB (A)	110.1	46.9 53.2 59.1	65.0 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.5 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.3 92.0	89.2 86.1 82.5	78.6 74.3 69.6		
	Evening (4h)	Emission	Reference: Vestas V172 9 m/s ST												
	Evening (4h)	Lw /dB (A)	110.1	46.9 53.2 59.1	65.0 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.5 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.3 92.0	89.2 86.1 82.5	78.6 74.3 69.6		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0				0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)	12.00	Day	110.1		1.00		1.01770		-10.72		-10.7			
	Evening (4h)	4.00	Evening	110.1		1.00		0.44330		-9.55		-9.6			
	Night (8h)	8.00	Night	110.1		1.00		1.01840		-8.95		-9.0			
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		659724.06		256257.39		278.09		175.00	
EQCN191	Label	Pr11*****				Action radius/m				3000.00					
	Group	9 m/s				Lw (Day (12h)) /dB(A)				110.13					
	Number of nodes	1				Lw (Night (8h)) /dB(A)				110.13					
	Length/ m	---				Lw (Evening (4h)) /dB(A)				110.13					
	Length/ m (2D)	---				Emission is				Sound power level (Lw)					
	Area /m²	---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 9 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	46.9 53.2 59.1	65.0 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.5 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.3 92.0	89.2 86.1 82.5	78.6 74.3 69.6		

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Night (8h)	Emission	Reference: Vestas V172 9 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	46.9 53.2 59.1	65.0 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.5 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.3 92.0	89.2 86.1 82.5	78.6 74.3 69.6	
	Evening (4h)	Emission	Reference: Vestas V172 9 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	46.9 53.2 59.1	65.0 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.5 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.3 92.0	89.2 86.1 82.5	78.6 74.3 69.6	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		1.01770		-10.72		-10.7	
	Evening (4h)		4.00	Evening	110.1		1.00		0.44330		-9.55		-9.6	
	Night (8h)		8.00	Night	110.1		1.00		1.01840		-8.95		-9.0	
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m
			Geometry:			660296.51		255945.28		279.00		175.00		
EQCN192	Label		AP2*****				Action radius/m				3000.00			
	Group		9 m/s				Lw (Day (12h)) /dB(A)				110.13			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.13			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.13			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Reference: Vestas V172 9 m/s ST											
	Day (12h)		110.1	46.9 53.2 59.1	65.0 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.5 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.3 92.0	89.2 86.1 82.5	78.6 74.3 69.6	
	Night (8h)		Reference: Vestas V172 9 m/s ST											
	Night (8h)		110.1	46.9 53.2 59.1	65.0 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.5 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.3 92.0	89.2 86.1 82.5	78.6 74.3 69.6	
	Evening (4h)		Reference: Vestas V172 9 m/s ST											
	Evening (4h)		110.1	46.9 53.2 59.1	65.0 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.5 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.3 92.0	89.2 86.1 82.5	78.6 74.3 69.6	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		1.01770		-10.72		-10.7	
	Evening (4h)		4.00	Evening	110.1		1.00		0.44330		-9.55		-9.6	
	Night (8h)		8.00	Night	110.1		1.00		1.01840		-8.95		-9.0	
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m
			Geometry:			661860.19		254894.20		282.00		175.00		
EQCN193	Label		AP6.1*****				Action radius/m				3000.00			
	Group		9 m/s				Lw (Day (12h)) /dB(A)				110.13			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.13			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.13			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Reference: Vestas V172 9 m/s ST											
	Day (12h)		110.1	46.9 53.2 59.1	65.0 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.5 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.3 92.0	89.2 86.1 82.5	78.6 74.3 69.6	
	Night (8h)		Reference: Vestas V172 9 m/s ST											
	Night (8h)		110.1	46.9 53.2 59.1	65.0 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.5 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.3 92.0	89.2 86.1 82.5	78.6 74.3 69.6	
	Evening (4h)		Reference: Vestas V172 9 m/s ST											
	Evening (4h)		110.1	46.9 53.2 59.1	65.0 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.5 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.3 92.0	89.2 86.1 82.5	78.6 74.3 69.6	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	

Vēja parks "Pīrikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Lden			-	0.0		0.0		0.0		-	0.0				
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)				
	Day (12h)	12.00	Day	110.1		1.00		1.01770		-10.72		-10.7				
	Evening (4h)	4.00	Evening	110.1		1.00		0.44330		-9.55		-9.6				
	Night (8h)	8.00	Night	110.1		1.00		1.01840		-8.95		-9.0				
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m			
					Geometry:		661549.21		255141.18		282.00		175.00			
EQCN194	Label	JU1*****					Action radius/m					3000.00				
	Group	9 m/s					Lw (Day (12h)) /dB(A)					110.13				
	Number of nodes	1					Lw (Night (8h)) /dB(A)					110.13				
	Length/ m	---					Lw (Evening (4h)) /dB(A)					110.13				
	Length/ m (2D)	---					Emission is					Sound power level (Lw)				
	Area /m²	---														
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
	Day (12h)	Emission	Reference: Vestas V172 9 m/s ST													
	Day (12h)	Lw /dB (A)	110.1	46.9 53.2 59.1	65.0 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.5 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.3 92.0	89.2 86.1 82.5	78.6 74.3 69.6			
	Night (8h)	Emission	Reference: Vestas V172 9 m/s ST													
	Night (8h)	Lw /dB (A)	110.1	46.9 53.2 59.1	65.0 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.5 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.3 92.0	89.2 86.1 82.5	78.6 74.3 69.6			
	Evening (4h)	Emission	Reference: Vestas V172 9 m/s ST													
	Evening (4h)	Lw /dB (A)	110.1	46.9 53.2 59.1	65.0 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.5 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.3 92.0	89.2 86.1 82.5	78.6 74.3 69.6			
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB				
	Lden			-		0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)				
	Day (12h)	12.00	Day	110.1		1.00		1.01770		-10.72		-10.7				
	Evening (4h)	4.00	Evening	110.1		1.00		0.44330		-9.55		-9.6				
	Night (8h)	8.00	Night	110.1		1.00		1.01840		-8.95		-9.0				
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m			
					Geometry:		661068.17		255365.14		281.00		175.00			
EQCN195	Label	Pr25*****					Action radius/m					3000.00				
	Group	9 m/s					Lw (Day (12h)) /dB(A)					110.13				
	Number of nodes	1					Lw (Night (8h)) /dB(A)					110.13				
	Length/ m	---					Lw (Evening (4h)) /dB(A)					110.13				
	Length/ m (2D)	---					Emission is					Sound power level (Lw)				
	Area /m²	---														
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
	Day (12h)	Emission	Reference: Vestas V172 9 m/s ST													
	Day (12h)	Lw /dB (A)	110.1	46.9 53.2 59.1	65.0 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.5 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.3 92.0	89.2 86.1 82.5	78.6 74.3 69.6			
	Night (8h)	Emission	Reference: Vestas V172 9 m/s ST													
	Night (8h)	Lw /dB (A)	110.1	46.9 53.2 59.1	65.0 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.5 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.3 92.0	89.2 86.1 82.5	78.6 74.3 69.6			
	Evening (4h)	Emission	Reference: Vestas V172 9 m/s ST													
	Evening (4h)	Lw /dB (A)	110.1	46.9 53.2 59.1	65.0 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.5 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.3 92.0	89.2 86.1 82.5	78.6 74.3 69.6			
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB				
	Lden			-		0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)				
	Day (12h)	12.00	Day	110.1		1.00		1.01770		-10.72		-10.7				
	Evening (4h)	4.00	Evening	110.1		1.00		0.44330		-9.55		-9.6				
	Night (8h)	8.00	Night	110.1		1.00		1.01840		-8.95		-9.0				
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m			

Vēja parks "Pīkuļi" A alternatīva - Vestas V172 - 7.2 MW

		Geometry:				662047.55	256166.20				283.00	175.00			
EQCN196	Label	Pr3a*****				Action radius/m				3000.00					
	Group	9 m/s				Lw (Day (12h)) /dB(A)				110.13					
	Number of nodes	1				Lw (Night (8h)) /dB(A)				110.13					
	Length/ m	---				Lw (Evening (4h)) /dB(A)				110.13					
	Length/ m (2D)	---				Emission is				Sound power level (Lw)					
	Area /m²	---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 9 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	46.9 53.2 59.1	65.0 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.5 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.3 92.0	89.2 86.1 82.5	78.6 74.3 69.6		
	Night (8h)	Emission	Reference: Vestas V172 9 m/s ST												
	Night (8h)	Lw /dB (A)	110.1	46.9 53.2 59.1	65.0 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.5 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.3 92.0	89.2 86.1 82.5	78.6 74.3 69.6		
	Evening (4h)	Emission	Reference: Vestas V172 9 m/s ST												
	Evening (4h)	Lw /dB (A)	110.1	46.9 53.2 59.1	65.0 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.5 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.3 92.0	89.2 86.1 82.5	78.6 74.3 69.6		
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden	-		0.0		0.0		0.0		-		0.0			
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)	12.00	Day	110.1		1.00		1.01770		-10.72		-10.7			
	Evening (4h)	4.00	Evening	110.1		1.00		0.44330		-9.55		-9.6			
	Night (8h)	8.00	Night	110.1		1.00		1.01840		-8.95		-9.0			
	Geometry				Nr	x/m		y/m		z(abs) /m		! z(rel) /m			
		Geometry:				662202.01	255681.90		284.00		175.00				
EQCN197	Label	PrRR3*****				Action radius/m				3000.00					
	Group	9 m/s				Lw (Day (12h)) /dB(A)				110.13					
	Number of nodes	1				Lw (Night (8h)) /dB(A)				110.13					
	Length/ m	---				Lw (Evening (4h)) /dB(A)				110.13					
	Length/ m (2D)	---				Emission is				Sound power level (Lw)					
	Area /m²	---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 9 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	46.9 53.2 59.1	65.0 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.5 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.3 92.0	89.2 86.1 82.5	78.6 74.3 69.6		
	Night (8h)	Emission	Reference: Vestas V172 9 m/s ST												
	Night (8h)	Lw /dB (A)	110.1	46.9 53.2 59.1	65.0 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.5 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.3 92.0	89.2 86.1 82.5	78.6 74.3 69.6		
	Evening (4h)	Emission	Reference: Vestas V172 9 m/s ST												
	Evening (4h)	Lw /dB (A)	110.1	46.9 53.2 59.1	65.0 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.5 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.3 92.0	89.2 86.1 82.5	78.6 74.3 69.6		
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden	-		0.0		0.0		0.0		-		0.0			
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)	12.00	Day	110.1		1.00		1.01770		-10.72		-10.7			
	Evening (4h)	4.00	Evening	110.1		1.00		0.44330		-9.55		-9.6			
	Night (8h)	8.00	Night	110.1		1.00		1.01840		-8.95		-9.0			
	Geometry				Nr	x/m		y/m		z(abs) /m		! z(rel) /m			
		Geometry:				662676.13	256121.38		284.00		175.00				
EQCN198	Label	P19.2b*****				Action radius/m				3000.00					
	Group	9 m/s				Lw (Day (12h)) /dB(A)				110.13					
	Number of nodes	1				Lw (Night (8h)) /dB(A)				110.13					
	Length/ m	---				Lw (Evening (4h)) /dB(A)				110.13					
	Length/ m (2D)	---				Emission is				Sound power level (Lw)					
	Area /m²	---													

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 9 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	46.9 53.2 59.1	65.0 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.5 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.3 92.0	89.2 86.1 82.5	78.6 74.3 69.6		
	Night (8h)	Emission	Reference: Vestas V172 9 m/s ST												
	Night (8h)	Lw /dB (A)	110.1	46.9 53.2 59.1	65.0 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.5 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.3 92.0	89.2 86.1 82.5	78.6 74.3 69.6		
	Evening (4h)	Emission	Reference: Vestas V172 9 m/s ST												
	Evening (4h)	Lw /dB (A)	110.1	46.9 53.2 59.1	65.0 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.5 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.3 92.0	89.2 86.1 82.5	78.6 74.3 69.6		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1		1.00		1.01770		-10.72		-10.7		
	Evening (4h)		4.00	Evening	110.1		1.00		0.44330		-9.55		-9.6		
	Night (8h)		8.00	Night	110.1		1.00		1.01840		-8.95		-9.0		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		656671.82		247343.93		280.00		175.00	
EQCN199	Label		O2*****			Action radius/m			3000.00						
	Group		10 m/s			Lw (Day (12h)) /dB(A)			110.12						
	Number of nodes		1			Lw (Night (8h)) /dB(A)			110.12						
	Length/ m		---			Lw (Evening (4h)) /dB(A)			110.12						
	Length/ m (2D)		---			Emission is			Sound power level (Lw)						
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 10 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	46.9 53.2 59.1	64.9 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.4 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.4 92.0	89.3 86.1 82.6	78.7 74.3 69.6		
	Night (8h)	Emission	Reference: Vestas V172 10 m/s ST												
	Night (8h)	Lw /dB (A)	110.1	46.9 53.2 59.1	64.9 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.4 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.4 92.0	89.3 86.1 82.6	78.7 74.3 69.6		
	Evening (4h)	Emission	Reference: Vestas V172 10 m/s ST												
	Evening (4h)	Lw /dB (A)	110.1	46.9 53.2 59.1	64.9 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.4 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.4 92.0	89.3 86.1 82.6	78.7 74.3 69.6		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1		1.00		0.88890		-11.30		-11.3		
	Evening (4h)		4.00	Evening	110.1		1.00		0.43860		-9.60		-9.6		
	Night (8h)		8.00	Night	110.1		1.00		0.87560		-9.61		-9.6		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		655899.72		249092.09		279.27		175.00	
EQCN200	Label		O3*****			Action radius/m			3000.00						
	Group		10 m/s			Lw (Day (12h)) /dB(A)			110.12						
	Number of nodes		1			Lw (Night (8h)) /dB(A)			110.12						
	Length/ m		---			Lw (Evening (4h)) /dB(A)			110.12						
	Length/ m (2D)		---			Emission is			Sound power level (Lw)						
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 10 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	46.9 53.2 59.1	64.9 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.4 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.4 92.0	89.3 86.1 82.6	78.7 74.3 69.6		
	Night (8h)	Emission	Reference: Vestas V172 10 m/s ST												
	Night (8h)	Lw /dB (A)	110.1	46.9 53.2 59.1	64.9 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.4 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.4 92.0	89.3 86.1 82.6	78.7 74.3 69.6		

Vēja parks "Pīkuļi" A alternatīva - Vestas V172 - 7.2 MW

	Evening (4h)	Emission	Reference: Vestas V172 10 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	46.9 53.2 59.1	64.9 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.4 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.4 92.0	89.3 86.1 82.6	78.7 74.3 69.6	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		0.88890		-11.30		-11.3	
	Evening (4h)		4.00	Evening	110.1		1.00		0.43860		-9.60		-9.6	
	Night (8h)		8.00	Night	110.1		1.00		0.87560		-9.61		-9.6	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:				656055.72		248760.81		279.00		175.00	
EQCN201	Label		O5*****				Action radius/m				3000.00			
	Group		10 m/s				Lw (Day (12h)) /dB(A)				110.12			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 10 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	46.9 53.2 59.1	64.9 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.4 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.4 92.0	89.3 86.1 82.6	78.7 74.3 69.6	
	Night (8h)	Emission	Reference: Vestas V172 10 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	46.9 53.2 59.1	64.9 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.4 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.4 92.0	89.3 86.1 82.6	78.7 74.3 69.6	
	Evening (4h)	Emission	Reference: Vestas V172 10 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	46.9 53.2 59.1	64.9 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.4 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.4 92.0	89.3 86.1 82.6	78.7 74.3 69.6	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		0.88890		-11.30		-11.3	
	Evening (4h)		4.00	Evening	110.1		1.00		0.43860		-9.60		-9.6	
	Night (8h)		8.00	Night	110.1		1.00		0.87560		-9.61		-9.6	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:				656292.16		247880.94		279.00		175.00	
EQCN202	Label		O4*****				Action radius/m				3000.00			
	Group		10 m/s				Lw (Day (12h)) /dB(A)				110.12			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 10 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	46.9 53.2 59.1	64.9 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.4 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.4 92.0	89.3 86.1 82.6	78.7 74.3 69.6	
	Night (8h)	Emission	Reference: Vestas V172 10 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	46.9 53.2 59.1	64.9 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.4 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.4 92.0	89.3 86.1 82.6	78.7 74.3 69.6	
	Evening (4h)	Emission	Reference: Vestas V172 10 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	46.9 53.2 59.1	64.9 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.4 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.4 92.0	89.3 86.1 82.6	78.7 74.3 69.6	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	

--	--	--	--	--

Vēja parks "Pīrikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 10 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	46.9 53.2 59.1	64.9 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.4 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.4 92.0	89.3 86.1 82.6	78.7 74.3 69.6		
	Night (8h)	Emission	Reference: Vestas V172 10 m/s ST												
	Night (8h)	Lw /dB (A)	110.1	46.9 53.2 59.1	64.9 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.4 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.4 92.0	89.3 86.1 82.6	78.7 74.3 69.6		
	Evening (4h)	Emission	Reference: Vestas V172 10 m/s ST												
	Evening (4h)	Lw /dB (A)	110.1	46.9 53.2 59.1	64.9 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.4 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.4 92.0	89.3 86.1 82.6	78.7 74.3 69.6		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1		1.00		0.88890		-11.30		-11.3		
	Evening (4h)		4.00	Evening	110.1		1.00		0.43860		-9.60		-9.6		
	Night (8h)		8.00	Night	110.1		1.00		0.87560		-9.61		-9.6		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		655628.52		247870.27		278.00		175.00	
EQCN206	Label		JV1*****				Action radius/m				3000.00				
	Group		10 m/s				Lw (Day (12h)) /dB(A)				110.12				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 10 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	46.9 53.2 59.1	64.9 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.4 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.4 92.0	89.3 86.1 82.6	78.7 74.3 69.6		
	Night (8h)	Emission	Reference: Vestas V172 10 m/s ST												
	Night (8h)	Lw /dB (A)	110.1	46.9 53.2 59.1	64.9 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.4 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.4 92.0	89.3 86.1 82.6	78.7 74.3 69.6		
	Evening (4h)	Emission	Reference: Vestas V172 10 m/s ST												
	Evening (4h)	Lw /dB (A)	110.1	46.9 53.2 59.1	64.9 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.4 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.4 92.0	89.3 86.1 82.6	78.7 74.3 69.6		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1		1.00		0.88890		-11.30		-11.3		
	Evening (4h)		4.00	Evening	110.1		1.00		0.43860		-9.60		-9.6		
	Night (8h)		8.00	Night	110.1		1.00		0.87560		-9.61		-9.6		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		656086.43		247254.47		279.00		175.00	
EQCN207	Label		Pr12*****				Action radius/m				3000.00				
	Group		10 m/s				Lw (Day (12h)) /dB(A)				110.12				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 10 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	46.9	64.9	80.8	92.3	98.4	100.3	99.9	96.3	89.3	78.7		

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

				53.2	70.4	85.2	94.9	99.4	100.3	99.1	94.4	86.1	74.3	
				59.1	75.9	89.0	97.0	99.9	100.3	97.9	92.0	82.6	69.6	
	Night (8h)	Emission	Reference: Vestas V172 10 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	46.9	64.9	80.8	92.3	98.4	100.3	99.9	96.3	89.3	78.7	
				53.2	70.4	85.2	94.9	99.4	100.3	99.1	94.4	86.1	74.3	
				59.1	75.9	89.0	97.0	99.9	100.3	97.9	92.0	82.6	69.6	
	Evening (4h)	Emission	Reference: Vestas V172 10 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	46.9	64.9	80.8	92.3	98.4	100.3	99.9	96.3	89.3	78.7	
				53.2	70.4	85.2	94.9	99.4	100.3	99.1	94.4	86.1	74.3	
				59.1	75.9	89.0	97.0	99.9	100.3	97.9	92.0	82.6	69.6	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		0.88890		-11.30		-11.3	
	Evening (4h)		4.00	Evening	110.1		1.00		0.43860		-9.60		-9.6	
	Night (8h)		8.00	Night	110.1		1.00		0.87560		-9.61		-9.6	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:				659850.41		255599.51		281.00		175.00	
EQCN208	Label		O6*****				Action radius/m				3000.00			
	Group		10 m/s				Lw (Day (12h)) /dB(A)				110.12			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 10 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	46.9	64.9	80.8	92.3	98.4	100.3	99.9	96.3	89.3	78.7	
				53.2	70.4	85.2	94.9	99.4	100.3	99.1	94.4	86.1	74.3	
				59.1	75.9	89.0	97.0	99.9	100.3	97.9	92.0	82.6	69.6	
	Night (8h)	Emission	Reference: Vestas V172 10 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	46.9	64.9	80.8	92.3	98.4	100.3	99.9	96.3	89.3	78.7	
				53.2	70.4	85.2	94.9	99.4	100.3	99.1	94.4	86.1	74.3	
				59.1	75.9	89.0	97.0	99.9	100.3	97.9	92.0	82.6	69.6	
	Evening (4h)	Emission	Reference: Vestas V172 10 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	46.9	64.9	80.8	92.3	98.4	100.3	99.9	96.3	89.3	78.7	
				53.2	70.4	85.2	94.9	99.4	100.3	99.1	94.4	86.1	74.3	
				59.1	75.9	89.0	97.0	99.9	100.3	97.9	92.0	82.6	69.6	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		0.88890		-11.30		-11.3	
	Evening (4h)		4.00	Evening	110.1		1.00		0.43860		-9.60		-9.6	
	Night (8h)		8.00	Night	110.1		1.00		0.87560		-9.61		-9.6	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:				659724.06		256257.39		278.09		175.00	
EQCN209	Label		Pr11*****				Action radius/m				3000.00			
	Group		10 m/s				Lw (Day (12h)) /dB(A)				110.12			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 10 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	46.9	64.9	80.8	92.3	98.4	100.3	99.9	96.3	89.3	78.7	
				53.2	70.4	85.2	94.9	99.4	100.3	99.1	94.4	86.1	74.3	
				59.1	75.9	89.0	97.0	99.9	100.3	97.9	92.0	82.6	69.6	
	Night (8h)	Emission	Reference: Vestas V172 10 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	46.9	64.9	80.8	92.3	98.4	100.3	99.9	96.3	89.3	78.7	
				53.2	70.4	85.2	94.9	99.4	100.3	99.1	94.4	86.1	74.3	
				59.1	75.9	89.0	97.0	99.9	100.3	97.9	92.0	82.6	69.6	
	Evening (4h)	Emission	Reference: Vestas V172 10 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	46.9	64.9	80.8	92.3	98.4	100.3	99.9	96.3	89.3	78.7	
				53.2	70.4	85.2	94.9	99.4	100.3	99.1	94.4	86.1	74.3	
				59.1	75.9	89.0	97.0	99.9	100.3	97.9	92.0	82.6	69.6	

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB			Special correction /dB		
	Lden		-		0.0		0.0		0.0			0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		0.88890		-11.30		-11.3	
	Evening (4h)		4.00	Evening	110.1		1.00		0.43860		-9.60		-9.6	
	Night (8h)		8.00	Night	110.1		1.00		0.87560		-9.61		-9.6	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		660296.51		255945.28		279.00		175.00	
EQCN210	Label		AP2*****				Action radius/m				3000.00			
	Group		10 m/s				Lw (Day (12h)) /dB(A)				110.12			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 10 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	46.9 53.2 59.1	64.9 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.4 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.4 92.0	89.3 86.1 82.6	78.7 74.3 69.6	
	Night (8h)	Emission	Reference: Vestas V172 10 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	46.9 53.2 59.1	64.9 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.4 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.4 92.0	89.3 86.1 82.6	78.7 74.3 69.6	
	Evening (4h)	Emission	Reference: Vestas V172 10 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	46.9 53.2 59.1	64.9 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.4 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.4 92.0	89.3 86.1 82.6	78.7 74.3 69.6	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB			Special correction /dB		
	Lden		-		0.0		0.0		0.0			0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		0.88890		-11.30		-11.3	
	Evening (4h)		4.00	Evening	110.1		1.00		0.43860		-9.60		-9.6	
	Night (8h)		8.00	Night	110.1		1.00		0.87560		-9.61		-9.6	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		661860.19		254894.20		282.00		175.00	
EQCN211	Label		AP6.1*****				Action radius/m				3000.00			
	Group		10 m/s				Lw (Day (12h)) /dB(A)				110.12			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 10 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	46.9 53.2 59.1	64.9 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.4 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.4 92.0	89.3 86.1 82.6	78.7 74.3 69.6	
	Night (8h)	Emission	Reference: Vestas V172 10 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	46.9 53.2 59.1	64.9 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.4 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.4 92.0	89.3 86.1 82.6	78.7 74.3 69.6	
	Evening (4h)	Emission	Reference: Vestas V172 10 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	46.9 53.2 59.1	64.9 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.4 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.4 92.0	89.3 86.1 82.6	78.7 74.3 69.6	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB			Special correction /dB		
	Lden		-		0.0		0.0		0.0			0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		0.88890		-11.30		-11.3	
	Evening (4h)		4.00	Evening	110.1		1.00		0.43860		-9.60		-9.6	
	Night (8h)		8.00	Night	110.1		1.00		0.87560		-9.61		-9.6	

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Geometry		Nr				x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:				661549.21		255141.18		282.00		175.00	
EQCN212	Label		JU1*****				Action radius/m				3000.00			
	Group		10 m/s				Lw (Day (12h)) /dB(A)				110.12			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 10 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	46.9 53.2 59.1	64.9 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.4 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.4 92.0	89.3 86.1 82.6	78.7 74.3 69.6	
	Night (8h)	Emission	Reference: Vestas V172 10 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	46.9 53.2 59.1	64.9 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.4 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.4 92.0	89.3 86.1 82.6	78.7 74.3 69.6	
	Evening (4h)	Emission	Reference: Vestas V172 10 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	46.9 53.2 59.1	64.9 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.4 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.4 92.0	89.3 86.1 82.6	78.7 74.3 69.6	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden				-		0.0		0.0		0.0		-	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		0.88890		-11.30		-11.3	
	Evening (4h)		4.00	Evening	110.1		1.00		0.43860		-9.60		-9.6	
	Night (8h)		8.00	Night	110.1		1.00		0.87560		-9.61		-9.6	
	Geometry						Nr		x/m		y/m		z(abs) /m	
							Geometry:		661068.17		255365.14		281.00	
EQCN213	Label		Pr25*****				Action radius/m				3000.00			
	Group		10 m/s				Lw (Day (12h)) /dB(A)				110.12			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 10 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	46.9 53.2 59.1	64.9 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.4 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.4 92.0	89.3 86.1 82.6	78.7 74.3 69.6	
	Night (8h)	Emission	Reference: Vestas V172 10 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	46.9 53.2 59.1	64.9 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.4 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.4 92.0	89.3 86.1 82.6	78.7 74.3 69.6	
	Evening (4h)	Emission	Reference: Vestas V172 10 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	46.9 53.2 59.1	64.9 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.4 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.4 92.0	89.3 86.1 82.6	78.7 74.3 69.6	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden				-		0.0		0.0		0.0		-	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		0.88890		-11.30		-11.3	
	Evening (4h)		4.00	Evening	110.1		1.00		0.43860		-9.60		-9.6	
	Night (8h)		8.00	Night	110.1		1.00		0.87560		-9.61		-9.6	
	Geometry						Nr		x/m		y/m		z(abs) /m	
							Geometry:		662047.55		256166.20		283.00	
EQCN214	Label		Pr3a*****				Action radius/m				3000.00			
	Group		10 m/s				Lw (Day (12h)) /dB(A)				110.12			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			

Vēja parks "Pīkuļi" A alternatīva - Vestas V172 - 7.2 MW

	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 10 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	46.9 53.2 59.1	64.9 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.4 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.4 92.0	89.3 86.1 82.6	78.7 74.3 69.6		
	Night (8h)	Emission	Reference: Vestas V172 10 m/s ST												
	Night (8h)	Lw /dB (A)	110.1	46.9 53.2 59.1	64.9 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.4 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.4 92.0	89.3 86.1 82.6	78.7 74.3 69.6		
	Evening (4h)	Emission	Reference: Vestas V172 10 m/s ST												
	Evening (4h)	Lw /dB (A)	110.1	46.9 53.2 59.1	64.9 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.4 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.4 92.0	89.3 86.1 82.6	78.7 74.3 69.6		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1		1.00		0.88890		-11.30		-11.3		
	Evening (4h)		4.00	Evening	110.1		1.00		0.43860		-9.60		-9.6		
	Night (8h)		8.00	Night	110.1		1.00		0.87560		-9.61		-9.6		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		662202.01		255681.90		284.00		175.00	
EQCN215	Label		PrRR3*****				Action radius/m				3000.00				
	Group		10 m/s				Lw (Day (12h)) /dB(A)				110.12				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 10 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	46.9 53.2 59.1	64.9 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.4 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.4 92.0	89.3 86.1 82.6	78.7 74.3 69.6		
	Night (8h)	Emission	Reference: Vestas V172 10 m/s ST												
	Night (8h)	Lw /dB (A)	110.1	46.9 53.2 59.1	64.9 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.4 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.4 92.0	89.3 86.1 82.6	78.7 74.3 69.6		
	Evening (4h)	Emission	Reference: Vestas V172 10 m/s ST												
	Evening (4h)	Lw /dB (A)	110.1	46.9 53.2 59.1	64.9 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.4 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.4 92.0	89.3 86.1 82.6	78.7 74.3 69.6		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1		1.00		0.88890		-11.30		-11.3		
	Evening (4h)		4.00	Evening	110.1		1.00		0.43860		-9.60		-9.6		
	Night (8h)		8.00	Night	110.1		1.00		0.87560		-9.61		-9.6		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		662676.13		256121.38		284.00		175.00	
EQCN216	Label		P19.2b*****				Action radius/m				3000.00				
	Group		10 m/s				Lw (Day (12h)) /dB(A)				110.12				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 10 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	46.9 53.2 59.1	64.9 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.4 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.4 92.0	89.3 86.1 82.6	78.7 74.3 69.6		
	Night (8h)	Emission	Reference: Vestas V172 10 m/s ST												
	Night (8h)	Lw /dB (A)	110.1	46.9 53.2	64.9 70.4	80.8 85.2	92.3 94.9	98.4 99.4	100.3 100.3	99.9 99.1	96.3 94.4	89.3 86.1	78.7 74.3		

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

				59.1	75.9	89.0	97.0	99.9	100.3	97.9	92.0	82.6	69.6	
	Evening (4h)	Emission	Reference: Vestas V172 10 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	46.9 53.2 59.1	64.9 70.4 75.9	80.8 85.2 89.0	92.3 94.9 97.0	98.4 99.4 99.9	100.3 100.3 100.3	99.9 99.1 97.9	96.3 94.4 92.0	89.3 86.1 82.6	78.7 74.3 69.6	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB			Special correction /dB		
	Lden		-		0.0		0.0		0.0			0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		0.88890		-11.30		-11.3	
	Evening (4h)		4.00	Evening	110.1		1.00		0.43860		-9.60		-9.6	
	Night (8h)		8.00	Night	110.1		1.00		0.87560		-9.61		-9.6	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:	656671.82		247343.93		280.00		175.00	
EQCN217	Label		O2*****					Action radius/m					3000.00	
	Group		11 m/s					Lw (Day (12h)) /dB(A)					110.10	
	Number of nodes		1					Lw (Night (8h)) /dB(A)					110.10	
	Length/ m		---					Lw (Evening (4h)) /dB(A)					110.10	
	Length/ m (2D)		---					Emission is					Sound power level (Lw)	
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission	Reference: Vestas V172 11 m/s ST										
	Day (12h)		Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8
	Night (8h)		Emission	Reference: Vestas V172 11 m/s ST										
	Night (8h)		Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8
	Evening (4h)		Emission	Reference: Vestas V172 11 m/s ST										
	Evening (4h)		Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB			Special correction /dB		
	Lden		-		0.0		0.0		0.0			0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		0.72940		-12.16		-12.2	
	Evening (4h)		4.00	Evening	110.1		1.00		0.35590		-10.51		-10.5	
	Night (8h)		8.00	Night	110.1		1.00		0.73510		-10.37		-10.4	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:	655899.72		249092.09		279.27		175.00	
EQCN218	Label		O3*****					Action radius/m					3000.00	
	Group		11 m/s					Lw (Day (12h)) /dB(A)					110.10	
	Number of nodes		1					Lw (Night (8h)) /dB(A)					110.10	
	Length/ m		---					Lw (Evening (4h)) /dB(A)					110.10	
	Length/ m (2D)		---					Emission is					Sound power level (Lw)	
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission	Reference: Vestas V172 11 m/s ST										
	Day (12h)		Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8
	Night (8h)		Emission	Reference: Vestas V172 11 m/s ST										
	Night (8h)		Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8
	Evening (4h)		Emission	Reference: Vestas V172 11 m/s ST										
	Evening (4h)		Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB			Special correction /dB		
	Lden		-		0.0		0.0		0.0			0.0		

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1		1.00		0.72940		-12.16		-12.2		
	Evening (4h)		4.00	Evening	110.1		1.00		0.35590		-10.51		-10.5		
	Night (8h)		8.00	Night	110.1		1.00		0.73510		-10.37		-10.4		
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
						Geometry:		656055.72		248760.81		279.00		175.00	
EQCN219	Label		O5*****				Action radius/m				3000.00				
	Group		11 m/s				Lw (Day (12h)) /dB(A)				110.10				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.10				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.10				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 11 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8		
	Night (8h)	Emission	Reference: Vestas V172 11 m/s ST												
	Night (8h)	Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8		
	Evening (4h)	Emission	Reference: Vestas V172 11 m/s ST												
	Evening (4h)	Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden				-		0.0		0.0				-		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1		1.00		0.72940		-12.16		-12.2		
	Evening (4h)		4.00	Evening	110.1		1.00		0.35590		-10.51		-10.5		
	Night (8h)		8.00	Night	110.1		1.00		0.73510		-10.37		-10.4		
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
						Geometry:		656292.16		247880.94		279.00		175.00	
EQCN220	Label		O4*****				Action radius/m				3000.00				
	Group		11 m/s				Lw (Day (12h)) /dB(A)				110.10				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.10				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.10				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 11 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8		
	Night (8h)	Emission	Reference: Vestas V172 11 m/s ST												
	Night (8h)	Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8		
	Evening (4h)	Emission	Reference: Vestas V172 11 m/s ST												
	Evening (4h)	Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden				-		0.0		0.0				-		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1		1.00		0.72940		-12.16		-12.2		
	Evening (4h)		4.00	Evening	110.1		1.00		0.35590		-10.51		-10.5		
	Night (8h)		8.00	Night	110.1		1.00		0.73510		-10.37		-10.4		
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
						Geometry:		655674.43		248309.07		278.00		175.00	

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

EQCN221	Label		DD1*****				Action radius/m				3000.00				
	Group		11 m/s				Lw (Day (12h)) /dB(A)				110.10				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.10				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.10				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 11 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8		
	Night (8h)	Emission	Reference: Vestas V172 11 m/s ST												
	Night (8h)	Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8		
	Evening (4h)	Emission	Reference: Vestas V172 11 m/s ST												
	Evening (4h)	Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1		1.00		0.72940		-12.16		-12.2		
	Evening (4h)		4.00	Evening	110.1		1.00		0.35590		-10.51		-10.5		
	Night (8h)		8.00	Night	110.1		1.00		0.73510		-10.37		-10.4		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		656226.07		248421.71		278.00		175.00	
EQCN222	Label		DD3*****				Action radius/m				3000.00				
	Group		11 m/s				Lw (Day (12h)) /dB(A)				110.10				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.10				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.10				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 11 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8		
	Night (8h)	Emission	Reference: Vestas V172 11 m/s ST												
	Night (8h)	Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8		
	Evening (4h)	Emission	Reference: Vestas V172 11 m/s ST												
	Evening (4h)	Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1		1.00		0.72940		-12.16		-12.2		
	Evening (4h)		4.00	Evening	110.1		1.00		0.35590		-10.51		-10.5		
	Night (8h)		8.00	Night	110.1		1.00		0.73510		-10.37		-10.4		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		656792.54		248209.39		279.20		175.00	
EQCN223	Label		O1.b*****				Action radius/m				3000.00				
	Group		11 m/s				Lw (Day (12h)) /dB(A)				110.10				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.10				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.10				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		

	Day (12h)	Emission	Reference: Vestas V172 11 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8		
	Night (8h)	Emission	Reference: Vestas V172 11 m/s ST												
	Night (8h)	Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8		
	Evening (4h)	Emission	Reference: Vestas V172 11 m/s ST												
	Evening (4h)	Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1		1.00		0.72940		-12.16		-12.2		
	Evening (4h)		4.00	Evening	110.1		1.00		0.35590		-10.51		-10.5		
	Night (8h)		8.00	Night	110.1		1.00		0.73510		-10.37		-10.4		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		655628.52		247870.27		278.00		175.00	
EQCN224	Label		JV1*****					Action radius/m					3000.00		
	Group		11 m/s					Lw (Day (12h)) /dB(A)					110.10		
	Number of nodes		1					Lw (Night (8h)) /dB(A)					110.10		
	Length/ m		---					Lw (Evening (4h)) /dB(A)					110.10		
	Length/ m (2D)		---					Emission is					Sound power level (Lw)		
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 11 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8		
	Night (8h)	Emission	Reference: Vestas V172 11 m/s ST												
	Night (8h)	Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8		
	Evening (4h)	Emission	Reference: Vestas V172 11 m/s ST												
	Evening (4h)	Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1		1.00		0.72940		-12.16		-12.2		
	Evening (4h)		4.00	Evening	110.1		1.00		0.35590		-10.51		-10.5		
	Night (8h)		8.00	Night	110.1		1.00		0.73510		-10.37		-10.4		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		656086.43		247254.47		279.00		175.00	
EQCN225	Label		Pr12*****					Action radius/m					3000.00		
	Group		11 m/s					Lw (Day (12h)) /dB(A)					110.10		
	Number of nodes		1					Lw (Night (8h)) /dB(A)					110.10		
	Length/ m		---					Lw (Evening (4h)) /dB(A)					110.10		
	Length/ m (2D)		---					Emission is					Sound power level (Lw)		
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 11 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8		
	Night (8h)	Emission	Reference: Vestas V172 11 m/s ST												
	Night (8h)	Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8		
	Evening (4h)	Emission	Reference: Vestas V172 11 m/s ST												

	Evening (4h)	Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8	
	Rating method		Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden			-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1	1.00		0.72940		-12.16		-12.2		
	Evening (4h)		4.00	Evening	110.1	1.00		0.35590		-10.51		-10.5		
	Night (8h)		8.00	Night	110.1	1.00		0.73510		-10.37		-10.4		
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:			659850.41		255599.51		281.00		175.00		
EQCN226	Label		O6*****			Action radius/m					3000.00			
	Group		11 m/s			Lw (Day (12h)) /dB(A)					110.10			
	Number of nodes		1			Lw (Night (8h)) /dB(A)					110.10			
	Length/ m		---			Lw (Evening (4h)) /dB(A)					110.10			
	Length/ m (2D)		---			Emission is					Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 11 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8	
	Night (8h)	Emission	Reference: Vestas V172 11 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8	
	Evening (4h)	Emission	Reference: Vestas V172 11 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8	
	Rating method		Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden			-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1	1.00		0.72940		-12.16		-12.2		
	Evening (4h)		4.00	Evening	110.1	1.00		0.35590		-10.51		-10.5		
	Night (8h)		8.00	Night	110.1	1.00		0.73510		-10.37		-10.4		
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:			659724.06		256257.39		278.09		175.00		
EQCN227	Label		Pr11*****			Action radius/m					3000.00			
	Group		11 m/s			Lw (Day (12h)) /dB(A)					110.10			
	Number of nodes		1			Lw (Night (8h)) /dB(A)					110.10			
	Length/ m		---			Lw (Evening (4h)) /dB(A)					110.10			
	Length/ m (2D)		---			Emission is					Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 11 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8	
	Night (8h)	Emission	Reference: Vestas V172 11 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8	
	Evening (4h)	Emission	Reference: Vestas V172 11 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8	
	Rating method		Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden			-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1	1.00		0.72940		-12.16		-12.2		

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Evening (4h)	4.00	Evening	110.1	1.00	0.35590	-10.51	-10.5					
	Night (8h)	8.00	Night	110.1	1.00	0.73510	-10.37	-10.4					
	Geometry	Nr			x/m	y/m	z(abs) /m	! z(rel) /m					
		Geometry:			660296.51	255945.28	279.00	175.00					
EQCN228	Label	AP2*****			Action radius/m			3000.00					
	Group	11 m/s			Lw (Day (12h)) /dB(A)			110.10					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			110.10					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			110.10					
	Length/ m (2D)	---			Emission is			Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 11 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8
	Night (8h)	Emission	Reference: Vestas V172 11 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8
	Evening (4h)	Emission	Reference: Vestas V172 11 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden	-		0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	110.1		1.00		0.72940		-12.16		-12.2	
	Evening (4h)	4.00	Evening	110.1		1.00		0.35590		-10.51		-10.5	
	Night (8h)	8.00	Night	110.1		1.00		0.73510		-10.37		-10.4	
	Geometry	Nr			x/m	y/m	z(abs) /m	! z(rel) /m					
		Geometry:			661860.19	254894.20	282.00	175.00					
EQCN229	Label	AP6.1*****			Action radius/m			3000.00					
	Group	11 m/s			Lw (Day (12h)) /dB(A)			110.10					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			110.10					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			110.10					
	Length/ m (2D)	---			Emission is			Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 11 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8
	Night (8h)	Emission	Reference: Vestas V172 11 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8
	Evening (4h)	Emission	Reference: Vestas V172 11 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden	-		0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	110.1		1.00		0.72940		-12.16		-12.2	
	Evening (4h)	4.00	Evening	110.1		1.00		0.35590		-10.51		-10.5	
	Night (8h)	8.00	Night	110.1		1.00		0.73510		-10.37		-10.4	
	Geometry	Nr			x/m	y/m	z(abs) /m	! z(rel) /m					
		Geometry:			661549.21	255141.18	282.00	175.00					
EQCN230	Label	JU1*****			Action radius/m			3000.00					
	Group	11 m/s			Lw (Day (12h)) /dB(A)			110.10					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			110.10					

Vēja parks "Pīrikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Length/ m	---	Lw (Evening (4h)) /dB(A)								110.10		
	Length/ m (2D)	---	Emission is								Sound power level (Lw)		
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 11 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8
	Night (8h)	Emission	Reference: Vestas V172 11 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8
	Evening (4h)	Emission	Reference: Vestas V172 11 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8
	Rating method	Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB				
	Lden	-	0.0		0.0		0.0		0.0		0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	110.1		1.00		0.72940		-12.16		-12.2	
	Evening (4h)	4.00	Evening	110.1		1.00		0.35590		-10.51		-10.5	
	Night (8h)	8.00	Night	110.1		1.00		0.73510		-10.37		-10.4	
	Geometry	Nr		x/m		y/m		z(abs) /m		! z(rel) /m			
		Geometry:		661068.17		255365.14		281.00		175.00			
EQCN231	Label	Pr25*****		Action radius/m		3000.00							
	Group	11 m/s		Lw (Day (12h)) /dB(A)		110.10							
	Number of nodes	1		Lw (Night (8h)) /dB(A)		110.10							
	Length/ m	---		Lw (Evening (4h)) /dB(A)		110.10							
	Length/ m (2D)	---		Emission is		Sound power level (Lw)							
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 11 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8
	Night (8h)	Emission	Reference: Vestas V172 11 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8
	Evening (4h)	Emission	Reference: Vestas V172 11 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8
	Rating method	Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB				
	Lden	-	0.0		0.0		0.0		0.0		0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	110.1		1.00		0.72940		-12.16		-12.2	
	Evening (4h)	4.00	Evening	110.1		1.00		0.35590		-10.51		-10.5	
	Night (8h)	8.00	Night	110.1		1.00		0.73510		-10.37		-10.4	
	Geometry	Nr		x/m		y/m		z(abs) /m		! z(rel) /m			
		Geometry:		662047.55		256166.20		283.00		175.00			
EQCN232	Label	Pr3a*****		Action radius/m		3000.00							
	Group	11 m/s		Lw (Day (12h)) /dB(A)		110.10							
	Number of nodes	1		Lw (Night (8h)) /dB(A)		110.10							
	Length/ m	---		Lw (Evening (4h)) /dB(A)		110.10							
	Length/ m (2D)	---		Emission is		Sound power level (Lw)							
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 11 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Night (8h)	Emission	Reference: Vestas V172 11 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8	
	Evening (4h)	Emission	Reference: Vestas V172 11 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		0.72940		-12.16		-12.2	
	Evening (4h)		4.00	Evening	110.1		1.00		0.35590		-10.51		-10.5	
	Night (8h)		8.00	Night	110.1		1.00		0.73510		-10.37		-10.4	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		662202.01		255681.90		284.00		175.00	
EQCN233	Label		PrRR3*****				Action radius/m				3000.00			
	Group		11 m/s				Lw (Day (12h)) /dB(A)				110.10			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.10			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.10			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 11 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8	
	Night (8h)	Emission	Reference: Vestas V172 11 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8	
	Evening (4h)	Emission	Reference: Vestas V172 11 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		0.72940		-12.16		-12.2	
	Evening (4h)		4.00	Evening	110.1		1.00		0.35590		-10.51		-10.5	
	Night (8h)		8.00	Night	110.1		1.00		0.73510		-10.37		-10.4	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		662676.13		256121.38		284.00		175.00	
EQCN234	Label		P19.2b*****				Action radius/m				3000.00			
	Group		11 m/s				Lw (Day (12h)) /dB(A)				110.10			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.10			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.10			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 11 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8	
	Night (8h)	Emission	Reference: Vestas V172 11 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8	
	Evening (4h)	Emission	Reference: Vestas V172 11 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	46.9 53.1 59.0	64.9 70.4 75.8	80.7 85.1 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.3 100.3	99.9 99.1 97.9	96.4 94.4 92.1	89.3 86.2 82.7	78.8 74.5 69.8	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Lden			-	0.0		0.0		0.0		-	0.0				
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)				
	Day (12h)	12.00	Day	110.1		1.00		0.72940		-12.16		-12.2				
	Evening (4h)	4.00	Evening	110.1		1.00		0.35590		-10.51		-10.5				
	Night (8h)	8.00	Night	110.1		1.00		0.73510		-10.37		-10.4				
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m			
					Geometry:		656671.82		247343.93		280.00		175.00			
EQCN235	Label	O2*****					Action radius/m					3000.00				
	Group	12 m/s					Lw (Day (12h)) /dB(A)					110.10				
	Number of nodes	1					Lw (Night (8h)) /dB(A)					110.10				
	Length/ m	---					Lw (Evening (4h)) /dB(A)					110.10				
	Length/ m (2D)	---					Emission is					Sound power level (Lw)				
	Area /m²	---														
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
	Day (12h)	Emission	Reference: Vestas V172 12 m/s ST													
	Day (12h)	Lw /dB (A)	110.1	47.0 53.2 59.1	65.0 70.4 75.8	80.8 85.2 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.2 100.3	99.9 99.1 98.0	96.4 94.5 92.2	89.4 86.3 82.8	79.0 74.7 70.0			
	Night (8h)	Emission	Reference: Vestas V172 12 m/s ST													
	Night (8h)	Lw /dB (A)	110.1	47.0 53.2 59.1	65.0 70.4 75.8	80.8 85.2 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.2 100.3	99.9 99.1 98.0	96.4 94.5 92.2	89.4 86.3 82.8	79.0 74.7 70.0			
	Evening (4h)	Emission	Reference: Vestas V172 12 m/s ST													
	Evening (4h)	Lw /dB (A)	110.1	47.0 53.2 59.1	65.0 70.4 75.8	80.8 85.2 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.2 100.3	99.9 99.1 98.0	96.4 94.5 92.2	89.4 86.3 82.8	79.0 74.7 70.0			
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB				
	Lden			-		0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)				
	Day (12h)	12.00	Day	110.1		1.00		0.49190		-13.87		-13.9				
	Evening (4h)	4.00	Evening	110.1		1.00		0.22930		-12.42		-12.4				
	Night (8h)	8.00	Night	110.1		1.00		0.44820		-12.52		-12.5				
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m			
					Geometry:		655899.72		249092.09		279.27		175.00			
EQCN236	Label	O3*****					Action radius/m					3000.00				
	Group	12 m/s					Lw (Day (12h)) /dB(A)					110.10				
	Number of nodes	1					Lw (Night (8h)) /dB(A)					110.10				
	Length/ m	---					Lw (Evening (4h)) /dB(A)					110.10				
	Length/ m (2D)	---					Emission is					Sound power level (Lw)				
	Area /m²	---														
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
	Day (12h)	Emission	Reference: Vestas V172 12 m/s ST													
	Day (12h)	Lw /dB (A)	110.1	47.0 53.2 59.1	65.0 70.4 75.8	80.8 85.2 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.2 100.3	99.9 99.1 98.0	96.4 94.5 92.2	89.4 86.3 82.8	79.0 74.7 70.0			
	Night (8h)	Emission	Reference: Vestas V172 12 m/s ST													
	Night (8h)	Lw /dB (A)	110.1	47.0 53.2 59.1	65.0 70.4 75.8	80.8 85.2 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.2 100.3	99.9 99.1 98.0	96.4 94.5 92.2	89.4 86.3 82.8	79.0 74.7 70.0			
	Evening (4h)	Emission	Reference: Vestas V172 12 m/s ST													
	Evening (4h)	Lw /dB (A)	110.1	47.0 53.2 59.1	65.0 70.4 75.8	80.8 85.2 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.2 100.3	99.9 99.1 98.0	96.4 94.5 92.2	89.4 86.3 82.8	79.0 74.7 70.0			
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB				
	Lden			-		0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)				
	Day (12h)	12.00	Day	110.1		1.00		0.49190		-13.87		-13.9				
	Evening (4h)	4.00	Evening	110.1		1.00		0.22930		-12.42		-12.4				
	Night (8h)	8.00	Night	110.1		1.00		0.44820		-12.52		-12.5				
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m			

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

		Geometry:				656055.72	248760.81				279.00	175.00			
EQCN237	Label	O5*****				Action radius/m				3000.00					
	Group	12 m/s				Lw (Day (12h)) /dB(A)				110.10					
	Number of nodes	1				Lw (Night (8h)) /dB(A)				110.10					
	Length/ m	---				Lw (Evening (4h)) /dB(A)				110.10					
	Length/ m (2D)	---				Emission is				Sound power level (Lw)					
	Area /m²	---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 12 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	47.0 53.2 59.1	65.0 70.4 75.8	80.8 85.2 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.2 100.3	99.9 99.1 98.0	96.4 94.5 92.2	89.4 86.3 82.8	79.0 74.7 70.0		
	Night (8h)	Emission	Reference: Vestas V172 12 m/s ST												
	Night (8h)	Lw /dB (A)	110.1	47.0 53.2 59.1	65.0 70.4 75.8	80.8 85.2 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.2 100.3	99.9 99.1 98.0	96.4 94.5 92.2	89.4 86.3 82.8	79.0 74.7 70.0		
	Evening (4h)	Emission	Reference: Vestas V172 12 m/s ST												
	Evening (4h)	Lw /dB (A)	110.1	47.0 53.2 59.1	65.0 70.4 75.8	80.8 85.2 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.2 100.3	99.9 99.1 98.0	96.4 94.5 92.2	89.4 86.3 82.8	79.0 74.7 70.0		
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden			-		0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)	12.00	Day	110.1		1.00		0.49190		-13.87		-13.9			
	Evening (4h)	4.00	Evening	110.1		1.00		0.22930		-12.42		-12.4			
	Night (8h)	8.00	Night	110.1		1.00		0.44820		-12.52		-12.5			
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		656292.16		247880.94		279.00		175.00	
EQCN238	Label	O4*****				Action radius/m				3000.00					
	Group	12 m/s				Lw (Day (12h)) /dB(A)				110.10					
	Number of nodes	1				Lw (Night (8h)) /dB(A)				110.10					
	Length/ m	---				Lw (Evening (4h)) /dB(A)				110.10					
	Length/ m (2D)	---				Emission is				Sound power level (Lw)					
	Area /m²	---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 12 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	47.0 53.2 59.1	65.0 70.4 75.8	80.8 85.2 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.2 100.3	99.9 99.1 98.0	96.4 94.5 92.2	89.4 86.3 82.8	79.0 74.7 70.0		
	Night (8h)	Emission	Reference: Vestas V172 12 m/s ST												
	Night (8h)	Lw /dB (A)	110.1	47.0 53.2 59.1	65.0 70.4 75.8	80.8 85.2 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.2 100.3	99.9 99.1 98.0	96.4 94.5 92.2	89.4 86.3 82.8	79.0 74.7 70.0		
	Evening (4h)	Emission	Reference: Vestas V172 12 m/s ST												
	Evening (4h)	Lw /dB (A)	110.1	47.0 53.2 59.1	65.0 70.4 75.8	80.8 85.2 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.2 100.3	99.9 99.1 98.0	96.4 94.5 92.2	89.4 86.3 82.8	79.0 74.7 70.0		
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden			-		0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)	12.00	Day	110.1		1.00		0.49190		-13.87		-13.9			
	Evening (4h)	4.00	Evening	110.1		1.00		0.22930		-12.42		-12.4			
	Night (8h)	8.00	Night	110.1		1.00		0.44820		-12.52		-12.5			
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		655674.43		248309.07		278.00		175.00	
EQCN239	Label	DD1*****				Action radius/m				3000.00					
	Group	12 m/s				Lw (Day (12h)) /dB(A)				110.10					
	Number of nodes	1				Lw (Night (8h)) /dB(A)				110.10					
	Length/ m	---				Lw (Evening (4h)) /dB(A)				110.10					
	Length/ m (2D)	---				Emission is				Sound power level (Lw)					
	Area /m²	---													

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz				
	Day (12h)	Emission	Reference: Vestas V172 12 m/s ST														
	Day (12h)	Lw /dB (A)	110.1	47.0 53.2 59.1	65.0 70.4 75.8	80.8 85.2 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.2 100.3	99.9 99.1 98.0	96.4 94.5 92.2	89.4 86.3 82.8	79.0 74.7 70.0				
	Night (8h)	Emission	Reference: Vestas V172 12 m/s ST														
	Night (8h)	Lw /dB (A)	110.1	47.0 53.2 59.1	65.0 70.4 75.8	80.8 85.2 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.2 100.3	99.9 99.1 98.0	96.4 94.5 92.2	89.4 86.3 82.8	79.0 74.7 70.0				
	Evening (4h)	Emission	Reference: Vestas V172 12 m/s ST														
	Evening (4h)	Lw /dB (A)	110.1	47.0 53.2 59.1	65.0 70.4 75.8	80.8 85.2 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.2 100.3	99.9 99.1 98.0	96.4 94.5 92.2	89.4 86.3 82.8	79.0 74.7 70.0				
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB				
	Lden		-		0.0		0.0		0.0		-		0.0				
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)				
	Day (12h)		12.00	Day	110.1		1.00		0.49190		-13.87		-13.9				
	Evening (4h)		4.00	Evening	110.1		1.00		0.22930		-12.42		-12.4				
	Night (8h)		8.00	Night	110.1		1.00		0.44820		-12.52		-12.5				
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m			
						Geometry:		656226.07		248421.71		278.00		175.00			
EQCN240	Label		DD3*****					Action radius/m					3000.00				
	Group		12 m/s					Lw (Day (12h)) /dB(A)					110.10				
	Number of nodes		1					Lw (Night (8h)) /dB(A)					110.10				
	Length/ m		---					Lw (Evening (4h)) /dB(A)					110.10				
	Length/ m (2D)		---					Emission is					Sound power level (Lw)				
	Area /m²		---														
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz				
	Day (12h)	Emission	Reference: Vestas V172 12 m/s ST														
	Day (12h)	Lw /dB (A)	110.1	47.0 53.2 59.1	65.0 70.4 75.8	80.8 85.2 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.2 100.3	99.9 99.1 98.0	96.4 94.5 92.2	89.4 86.3 82.8	79.0 74.7 70.0				
	Night (8h)	Emission	Reference: Vestas V172 12 m/s ST														
	Night (8h)	Lw /dB (A)	110.1	47.0 53.2 59.1	65.0 70.4 75.8	80.8 85.2 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.2 100.3	99.9 99.1 98.0	96.4 94.5 92.2	89.4 86.3 82.8	79.0 74.7 70.0				
	Evening (4h)	Emission	Reference: Vestas V172 12 m/s ST														
	Evening (4h)	Lw /dB (A)	110.1	47.0 53.2 59.1	65.0 70.4 75.8	80.8 85.2 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.2 100.3	99.9 99.1 98.0	96.4 94.5 92.2	89.4 86.3 82.8	79.0 74.7 70.0				
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB				
	Lden		-		0.0		0.0		0.0		-		0.0				
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)				
	Day (12h)		12.00	Day	110.1		1.00		0.49190		-13.87		-13.9				
	Evening (4h)		4.00	Evening	110.1		1.00		0.22930		-12.42		-12.4				
	Night (8h)		8.00	Night	110.1		1.00		0.44820		-12.52		-12.5				
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m			
						Geometry:		656792.54		248209.39		279.20		175.00			
EQCN241	Label		O1.b*****					Action radius/m					3000.00				
	Group		12 m/s					Lw (Day (12h)) /dB(A)					110.10				
	Number of nodes		1					Lw (Night (8h)) /dB(A)					110.10				
	Length/ m		---					Lw (Evening (4h)) /dB(A)					110.10				
	Length/ m (2D)		---					Emission is					Sound power level (Lw)				
	Area /m²		---														
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz				
	Day (12h)	Emission	Reference: Vestas V172 12 m/s ST														
	Day (12h)	Lw /dB (A)	110.1	47.0 53.2 59.1	65.0 70.4 75.8	80.8 85.2 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.2 100.3	99.9 99.1 98.0	96.4 94.5 92.2	89.4 86.3 82.8	79.0 74.7 70.0				
	Night (8h)	Emission	Reference: Vestas V172 12 m/s ST														
	Night (8h)	Lw /dB (A)	110.1	47.0 53.2 59.1	65.0 70.4 75.8	80.8 85.2 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.2 100.3	99.9 99.1 98.0	96.4 94.5 92.2	89.4 86.3 82.8	79.0 74.7 70.0				

Vēja parks "Pīrikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Evening (4h)	Emission	Reference: Vestas V172 12 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	47.0 53.2 59.1	65.0 70.4 75.8	80.8 85.2 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.2 100.3	99.9 99.1 98.0	96.4 94.5 92.2	89.4 86.3 82.8	79.0 74.7 70.0	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		0.49190		-13.87		-13.9	
	Evening (4h)		4.00	Evening	110.1		1.00		0.22930		-12.42		-12.4	
	Night (8h)		8.00	Night	110.1		1.00		0.44820		-12.52		-12.5	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:				655628.52		247870.27		278.00		175.00	
EQCN242	Label		JV1*****				Action radius/m				3000.00			
	Group		12 m/s				Lw (Day (12h)) /dB(A)				110.10			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.10			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.10			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 12 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	47.0 53.2 59.1	65.0 70.4 75.8	80.8 85.2 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.2 100.3	99.9 99.1 98.0	96.4 94.5 92.2	89.4 86.3 82.8	79.0 74.7 70.0	
	Night (8h)	Emission	Reference: Vestas V172 12 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	47.0 53.2 59.1	65.0 70.4 75.8	80.8 85.2 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.2 100.3	99.9 99.1 98.0	96.4 94.5 92.2	89.4 86.3 82.8	79.0 74.7 70.0	
	Evening (4h)	Emission	Reference: Vestas V172 12 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	47.0 53.2 59.1	65.0 70.4 75.8	80.8 85.2 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.2 100.3	99.9 99.1 98.0	96.4 94.5 92.2	89.4 86.3 82.8	79.0 74.7 70.0	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		0.49190		-13.87		-13.9	
	Evening (4h)		4.00	Evening	110.1		1.00		0.22930		-12.42		-12.4	
	Night (8h)		8.00	Night	110.1		1.00		0.44820		-12.52		-12.5	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:				656086.43		247254.47		279.00		175.00	
EQCN243	Label		Pr12*****				Action radius/m				3000.00			
	Group		12 m/s				Lw (Day (12h)) /dB(A)				110.10			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.10			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.10			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 12 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	47.0 53.2 59.1	65.0 70.4 75.8	80.8 85.2 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.2 100.3	99.9 99.1 98.0	96.4 94.5 92.2	89.4 86.3 82.8	79.0 74.7 70.0	
	Night (8h)	Emission	Reference: Vestas V172 12 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	47.0 53.2 59.1	65.0 70.4 75.8	80.8 85.2 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.2 100.3	99.9 99.1 98.0	96.4 94.5 92.2	89.4 86.3 82.8	79.0 74.7 70.0	
	Evening (4h)	Emission	Reference: Vestas V172 12 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	47.0 53.2 59.1	65.0 70.4 75.8	80.8 85.2 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.2 100.3	99.9 99.1 98.0	96.4 94.5 92.2	89.4 86.3 82.8	79.0 74.7 70.0	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	

Vēja parks "Pīrikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Day (12h)	12.00	Day	110.1	1.00	0.49190	-13.87	-13.9						
	Evening (4h)	4.00	Evening	110.1	1.00	0.22930	-12.42	-12.4						
	Night (8h)	8.00	Night	110.1	1.00	0.44820	-12.52	-12.5						
	Geometry	Nr			x/m	y/m	z(abs) /m	! z(rel) /m						
		Geometry:			659850.41	255599.51	281.00	175.00						
EQCN244	Label	O6*****			Action radius/m			3000.00						
	Group	12 m/s			Lw (Day (12h)) /dB(A)			110.10						
	Number of nodes	1			Lw (Night (8h)) /dB(A)			110.10						
	Length/ m	---			Lw (Evening (4h)) /dB(A)			110.10						
	Length/ m (2D)	---			Emission is			Sound power level (Lw)						
	Area /m²	---												
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 12 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	47.0 53.2 59.1	65.0 70.4 75.8	80.8 85.2 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.2 100.3	99.9 99.1 98.0	96.4 94.5 92.2	89.4 86.3 82.8	79.0 74.7 70.0	
	Night (8h)	Emission	Reference: Vestas V172 12 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	47.0 53.2 59.1	65.0 70.4 75.8	80.8 85.2 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.2 100.3	99.9 99.1 98.0	96.4 94.5 92.2	89.4 86.3 82.8	79.0 74.7 70.0	
	Evening (4h)	Emission	Reference: Vestas V172 12 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	47.0 53.2 59.1	65.0 70.4 75.8	80.8 85.2 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.2 100.3	99.9 99.1 98.0	96.4 94.5 92.2	89.4 86.3 82.8	79.0 74.7 70.0	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden			-		0.0		0.0		0.0		-		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	110.1		1.00		0.49190		-13.87		-13.9		
	Evening (4h)	4.00	Evening	110.1		1.00		0.22930		-12.42		-12.4		
	Night (8h)	8.00	Night	110.1		1.00		0.44820		-12.52		-12.5		
	Geometry	Nr			x/m		y/m		z(abs) /m		! z(rel) /m			
		Geometry:			659724.06		256257.39		278.09		175.00			
EQCN245	Label	Pr11*****			Action radius/m			3000.00						
	Group	12 m/s			Lw (Day (12h)) /dB(A)			110.10						
	Number of nodes	1			Lw (Night (8h)) /dB(A)			110.10						
	Length/ m	---			Lw (Evening (4h)) /dB(A)			110.10						
	Length/ m (2D)	---			Emission is			Sound power level (Lw)						
	Area /m²	---												
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 12 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	47.0 53.2 59.1	65.0 70.4 75.8	80.8 85.2 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.2 100.3	99.9 99.1 98.0	96.4 94.5 92.2	89.4 86.3 82.8	79.0 74.7 70.0	
	Night (8h)	Emission	Reference: Vestas V172 12 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	47.0 53.2 59.1	65.0 70.4 75.8	80.8 85.2 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.2 100.3	99.9 99.1 98.0	96.4 94.5 92.2	89.4 86.3 82.8	79.0 74.7 70.0	
	Evening (4h)	Emission	Reference: Vestas V172 12 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	47.0 53.2 59.1	65.0 70.4 75.8	80.8 85.2 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.2 100.3	99.9 99.1 98.0	96.4 94.5 92.2	89.4 86.3 82.8	79.0 74.7 70.0	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden			-		0.0		0.0		0.0		-		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	110.1		1.00		0.49190		-13.87		-13.9		
	Evening (4h)	4.00	Evening	110.1		1.00		0.22930		-12.42		-12.4		
	Night (8h)	8.00	Night	110.1		1.00		0.44820		-12.52		-12.5		
	Geometry	Nr			x/m		y/m		z(abs) /m		! z(rel) /m			
		Geometry:			660296.51		255945.28		279.00		175.00			
EQCN246	Label	AP2*****			Action radius/m			3000.00						
	Group	12 m/s			Lw (Day (12h)) /dB(A)			110.10						

Vēja parks "Pīrikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.10				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.10				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 12 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	47.0 53.2 59.1	65.0 70.4 75.8	80.8 85.2 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.2 100.3	99.9 99.1 98.0	96.4 94.5 92.2	89.4 86.3 82.8	79.0 74.7 70.0		
	Night (8h)	Emission	Reference: Vestas V172 12 m/s ST												
	Night (8h)	Lw /dB (A)	110.1	47.0 53.2 59.1	65.0 70.4 75.8	80.8 85.2 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.2 100.3	99.9 99.1 98.0	96.4 94.5 92.2	89.4 86.3 82.8	79.0 74.7 70.0		
	Evening (4h)	Emission	Reference: Vestas V172 12 m/s ST												
	Evening (4h)	Lw /dB (A)	110.1	47.0 53.2 59.1	65.0 70.4 75.8	80.8 85.2 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.2 100.3	99.9 99.1 98.0	96.4 94.5 92.2	89.4 86.3 82.8	79.0 74.7 70.0		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1		1.00		0.49190		-13.87		-13.9		
	Evening (4h)		4.00	Evening	110.1		1.00		0.22930		-12.42		-12.4		
	Night (8h)		8.00	Night	110.1		1.00		0.44820		-12.52		-12.5		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		661860.19		254894.20		282.00		175.00	
EQCN247	Label		AP6.1*****				Action radius/m				3000.00				
	Group		12 m/s				Lw (Day (12h)) /dB(A)				110.10				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.10				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.10				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 12 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	47.0 53.2 59.1	65.0 70.4 75.8	80.8 85.2 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.2 100.3	99.9 99.1 98.0	96.4 94.5 92.2	89.4 86.3 82.8	79.0 74.7 70.0		
	Night (8h)	Emission	Reference: Vestas V172 12 m/s ST												
	Night (8h)	Lw /dB (A)	110.1	47.0 53.2 59.1	65.0 70.4 75.8	80.8 85.2 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.2 100.3	99.9 99.1 98.0	96.4 94.5 92.2	89.4 86.3 82.8	79.0 74.7 70.0		
	Evening (4h)	Emission	Reference: Vestas V172 12 m/s ST												
	Evening (4h)	Lw /dB (A)	110.1	47.0 53.2 59.1	65.0 70.4 75.8	80.8 85.2 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.2 100.3	99.9 99.1 98.0	96.4 94.5 92.2	89.4 86.3 82.8	79.0 74.7 70.0		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1		1.00		0.49190		-13.87		-13.9		
	Evening (4h)		4.00	Evening	110.1		1.00		0.22930		-12.42		-12.4		
	Night (8h)		8.00	Night	110.1		1.00		0.44820		-12.52		-12.5		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		661549.21		255141.18		282.00		175.00	
EQCN248	Label		JU1*****				Action radius/m				3000.00				
	Group		12 m/s				Lw (Day (12h)) /dB(A)				110.10				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.10				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.10				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 12 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	47.0	65.0	80.8	92.2	98.4	100.2	99.9	96.4	89.4	79.0		

Vēja parks "Pīrikuļi" A alternatīva - Vestas V172 - 7.2 MW

				53.2	70.4	85.2	94.9	99.4	100.2	99.1	94.5	86.3	74.7	
	Night (8h)	Emission	Reference: Vestas V172 12 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	47.0	65.0	80.8	92.2	98.4	100.2	99.9	96.4	89.4	79.0	
				53.2	70.4	85.2	94.9	99.4	100.2	99.1	94.5	86.3	74.7	
				59.1	75.8	89.0	96.9	99.8	100.3	98.0	92.2	82.8	70.0	
	Evening (4h)	Emission	Reference: Vestas V172 12 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	47.0	65.0	80.8	92.2	98.4	100.2	99.9	96.4	89.4	79.0	
				53.2	70.4	85.2	94.9	99.4	100.2	99.1	94.5	86.3	74.7	
				59.1	75.8	89.0	96.9	99.8	100.3	98.0	92.2	82.8	70.0	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden		-		0.0		0.0		0.0		0.0			
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		0.49190		-13.87		-13.9	
	Evening (4h)		4.00	Evening	110.1		1.00		0.22930		-12.42		-12.4	
	Night (8h)		8.00	Night	110.1		1.00		0.44820		-12.52		-12.5	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:	661068.17		255365.14		281.00		175.00	
EQCN249	Label		Pr25*****				Action radius/m				3000.00			
	Group		12 m/s				Lw (Day (12h)) /dB(A)				110.10			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.10			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.10			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 12 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	47.0	65.0	80.8	92.2	98.4	100.2	99.9	96.4	89.4	79.0	
				53.2	70.4	85.2	94.9	99.4	100.2	99.1	94.5	86.3	74.7	
				59.1	75.8	89.0	96.9	99.8	100.3	98.0	92.2	82.8	70.0	
	Night (8h)	Emission	Reference: Vestas V172 12 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	47.0	65.0	80.8	92.2	98.4	100.2	99.9	96.4	89.4	79.0	
				53.2	70.4	85.2	94.9	99.4	100.2	99.1	94.5	86.3	74.7	
				59.1	75.8	89.0	96.9	99.8	100.3	98.0	92.2	82.8	70.0	
	Evening (4h)	Emission	Reference: Vestas V172 12 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	47.0	65.0	80.8	92.2	98.4	100.2	99.9	96.4	89.4	79.0	
				53.2	70.4	85.2	94.9	99.4	100.2	99.1	94.5	86.3	74.7	
				59.1	75.8	89.0	96.9	99.8	100.3	98.0	92.2	82.8	70.0	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden		-		0.0		0.0		0.0		0.0			
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		0.49190		-13.87		-13.9	
	Evening (4h)		4.00	Evening	110.1		1.00		0.22930		-12.42		-12.4	
	Night (8h)		8.00	Night	110.1		1.00		0.44820		-12.52		-12.5	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:	662047.55		256166.20		283.00		175.00	
EQCN250	Label		Pr3a*****				Action radius/m				3000.00			
	Group		12 m/s				Lw (Day (12h)) /dB(A)				110.10			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.10			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.10			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 12 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	47.0	65.0	80.8	92.2	98.4	100.2	99.9	96.4	89.4	79.0	
				53.2	70.4	85.2	94.9	99.4	100.2	99.1	94.5	86.3	74.7	
				59.1	75.8	89.0	96.9	99.8	100.3	98.0	92.2	82.8	70.0	
	Night (8h)	Emission	Reference: Vestas V172 12 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	47.0	65.0	80.8	92.2	98.4	100.2	99.9	96.4	89.4	79.0	
				53.2	70.4	85.2	94.9	99.4	100.2	99.1	94.5	86.3	74.7	
				59.1	75.8	89.0	96.9	99.8	100.3	98.0	92.2	82.8	70.0	
	Evening (4h)	Emission	Reference: Vestas V172 12 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	47.0	65.0	80.8	92.2	98.4	100.2	99.9	96.4	89.4	79.0	
				53.2	70.4	85.2	94.9	99.4	100.2	99.1	94.5	86.3	74.7	
				59.1	75.8	89.0	96.9	99.8	100.3	98.0	92.2	82.8	70.0	

Vēja parks "Pīrikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB			Special correction /dB					
	Lden		-		0.0		0.0		0.0			-		0.0			
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)				
	Day (12h)		12.00	Day	110.1		1.00		0.49190		-13.87		-13.9				
	Evening (4h)		4.00	Evening	110.1		1.00		0.22930		-12.42		-12.4				
	Night (8h)		8.00	Night	110.1		1.00		0.44820		-12.52		-12.5				
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m			
						Geometry:		662202.01		255681.90		284.00		175.00			
EQCN251	Label		PrRR3*****					Action radius/m					3000.00				
	Group		12 m/s					Lw (Day (12h)) /dB(A)					110.10				
	Number of nodes		1					Lw (Night (8h)) /dB(A)					110.10				
	Length/ m		---					Lw (Evening (4h)) /dB(A)					110.10				
	Length/ m (2D)		---					Emission is					Sound power level (Lw)				
	Area /m²		---														
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz				
	Day (12h)	Emission	Reference: Vestas V172 12 m/s ST														
	Day (12h)	Lw /dB (A)	110.1	47.0 53.2 59.1	65.0 70.4 75.8	80.8 85.2 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.2 100.3	99.9 99.1 98.0	96.4 94.5 92.2	89.4 86.3 82.8	79.0 74.7 70.0				
	Night (8h)	Emission	Reference: Vestas V172 12 m/s ST														
	Night (8h)	Lw /dB (A)	110.1	47.0 53.2 59.1	65.0 70.4 75.8	80.8 85.2 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.2 100.3	99.9 99.1 98.0	96.4 94.5 92.2	89.4 86.3 82.8	79.0 74.7 70.0				
	Evening (4h)	Emission	Reference: Vestas V172 12 m/s ST														
	Evening (4h)	Lw /dB (A)	110.1	47.0 53.2 59.1	65.0 70.4 75.8	80.8 85.2 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.2 100.3	99.9 99.1 98.0	96.4 94.5 92.2	89.4 86.3 82.8	79.0 74.7 70.0				
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB			Special correction /dB					
	Lden		-		0.0		0.0		0.0			-		0.0			
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)				
	Day (12h)		12.00	Day	110.1		1.00		0.49190		-13.87		-13.9				
	Evening (4h)		4.00	Evening	110.1		1.00		0.22930		-12.42		-12.4				
	Night (8h)		8.00	Night	110.1		1.00		0.44820		-12.52		-12.5				
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m			
						Geometry:		662676.13		256121.38		284.00		175.00			
EQCN252	Label		P19.2b*****					Action radius/m					3000.00				
	Group		12 m/s					Lw (Day (12h)) /dB(A)					110.10				
	Number of nodes		1					Lw (Night (8h)) /dB(A)					110.10				
	Length/ m		---					Lw (Evening (4h)) /dB(A)					110.10				
	Length/ m (2D)		---					Emission is					Sound power level (Lw)				
	Area /m²		---														
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz				
	Day (12h)	Emission	Reference: Vestas V172 12 m/s ST														
	Day (12h)	Lw /dB (A)	110.1	47.0 53.2 59.1	65.0 70.4 75.8	80.8 85.2 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.2 100.3	99.9 99.1 98.0	96.4 94.5 92.2	89.4 86.3 82.8	79.0 74.7 70.0				
	Night (8h)	Emission	Reference: Vestas V172 12 m/s ST														
	Night (8h)	Lw /dB (A)	110.1	47.0 53.2 59.1	65.0 70.4 75.8	80.8 85.2 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.2 100.3	99.9 99.1 98.0	96.4 94.5 92.2	89.4 86.3 82.8	79.0 74.7 70.0				
	Evening (4h)	Emission	Reference: Vestas V172 12 m/s ST														
	Evening (4h)	Lw /dB (A)	110.1	47.0 53.2 59.1	65.0 70.4 75.8	80.8 85.2 89.0	92.2 94.9 96.9	98.4 99.4 99.8	100.2 100.2 100.3	99.9 99.1 98.0	96.4 94.5 92.2	89.4 86.3 82.8	79.0 74.7 70.0				
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB			Special correction /dB					
	Lden		-		0.0		0.0		0.0			-		0.0			
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)				
	Day (12h)		12.00	Day	110.1		1.00		0.49190		-13.87		-13.9				
	Evening (4h)		4.00	Evening	110.1		1.00		0.22930		-12.42		-12.4				
	Night (8h)		8.00	Night	110.1		1.00		0.44820		-12.52		-12.5				

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Geometry						Nr	x/m				y/m				z(abs) /m				! z(rel) /m						
							Geometry:				656671.82				247343.93				280.00				175.00			
EQCN253	Label		O2*****				Action radius/m				3000.00															
	Group		13 m/s				Lw (Day (12h)) /dB(A)				110.10															
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.10															
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.10															
	Length/ m (2D)		---				Emission is				Sound power level (Lw)															
	Area /m²		---																							
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz												
	Day (12h)		Emission	Reference: Vestas V172 13 m/s ST																						
	Day (12h)		Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2												
	Night (8h)		Emission	Reference: Vestas V172 13 m/s ST																						
Night (8h)		Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2													
Evening (4h)		Emission	Reference: Vestas V172 13 m/s ST																							
Evening (4h)		Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2													
Rating method			Peak level			Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB					Special correction /dB											
Lden			-			0.0		0.0		0.0		-			0.0											
Rating period / Period			Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)													
Day (12h)			12.00	Day	110.1		1.00		0.29890		-16.04		-16.0													
Evening (4h)			4.00	Evening	110.1		1.00		0.12160		-15.17		-15.2													
Night (8h)			8.00	Night	110.1		1.00		0.20930		-15.82		-15.8													
Geometry							Nr		x/m				y/m				z(abs) /m		! z(rel) /m							
							Geometry:		655899.72				249092.09				279.27		175.00							
EQCN254	Label		O3*****				Action radius/m				3000.00															
	Group		13 m/s				Lw (Day (12h)) /dB(A)				110.10															
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.10															
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.10															
	Length/ m (2D)		---				Emission is				Sound power level (Lw)															
	Area /m²		---																							
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz												
	Day (12h)		Emission	Reference: Vestas V172 13 m/s ST																						
	Day (12h)		Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2												
	Night (8h)		Emission	Reference: Vestas V172 13 m/s ST																						
Night (8h)		Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2													
Evening (4h)		Emission	Reference: Vestas V172 13 m/s ST																							
Evening (4h)		Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2													
Rating method			Peak level			Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB					Special correction /dB											
Lden			-			0.0		0.0		0.0		-			0.0											
Rating period / Period			Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)													
Day (12h)			12.00	Day	110.1		1.00		0.29890		-16.04		-16.0													
Evening (4h)			4.00	Evening	110.1		1.00		0.12160		-15.17		-15.2													
Night (8h)			8.00	Night	110.1		1.00		0.20930		-15.82		-15.8													
Geometry							Nr		x/m				y/m				z(abs) /m		! z(rel) /m							
							Geometry:		656055.72				248760.81				279.00		175.00							
EQCN255	Label		O5*****				Action radius/m				3000.00															
	Group		13 m/s				Lw (Day (12h)) /dB(A)				110.10															
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.10															
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.10															
	Length/ m (2D)		---				Emission is				Sound power level (Lw)															

Vēja parks "Pīkuļi" A alternatīva - Vestas V172 - 7.2 MW

	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 13 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2		
	Night (8h)	Emission	Reference: Vestas V172 13 m/s ST												
	Night (8h)	Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2		
	Evening (4h)	Emission	Reference: Vestas V172 13 m/s ST												
	Evening (4h)	Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1		1.00		0.29890		-16.04		-16.0		
	Evening (4h)		4.00	Evening	110.1		1.00		0.12160		-15.17		-15.2		
	Night (8h)		8.00	Night	110.1		1.00		0.20930		-15.82		-15.8		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		656292.16		247880.94		279.00		175.00	
EQCN256	Label		O4*****				Action radius/m				3000.00				
	Group		13 m/s				Lw (Day (12h)) /dB(A)				110.10				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.10				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.10				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 13 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2		
	Night (8h)	Emission	Reference: Vestas V172 13 m/s ST												
	Night (8h)	Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2		
	Evening (4h)	Emission	Reference: Vestas V172 13 m/s ST												
	Evening (4h)	Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1		1.00		0.29890		-16.04		-16.0		
	Evening (4h)		4.00	Evening	110.1		1.00		0.12160		-15.17		-15.2		
	Night (8h)		8.00	Night	110.1		1.00		0.20930		-15.82		-15.8		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		655674.43		248309.07		278.00		175.00	
EQCN257	Label		DD1*****				Action radius/m				3000.00				
	Group		13 m/s				Lw (Day (12h)) /dB(A)				110.10				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.10				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.10				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 13 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2		
	Night (8h)	Emission	Reference: Vestas V172 13 m/s ST												
	Night (8h)	Lw /dB (A)	110.1	47.4 53.6	65.3 70.7	80.9 85.3	92.3 94.9	98.4 99.4	100.2 100.2	99.9 99.1	96.4 94.5	89.5 86.4	79.0 74.8		

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

				59.4	76.1	89.1	97.0	99.8	100.2	97.9	92.2	82.9	70.2	
	Evening (4h)	Emission	Reference: Vestas V172 13 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		0.29890		-16.04		-16.0	
	Evening (4h)		4.00	Evening	110.1		1.00		0.12160		-15.17		-15.2	
	Night (8h)		8.00	Night	110.1		1.00		0.20930		-15.82		-15.8	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:				656226.07		248421.71		278.00		175.00	
EQCN258	Label		DD3*****				Action radius/m				3000.00			
	Group		13 m/s				Lw (Day (12h)) /dB(A)				110.10			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.10			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.10			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 13 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2	
	Night (8h)	Emission	Reference: Vestas V172 13 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2	
	Evening (4h)	Emission	Reference: Vestas V172 13 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		0.29890		-16.04		-16.0	
	Evening (4h)		4.00	Evening	110.1		1.00		0.12160		-15.17		-15.2	
	Night (8h)		8.00	Night	110.1		1.00		0.20930		-15.82		-15.8	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:				656792.54		248209.39		279.20		175.00	
EQCN259	Label		O1.b*****				Action radius/m				3000.00			
	Group		13 m/s				Lw (Day (12h)) /dB(A)				110.10			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.10			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.10			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 13 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2	
	Night (8h)	Emission	Reference: Vestas V172 13 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2	
	Evening (4h)	Emission	Reference: Vestas V172 13 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1		1.00		0.29890		-16.04		-16.0		
	Evening (4h)		4.00	Evening	110.1		1.00		0.12160		-15.17		-15.2		
	Night (8h)		8.00	Night	110.1		1.00		0.20930		-15.82		-15.8		
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
						Geometry:		655628.52		247870.27		278.00		175.00	
EQCN260	Label		JV1*****				Action radius/m				3000.00				
	Group		13 m/s				Lw (Day (12h)) /dB(A)				110.10				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.10				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.10				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 13 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2		
	Night (8h)	Emission	Reference: Vestas V172 13 m/s ST												
	Night (8h)	Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2		
	Evening (4h)	Emission	Reference: Vestas V172 13 m/s ST												
	Evening (4h)	Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden				-		0.0		0.0				-		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1		1.00		0.29890		-16.04		-16.0		
	Evening (4h)		4.00	Evening	110.1		1.00		0.12160		-15.17		-15.2		
	Night (8h)		8.00	Night	110.1		1.00		0.20930		-15.82		-15.8		
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
						Geometry:		656086.43		247254.47		279.00		175.00	
EQCN261	Label		Pr12*****				Action radius/m				3000.00				
	Group		13 m/s				Lw (Day (12h)) /dB(A)				110.10				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.10				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.10				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 13 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2		
	Night (8h)	Emission	Reference: Vestas V172 13 m/s ST												
	Night (8h)	Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2		
	Evening (4h)	Emission	Reference: Vestas V172 13 m/s ST												
	Evening (4h)	Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden				-		0.0		0.0				-		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1		1.00		0.29890		-16.04		-16.0		
	Evening (4h)		4.00	Evening	110.1		1.00		0.12160		-15.17		-15.2		
	Night (8h)		8.00	Night	110.1		1.00		0.20930		-15.82		-15.8		
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
						Geometry:		659850.41		255599.51		281.00		175.00	

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

EQCN262	Label		O6*****				Action radius/m				3000.00				
	Group		13 m/s				Lw (Day (12h)) /dB(A)				110.10				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.10				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.10				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 13 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2		
	Night (8h)	Emission	Reference: Vestas V172 13 m/s ST												
	Night (8h)	Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2		
	Evening (4h)	Emission	Reference: Vestas V172 13 m/s ST												
	Evening (4h)	Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1		1.00		0.29890		-16.04		-16.0		
	Evening (4h)		4.00	Evening	110.1		1.00		0.12160		-15.17		-15.2		
	Night (8h)		8.00	Night	110.1		1.00		0.20930		-15.82		-15.8		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		659724.06		256257.39		278.09		175.00	
EQCN263	Label		Pr11*****				Action radius/m				3000.00				
	Group		13 m/s				Lw (Day (12h)) /dB(A)				110.10				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.10				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.10				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 13 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2		
	Night (8h)	Emission	Reference: Vestas V172 13 m/s ST												
	Night (8h)	Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2		
	Evening (4h)	Emission	Reference: Vestas V172 13 m/s ST												
	Evening (4h)	Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1		1.00		0.29890		-16.04		-16.0		
	Evening (4h)		4.00	Evening	110.1		1.00		0.12160		-15.17		-15.2		
	Night (8h)		8.00	Night	110.1		1.00		0.20930		-15.82		-15.8		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		660296.51		255945.28		279.00		175.00	
EQCN264	Label		AP2*****				Action radius/m				3000.00				
	Group		13 m/s				Lw (Day (12h)) /dB(A)				110.10				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.10				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.10				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		

	Day (12h)	Emission	Reference: Vestas V172 13 m/s ST													
	Day (12h)	Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2			
	Night (8h)	Emission	Reference: Vestas V172 13 m/s ST													
	Night (8h)	Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2			
	Evening (4h)	Emission	Reference: Vestas V172 13 m/s ST													
	Evening (4h)	Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2			
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden				-		0.0		0.0		0.0		-	0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)		12.00	Day	110.1		1.00		0.29890		-16.04		-16.0			
	Evening (4h)		4.00	Evening	110.1		1.00		0.12160		-15.17		-15.2			
	Night (8h)		8.00	Night	110.1		1.00		0.20930		-15.82		-15.8			
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
						Geometry:		661860.19		254894.20		282.00		175.00		
EQCN265	Label		AP6.1*****					Action radius/m					3000.00			
	Group		13 m/s					Lw (Day (12h)) /dB(A)					110.10			
	Number of nodes		1					Lw (Night (8h)) /dB(A)					110.10			
	Length/ m		---					Lw (Evening (4h)) /dB(A)					110.10			
	Length/ m (2D)		---					Emission is					Sound power level (Lw)			
	Area /m²		---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
	Day (12h)	Emission	Reference: Vestas V172 13 m/s ST													
	Day (12h)	Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2			
	Night (8h)	Emission	Reference: Vestas V172 13 m/s ST													
	Night (8h)	Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2			
	Evening (4h)	Emission	Reference: Vestas V172 13 m/s ST													
	Evening (4h)	Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2			
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden				-		0.0		0.0		0.0		-	0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)		12.00	Day	110.1		1.00		0.29890		-16.04		-16.0			
	Evening (4h)		4.00	Evening	110.1		1.00		0.12160		-15.17		-15.2			
	Night (8h)		8.00	Night	110.1		1.00		0.20930		-15.82		-15.8			
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
						Geometry:		661549.21		255141.18		282.00		175.00		
EQCN266	Label		JU1*****					Action radius/m					3000.00			
	Group		13 m/s					Lw (Day (12h)) /dB(A)					110.10			
	Number of nodes		1					Lw (Night (8h)) /dB(A)					110.10			
	Length/ m		---					Lw (Evening (4h)) /dB(A)					110.10			
	Length/ m (2D)		---					Emission is					Sound power level (Lw)			
	Area /m²		---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
	Day (12h)	Emission	Reference: Vestas V172 13 m/s ST													
	Day (12h)	Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2			
	Night (8h)	Emission	Reference: Vestas V172 13 m/s ST													
	Night (8h)	Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2			
	Evening (4h)	Emission	Reference: Vestas V172 13 m/s ST													

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Evening (4h)	Lw /dB (A)	110.1		47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2			
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB				
	Lden		-		0.0		0.0		0.0		-		0.0				
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)				
	Day (12h)		12.00	Day	110.1		1.00		0.29890		-16.04		-16.0				
	Evening (4h)		4.00	Evening	110.1		1.00		0.12160		-15.17		-15.2				
	Night (8h)		8.00	Night	110.1		1.00		0.20930		-15.82		-15.8				
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m			
						Geometry:		661068.17		255365.14		281.00		175.00			
EQCN267	Label		Pr25*****					Action radius/m					3000.00				
	Group		13 m/s					Lw (Day (12h)) /dB(A)					110.10				
	Number of nodes		1					Lw (Night (8h)) /dB(A)					110.10				
	Length/ m		---					Lw (Evening (4h)) /dB(A)					110.10				
	Length/ m (2D)		---					Emission is					Sound power level (Lw)				
	Area /m²		---														
	Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 13 m/s ST														
	Day (12h)	Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2				
	Night (8h)	Emission	Reference: Vestas V172 13 m/s ST														
	Night (8h)	Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2				
	Evening (4h)	Emission	Reference: Vestas V172 13 m/s ST														
	Evening (4h)	Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2				
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB				
	Lden		-		0.0		0.0		0.0		-		0.0				
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)				
	Day (12h)		12.00	Day	110.1		1.00		0.29890		-16.04		-16.0				
	Evening (4h)		4.00	Evening	110.1		1.00		0.12160		-15.17		-15.2				
	Night (8h)		8.00	Night	110.1		1.00		0.20930		-15.82		-15.8				
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m			
						Geometry:		662047.55		256166.20		283.00		175.00			
EQCN268	Label		Pr3a*****					Action radius/m					3000.00				
	Group		13 m/s					Lw (Day (12h)) /dB(A)					110.10				
	Number of nodes		1					Lw (Night (8h)) /dB(A)					110.10				
	Length/ m		---					Lw (Evening (4h)) /dB(A)					110.10				
	Length/ m (2D)		---					Emission is					Sound power level (Lw)				
	Area /m²		---														
	Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 13 m/s ST														
	Day (12h)	Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2				
	Night (8h)	Emission	Reference: Vestas V172 13 m/s ST														
	Night (8h)	Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2				
	Evening (4h)	Emission	Reference: Vestas V172 13 m/s ST														
	Evening (4h)	Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2				
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB				
	Lden		-		0.0		0.0		0.0		-		0.0				
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)				
	Day (12h)		12.00	Day	110.1		1.00		0.29890		-16.04		-16.0				

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Evening (4h)	4.00	Evening	110.1	1.00	0.12160	-15.17	-15.2					
	Night (8h)	8.00	Night	110.1	1.00	0.20930	-15.82	-15.8					
	Geometry	Nr			x/m	y/m	z(abs) /m	! z(rel) /m					
		Geometry:			662202.01	255681.90	284.00	175.00					
EQCN269	Label	PrRR3*****			Action radius/m			3000.00					
	Group	13 m/s			Lw (Day (12h)) /dB(A)			110.10					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			110.10					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			110.10					
	Length/ m (2D)	---			Emission is			Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 13 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2
	Night (8h)	Emission	Reference: Vestas V172 13 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2
	Evening (4h)	Emission	Reference: Vestas V172 13 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden	-		0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	110.1		1.00		0.29890		-16.04		-16.0	
	Evening (4h)	4.00	Evening	110.1		1.00		0.12160		-15.17		-15.2	
	Night (8h)	8.00	Night	110.1		1.00		0.20930		-15.82		-15.8	
	Geometry	Nr			x/m	y/m	z(abs) /m	! z(rel) /m					
		Geometry:			662676.13	256121.38	284.00	175.00					
EQCN270	Label	P19.2b*****			Action radius/m			3000.00					
	Group	13 m/s			Lw (Day (12h)) /dB(A)			110.10					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			110.10					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			110.10					
	Length/ m (2D)	---			Emission is			Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 13 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2
	Night (8h)	Emission	Reference: Vestas V172 13 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2
	Evening (4h)	Emission	Reference: Vestas V172 13 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	47.4 53.6 59.4	65.3 70.7 76.1	80.9 85.3 89.1	92.3 94.9 97.0	98.4 99.4 99.8	100.2 100.2 100.2	99.9 99.1 97.9	96.4 94.5 92.2	89.5 86.4 82.9	79.0 74.8 70.2
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden	-		0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	110.1		1.00		0.29890		-16.04		-16.0	
	Evening (4h)	4.00	Evening	110.1		1.00		0.12160		-15.17		-15.2	
	Night (8h)	8.00	Night	110.1		1.00		0.20930		-15.82		-15.8	
	Geometry	Nr			x/m	y/m	z(abs) /m	! z(rel) /m					
		Geometry:			656671.82	247343.93	280.00	175.00					
EQCN271	Label	O2*****			Action radius/m			3000.00					
	Group	14 m/s			Lw (Day (12h)) /dB(A)			110.09					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			110.09					

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.09			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 14 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2	
	Night (8h)	Emission	Reference: Vestas V172 14 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2	
	Evening (4h)	Emission	Reference: Vestas V172 14 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		0.18510		-18.12		-18.1	
	Evening (4h)		4.00	Evening	110.1		1.00		0.06160		-18.12		-18.1	
	Night (8h)		8.00	Night	110.1		1.00		0.11950		-18.26		-18.3	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:	655899.72		249092.09		279.27		175.00	
EQCN272	Label		O3*****				Action radius/m				3000.00			
	Group		14 m/s				Lw (Day (12h)) /dB(A)				110.09			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.09			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.09			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 14 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2	
	Night (8h)	Emission	Reference: Vestas V172 14 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2	
	Evening (4h)	Emission	Reference: Vestas V172 14 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		0.18510		-18.12		-18.1	
	Evening (4h)		4.00	Evening	110.1		1.00		0.06160		-18.12		-18.1	
	Night (8h)		8.00	Night	110.1		1.00		0.11950		-18.26		-18.3	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:	656055.72		248760.81		279.00		175.00	
EQCN273	Label		O5*****				Action radius/m				3000.00			
	Group		14 m/s				Lw (Day (12h)) /dB(A)				110.09			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.09			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.09			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 14 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2	

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Night (8h)	Emission	Reference: Vestas V172 14 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2	
	Evening (4h)	Emission	Reference: Vestas V172 14 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2	
	Rating method	Peak level	Corr. for impulsivity /dB			Corr. for tonality /dB			Corr. for inform. content/dB			Special correction /dB		
	Lden	-	0.0			0.0			0.0			0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	110.1		1.00		0.18510		-18.12		-18.1		
	Evening (4h)	4.00	Evening	110.1		1.00		0.06160		-18.12		-18.1		
	Night (8h)	8.00	Night	110.1		1.00		0.11950		-18.26		-18.3		
	Geometry	Nr				x/m			y/m		z(abs) /m		! z(rel) /m	
	Geometry:				656292.16			247880.94		279.00		175.00		
EQCN274	Label	O4*****				Action radius/m				3000.00				
	Group	14 m/s				Lw (Day (12h)) /dB(A)				110.09				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				110.09				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				110.09				
	Length/ m (2D)	---				Emission is				Sound power level (Lw)				
	Area /m²	---												
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 14 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2	
	Night (8h)	Emission	Reference: Vestas V172 14 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2	
	Evening (4h)	Emission	Reference: Vestas V172 14 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2	
	Rating method	Peak level	Corr. for impulsivity /dB			Corr. for tonality /dB			Corr. for inform. content/dB			Special correction /dB		
	Lden	-	0.0			0.0			0.0			0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	110.1		1.00		0.18510		-18.12		-18.1		
	Evening (4h)	4.00	Evening	110.1		1.00		0.06160		-18.12		-18.1		
	Night (8h)	8.00	Night	110.1		1.00		0.11950		-18.26		-18.3		
	Geometry	Nr				x/m			y/m		z(abs) /m		! z(rel) /m	
	Geometry:				655674.43			248309.07		278.00		175.00		
EQCN275	Label	DD1*****				Action radius/m				3000.00				
	Group	14 m/s				Lw (Day (12h)) /dB(A)				110.09				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				110.09				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				110.09				
	Length/ m (2D)	---				Emission is				Sound power level (Lw)				
	Area /m²	---												
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 14 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2	
	Night (8h)	Emission	Reference: Vestas V172 14 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2	
	Evening (4h)	Emission	Reference: Vestas V172 14 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2	
	Rating method	Peak level	Corr. for impulsivity /dB			Corr. for tonality /dB			Corr. for inform. content/dB			Special correction /dB		

Vēja parks "Pīrikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1		1.00		0.18510		-18.12		-18.1		
	Evening (4h)		4.00	Evening	110.1		1.00		0.06160		-18.12		-18.1		
	Night (8h)		8.00	Night	110.1		1.00		0.11950		-18.26		-18.3		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		656226.07		248421.71		278.00		175.00	
EQCN276	Label		DD3*****				Action radius/m				3000.00				
	Group		14 m/s				Lw (Day (12h)) /dB(A)				110.09				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.09				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.09				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 14 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2		
	Night (8h)	Emission	Reference: Vestas V172 14 m/s ST												
	Night (8h)	Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2		
	Evening (4h)	Emission	Reference: Vestas V172 14 m/s ST												
	Evening (4h)	Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1		1.00		0.18510		-18.12		-18.1		
	Evening (4h)		4.00	Evening	110.1		1.00		0.06160		-18.12		-18.1		
	Night (8h)		8.00	Night	110.1		1.00		0.11950		-18.26		-18.3		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		656792.54		248209.39		279.20		175.00	
EQCN277	Label		O1.b*****				Action radius/m				3000.00				
	Group		14 m/s				Lw (Day (12h)) /dB(A)				110.09				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.09				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.09				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 14 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2		
	Night (8h)	Emission	Reference: Vestas V172 14 m/s ST												
	Night (8h)	Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2		
	Evening (4h)	Emission	Reference: Vestas V172 14 m/s ST												
	Evening (4h)	Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1		1.00		0.18510		-18.12		-18.1		
	Evening (4h)		4.00	Evening	110.1		1.00		0.06160		-18.12		-18.1		
	Night (8h)		8.00	Night	110.1		1.00		0.11950		-18.26		-18.3		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	

Vēja parks "Pīkuļi" A alternatīva - Vestas V172 - 7.2 MW

		Geometry:					655628.52				247870.27				278.00		175.00	
EQCN278	Label	JV1*****					Action radius/m				3000.00							
	Group	14 m/s					Lw (Day (12h)) /dB(A)				110.09							
	Number of nodes	1					Lw (Night (8h)) /dB(A)				110.09							
	Length/ m	---					Lw (Evening (4h)) /dB(A)				110.09							
	Length/ m (2D)	---					Emission is				Sound power level (Lw)							
	Area /m²	---																
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz					
	Day (12h)	Emission	Reference: Vestas V172 14 m/s ST															
	Day (12h)	Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2					
	Night (8h)	Emission	Reference: Vestas V172 14 m/s ST															
	Night (8h)	Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2					
	Evening (4h)	Emission	Reference: Vestas V172 14 m/s ST															
	Evening (4h)	Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2					
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB						Special correction /dB				
	Lden			-		0.0		0.0		0.0				-		0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)						
	Day (12h)	12.00	Day	110.1		1.00		0.18510		-18.12		-18.1						
	Evening (4h)	4.00	Evening	110.1		1.00		0.06160		-18.12		-18.1						
	Night (8h)	8.00	Night	110.1		1.00		0.11950		-18.26		-18.3						
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m				
						Geometry:		656086.43		247254.47		279.00		175.00				
EQCN279	Label	Pr12*****					Action radius/m				3000.00							
	Group	14 m/s					Lw (Day (12h)) /dB(A)				110.09							
	Number of nodes	1					Lw (Night (8h)) /dB(A)				110.09							
	Length/ m	---					Lw (Evening (4h)) /dB(A)				110.09							
	Length/ m (2D)	---					Emission is				Sound power level (Lw)							
	Area /m²	---																
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz					
	Day (12h)	Emission	Reference: Vestas V172 14 m/s ST															
	Day (12h)	Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2					
	Night (8h)	Emission	Reference: Vestas V172 14 m/s ST															
	Night (8h)	Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2					
	Evening (4h)	Emission	Reference: Vestas V172 14 m/s ST															
	Evening (4h)	Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2					
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB						Special correction /dB				
	Lden			-		0.0		0.0		0.0				-		0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)						
	Day (12h)	12.00	Day	110.1		1.00		0.18510		-18.12		-18.1						
	Evening (4h)	4.00	Evening	110.1		1.00		0.06160		-18.12		-18.1						
	Night (8h)	8.00	Night	110.1		1.00		0.11950		-18.26		-18.3						
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m				
						Geometry:		659850.41		255599.51		281.00		175.00				
EQCN280	Label	O6*****					Action radius/m				3000.00							
	Group	14 m/s					Lw (Day (12h)) /dB(A)				110.09							
	Number of nodes	1					Lw (Night (8h)) /dB(A)				110.09							
	Length/ m	---					Lw (Evening (4h)) /dB(A)				110.09							
	Length/ m (2D)	---					Emission is				Sound power level (Lw)							
	Area /m²	---																

Vēja parks "Pīrikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 14 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2		
	Night (8h)	Emission	Reference: Vestas V172 14 m/s ST												
	Night (8h)	Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2		
	Evening (4h)	Emission	Reference: Vestas V172 14 m/s ST												
	Evening (4h)	Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1		1.00		0.18510		-18.12		-18.1		
	Evening (4h)		4.00	Evening	110.1		1.00		0.06160		-18.12		-18.1		
	Night (8h)		8.00	Night	110.1		1.00		0.11950		-18.26		-18.3		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		659724.06		256257.39		278.09		175.00	
EQCN281	Label		Pr11*****				Action radius/m				3000.00				
	Group		14 m/s				Lw (Day (12h)) /dB(A)				110.09				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.09				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.09				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 14 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2		
	Night (8h)	Emission	Reference: Vestas V172 14 m/s ST												
	Night (8h)	Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2		
	Evening (4h)	Emission	Reference: Vestas V172 14 m/s ST												
	Evening (4h)	Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1		1.00		0.18510		-18.12		-18.1		
	Evening (4h)		4.00	Evening	110.1		1.00		0.06160		-18.12		-18.1		
	Night (8h)		8.00	Night	110.1		1.00		0.11950		-18.26		-18.3		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		660296.51		255945.28		279.00		175.00	
EQCN282	Label		AP2*****				Action radius/m				3000.00				
	Group		14 m/s				Lw (Day (12h)) /dB(A)				110.09				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.09				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.09				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 14 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2		
	Night (8h)	Emission	Reference: Vestas V172 14 m/s ST												
	Night (8h)	Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2		

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Evening (4h)	Emission	Reference: Vestas V172 14 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		0.18510		-18.12		-18.1	
	Evening (4h)		4.00	Evening	110.1		1.00		0.06160		-18.12		-18.1	
	Night (8h)		8.00	Night	110.1		1.00		0.11950		-18.26		-18.3	
	Geometry					Nr	x/m			y/m		z(abs) /m	! z(rel) /m	
			Geometry:			661860.19			254894.20		282.00		175.00	
EQCN283	Label		AP6.1*****				Action radius/m				3000.00			
	Group		14 m/s				Lw (Day (12h)) /dB(A)				110.09			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.09			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.09			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 14 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2	
	Night (8h)	Emission	Reference: Vestas V172 14 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2	
	Evening (4h)	Emission	Reference: Vestas V172 14 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		0.18510		-18.12		-18.1	
	Evening (4h)		4.00	Evening	110.1		1.00		0.06160		-18.12		-18.1	
	Night (8h)		8.00	Night	110.1		1.00		0.11950		-18.26		-18.3	
	Geometry					Nr	x/m			y/m		z(abs) /m	! z(rel) /m	
			Geometry:			661549.21			255141.18		282.00		175.00	
EQCN284	Label		JU1*****				Action radius/m				3000.00			
	Group		14 m/s				Lw (Day (12h)) /dB(A)				110.09			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.09			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.09			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 14 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2	
	Night (8h)	Emission	Reference: Vestas V172 14 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2	
	Evening (4h)	Emission	Reference: Vestas V172 14 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	

Vēja parks "Pīrikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Day (12h)	12.00	Day		110.1	1.00	0.18510	-18.12	-18.1					
	Evening (4h)	4.00	Evening		110.1	1.00	0.06160	-18.12	-18.1					
	Night (8h)	8.00	Night		110.1	1.00	0.11950	-18.26	-18.3					
	Geometry				Nr	x/m	y/m	z(abs) /m	! z(rel) /m					
		Geometry:				661068.17	255365.14	281.00	175.00					
EQCN285	Label	Pr25*****				Action radius/m			3000.00					
	Group	14 m/s				Lw (Day (12h)) /dB(A)			110.09					
	Number of nodes	1				Lw (Night (8h)) /dB(A)			110.09					
	Length/ m	---				Lw (Evening (4h)) /dB(A)			110.09					
	Length/ m (2D)	---				Emission is			Sound power level (Lw)					
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 14 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2	
	Night (8h)	Emission	Reference: Vestas V172 14 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2	
	Evening (4h)	Emission	Reference: Vestas V172 14 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden			-		0.0		0.0		0.0		-		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	110.1		1.00		0.18510		-18.12		-18.1		
	Evening (4h)	4.00	Evening	110.1		1.00		0.06160		-18.12		-18.1		
	Night (8h)	8.00	Night	110.1		1.00		0.11950		-18.26		-18.3		
	Geometry				Nr	x/m	y/m	z(abs) /m	! z(rel) /m					
		Geometry:				662047.55	256166.20	283.00	175.00					
EQCN286	Label	Pr3a*****				Action radius/m			3000.00					
	Group	14 m/s				Lw (Day (12h)) /dB(A)			110.09					
	Number of nodes	1				Lw (Night (8h)) /dB(A)			110.09					
	Length/ m	---				Lw (Evening (4h)) /dB(A)			110.09					
	Length/ m (2D)	---				Emission is			Sound power level (Lw)					
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 14 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2	
	Night (8h)	Emission	Reference: Vestas V172 14 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2	
	Evening (4h)	Emission	Reference: Vestas V172 14 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden			-		0.0		0.0		0.0		-		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	110.1		1.00		0.18510		-18.12		-18.1		
	Evening (4h)	4.00	Evening	110.1		1.00		0.06160		-18.12		-18.1		
	Night (8h)	8.00	Night	110.1		1.00		0.11950		-18.26		-18.3		
	Geometry				Nr	x/m	y/m	z(abs) /m	! z(rel) /m					
		Geometry:				662202.01	255681.90	284.00	175.00					
EQCN287	Label	PrRR3*****				Action radius/m			3000.00					
	Group	14 m/s				Lw (Day (12h)) /dB(A)			110.09					

Vēja parks "Pīkuļi" A alternatīva - Vestas V172 - 7.2 MW

	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.09				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.09				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 14 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2		
	Night (8h)	Emission	Reference: Vestas V172 14 m/s ST												
	Night (8h)	Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2		
	Evening (4h)	Emission	Reference: Vestas V172 14 m/s ST												
	Evening (4h)	Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1		1.00		0.18510		-18.12		-18.1		
	Evening (4h)		4.00	Evening	110.1		1.00		0.06160		-18.12		-18.1		
	Night (8h)		8.00	Night	110.1		1.00		0.11950		-18.26		-18.3		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		662676.13		256121.38		284.00		175.00	
EQCN288	Label		P19.2b*****				Action radius/m				3000.00				
	Group		14 m/s				Lw (Day (12h)) /dB(A)				110.09				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.09				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.09				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 14 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2		
	Night (8h)	Emission	Reference: Vestas V172 14 m/s ST												
	Night (8h)	Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2		
	Evening (4h)	Emission	Reference: Vestas V172 14 m/s ST												
	Evening (4h)	Lw /dB (A)	110.1	48.0 54.1 59.9	65.7 71.0 76.4	81.2 85.5 89.3	92.5 95.0 97.0	98.5 99.4 99.8	100.2 100.2 100.2	99.8 99.0 97.9	96.3 94.4 92.1	89.4 86.3 82.9	79.0 74.8 70.2		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1		1.00		0.18510		-18.12		-18.1		
	Evening (4h)		4.00	Evening	110.1		1.00		0.06160		-18.12		-18.1		
	Night (8h)		8.00	Night	110.1		1.00		0.11950		-18.26		-18.3		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		656671.82		247343.93		280.00		175.00	
EQCN289	Label		O2*****				Action radius/m				3000.00				
	Group		15 m/s				Lw (Day (12h)) /dB(A)				110.12				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	48.6	66.1	81.5	92.6	98.6	100.2	99.8	96.3	89.3	79.0		

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

				54.7 60.4	71.5 76.7	85.8 89.5	95.2 97.2	99.5 99.9	100.2 100.2	99.0 97.8	94.3 92.0	86.2 82.8	74.7 70.1	
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		0.09220		-21.14		-21.1	
	Evening (4h)		4.00	Evening	110.1		1.00		0.03640		-20.41		-20.4	
	Night (8h)		8.00	Night	110.1		1.00		0.05420		-21.69		-21.7	
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m
						Geometry:		655899.72		249092.09		279.27		175.00
EQCN290	Label		O3*****				Action radius/m				3000.00			
	Group		15 m/s				Lw (Day (12h)) /dB(A)				110.12			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		0.09220		-21.14		-21.1	
	Evening (4h)		4.00	Evening	110.1		1.00		0.03640		-20.41		-20.4	
	Night (8h)		8.00	Night	110.1		1.00		0.05420		-21.69		-21.7	
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m
						Geometry:		656055.72		248760.81		279.00		175.00
EQCN291	Label		O5*****				Action radius/m				3000.00			
	Group		15 m/s				Lw (Day (12h)) /dB(A)				110.12			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	

Vēja parks "Pīrikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0				0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1		1.00		0.09220		-21.14		-21.1		
	Evening (4h)		4.00	Evening	110.1		1.00		0.03640		-20.41		-20.4		
	Night (8h)		8.00	Night	110.1		1.00		0.05420		-21.69		-21.7		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		656292.16		247880.94		279.00		175.00	
EQCN292	Label		O4*****				Action radius/m				3000.00				
	Group		15 m/s				Lw (Day (12h)) /dB(A)				110.12				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST												
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST												
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0				0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1		1.00		0.09220		-21.14		-21.1		
	Evening (4h)		4.00	Evening	110.1		1.00		0.03640		-20.41		-20.4		
	Night (8h)		8.00	Night	110.1		1.00		0.05420		-21.69		-21.7		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		655674.43		248309.07		278.00		175.00	
EQCN293	Label		DD1*****				Action radius/m				3000.00				
	Group		15 m/s				Lw (Day (12h)) /dB(A)				110.12				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST												
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST												
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0				0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1		1.00		0.09220		-21.14		-21.1		
	Evening (4h)		4.00	Evening	110.1		1.00		0.03640		-20.41		-20.4		
	Night (8h)		8.00	Night	110.1		1.00		0.05420		-21.69		-21.7		

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Geometry		Nr				x/m		y/m		z(abs) /m		! z(rel) /m			
			Geometry:				656226.07		248421.71		278.00		175.00			
EQCN294	Label		DD3*****				Action radius/m				3000.00					
	Group		15 m/s				Lw (Day (12h)) /dB(A)				110.12					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)		Emission	Reference: Vestas V172 15 m/s ST												
	Day (12h)		Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Night (8h)		Emission	Reference: Vestas V172 15 m/s ST												
Night (8h)		Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1			
Evening (4h)		Emission	Reference: Vestas V172 15 m/s ST													
Evening (4h)		Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1			
Rating method			Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
Lden					-		0.0		0.0		0.0		-		0.0	
Rating period / Period			Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
Day (12h)			12.00	Day	110.1		1.00		0.09220		-21.14		-21.1			
Evening (4h)			4.00	Evening	110.1		1.00		0.03640		-20.41		-20.4			
Night (8h)			8.00	Night	110.1		1.00		0.05420		-21.69		-21.7			
Geometry							Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
							Geometry:		656792.54		248209.39		279.20		175.00	
EQCN295	Label		O1.b*****				Action radius/m				3000.00					
	Group		15 m/s				Lw (Day (12h)) /dB(A)				110.12					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)		Emission	Reference: Vestas V172 15 m/s ST												
	Day (12h)		Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Night (8h)		Emission	Reference: Vestas V172 15 m/s ST												
Night (8h)		Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1			
Evening (4h)		Emission	Reference: Vestas V172 15 m/s ST													
Evening (4h)		Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1			
Rating method			Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
Lden					-		0.0		0.0		0.0		-		0.0	
Rating period / Period			Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
Day (12h)			12.00	Day	110.1		1.00		0.09220		-21.14		-21.1			
Evening (4h)			4.00	Evening	110.1		1.00		0.03640		-20.41		-20.4			
Night (8h)			8.00	Night	110.1		1.00		0.05420		-21.69		-21.7			
Geometry							Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
							Geometry:		655628.52		247870.27		278.00		175.00	
EQCN296	Label		JV1*****				Action radius/m				3000.00					
	Group		15 m/s				Lw (Day (12h)) /dB(A)				110.12					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					

Vēja parks "Pīkuļi" A alternatīva - Vestas V172 - 7.2 MW

	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		0.09220		-21.14		-21.1	
	Evening (4h)		4.00	Evening	110.1		1.00		0.03640		-20.41		-20.4	
	Night (8h)		8.00	Night	110.1		1.00		0.05420		-21.69		-21.7	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:	656086.43		247254.47		279.00		175.00	
EQCN297	Label		Pr12*****				Action radius/m				3000.00			
	Group		15 m/s				Lw (Day (12h)) /dB(A)				110.12			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		0.09220		-21.14		-21.1	
	Evening (4h)		4.00	Evening	110.1		1.00		0.03640		-20.41		-20.4	
	Night (8h)		8.00	Night	110.1		1.00		0.05420		-21.69		-21.7	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:	659850.41		255599.51		281.00		175.00	
EQCN298	Label		O6*****				Action radius/m				3000.00			
	Group		15 m/s				Lw (Day (12h)) /dB(A)				110.12			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7	66.1 71.5	81.5 85.8	92.6 95.2	98.6 99.5	100.2 100.2	99.8 99.0	96.3 94.3	89.3 86.2	79.0 74.7	

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

				60.4	76.7	89.5	97.2	99.9	100.2	97.8	92.0	82.8	70.1	
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		0.09220		-21.14		-21.1	
	Evening (4h)		4.00	Evening	110.1		1.00		0.03640		-20.41		-20.4	
	Night (8h)		8.00	Night	110.1		1.00		0.05420		-21.69		-21.7	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:				659724.06		256257.39		278.09		175.00	
EQCN299	Label		Pr11*****					Action radius/m					3000.00	
	Group		15 m/s					Lw (Day (12h)) /dB(A)					110.12	
	Number of nodes		1					Lw (Night (8h)) /dB(A)					110.12	
	Length/ m		---					Lw (Evening (4h)) /dB(A)					110.12	
	Length/ m (2D)		---					Emission is					Sound power level (Lw)	
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		0.09220		-21.14		-21.1	
	Evening (4h)		4.00	Evening	110.1		1.00		0.03640		-20.41		-20.4	
	Night (8h)		8.00	Night	110.1		1.00		0.05420		-21.69		-21.7	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:				660296.51		255945.28		279.00		175.00	
EQCN300	Label		AP2*****					Action radius/m					3000.00	
	Group		15 m/s					Lw (Day (12h)) /dB(A)					110.12	
	Number of nodes		1					Lw (Night (8h)) /dB(A)					110.12	
	Length/ m		---					Lw (Evening (4h)) /dB(A)					110.12	
	Length/ m (2D)		---					Emission is					Sound power level (Lw)	
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1		1.00		0.09220		-21.14		-21.1		
	Evening (4h)		4.00	Evening	110.1		1.00		0.03640		-20.41		-20.4		
	Night (8h)		8.00	Night	110.1		1.00		0.05420		-21.69		-21.7		
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
						Geometry:		661860.19		254894.20		282.00		175.00	
EQCN301	Label		AP6.1*****				Action radius/m				3000.00				
	Group		15 m/s				Lw (Day (12h)) /dB(A)				110.12				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST												
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST												
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1		1.00		0.09220		-21.14		-21.1		
	Evening (4h)		4.00	Evening	110.1		1.00		0.03640		-20.41		-20.4		
	Night (8h)		8.00	Night	110.1		1.00		0.05420		-21.69		-21.7		
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
						Geometry:		661549.21		255141.18		282.00		175.00	
EQCN302	Label		JU1*****				Action radius/m				3000.00				
	Group		15 m/s				Lw (Day (12h)) /dB(A)				110.12				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST												
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST												
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1		1.00		0.09220		-21.14		-21.1		
	Evening (4h)		4.00	Evening	110.1		1.00		0.03640		-20.41		-20.4		
	Night (8h)		8.00	Night	110.1		1.00		0.05420		-21.69		-21.7		
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
						Geometry:		661068.17		255365.14		281.00		175.00	

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

EQCN303	Label		Pr25*****				Action radius/m				3000.00				
	Group		15 m/s				Lw (Day (12h)) /dB(A)				110.12				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST												
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST												
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1		1.00		0.09220		-21.14		-21.1		
	Evening (4h)		4.00	Evening	110.1		1.00		0.03640		-20.41		-20.4		
	Night (8h)		8.00	Night	110.1		1.00		0.05420		-21.69		-21.7		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		662047.55		256166.20		283.00		175.00	
EQCN304	Label		Pr3a*****				Action radius/m				3000.00				
	Group		15 m/s				Lw (Day (12h)) /dB(A)				110.12				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST												
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST												
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1		1.00		0.09220		-21.14		-21.1		
	Evening (4h)		4.00	Evening	110.1		1.00		0.03640		-20.41		-20.4		
	Night (8h)		8.00	Night	110.1		1.00		0.05420		-21.69		-21.7		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		662202.01		255681.90		284.00		175.00	
EQCN305	Label		PrRR3*****				Action radius/m				3000.00				
	Group		15 m/s				Lw (Day (12h)) /dB(A)				110.12				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		

	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Rating method	Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB					
	Lden	-	0.0		0.0		0.0		0.0					
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	110.1		1.00		0.09220		-21.14		-21.1		
	Evening (4h)	4.00	Evening	110.1		1.00		0.03640		-20.41		-20.4		
	Night (8h)	8.00	Night	110.1		1.00		0.05420		-21.69		-21.7		
	Geometry	Nr				x/m		y/m		z(abs) /m		! z(rel) /m		
		Geometry:				662676.13		256121.38		284.00		175.00		
EQCN306	Label	P19.2b*****				Action radius/m				3000.00				
	Group	15 m/s				Lw (Day (12h)) /dB(A)				110.12				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				110.12				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				110.12				
	Length/ m (2D)	---				Emission is				Sound power level (Lw)				
	Area /m²	---												
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Rating method	Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB					
	Lden	-	0.0		0.0		0.0		0.0					
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	110.1		1.00		0.09220		-21.14		-21.1		
	Evening (4h)	4.00	Evening	110.1		1.00		0.03640		-20.41		-20.4		
	Night (8h)	8.00	Night	110.1		1.00		0.05420		-21.69		-21.7		
	Geometry	Nr				x/m		y/m		z(abs) /m		! z(rel) /m		
		Geometry:				656671.82		247343.93		280.00		175.00		
EQCN307	Label	O2*****				Action radius/m				3000.00				
	Group	16 m/s				Lw (Day (12h)) /dB(A)				110.12				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				110.12				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				110.12				
	Length/ m (2D)	---				Emission is				Sound power level (Lw)				
	Area /m²	---												
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V1											

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Rating method		Peak level	Corr. for impulsivity /dB			Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-	0.0			0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1		1.00		0.05390		-23.48		-23.5		
	Evening (4h)		4.00	Evening	110.1		1.00		0.01400		-24.56		-24.6		
	Night (8h)		8.00	Night	110.1		1.00		0.02710		-24.70		-24.7		
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
			Geometry:				655899.72		249092.09		279.27		175.00		
EQCN308	Label		O3*****					Action radius/m					3000.00		
	Group		16 m/s					Lw (Day (12h)) /dB(A)					110.12		
	Number of nodes		1					Lw (Night (8h)) /dB(A)					110.12		
	Length/ m		---					Lw (Evening (4h)) /dB(A)					110.12		
	Length/ m (2D)		---					Emission is					Sound power level (Lw)		
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST												
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST												
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Rating method		Peak level	Corr. for impulsivity /dB			Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-	0.0			0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1		1.00		0.05390		-23.48		-23.5		
	Evening (4h)		4.00	Evening	110.1		1.00		0.01400		-24.56		-24.6		
	Night (8h)		8.00	Night	110.1		1.00		0.02710		-24.70		-24.7		
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
			Geometry:				656055.72		248760.81		279.00		175.00		
EQCN309	Label		O5*****					Action radius/m					3000.00		
	Group		16 m/s					Lw (Day (12h)) /dB(A)					110.12		
	Number of nodes		1					Lw (Night (8h)) /dB(A)					110.12		
	Length/ m		---					Lw (Evening (4h)) /dB(A)					110.12		
	Length/ m (2D)		---					Emission is					Sound power level (Lw)		
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST												
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST												
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Rating method		Peak level	Corr. for impulsivity /dB			Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-	0.0			0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1		1.00		0.05390		-23.48		-23.5		

--	--	--	--	--

Vēja parks "Pīrikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		0.05390		-23.48		-23.5	
	Evening (4h)		4.00	Evening	110.1		1.00		0.01400		-24.56		-24.6	
	Night (8h)		8.00	Night	110.1		1.00		0.02710		-24.70		-24.7	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:				656792.54		248209.39		279.20		175.00	
EQCN313	Label		O1.b*****				Action radius/m				3000.00			
	Group		16 m/s				Lw (Day (12h)) /dB(A)				110.12			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		0.05390		-23.48		-23.5	
	Evening (4h)		4.00	Evening	110.1		1.00		0.01400		-24.56		-24.6	
	Night (8h)		8.00	Night	110.1		1.00		0.02710		-24.70		-24.7	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:				655628.52		247870.27		278.00		175.00	
EQCN314	Label		JV1*****				Action radius/m				3000.00			
	Group		16 m/s				Lw (Day (12h)) /dB(A)				110.12			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		0.05390		-23.48		-23.5	
	Evening (4h)		4.00	Evening	110.1		1.00		0.01400		-24.56		-24.6	
	Night (8h)		8.00	Night	110.1		1.00		0.02710		-24.70		-24.7	
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m
						Geometry:		656086.43		247254.47		279.00		175.00
EQCN315	Label		Pr12*****				Action radius/m				3000.00			
	Group		16 m/s				Lw (Day (12h)) /dB(A)				110.12			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Reference: Vestas V172 15 m/s ST											
	Day (12h)		Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Night (8h)		Reference: Vestas V172 15 m/s ST											
	Night (8h)		Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Evening (4h)		Reference: Vestas V172 15 m/s ST											
	Evening (4h)		Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		0.05390		-23.48		-23.5	
	Evening (4h)		4.00	Evening	110.1		1.00		0.01400		-24.56		-24.6	
	Night (8h)		8.00	Night	110.1		1.00		0.02710		-24.70		-24.7	
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m
						Geometry:		659850.41		255599.51		281.00		175.00
EQCN316	Label		O6*****				Action radius/m				3000.00			
	Group		16 m/s				Lw (Day (12h)) /dB(A)				110.12			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Reference: Vestas V172 15 m/s ST											
	Day (12h)		Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Night (8h)		Reference: Vestas V172 15 m/s ST											
	Night (8h)		Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Evening (4h)		Reference: Vestas V172 15 m/s ST											
	Evening (4h)		Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	

Vēja parks "Pīrikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1		1.00		0.05390		-23.48		-23.5		
	Evening (4h)		4.00	Evening	110.1		1.00		0.01400		-24.56		-24.6		
	Night (8h)		8.00	Night	110.1		1.00		0.02710		-24.70		-24.7		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		659724.06		256257.39		278.09		175.00	
EQCN317	Label		Pr11*****				Action radius/m				3000.00				
	Group		16 m/s				Lw (Day (12h)) /dB(A)				110.12				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST												
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST												
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1		1.00		0.05390		-23.48		-23.5		
	Evening (4h)		4.00	Evening	110.1		1.00		0.01400		-24.56		-24.6		
	Night (8h)		8.00	Night	110.1		1.00		0.02710		-24.70		-24.7		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		660296.51		255945.28		279.00		175.00	
EQCN318	Label		AP2*****				Action radius/m				3000.00				
	Group		16 m/s				Lw (Day (12h)) /dB(A)				110.12				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST												
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST												
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1		1.00		0.05390		-23.48		-23.5		
	Evening (4h)		4.00	Evening	110.1		1.00		0.01400		-24.56		-24.6		
	Night (8h)		8.00	Night	110.1		1.00		0.02710		-24.70		-24.7		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	

Vēja parks "Pīkuļi" A alternatīva - Vestas V172 - 7.2 MW

		Geometry:				661860.19	254894.20				282.00	175.00			
EQCN319	Label	AP6.1*****				Action radius/m				3000.00					
	Group	16 m/s				Lw (Day (12h)) /dB(A)				110.12					
	Number of nodes	1				Lw (Night (8h)) /dB(A)				110.12					
	Length/ m	---				Lw (Evening (4h)) /dB(A)				110.12					
	Length/ m (2D)	---				Emission is				Sound power level (Lw)					
	Area /m²	---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST												
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST												
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden	-		0.0		0.0		0.0		-		0.0			
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)	12.00	Day	110.1		1.00		0.05390		-23.48		-23.5			
	Evening (4h)	4.00	Evening	110.1		1.00		0.01400		-24.56		-24.6			
	Night (8h)	8.00	Night	110.1		1.00		0.02710		-24.70		-24.7			
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
		Geometry:				661549.21		255141.18		282.00		175.00			
EQCN320	Label	JU1*****				Action radius/m				3000.00					
	Group	16 m/s				Lw (Day (12h)) /dB(A)				110.12					
	Number of nodes	1				Lw (Night (8h)) /dB(A)				110.12					
	Length/ m	---				Lw (Evening (4h)) /dB(A)				110.12					
	Length/ m (2D)	---				Emission is				Sound power level (Lw)					
	Area /m²	---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST												
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST												
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden	-		0.0		0.0		0.0		-		0.0			
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)	12.00	Day	110.1		1.00		0.05390		-23.48		-23.5			
	Evening (4h)	4.00	Evening	110.1		1.00		0.01400		-24.56		-24.6			
	Night (8h)	8.00	Night	110.1		1.00		0.02710		-24.70		-24.7			
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
		Geometry:				661068.17		255365.14		281.00		175.00			
EQCN321	Label	Pr25*****				Action radius/m				3000.00					
	Group	16 m/s				Lw (Day (12h)) /dB(A)				110.12					
	Number of nodes	1				Lw (Night (8h)) /dB(A)				110.12					
	Length/ m	---				Lw (Evening (4h)) /dB(A)				110.12					
	Length/ m (2D)	---				Emission is				Sound power level (Lw)					
	Area /m²	---													

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST												
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST												
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1		1.00		0.05390		-23.48		-23.5		
	Evening (4h)		4.00	Evening	110.1		1.00		0.01400		-24.56		-24.6		
	Night (8h)		8.00	Night	110.1		1.00		0.02710		-24.70		-24.7		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		662047.55		256166.20		283.00		175.00	
EQCN322	Label		Pr3a*****				Action radius/m				3000.00				
	Group		16 m/s				Lw (Day (12h)) /dB(A)				110.12				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST												
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST												
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1		1.00		0.05390		-23.48		-23.5		
	Evening (4h)		4.00	Evening	110.1		1.00		0.01400		-24.56		-24.6		
	Night (8h)		8.00	Night	110.1		1.00		0.02710		-24.70		-24.7		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		662202.01		255681.90		284.00		175.00	
EQCN323	Label		PrRR3*****				Action radius/m				3000.00				
	Group		16 m/s				Lw (Day (12h)) /dB(A)				110.12				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST												
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		

Vēja parks "Pīrikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		0.05390		-23.48		-23.5	
	Evening (4h)		4.00	Evening	110.1		1.00		0.01400		-24.56		-24.6	
	Night (8h)		8.00	Night	110.1		1.00		0.02710		-24.70		-24.7	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		662676.13		256121.38		284.00		175.00	
EQCN324	Label		P19.2b*****				Action radius/m				3000.00			
	Group		16 m/s				Lw (Day (12h)) /dB(A)				110.12			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission	Reference: Vestas V172 15 m/s ST										
	Day (12h)		Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Night (8h)		Emission	Reference: Vestas V172 15 m/s ST										
Night (8h)		Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		0.05390		-23.48		-23.5	
	Evening (4h)		4.00	Evening	110.1		1.00		0.01400		-24.56		-24.6	
	Night (8h)		8.00	Night	110.1		1.00		0.02710		-24.70		-24.7	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		656671.82		247343.93		280.00		175.00	
EQCN325	Label		O2*****				Action radius/m				3000.00			
	Group		17 m/s				Lw (Day (12h)) /dB(A)				110.12			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission	Reference: Vestas V172 15 m/s ST										
	Day (12h)		Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Night (8h)		Emission	Reference: Vestas V172 15 m/s ST										
Night (8h)		Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	

	Day (12h)		12.00 Day		110.1		1.00		0.02040		-27.70		-27.7		
	Evening (4h)		4.00 Evening		110.1		1.00		0.00630		-28.03		-28.0		
	Night (8h)		8.00 Night		110.1		1.00		0.01210		-28.20		-28.2		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		655899.72		249092.09		279.27		175.00	
EQCN326	Label		O3*****			Action radius/m		3000.00							
	Group		17 m/s			Lw (Day (12h)) /dB(A)		110.12							
	Number of nodes		1			Lw (Night (8h)) /dB(A)		110.12							
	Length/ m		---			Lw (Evening (4h)) /dB(A)		110.12							
	Length/ m (2D)		---			Emission is		Sound power level (Lw)							
	Area /m²		---												
	Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Vestas V172 15 m/s ST										
	Day (12h)		Lw /dB (A)		110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Night (8h)		Emission		Reference: Vestas V172 15 m/s ST										
	Night (8h)		Lw /dB (A)		110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Evening (4h)		Emission		Reference: Vestas V172 15 m/s ST										
	Evening (4h)		Lw /dB (A)		110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1		1.00		0.02040		-27.70		-27.7		
	Evening (4h)		4.00	Evening	110.1		1.00		0.00630		-28.03		-28.0		
	Night (8h)		8.00	Night	110.1		1.00		0.01210		-28.20		-28.2		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		656055.72		248760.81		279.00		175.00	
EQCN327	Label		O5*****			Action radius/m		3000.00							
	Group		17 m/s			Lw (Day (12h)) /dB(A)		110.12							
	Number of nodes		1			Lw (Night (8h)) /dB(A)		110.12							
	Length/ m		---			Lw (Evening (4h)) /dB(A)		110.12							
	Length/ m (2D)		---			Emission is		Sound power level (Lw)							
	Area /m²		---												
	Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Vestas V172 15 m/s ST										
	Day (12h)		Lw /dB (A)		110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Night (8h)		Emission		Reference: Vestas V172 15 m/s ST										
	Night (8h)		Lw /dB (A)		110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Evening (4h)		Emission		Reference: Vestas V172 15 m/s ST										
	Evening (4h)		Lw /dB (A)		110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1		1.00		0.02040		-27.70		-27.7		
	Evening (4h)		4.00	Evening	110.1		1.00		0.00630		-28.03		-28.0		
	Night (8h)		8.00	Night	110.1		1.00		0.01210		-28.20		-28.2		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		656292.16		247880.94		279.00		175.00	
EQCN328	Label		O4*****			Action radius/m		3000.00							
	Group		17 m/s			Lw (Day (12h)) /dB(A)		110.12							

Vēja parks "Pīkuļi" A alternatīva - Vestas V172 - 7.2 MW

	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST												
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST												
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1		1.00		0.02040		-27.70		-27.7		
	Evening (4h)		4.00	Evening	110.1		1.00		0.00630		-28.03		-28.0		
	Night (8h)		8.00	Night	110.1		1.00		0.01210		-28.20		-28.2		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		655674.43		248309.07		278.00		175.00	
EQCN329	Label		DD1*****				Action radius/m				3000.00				
	Group		17 m/s				Lw (Day (12h)) /dB(A)				110.12				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST												
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST												
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1		1.00		0.02040		-27.70		-27.7		
	Evening (4h)		4.00	Evening	110.1		1.00		0.00630		-28.03		-28.0		
	Night (8h)		8.00	Night	110.1		1.00		0.01210		-28.20		-28.2		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		656226.07		248421.71		278.00		175.00	
EQCN330	Label		DD3*****				Action radius/m				3000.00				
	Group		17 m/s				Lw (Day (12h)) /dB(A)				110.12				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	48.6	66.1	81.5	92.6	98.6	100.2	99.8	96.3	89.3	79.0		

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

				54.7 60.4	71.5 76.7	85.8 89.5	95.2 97.2	99.5 99.9	100.2 100.2	99.0 97.8	94.3 92.0	86.2 82.8	74.7 70.1	
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		0.02040		-27.70		-27.7	
	Evening (4h)		4.00	Evening	110.1		1.00		0.00630		-28.03		-28.0	
	Night (8h)		8.00	Night	110.1		1.00		0.01210		-28.20		-28.2	
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m
						Geometry:		656792.54		248209.39		279.20		175.00
EQCN331	Label		O1.b*****				Action radius/m				3000.00			
	Group		17 m/s				Lw (Day (12h)) /dB(A)				110.12			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission	Reference: Vestas V172 15 m/s ST										
	Day (12h)		Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Night (8h)		Emission	Reference: Vestas V172 15 m/s ST										
	Night (8h)		Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Evening (4h)		Emission	Reference: Vestas V172 15 m/s ST										
	Evening (4h)		Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		0.02040		-27.70		-27.7	
	Evening (4h)		4.00	Evening	110.1		1.00		0.00630		-28.03		-28.0	
	Night (8h)		8.00	Night	110.1		1.00		0.01210		-28.20		-28.2	
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m
						Geometry:		655628.52		247870.27		278.00		175.00
EQCN332	Label		JV1*****				Action radius/m				3000.00			
	Group		17 m/s				Lw (Day (12h)) /dB(A)				110.12			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission	Reference: Vestas V172 15 m/s ST										
	Day (12h)		Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Night (8h)		Emission	Reference: Vestas V172 15 m/s ST										
	Night (8h)		Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Evening (4h)		Emission	Reference: Vestas V172 15 m/s ST										
	Evening (4h)		Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB			Special correction /dB	
	Lden		-		0.0		0.0		0.0			0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	110.1		1.00		0.02040		-27.70		-27.7
	Evening (4h)		4.00	Evening	110.1		1.00		0.00630		-28.03		-28.0
	Night (8h)		8.00	Night	110.1		1.00		0.01210		-28.20		-28.2
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
					Geometry:		656086.43		247254.47		279.00		175.00
EQCN333	Label		Pr12*****				Action radius/m				3000.00		
	Group		17 m/s				Lw (Day (12h)) /dB(A)				110.12		
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12		
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12		
	Length/ m (2D)		---				Emission is				Sound power level (Lw)		
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB			Special correction /dB	
	Lden		-		0.0		0.0		0.0			0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	110.1		1.00		0.02040		-27.70		-27.7
	Evening (4h)		4.00	Evening	110.1		1.00		0.00630		-28.03		-28.0
	Night (8h)		8.00	Night	110.1		1.00		0.01210		-28.20		-28.2
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
					Geometry:		659850.41		255599.51		281.00		175.00
EQCN334	Label		O6*****				Action radius/m				3000.00		
	Group		17 m/s				Lw (Day (12h)) /dB(A)				110.12		
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12		
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12		
	Length/ m (2D)		---				Emission is				Sound power level (Lw)		
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB			Special correction /dB	
	Lden		-		0.0		0.0		0.0			0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	110.1		1.00		0.02040		-27.70		-27.7
	Evening (4h)		4.00	Evening	110.1		1.00		0.00630		-28.03		-28.0
	Night (8h)		8.00	Night	110.1		1.00		0.01210		-28.20		-28.2

Vēja parks "Pīrikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Geometry		Nr				x/m		y/m		z(abs) /m		! z(rel) /m			
			Geometry:				659724.06		256257.39		278.09		175.00			
EQCN335	Label		Pr11*****				Action radius/m				3000.00					
	Group		17 m/s				Lw (Day (12h)) /dB(A)				110.12					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)		Emission	Reference: Vestas V172 15 m/s ST												
	Day (12h)		Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Night (8h)		Emission	Reference: Vestas V172 15 m/s ST												
Night (8h)		Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1			
Evening (4h)		Emission	Reference: Vestas V172 15 m/s ST													
Evening (4h)		Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1			
Rating method			Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
Lden					-		0.0		0.0		0.0		-		0.0	
Rating period / Period			Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
Day (12h)			12.00	Day	110.1		1.00		0.02040		-27.70		-27.7			
Evening (4h)			4.00	Evening	110.1		1.00		0.00630		-28.03		-28.0			
Night (8h)			8.00	Night	110.1		1.00		0.01210		-28.20		-28.2			
Geometry							Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:				660296.51		255945.28		279.00		175.00			
EQCN336	Label		AP2*****				Action radius/m				3000.00					
	Group		17 m/s				Lw (Day (12h)) /dB(A)				110.12					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)		Emission	Reference: Vestas V172 15 m/s ST												
	Day (12h)		Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Night (8h)		Emission	Reference: Vestas V172 15 m/s ST												
Night (8h)		Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1			
Evening (4h)		Emission	Reference: Vestas V172 15 m/s ST													
Evening (4h)		Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1			
Rating method			Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
Lden					-		0.0		0.0		0.0		-		0.0	
Rating period / Period			Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
Day (12h)			12.00	Day	110.1		1.00		0.02040		-27.70		-27.7			
Evening (4h)			4.00	Evening	110.1		1.00		0.00630		-28.03		-28.0			
Night (8h)			8.00	Night	110.1		1.00		0.01210		-28.20		-28.2			
Geometry							Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:				661860.19		254894.20		282.00		175.00			
EQCN337	Label		AP6.1*****				Action radius/m				3000.00					
	Group		17 m/s				Lw (Day (12h)) /dB(A)				110.12					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					

Vēja parks "Pīkuļi" A alternatīva - Vestas V172 - 7.2 MW

	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST												
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST												
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden				-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1		1.00		0.02040		-27.70		-27.7		
	Evening (4h)		4.00	Evening	110.1		1.00		0.00630		-28.03		-28.0		
	Night (8h)		8.00	Night	110.1		1.00		0.01210		-28.20		-28.2		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		661549.21		255141.18		282.00		175.00	
EQCN338	Label		JU1*****				Action radius/m				3000.00				
	Group		17 m/s				Lw (Day (12h)) /dB(A)				110.12				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST												
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST												
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden				-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1		1.00		0.02040		-27.70		-27.7		
	Evening (4h)		4.00	Evening	110.1		1.00		0.00630		-28.03		-28.0		
	Night (8h)		8.00	Night	110.1		1.00		0.01210		-28.20		-28.2		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		661068.17		255365.14		281.00		175.00	
EQCN339	Label		Pr25*****				Action radius/m				3000.00				
	Group		17 m/s				Lw (Day (12h)) /dB(A)				110.12				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST												
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7	66.1 71.5	81.5 85.8	92.6 95.2	98.6 99.5	100.2 100.2	99.8 99.0	96.3 94.3	89.3 86.2	79.0 74.7		

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

				60.4	76.7	89.5	97.2	99.9	100.2	97.8	92.0	82.8	70.1	
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		0.02040		-27.70		-27.7	
	Evening (4h)		4.00	Evening	110.1		1.00		0.00630		-28.03		-28.0	
	Night (8h)		8.00	Night	110.1		1.00		0.01210		-28.20		-28.2	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:				662047.55		256166.20		283.00		175.00	
EQCN340	Label		Pr3a*****				Action radius/m				3000.00			
	Group		17 m/s				Lw (Day (12h)) /dB(A)				110.12			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission	Reference: Vestas V172 15 m/s ST										
	Day (12h)		Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Night (8h)		Emission	Reference: Vestas V172 15 m/s ST										
	Night (8h)		Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Evening (4h)		Emission	Reference: Vestas V172 15 m/s ST										
	Evening (4h)		Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		0.02040		-27.70		-27.7	
	Evening (4h)		4.00	Evening	110.1		1.00		0.00630		-28.03		-28.0	
	Night (8h)		8.00	Night	110.1		1.00		0.01210		-28.20		-28.2	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:				662202.01		255681.90		284.00		175.00	
EQCN341	Label		PrRR3*****				Action radius/m				3000.00			
	Group		17 m/s				Lw (Day (12h)) /dB(A)				110.12			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission	Reference: Vestas V172 15 m/s ST										
	Day (12h)		Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Night (8h)		Emission	Reference: Vestas V172 15 m/s ST										
	Night (8h)		Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Evening (4h)		Emission	Reference: Vestas V172 15 m/s ST										
	Evening (4h)		Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1		1.00		0.02040		-27.70		-27.7		
	Evening (4h)		4.00	Evening	110.1		1.00		0.00630		-28.03		-28.0		
	Night (8h)		8.00	Night	110.1		1.00		0.01210		-28.20		-28.2		
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
						Geometry:		662676.13		256121.38		284.00		175.00	
EQCN342	Label		P19.2b*****				Action radius/m				3000.00				
	Group		17 m/s				Lw (Day (12h)) /dB(A)				110.12				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST												
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST												
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1		1.00		0.02040		-27.70		-27.7		
	Evening (4h)		4.00	Evening	110.1		1.00		0.00630		-28.03		-28.0		
	Night (8h)		8.00	Night	110.1		1.00		0.01210		-28.20		-28.2		
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
						Geometry:		656671.82		247343.93		280.00		175.00	
EQCN343	Label		O2*****				Action radius/m				3000.00				
	Group		18 m/s				Lw (Day (12h)) /dB(A)				110.12				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST												
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST												
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1		1.00		0.01000		-30.79		-30.8		
	Evening (4h)		4.00	Evening	110.1		1.00		0.00410		-29.89		-29.9		
	Night (8h)		8.00	Night	110.1		1.00		0.00520		-31.87		-31.9		
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
						Geometry:		655899.72		249092.09		279.27		175.00	

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

EQCN344	Label		O3*****				Action radius/m				3000.00				
	Group		18 m/s				Lw (Day (12h)) /dB(A)				110.12				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST												
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST												
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1		1.00		0.01000		-30.79		-30.8		
	Evening (4h)		4.00	Evening	110.1		1.00		0.00410		-29.89		-29.9		
	Night (8h)		8.00	Night	110.1		1.00		0.00520		-31.87		-31.9		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		656055.72		248760.81		279.00		175.00	
EQCN345	Label		O5*****				Action radius/m				3000.00				
	Group		18 m/s				Lw (Day (12h)) /dB(A)				110.12				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST												
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST												
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1		1.00		0.01000		-30.79		-30.8		
	Evening (4h)		4.00	Evening	110.1		1.00		0.00410		-29.89		-29.9		
	Night (8h)		8.00	Night	110.1		1.00		0.00520		-31.87		-31.9		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		656292.16		247880.94		279.00		175.00	
EQCN346	Label		O4*****				Action radius/m				3000.00				
	Group		18 m/s				Lw (Day (12h)) /dB(A)				110.12				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Evening (4h)	Lw /dB (A)	110.1		48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Rating method		Peak level		Corr. for impulsivity /dB			Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0			0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)			n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1			1.00		0.01000		-30.79		-30.8	
	Evening (4h)		4.00	Evening	110.1			1.00		0.00410		-29.89		-29.9	
	Night (8h)		8.00	Night	110.1			1.00		0.00520		-31.87		-31.9	
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		656792.54		248209.39		279.20		175.00	
EQCN349	Label		O1.b*****					Action radius/m					3000.00		
	Group		18 m/s					Lw (Day (12h)) /dB(A)					110.12		
	Number of nodes		1					Lw (Night (8h)) /dB(A)					110.12		
	Length/ m		---					Lw (Evening (4h)) /dB(A)					110.12		
	Length/ m (2D)		---					Emission is					Sound power level (Lw)		
	Area /m²		---												
	Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Vestas V172 15 m/s ST										
Day (12h)		Lw /dB (A)		110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
Night (8h)		Emission		Reference: Vestas V172 15 m/s ST											
Night (8h)		Lw /dB (A)		110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
Evening (4h)		Emission		Reference: Vestas V172 15 m/s ST											
Evening (4h)		Lw /dB (A)		110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Rating method		Peak level		Corr. for impulsivity /dB			Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0			0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)			n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1			1.00		0.01000		-30.79		-30.8	
	Evening (4h)		4.00	Evening	110.1			1.00		0.00410		-29.89		-29.9	
	Night (8h)		8.00	Night	110.1			1.00		0.00520		-31.87		-31.9	
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		655628.52		247870.27		278.00		175.00	
EQCN350	Label		JV1*****					Action radius/m					3000.00		
	Group		18 m/s					Lw (Day (12h)) /dB(A)					110.12		
	Number of nodes		1					Lw (Night (8h)) /dB(A)					110.12		
	Length/ m		---					Lw (Evening (4h)) /dB(A)					110.12		
	Length/ m (2D)		---					Emission is					Sound power level (Lw)		
	Area /m²		---												
	Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Vestas V172 15 m/s ST										
Day (12h)		Lw /dB (A)		110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
Night (8h)		Emission		Reference: Vestas V172 15 m/s ST											
Night (8h)		Lw /dB (A)		110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
Evening (4h)		Emission		Reference: Vestas V172 15 m/s ST											
Evening (4h)		Lw /dB (A)		110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Rating method		Peak level		Corr. for impulsivity /dB			Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0			0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)			n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1			1.00		0.01000		-30.79		-30.8	

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Evening (4h)	4.00	Evening	110.1			1.00		0.00410		-29.89		-29.9			
	Night (8h)	8.00	Night	110.1			1.00		0.00520		-31.87		-31.9			
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m			
		Geometry:					656086.43		247254.47		279.00		175.00			
EQCN351	Label	Pr12*****					Action radius/m					3000.00				
	Group	18 m/s					Lw (Day (12h)) /dB(A)					110.12				
	Number of nodes	1					Lw (Night (8h)) /dB(A)					110.12				
	Length/ m	---					Lw (Evening (4h)) /dB(A)					110.12				
	Length/ m (2D)	---					Emission is					Sound power level (Lw)				
	Area /m²	---														
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST													
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1			
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST													
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1			
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST													
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1			
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB				
	Lden	-		0.0		0.0		0.0		-		0.0				
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)				
	Day (12h)	12.00	Day	110.1		1.00		0.01000		-30.79		-30.8				
	Evening (4h)	4.00	Evening	110.1		1.00		0.00410		-29.89		-29.9				
	Night (8h)	8.00	Night	110.1		1.00		0.00520		-31.87		-31.9				
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m			
		Geometry:					659850.41		255599.51		281.00		175.00			
EQCN352	Label	O6*****					Action radius/m					3000.00				
	Group	18 m/s					Lw (Day (12h)) /dB(A)					110.12				
	Number of nodes	1					Lw (Night (8h)) /dB(A)					110.12				
	Length/ m	---					Lw (Evening (4h)) /dB(A)					110.12				
	Length/ m (2D)	---					Emission is					Sound power level (Lw)				
	Area /m²	---														
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST													
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1			
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST													
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1			
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST													
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1			
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB				
	Lden	-		0.0		0.0		0.0		-		0.0				
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)				
	Day (12h)	12.00	Day	110.1		1.00		0.01000		-30.79		-30.8				
	Evening (4h)	4.00	Evening	110.1		1.00		0.00410		-29.89		-29.9				
	Night (8h)	8.00	Night	110.1		1.00		0.00520		-31.87		-31.9				
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m			
		Geometry:					659724.06		256257.39		278.09		175.00			
EQCN353	Label	Pr11*****					Action radius/m					3000.00				
	Group	18 m/s					Lw (Day (12h)) /dB(A)					110.12				
	Number of nodes	1					Lw (Night (8h)) /dB(A)					110.12				

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		0.01000		-30.79		-30.8	
	Evening (4h)		4.00	Evening	110.1		1.00		0.00410		-29.89		-29.9	
	Night (8h)		8.00	Night	110.1		1.00		0.00520		-31.87		-31.9	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:	660296.51		255945.28		279.00		175.00	
EQCN354	Label		AP2*****				Action radius/m				3000.00			
	Group		18 m/s				Lw (Day (12h)) /dB(A)				110.12			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		0.01000		-30.79		-30.8	
	Evening (4h)		4.00	Evening	110.1		1.00		0.00410		-29.89		-29.9	
	Night (8h)		8.00	Night	110.1		1.00		0.00520		-31.87		-31.9	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:	661860.19		254894.20		282.00		175.00	
EQCN355	Label		AP6.1*****				Action radius/m				3000.00			
	Group		18 m/s				Lw (Day (12h)) /dB(A)				110.12			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		0.01000		-30.79		-30.8	
	Evening (4h)		4.00	Evening	110.1		1.00		0.00410		-29.89		-29.9	
	Night (8h)		8.00	Night	110.1		1.00		0.00520		-31.87		-31.9	
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m
						Geometry:		661549.21		255141.18		282.00		175.00
EQCN356	Label		JU1*****				Action radius/m				3000.00			
	Group		18 m/s				Lw (Day (12h)) /dB(A)				110.12			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Reference: Vestas V172 15 m/s ST											
	Day (12h)		Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Night (8h)		Reference: Vestas V172 15 m/s ST											
	Night (8h)		Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Evening (4h)		Reference: Vestas V172 15 m/s ST											
	Evening (4h)		Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		0.01000		-30.79		-30.8	
	Evening (4h)		4.00	Evening	110.1		1.00		0.00410		-29.89		-29.9	
	Night (8h)		8.00	Night	110.1		1.00		0.00520		-31.87		-31.9	
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m
						Geometry:		661068.17		255365.14		281.00		175.00
EQCN357	Label		Pr25*****				Action radius/m				3000.00			
	Group		18 m/s				Lw (Day (12h)) /dB(A)				110.12			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Reference: Vestas V172 15 m/s ST											
	Day (12h)		Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Night (8h)		Reference: Vestas V172 15 m/s ST											
	Night (8h)		Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Evening (4h)		Reference: Vestas V172 15 m/s ST											
	Evening (4h)		Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1		1.00		0.01000		-30.79		-30.8		
	Evening (4h)		4.00	Evening	110.1		1.00		0.00410		-29.89		-29.9		
	Night (8h)		8.00	Night	110.1		1.00		0.00520		-31.87		-31.9		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		662047.55		256166.20		283.00		175.00	
EQCN358	Label		Pr3a*****				Action radius/m				3000.00				
	Group		18 m/s				Lw (Day (12h)) /dB(A)				110.12				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST												
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST												
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1		1.00		0.01000		-30.79		-30.8		
	Evening (4h)		4.00	Evening	110.1		1.00		0.00410		-29.89		-29.9		
	Night (8h)		8.00	Night	110.1		1.00		0.00520		-31.87		-31.9		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		662202.01		255681.90		284.00		175.00	
EQCN359	Label		PrRR3*****				Action radius/m				3000.00				
	Group		18 m/s				Lw (Day (12h)) /dB(A)				110.12				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST												
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST												
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1		1.00		0.01000		-30.79		-30.8		
	Evening (4h)		4.00	Evening	110.1		1.00		0.00410		-29.89		-29.9		
	Night (8h)		8.00	Night	110.1		1.00		0.00520		-31.87		-31.9		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	

Vēja parks "Pīkuļi" A alternatīva - Vestas V172 - 7.2 MW

			Geometry:				662676.13		256121.38		284.00		175.00		
EQCN360	Label	P19.2b*****				Action radius/m				3000.00					
	Group	18 m/s				Lw (Day (12h)) /dB(A)				110.12					
	Number of nodes	1				Lw (Night (8h)) /dB(A)				110.12					
	Length/ m	---				Lw (Evening (4h)) /dB(A)				110.12					
	Length/ m (2D)	---				Emission is				Sound power level (Lw)					
	Area /m²	---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST												
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST												
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden			-		0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)	12.00	Day	110.1		1.00		0.01000		-30.79		-30.8			
	Evening (4h)	4.00	Evening	110.1		1.00		0.00410		-29.89		-29.9			
	Night (8h)	8.00	Night	110.1		1.00		0.00520		-31.87		-31.9			
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		656671.82		247343.93		280.00		175.00	
EQCN361	Label	O2*****				Action radius/m				3000.00					
	Group	19 m/s				Lw (Day (12h)) /dB(A)				110.12					
	Number of nodes	1				Lw (Night (8h)) /dB(A)				110.12					
	Length/ m	---				Lw (Evening (4h)) /dB(A)				110.12					
	Length/ m (2D)	---				Emission is				Sound power level (Lw)					
	Area /m²	---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST												
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST												
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden			-		0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)	12.00	Day	110.1		1.00		0.00550		-33.39		-33.4			
	Evening (4h)	4.00	Evening	110.1		1.00		0.00250		-32.04		-32.0			
	Night (8h)	8.00	Night	110.1		1.00		0.00190		-36.24		-36.2			
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		655899.72		249092.09		279.27		175.00	
EQCN362	Label	O3*****				Action radius/m				3000.00					
	Group	19 m/s				Lw (Day (12h)) /dB(A)				110.12					
	Number of nodes	1				Lw (Night (8h)) /dB(A)				110.12					
	Length/ m	---				Lw (Evening (4h)) /dB(A)				110.12					
	Length/ m (2D)	---				Emission is				Sound power level (Lw)					
	Area /m²	---													

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST												
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST												
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1		1.00		0.00550		-33.39		-33.4		
	Evening (4h)		4.00	Evening	110.1		1.00		0.00250		-32.04		-32.0		
	Night (8h)		8.00	Night	110.1		1.00		0.00190		-36.24		-36.2		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		656055.72		248760.81		279.00		175.00	
EQCN363	Label		O5*****				Action radius/m				3000.00				
	Group		19 m/s				Lw (Day (12h)) /dB(A)				110.12				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST												
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST												
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1		1.00		0.00550		-33.39		-33.4		
	Evening (4h)		4.00	Evening	110.1		1.00		0.00250		-32.04		-32.0		
	Night (8h)		8.00	Night	110.1		1.00		0.00190		-36.24		-36.2		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		656292.16		247880.94		279.00		175.00	
EQCN364	Label		O4*****				Action radius/m				3000.00				
	Group		19 m/s				Lw (Day (12h)) /dB(A)				110.12				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST												
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		

Vēja parks "Pīrikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		0.00550		-33.39		-33.4	
	Evening (4h)		4.00	Evening	110.1		1.00		0.00250		-32.04		-32.0	
	Night (8h)		8.00	Night	110.1		1.00		0.00190		-36.24		-36.2	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:				655674.43		248309.07		278.00		175.00	
EQCN365	Label		DD1*****				Action radius/m				3000.00			
	Group		19 m/s				Lw (Day (12h)) /dB(A)				110.12			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		0.00550		-33.39		-33.4	
	Evening (4h)		4.00	Evening	110.1		1.00		0.00250		-32.04		-32.0	
	Night (8h)		8.00	Night	110.1		1.00		0.00190		-36.24		-36.2	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:				656226.07		248421.71		278.00		175.00	
EQCN366	Label		DD3*****				Action radius/m				3000.00			
	Group		19 m/s				Lw (Day (12h)) /dB(A)				110.12			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	

Vēja parks "Pīrikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Day (12h)	12.00	Day	110.1	1.00	0.00550	-33.39	-33.4						
	Evening (4h)	4.00	Evening	110.1	1.00	0.00250	-32.04	-32.0						
	Night (8h)	8.00	Night	110.1	1.00	0.00190	-36.24	-36.2						
	Geometry			Nr	x/m	y/m	z(abs) /m	! z(rel) /m						
		Geometry:			656792.54	248209.39	279.20	175.00						
EQCN367	Label	O1.b*****			Action radius/m			3000.00						
	Group	19 m/s			Lw (Day (12h)) /dB(A)			110.12						
	Number of nodes	1			Lw (Night (8h)) /dB(A)			110.12						
	Length/ m	---			Lw (Evening (4h)) /dB(A)			110.12						
	Length/ m (2D)	---			Emission is			Sound power level (Lw)						
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden	-		0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	110.1		1.00		0.00550		-33.39		-33.4		
	Evening (4h)	4.00	Evening	110.1		1.00		0.00250		-32.04		-32.0		
	Night (8h)	8.00	Night	110.1		1.00		0.00190		-36.24		-36.2		
	Geometry			Nr	x/m	y/m	z(abs) /m	! z(rel) /m						
		Geometry:			655628.52	247870.27	278.00	175.00						
EQCN368	Label	JV1*****			Action radius/m			3000.00						
	Group	19 m/s			Lw (Day (12h)) /dB(A)			110.12						
	Number of nodes	1			Lw (Night (8h)) /dB(A)			110.12						
	Length/ m	---			Lw (Evening (4h)) /dB(A)			110.12						
	Length/ m (2D)	---			Emission is			Sound power level (Lw)						
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden	-		0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	110.1		1.00		0.00550		-33.39		-33.4		
	Evening (4h)	4.00	Evening	110.1		1.00		0.00250		-32.04		-32.0		
	Night (8h)	8.00	Night	110.1		1.00		0.00190		-36.24		-36.2		
	Geometry			Nr	x/m	y/m	z(abs) /m	! z(rel) /m						
		Geometry:			656086.43	247254.47	279.00	175.00						
EQCN369	Label	Pr12*****			Action radius/m			3000.00						
	Group	19 m/s			Lw (Day (12h)) /dB(A)			110.12						

Vēja parks "Pīrikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST												
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST												
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1		1.00		0.00550		-33.39		-33.4		
	Evening (4h)		4.00	Evening	110.1		1.00		0.00250		-32.04		-32.0		
	Night (8h)		8.00	Night	110.1		1.00		0.00190		-36.24		-36.2		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		659850.41		255599.51		281.00		175.00	
EQCN370	Label		O6*****				Action radius/m				3000.00				
	Group		19 m/s				Lw (Day (12h)) /dB(A)				110.12				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST												
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST												
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1		1.00		0.00550		-33.39		-33.4		
	Evening (4h)		4.00	Evening	110.1		1.00		0.00250		-32.04		-32.0		
	Night (8h)		8.00	Night	110.1		1.00		0.00190		-36.24		-36.2		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		659724.06		256257.39		278.09		175.00	
EQCN371	Label		Pr11*****				Action radius/m				3000.00				
	Group		19 m/s				Lw (Day (12h)) /dB(A)				110.12				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	48.6	66.1	81.5	92.6	98.6	100.2	99.8	96.3	89.3	79.0		

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

				54.7 60.4	71.5 76.7	85.8 89.5	95.2 97.2	99.5 99.9	100.2 100.2	99.0 97.8	94.3 92.0	86.2 82.8	74.7 70.1	
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		0.00550		-33.39		-33.4	
	Evening (4h)		4.00	Evening	110.1		1.00		0.00250		-32.04		-32.0	
	Night (8h)		8.00	Night	110.1		1.00		0.00190		-36.24		-36.2	
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m
						Geometry:		660296.51		255945.28		279.00		175.00
EQCN372	Label		AP2*****				Action radius/m				3000.00			
	Group		19 m/s				Lw (Day (12h)) /dB(A)				110.12			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.1		1.00		0.00550		-33.39		-33.4	
	Evening (4h)		4.00	Evening	110.1		1.00		0.00250		-32.04		-32.0	
	Night (8h)		8.00	Night	110.1		1.00		0.00190		-36.24		-36.2	
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m
						Geometry:		661860.19		254894.20		282.00		175.00
EQCN373	Label		AP6.1*****				Action radius/m				3000.00			
	Group		19 m/s				Lw (Day (12h)) /dB(A)				110.12			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST											
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST											
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST											
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	

Vēja parks "Pīrikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB			Special correction /dB	
	Lden		-		0.0		0.0		0.0			0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	110.1		1.00		0.00550		-33.39		-33.4
	Evening (4h)		4.00	Evening	110.1		1.00		0.00250		-32.04		-32.0
	Night (8h)		8.00	Night	110.1		1.00		0.00190		-36.24		-36.2
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
					Geometry:		661549.21		255141.18		282.00		175.00
EQCN374	Label		JU1*****				Action radius/m				3000.00		
	Group		19 m/s				Lw (Day (12h)) /dB(A)				110.12		
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12		
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12		
	Length/ m (2D)		---				Emission is				Sound power level (Lw)		
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB			Special correction /dB	
	Lden		-		0.0		0.0		0.0			0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	110.1		1.00		0.00550		-33.39		-33.4
	Evening (4h)		4.00	Evening	110.1		1.00		0.00250		-32.04		-32.0
	Night (8h)		8.00	Night	110.1		1.00		0.00190		-36.24		-36.2
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
					Geometry:		661068.17		255365.14		281.00		175.00
EQCN375	Label		Pr25*****				Action radius/m				3000.00		
	Group		19 m/s				Lw (Day (12h)) /dB(A)				110.12		
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12		
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12		
	Length/ m (2D)		---				Emission is				Sound power level (Lw)		
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB			Special correction /dB	
	Lden		-		0.0		0.0		0.0			0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	110.1		1.00		0.00550		-33.39		-33.4
	Evening (4h)		4.00	Evening	110.1		1.00		0.00250		-32.04		-32.0
	Night (8h)		8.00	Night	110.1		1.00		0.00190		-36.24		-36.2

Vēja parks "Pīrikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Geometry		Nr				x/m		y/m		z(abs) /m		! z(rel) /m		
			Geometry:				662047.55		256166.20		283.00		175.00		
EQCN376	Label		Pr3a*****				Action radius/m				3000.00				
	Group		19 m/s				Lw (Day (12h)) /dB(A)				110.12				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Emission	Reference: Vestas V172 15 m/s ST											
	Day (12h)		Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Night (8h)		Emission	Reference: Vestas V172 15 m/s ST											
Night (8h)		Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
Evening (4h)		Emission	Reference: Vestas V172 15 m/s ST												
Evening (4h)		Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
Rating method			Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
Lden					-		0.0		0.0		0.0		-		
Rating period / Period			Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
Day (12h)			12.00	Day	110.1		1.00		0.00550		-33.39		-33.4		
Evening (4h)			4.00	Evening	110.1		1.00		0.00250		-32.04		-32.0		
Night (8h)			8.00	Night	110.1		1.00		0.00190		-36.24		-36.2		
Geometry							Nr		x/m		y/m		z(abs) /m		
							Geometry:		662202.01		255681.90		284.00		
EQCN377	Label		PrRR3*****				Action radius/m				3000.00				
	Group		19 m/s				Lw (Day (12h)) /dB(A)				110.12				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Emission	Reference: Vestas V172 15 m/s ST											
	Day (12h)		Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1	
	Night (8h)		Emission	Reference: Vestas V172 15 m/s ST											
Night (8h)		Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
Evening (4h)		Emission	Reference: Vestas V172 15 m/s ST												
Evening (4h)		Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
Rating method			Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
Lden					-		0.0		0.0		0.0		-		
Rating period / Period			Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
Day (12h)			12.00	Day	110.1		1.00		0.00550		-33.39		-33.4		
Evening (4h)			4.00	Evening	110.1		1.00		0.00250		-32.04		-32.0		
Night (8h)			8.00	Night	110.1		1.00		0.00190		-36.24		-36.2		
Geometry							Nr		x/m		y/m		z(abs) /m		
							Geometry:		662676.13		256121.38		284.00		
EQCN378	Label		P19.2b*****				Action radius/m				3000.00				
	Group		19 m/s				Lw (Day (12h)) /dB(A)				110.12				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				

Vēja parks "Pīkuļi" A alternatīva - Vestas V172 - 7.2 MW

	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST												
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST												
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1		1.00		0.00550		-33.39		-33.4		
	Evening (4h)		4.00	Evening	110.1		1.00		0.00250		-32.04		-32.0		
	Night (8h)		8.00	Night	110.1		1.00		0.00190		-36.24		-36.2		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		656671.82		247343.93		280.00		175.00	
EQCN379	Label		O2*****				Action radius/m				3000.00				
	Group		>=20 m/s				Lw (Day (12h)) /dB(A)				110.12				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST												
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST												
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1		1.00		0.00250		-36.81		-36.8		
	Evening (4h)		4.00	Evening	110.1		1.00		0.00080		-36.99		-37.0		
	Night (8h)		8.00	Night	110.1		1.00		0.00140		-37.57		-37.6		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		655899.72		249092.09		279.27		175.00	
EQCN380	Label		O3*****				Action radius/m				3000.00				
	Group		>=20 m/s				Lw (Day (12h)) /dB(A)				110.12				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST												
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7	66.1 71.5	81.5 85.8	92.6 95.2	98.6 99.5	100.2 100.2	99.8 99.0	96.3 94.3	89.3 86.2	79.0 74.7		

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

				60.4	76.7	89.5	97.2	99.9	100.2	97.8	92.0	82.8	70.1
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	110.1		1.00		0.00250		-36.81		-36.8
	Evening (4h)		4.00	Evening	110.1		1.00		0.00080		-36.99		-37.0
	Night (8h)		8.00	Night	110.1		1.00		0.00140		-37.57		-37.6
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m
						Geometry:	656055.72		248760.81		279.00		175.00
EQCN381	Label		O5*****					Action radius/m			3000.00		
	Group		>=20 m/s					Lw (Day (12h)) /dB(A)			110.12		
	Number of nodes		1					Lw (Night (8h)) /dB(A)			110.12		
	Length/ m		---					Lw (Evening (4h)) /dB(A)			110.12		
	Length/ m (2D)		---					Emission is			Sound power level (Lw)		
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	110.1		1.00		0.00250		-36.81		-36.8
	Evening (4h)		4.00	Evening	110.1		1.00		0.00080		-36.99		-37.0
	Night (8h)		8.00	Night	110.1		1.00		0.00140		-37.57		-37.6
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m
						Geometry:	656292.16		247880.94		279.00		175.00
EQCN382	Label		O4*****					Action radius/m			3000.00		
	Group		>=20 m/s					Lw (Day (12h)) /dB(A)			110.12		
	Number of nodes		1					Lw (Night (8h)) /dB(A)			110.12		
	Length/ m		---					Lw (Evening (4h)) /dB(A)			110.12		
	Length/ m (2D)		---					Emission is			Sound power level (Lw)		
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB
	Lden		-		0.0		0.0		0.0		-		0.0

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1		1.00		0.00250		-36.81		-36.8		
	Evening (4h)		4.00	Evening	110.1		1.00		0.00080		-36.99		-37.0		
	Night (8h)		8.00	Night	110.1		1.00		0.00140		-37.57		-37.6		
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
						Geometry:		655674.43		248309.07		278.00		175.00	
EQCN383	Label		DD1*****				Action radius/m				3000.00				
	Group		>=20 m/s				Lw (Day (12h)) /dB(A)				110.12				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST												
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST												
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1		1.00		0.00250		-36.81		-36.8		
	Evening (4h)		4.00	Evening	110.1		1.00		0.00080		-36.99		-37.0		
	Night (8h)		8.00	Night	110.1		1.00		0.00140		-37.57		-37.6		
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
						Geometry:		656226.07		248421.71		278.00		175.00	
EQCN384	Label		DD3*****				Action radius/m				3000.00				
	Group		>=20 m/s				Lw (Day (12h)) /dB(A)				110.12				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST												
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST												
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1		1.00		0.00250		-36.81		-36.8		
	Evening (4h)		4.00	Evening	110.1		1.00		0.00080		-36.99		-37.0		
	Night (8h)		8.00	Night	110.1		1.00		0.00140		-37.57		-37.6		
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
						Geometry:		656792.54		248209.39		279.20		175.00	

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

EQCN385	Label		O1.b*****				Action radius/m				3000.00				
	Group		>=20 m/s				Lw (Day (12h)) /dB(A)				110.12				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST												
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST												
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1		1.00		0.00250		-36.81		-36.8		
	Evening (4h)		4.00	Evening	110.1		1.00		0.00080		-36.99		-37.0		
	Night (8h)		8.00	Night	110.1		1.00		0.00140		-37.57		-37.6		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		655628.52		247870.27		278.00		175.00	
EQCN386	Label		JV1*****				Action radius/m				3000.00				
	Group		>=20 m/s				Lw (Day (12h)) /dB(A)				110.12				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST												
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST												
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1		1.00		0.00250		-36.81		-36.8		
	Evening (4h)		4.00	Evening	110.1		1.00		0.00080		-36.99		-37.0		
	Night (8h)		8.00	Night	110.1		1.00		0.00140		-37.57		-37.6		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		656086.43		247254.47		279.00		175.00	
EQCN387	Label		Pr12*****				Action radius/m				3000.00				
	Group		>=20 m/s				Lw (Day (12h)) /dB(A)				110.12				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		

	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Rating method	Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB				
	Lden	-	0.0		0.0		0.0		0.0				
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	110.1		1.00		0.00250		-36.81		-36.8	
	Evening (4h)	4.00	Evening	110.1		1.00		0.00080		-36.99		-37.0	
	Night (8h)	8.00	Night	110.1		1.00		0.00140		-37.57		-37.6	
	Geometry	Nr				x/m		y/m		z(abs) /m		! z(rel) /m	
		Geometry:				659850.41		255599.51		281.00		175.00	
EQCN388	Label	O6*****				Action radius/m				3000.00			
	Group	>=20 m/s				Lw (Day (12h)) /dB(A)				110.12			
	Number of nodes	1				Lw (Night (8h)) /dB(A)				110.12			
	Length/ m	---				Lw (Evening (4h)) /dB(A)				110.12			
	Length/ m (2D)	---				Emission is				Sound power level (Lw)			
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Rating method	Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB				
	Lden	-	0.0		0.0		0.0		0.0				
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	110.1		1.00		0.00250		-36.81		-36.8	
	Evening (4h)	4.00	Evening	110.1		1.00		0.00080		-36.99		-37.0	
	Night (8h)	8.00	Night	110.1		1.00		0.00140		-37.57		-37.6	
	Geometry	Nr				x/m		y/m		z(abs) /m		! z(rel) /m	
		Geometry:				659724.06		256257.39		278.09		175.00	
EQCN389	Label	Pr11*****				Action radius/m				3000.00			
	Group	>=20 m/s				Lw (Day (12h)) /dB(A)				110.12			
	Number of nodes	1				Lw (Night (8h)) /dB(A)				110.12			
	Length/ m	---				Lw (Evening (4h)) /dB(A)				110.12			
	Length/ m (2D)	---				Emission is				Sound power level (Lw)			
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vest										

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Rating method	Peak level		Corr. for impulsivity /dB			Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden			-			0.0		0.0		0.0		-	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)			n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	110.1			1.00		0.00250		-36.81		-36.8		
	Evening (4h)	4.00	Evening	110.1			1.00		0.00080		-36.99		-37.0		
	Night (8h)	8.00	Night	110.1			1.00		0.00140		-37.57		-37.6		
	Geometry					Nr	x/m			y/m		z(abs) /m		! z(rel) /m	
						Geometry:		660296.51		255945.28		279.00		175.00	
EQCN390	Label	AP2*****					Action radius/m					3000.00			
	Group	>=20 m/s					Lw (Day (12h)) /dB(A)					110.12			
	Number of nodes	1					Lw (Night (8h)) /dB(A)					110.12			
	Length/ m	---					Lw (Evening (4h)) /dB(A)					110.12			
	Length/ m (2D)	---					Emission is					Sound power level (Lw)			
	Area /m²	---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST												
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST												
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Rating method	Peak level		Corr. for impulsivity /dB			Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden			-			0.0		0.0		0.0		-	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)			n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	110.1			1.00		0.00250		-36.81		-36.8		
	Evening (4h)	4.00	Evening	110.1			1.00		0.00080		-36.99		-37.0		
	Night (8h)	8.00	Night	110.1			1.00		0.00140		-37.57		-37.6		
	Geometry					Nr	x/m			y/m		z(abs) /m		! z(rel) /m	
						Geometry:		661860.19		254894.20		282.00		175.00	
EQCN391	Label	AP6.1*****					Action radius/m					3000.00			
	Group	>=20 m/s					Lw (Day (12h)) /dB(A)					110.12			
	Number of nodes	1					Lw (Night (8h)) /dB(A)					110.12			
	Length/ m	---					Lw (Evening (4h)) /dB(A)					110.12			
	Length/ m (2D)	---					Emission is					Sound power level (Lw)			
	Area /m²	---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST												
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST												
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Rating method	Peak level		Corr. for impulsivity /dB			Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden			-			0.0		0.0		0.0		-	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)			n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	110.1			1.00		0.00250		-36.81		-36.8		

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Evening (4h)	4.00	Evening	110.1	1.00	0.00080	-36.99	-37.0					
	Night (8h)	8.00	Night	110.1	1.00	0.00140	-37.57	-37.6					
	Geometry	Nr			x/m	y/m	z(abs) /m	! z(rel) /m					
		Geometry:			661549.21	255141.18	282.00	175.00					
EQCN392	Label	JU1*****			Action radius/m			3000.00					
	Group	>=20 m/s			Lw (Day (12h)) /dB(A)			110.12					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			110.12					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			110.12					
	Length/ m (2D)	---			Emission is			Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden	-		0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	110.1		1.00		0.00250		-36.81		-36.8	
	Evening (4h)	4.00	Evening	110.1		1.00		0.00080		-36.99		-37.0	
	Night (8h)	8.00	Night	110.1		1.00		0.00140		-37.57		-37.6	
	Geometry	Nr			x/m	y/m	z(abs) /m	! z(rel) /m					
		Geometry:			661068.17	255365.14	281.00	175.00					
EQCN393	Label	Pr25*****			Action radius/m			3000.00					
	Group	>=20 m/s			Lw (Day (12h)) /dB(A)			110.12					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			110.12					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			110.12					
	Length/ m (2D)	---			Emission is			Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST										
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden	-		0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	110.1		1.00		0.00250		-36.81		-36.8	
	Evening (4h)	4.00	Evening	110.1		1.00		0.00080		-36.99		-37.0	
	Night (8h)	8.00	Night	110.1		1.00		0.00140		-37.57		-37.6	
	Geometry	Nr			x/m	y/m	z(abs) /m	! z(rel) /m					
		Geometry:			662047.55	256166.20	283.00	175.00					
EQCN394	Label	Pr3a*****			Action radius/m			3000.00					
	Group	>=20 m/s			Lw (Day (12h)) /dB(A)			110.12					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			110.12					

Vēja parks "Pīrikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST												
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST												
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1		1.00		0.00250		-36.81		-36.8		
	Evening (4h)		4.00	Evening	110.1		1.00		0.00080		-36.99		-37.0		
	Night (8h)		8.00	Night	110.1		1.00		0.00140		-37.57		-37.6		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		662202.01		255681.90		284.00		175.00	
EQCN395	Label		PrRR3*****				Action radius/m				3000.00				
	Group		>=20 m/s				Lw (Day (12h)) /dB(A)				110.12				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST												
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST												
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.1		1.00		0.00250		-36.81		-36.8		
	Evening (4h)		4.00	Evening	110.1		1.00		0.00080		-36.99		-37.0		
	Night (8h)		8.00	Night	110.1		1.00		0.00140		-37.57		-37.6		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		662676.13		256121.38		284.00		175.00	
EQCN396	Label		P19.2b*****				Action radius/m				3000.00				
	Group		>=20 m/s				Lw (Day (12h)) /dB(A)				110.12				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.12				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.12				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas V172 15 m/s ST												
	Day (12h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1		

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Night (8h)	Emission	Reference: Vestas V172 15 m/s ST										
	Night (8h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas V172 15 m/s ST										
	Evening (4h)	Lw /dB (A)	110.1	48.6 54.7 60.4	66.1 71.5 76.7	81.5 85.8 89.5	92.6 95.2 97.2	98.6 99.5 99.9	100.2 100.2 100.2	99.8 99.0 97.8	96.3 94.3 92.0	89.3 86.2 82.8	79.0 74.7 70.1
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB			Special correction /dB		
	Lden		-	0.0		0.0		0.0			0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	110.1		1.00		0.00250		-36.81		-36.8	
	Evening (4h)	4.00	Evening	110.1		1.00		0.00080		-36.99		-37.0	
	Night (8h)	8.00	Night	110.1		1.00		0.00140		-37.57		-37.6	
	Geometry			Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
		Geometry:		656671.82		247343.93		280.00		175.00			