

Vides trokšņa ievades dati "PurpleGreen Solwin" B alternatīva

Point source /CNOSSO (170)													Variant 0
EQCN001	Label		B15			Action radius/m				3000.00			
	Group		3 m/s			Lw (Day (12h)) /dB(A)				98.21			
	Number of nodes		1			Lw (Night (8h)) /dB(A)				98.21			
	Length/ m		---			Lw (Evening (4h)) /dB(A)				98.21			
	Length/ m (2D)		---			Emission is				Sound power level (Lw)			
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 3 m/s										
	Day (12h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8
	Night (8h)	Emission	Reference: Nordex N175 3 m/s										
Night (8h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8	
Evening (4h)	Emission	Reference: Nordex N175 3 m/s											
Evening (4h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8	
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
Lden		-		0.0		0.0		0.0		-		0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)		12.00	Day	98.2		1.00		0.92850		-11.11		-11.1	
Evening (4h)		4.00	Evening	98.2		1.00		0.17400		-13.62		-13.6	
Night (8h)		8.00	Night	98.2		1.00		0.36360		-13.42		-13.4	
EQCN002	Label		B18			Action radius/m				3000.00			
	Group		3 m/s			Lw (Day (12h)) /dB(A)				98.21			
	Number of nodes		1			Lw (Night (8h)) /dB(A)				98.21			
	Length/ m		---			Lw (Evening (4h)) /dB(A)				98.21			
	Length/ m (2D)		---			Emission is				Sound power level (Lw)			
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 3 m/s										
	Day (12h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8
	Night (8h)	Emission	Reference: Nordex N175 3 m/s										
Night (8h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8	
Evening (4h)	Emission	Reference: Nordex N175 3 m/s											
Evening (4h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8	
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
Lden		-		0.0		0.0		0.0		-		0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)		12.00	Day	98.2		1.00		0.92850		-11.11		-11.1	
Evening (4h)		4.00	Evening	98.2		1.00		0.17400		-13.62		-13.6	
Night (8h)		8.00	Night	98.2		1.00		0.36360		-13.42		-13.4	
EQCN003	Label		B22			Action radius/m				3000.00			
	Group		3 m/s			Lw (Day (12h)) /dB(A)				98.21			
	Number of nodes		1			Lw (Night (8h)) /dB(A)				98.21			
	Length/ m		---			Lw (Evening (4h)) /dB(A)				98.21			
	Length/ m (2D)		---			Emission is				Sound power level (Lw)			
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 3 m/s										
	Day (12h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8
	Night (8h)	Emission	Reference: Nordex N175 3 m/s										
Night (8h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8	
Evening (4h)	Emission	Reference: Nordex N175 3 m/s											
Evening (4h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8	
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
Lden		-		0.0		0.0		0.0		-		0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)		12.00	Day	98.2		1.00		0.92850		-11.11		-11.1	
Evening (4h)		4.00	Evening	98.2		1.00		0.17400		-13.62		-13.6	
Night (8h)		8.00	Night	98.2		1.00		0.36360		-13.42		-13.4	
EQCN004	Label		B24			Action radius/m				3000.00			
	Group		3 m/s			Lw (Day (12h)) /dB(A)				98.21			
	Number of nodes		1			Lw (Night (8h)) /dB(A)				98.21			
	Length/ m		---			Lw (Evening (4h)) /dB(A)				98.21			
	Length/ m (2D)		---			Emission is				Sound power level (Lw)			
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz

Vides trokšņa ievades dati "PurpleGreen Solwin" B alternatīva

	Day (12h)	Emission	Reference: Nordex N175 3 m/s											
	Day (12h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8	
	Night (8h)	Emission	Reference: Nordex N175 3 m/s											
	Night (8h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8	
	Evening (4h)	Emission	Reference: Nordex N175 3 m/s											
	Evening (4h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	98.2		1.00		0.92850		-11.11		-11.1	
	Evening (4h)		4.00	Evening	98.2		1.00		0.17400		-13.62		-13.6	
	Night (8h)		8.00	Night	98.2		1.00		0.36360		-13.42		-13.4	
EQCN005	Label		B25				Action radius/m				3000.00			
	Group		3 m/s				Lw (Day (12h)) /dB(A)				98.21			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				98.21			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				98.21			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 3 m/s											
	Day (12h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8	
	Night (8h)	Emission	Reference: Nordex N175 3 m/s											
	Night (8h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8	
	Evening (4h)	Emission	Reference: Nordex N175 3 m/s											
	Evening (4h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	98.2		1.00		0.92850		-11.11		-11.1	
	Evening (4h)		4.00	Evening	98.2		1.00		0.17400		-13.62		-13.6	
	Night (8h)		8.00	Night	98.2		1.00		0.36360		-13.42		-13.4	
EQCN006	Label		B23				Action radius/m				3000.00			
	Group		3 m/s				Lw (Day (12h)) /dB(A)				98.21			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				98.21			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				98.21			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 3 m/s											
	Day (12h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8	
	Night (8h)	Emission	Reference: Nordex N175 3 m/s											
	Night (8h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8	
	Evening (4h)	Emission	Reference: Nordex N175 3 m/s											
	Evening (4h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	98.2		1.00		0.92850		-11.11		-11.1	
	Evening (4h)		4.00	Evening	98.2		1.00		0.17400		-13.62		-13.6	
	Night (8h)		8.00	Night	98.2		1.00		0.36360		-13.42		-13.4	
EQCN007	Label		B11				Action radius/m				3000.00			
	Group		3 m/s				Lw (Day (12h)) /dB(A)				98.21			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				98.21			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				98.21			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 3 m/s											
	Day (12h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8	
	Night (8h)	Emission	Reference: Nordex N175 3 m/s											
	Night (8h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8	

Vides trokšņa ievades dati "PurpleGreen Solwin" B alternatīva

	Evening (4h)	Emission	Reference: Nordex N175 3 m/s												
	Evening (4h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB	Lwr /dB(A)			
	Day (12h)		12.00	Day	98.2		1.00		0.92850		-11.11		-11.1		
	Evening (4h)		4.00	Evening	98.2		1.00		0.17400		-13.62		-13.6		
	Night (8h)		8.00	Night	98.2		1.00		0.36360		-13.42		-13.4		
EQCN008	Label		B12				Action radius/m				3000.00				
	Group		3 m/s				Lw (Day (12h)) /dB(A)				98.21				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				98.21				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				98.21				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum				16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz
	Day (12h)	Emission	Reference: Nordex N175 3 m/s												
	Day (12h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8		
	Night (8h)	Emission	Reference: Nordex N175 3 m/s												
	Night (8h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8		
	Evening (4h)	Emission	Reference: Nordex N175 3 m/s												
	Evening (4h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB	Lwr /dB(A)			
	Day (12h)		12.00	Day	98.2		1.00		0.92850		-11.11		-11.1		
	Evening (4h)		4.00	Evening	98.2		1.00		0.17400		-13.62		-13.6		
	Night (8h)		8.00	Night	98.2		1.00		0.36360		-13.42		-13.4		
EQCN009	Label		B14				Action radius/m				3000.00				
	Group		3 m/s				Lw (Day (12h)) /dB(A)				98.21				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				98.21				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				98.21				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum				16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz
	Day (12h)	Emission	Reference: Nordex N175 3 m/s												
	Day (12h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8		
	Night (8h)	Emission	Reference: Nordex N175 3 m/s												
	Night (8h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8		
	Evening (4h)	Emission	Reference: Nordex N175 3 m/s												
	Evening (4h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB	Lwr /dB(A)			
	Day (12h)		12.00	Day	98.2		1.00		0.92850		-11.11		-11.1		
	Evening (4h)		4.00	Evening	98.2		1.00		0.17400		-13.62		-13.6		
	Night (8h)		8.00	Night	98.2		1.00		0.36360		-13.42		-13.4		
EQCN010	Label		B1				Action radius/m				3000.00				
	Group		3 m/s				Lw (Day (12h)) /dB(A)				98.21				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				98.21				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				98.21				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum				16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz
	Day (12h)	Emission	Reference: Nordex N175 3 m/s												
	Day (12h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8		
	Night (8h)	Emission	Reference: Nordex N175 3 m/s												
	Night (8h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8		
	Evening (4h)	Emission	Reference: Nordex N175 3 m/s												
	Evening (4h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		

Vides trokšņa ievades dati "PurpleGreen Solwin" B alternatīva

Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)						
Day (12h)		12.00	Day	98.2		1.00	0.92850	-11.11		-11.1				
Evening (4h)		4.00	Evening	98.2		1.00	0.17400	-13.62		-13.6				
Night (8h)		8.00	Night	98.2		1.00	0.36360	-13.42		-13.4				
EQCN011		Label		B2		Action radius/m		3000.00						
Group		3 m/s				Lw (Day (12h)) /dB(A)		98.21						
Number of nodes		1				Lw (Night (8h)) /dB(A)		98.21						
Length/ m		---				Lw (Evening (4h)) /dB(A)		98.21						
Length/ m (2D)		---				Emission is		Sound power level (Lw)						
Area /m²		---												
Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)		Emission		Reference: Nordex N175 3 m/s										
Day (12h)		Lw /dB (A)		98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8
Night (8h)		Emission		Reference: Nordex N175 3 m/s										
Night (8h)		Lw /dB (A)		98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8
Evening (4h)		Emission		Reference: Nordex N175 3 m/s										
Evening (4h)		Lw /dB (A)		98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB				
Lden		-		0.0		0.0		0.0		0.0				
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
Day (12h)		12.00	Day	98.2		1.00		0.92850		-11.11		-11.1		
Evening (4h)		4.00	Evening	98.2		1.00		0.17400		-13.62		-13.6		
Night (8h)		8.00	Night	98.2		1.00		0.36360		-13.42		-13.4		
EQCN012		Label		B3		Action radius/m		3000.00						
Group		3 m/s				Lw (Day (12h)) /dB(A)		98.21						
Number of nodes		1				Lw (Night (8h)) /dB(A)		98.21						
Length/ m		---				Lw (Evening (4h)) /dB(A)		98.21						
Length/ m (2D)		---				Emission is		Sound power level (Lw)						
Area /m²		---												
Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)		Emission		Reference: Nordex N175 3 m/s										
Day (12h)		Lw /dB (A)		98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8
Night (8h)		Emission		Reference: Nordex N175 3 m/s										
Night (8h)		Lw /dB (A)		98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8
Evening (4h)		Emission		Reference: Nordex N175 3 m/s										
Evening (4h)		Lw /dB (A)		98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB				
Lden		-		0.0		0.0		0.0		0.0				
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
Day (12h)		12.00	Day	98.2		1.00		0.92850		-11.11		-11.1		
Evening (4h)		4.00	Evening	98.2		1.00		0.17400		-13.62		-13.6		
Night (8h)		8.00	Night	98.2		1.00		0.36360		-13.42		-13.4		
EQCN013		Label		B4		Action radius/m		3000.00						
Group		3 m/s				Lw (Day (12h)) /dB(A)		98.21						
Number of nodes		1				Lw (Night (8h)) /dB(A)		98.21						
Length/ m		---				Lw (Evening (4h)) /dB(A)		98.21						
Length/ m (2D)		---				Emission is		Sound power level (Lw)						
Area /m²		---												
Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)		Emission		Reference: Nordex N175 3 m/s										
Day (12h)		Lw /dB (A)		98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8
Night (8h)		Emission		Reference: Nordex N175 3 m/s										
Night (8h)		Lw /dB (A)		98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8
Evening (4h)		Emission		Reference: Nordex N175 3 m/s										
Evening (4h)		Lw /dB (A)		98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB				
Lden		-		0.0		0.0		0.0		0.0				
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
Day (12h)		12.00	Day	98.2		1.00		0.92850		-11.11		-11.1		
Evening (4h)		4.00	Evening	98.2		1.00		0.17400		-13.62		-13.6		
Night (8h)		8.00	Night	98.2		1.00		0.36360		-13.42		-13.4		
EQCN014		Label		B5		Action radius/m		3000.00						
Group		3 m/s				Lw (Day (12h)) /dB(A)		98.21						
Number of nodes		1				Lw (Night (8h)) /dB(A)		98.21						

	Length/ m	---					Lw (Evening (4h)) /dB(A)				98.21			
	Length/ m (2D)	---					Emission is				Sound power level (Lw)			
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 3 m/s											
	Day (12h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8	
	Night (8h)	Emission	Reference: Nordex N175 3 m/s											
	Night (8h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8	
	Evening (4h)	Emission	Reference: Nordex N175 3 m/s											
	Evening (4h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8	
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB		Corr. for inform. content/dB					Special correction /dB			
	Lden	-	0.0	0.0		0.0					0.0			
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	98.2		1.00		0.92850		-11.11		-11.1		
	Evening (4h)	4.00	Evening	98.2		1.00		0.17400		-13.62		-13.6		
	Night (8h)	8.00	Night	98.2		1.00		0.36360		-13.42		-13.4		
EQCN015	Label	B7					Action radius/m				3000.00			
	Group	3 m/s					Lw (Day (12h)) /dB(A)				98.21			
	Number of nodes	1					Lw (Night (8h)) /dB(A)				98.21			
	Length/ m	---					Lw (Evening (4h)) /dB(A)				98.21			
	Length/ m (2D)	---					Emission is				Sound power level (Lw)			
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 3 m/s											
	Day (12h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8	
	Night (8h)	Emission	Reference: Nordex N175 3 m/s											
	Night (8h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8	
	Evening (4h)	Emission	Reference: Nordex N175 3 m/s											
	Evening (4h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8	
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB		Corr. for inform. content/dB					Special correction /dB			
	Lden	-	0.0	0.0		0.0					0.0			
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	98.2		1.00		0.92850		-11.11		-11.1		
	Evening (4h)	4.00	Evening	98.2		1.00		0.17400		-13.62		-13.6		
	Night (8h)	8.00	Night	98.2		1.00		0.36360		-13.42		-13.4		
EQCN016	Label	B9					Action radius/m				3000.00			
	Group	3 m/s					Lw (Day (12h)) /dB(A)				98.21			
	Number of nodes	1					Lw (Night (8h)) /dB(A)				98.21			
	Length/ m	---					Lw (Evening (4h)) /dB(A)				98.21			
	Length/ m (2D)	---					Emission is				Sound power level (Lw)			
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 3 m/s											
	Day (12h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8	
	Night (8h)	Emission	Reference: Nordex N175 3 m/s											
	Night (8h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8	
	Evening (4h)	Emission	Reference: Nordex N175 3 m/s											
	Evening (4h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8	
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB		Corr. for inform. content/dB					Special correction /dB			
	Lden	-	0.0	0.0		0.0					0.0			
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	98.2		1.00		0.92850		-11.11		-11.1		
	Evening (4h)	4.00	Evening	98.2		1.00		0.17400		-13.62		-13.6		
	Night (8h)	8.00	Night	98.2		1.00		0.36360		-13.42		-13.4		
EQCN017	Label	B17					Action radius/m				3000.00			
	Group	3 m/s					Lw (Day (12h)) /dB(A)				98.21			
	Number of nodes	1					Lw (Night (8h)) /dB(A)				98.21			
	Length/ m	---					Lw (Evening (4h)) /dB(A)				98.21			
	Length/ m (2D)	---					Emission is				Sound power level (Lw)			
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 3 m/s											
	Day (12h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8	

Vides trokšņa ievades dati "PurpleGreen Solwin" B alternatīva

	Night (8h)	Emission	Reference: Nordex N175 3 m/s											
	Night (8h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8	
	Evening (4h)	Emission	Reference: Nordex N175 3 m/s											
	Evening (4h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	98.2		1.00		0.92850		-11.11		-11.1	
	Evening (4h)		4.00	Evening	98.2		1.00		0.17400		-13.62		-13.6	
	Night (8h)		8.00	Night	98.2		1.00		0.36360		-13.42		-13.4	
EQCN018	Label		B15				Action radius/m				3000.00			
	Group		4 m/s				Lw (Day (12h)) /dB(A)				102.41			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				102.41			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				102.41			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Reference: Nordex N175 4 m/s											
	Day (12h)		102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0	
		Night (8h)	Emission	Reference: Nordex N175 4 m/s										
	Night (8h)	Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0	
	Evening (4h)	Emission	Reference: Nordex N175 4 m/s											
	Evening (4h)	Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	102.4		1.00		1.09340		-10.40		-10.4	
	Evening (4h)		4.00	Evening	102.4		1.00		0.26490		-11.79		-11.8	
	Night (8h)		8.00	Night	102.4		1.00		0.46330		-12.37		-12.4	
EQCN019	Label		B18				Action radius/m				3000.00			
	Group		4 m/s				Lw (Day (12h)) /dB(A)				102.41			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				102.41			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				102.41			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Reference: Nordex N175 4 m/s											
	Day (12h)		102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0	
		Night (8h)	Emission	Reference: Nordex N175 4 m/s										
	Night (8h)	Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0	
	Evening (4h)	Emission	Reference: Nordex N175 4 m/s											
	Evening (4h)	Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	102.4		1.00		1.09340		-10.40		-10.4	
	Evening (4h)		4.00	Evening	102.4		1.00		0.26490		-11.79		-11.8	
	Night (8h)		8.00	Night	102.4		1.00		0.46330		-12.37		-12.4	
EQCN020	Label		B22				Action radius/m				3000.00			
	Group		4 m/s				Lw (Day (12h)) /dB(A)				102.41			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				102.41			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				102.41			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Reference: Nordex N175 4 m/s											
	Day (12h)		102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0	
		Night (8h)	Emission	Reference: Nordex N175 4 m/s										
	Night (8h)	Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0	
	Evening (4h)	Emission	Reference: Nordex N175 4 m/s											
	Evening (4h)	Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0	

Vides trokšņa ievades dati "PurpleGreen Solwin" B alternatīva

Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB						
Lden				-	0.0	0.0		0.0						
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h		dLi /dB		Lwr /dB(A)				
Day (12h)		12.00	Day	102.4		1.00		1.09340		-10.40		-10.4		
Evening (4h)		4.00	Evening	102.4		1.00		0.26490		-11.79		-11.8		
Night (8h)		8.00	Night	102.4		1.00		0.46330		-12.37		-12.4		
EQCN021	Label		B24		Action radius/m				3000.00					
	Group		4 m/s		Lw (Day (12h)) /dB(A)				102.41					
	Number of nodes		1		Lw (Night (8h)) /dB(A)				102.41					
	Length/ m		---		Lw (Evening (4h)) /dB(A)				102.41					
	Length/ m (2D)		---		Emission is				Sound power level (Lw)					
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
Day (12h)		Emission		Reference: Nordex N175 4 m/s										
Day (12h)		Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0	
Night (8h)		Emission		Reference: Nordex N175 4 m/s										
Night (8h)		Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0	
Evening (4h)		Emission		Reference: Nordex N175 4 m/s										
Evening (4h)		Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0	
Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB						
Lden				-	0.0	0.0		0.0						
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h		dLi /dB		Lwr /dB(A)				
Day (12h)		12.00	Day	102.4		1.00		1.09340		-10.40		-10.4		
Evening (4h)		4.00	Evening	102.4		1.00		0.26490		-11.79		-11.8		
Night (8h)		8.00	Night	102.4		1.00		0.46330		-12.37		-12.4		
EQCN022	Label		B25		Action radius/m				3000.00					
	Group		4 m/s		Lw (Day (12h)) /dB(A)				102.41					
	Number of nodes		1		Lw (Night (8h)) /dB(A)				102.41					
	Length/ m		---		Lw (Evening (4h)) /dB(A)				102.41					
	Length/ m (2D)		---		Emission is				Sound power level (Lw)					
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
Day (12h)		Emission		Reference: Nordex N175 4 m/s										
Day (12h)		Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0	
Night (8h)		Emission		Reference: Nordex N175 4 m/s										
Night (8h)		Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0	
Evening (4h)		Emission		Reference: Nordex N175 4 m/s										
Evening (4h)		Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0	
Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB						
Lden				-	0.0	0.0		0.0						
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h		dLi /dB		Lwr /dB(A)				
Day (12h)		12.00	Day	102.4		1.00		1.09340		-10.40		-10.4		
Evening (4h)		4.00	Evening	102.4		1.00		0.26490		-11.79		-11.8		
Night (8h)		8.00	Night	102.4		1.00		0.46330		-12.37		-12.4		
EQCN023	Label		B23		Action radius/m				3000.00					
	Group		4 m/s		Lw (Day (12h)) /dB(A)				102.41					
	Number of nodes		1		Lw (Night (8h)) /dB(A)				102.41					
	Length/ m		---		Lw (Evening (4h)) /dB(A)				102.41					
	Length/ m (2D)		---		Emission is				Sound power level (Lw)					
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
Day (12h)		Emission		Reference: Nordex N175 4 m/s										
Day (12h)		Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0	
Night (8h)		Emission		Reference: Nordex N175 4 m/s										
Night (8h)		Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0	
Evening (4h)		Emission		Reference: Nordex N175 4 m/s										
Evening (4h)		Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0	
Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB						
Lden				-	0.0	0.0		0.0						
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h		dLi /dB		Lwr /dB(A)				
Day (12h)		12.00	Day	102.4		1.00		1.09340		-10.40		-10.4		
Evening (4h)		4.00	Evening	102.4		1.00		0.26490		-11.79		-11.8		
Night (8h)		8.00	Night	102.4		1.00		0.46330		-12.37		-12.4		

*Vides trokšņa ievades dati “PurpleGreen Solwin” B alternatīva*

EQCN024	Label		B11				Action radius/m				3000.00				
	Group		4 m/s				Lw (Day (12h)) /dB(A)				102.41				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				102.41				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				102.41				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Emission		Reference: Nordex N175 4 m/s										
	Day (12h)		Lw /dB (A)		102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0
	Night (8h)		Emission		Reference: Nordex N175 4 m/s										
Night (8h)		Lw /dB (A)		102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0	
Evening (4h)		Emission		Reference: Nordex N175 4 m/s											
Evening (4h)		Lw /dB (A)		102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0	
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
Lden		-		0.0		0.0		0.0				-		0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
Day (12h)		12.00	Day	102.4		1.00		1.09340				-10.40		-10.4	
Evening (4h)		4.00	Evening	102.4		1.00		0.26490				-11.79		-11.8	
Night (8h)		8.00	Night	102.4		1.00		0.46330				-12.37		-12.4	
EQCN025	Label		B12				Action radius/m				3000.00				
	Group		4 m/s				Lw (Day (12h)) /dB(A)				102.41				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				102.41				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				102.41				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Emission		Reference: Nordex N175 4 m/s										
	Day (12h)		Lw /dB (A)		102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0
	Night (8h)		Emission		Reference: Nordex N175 4 m/s										
Night (8h)		Lw /dB (A)		102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0	
Evening (4h)		Emission		Reference: Nordex N175 4 m/s											
Evening (4h)		Lw /dB (A)		102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0	
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
Lden		-		0.0		0.0		0.0				-		0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
Day (12h)		12.00	Day	102.4		1.00		1.09340				-10.40		-10.4	
Evening (4h)		4.00	Evening	102.4		1.00		0.26490				-11.79		-11.8	
Night (8h)		8.00	Night	102.4		1.00		0.46330				-12.37		-12.4	
EQCN026	Label		B14				Action radius/m				3000.00				
	Group		4 m/s				Lw (Day (12h)) /dB(A)				102.41				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				102.41				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				102.41				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Emission		Reference: Nordex N175 4 m/s										
	Day (12h)		Lw /dB (A)		102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0
	Night (8h)		Emission		Reference: Nordex N175 4 m/s										
Night (8h)		Lw /dB (A)		102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0	
Evening (4h)		Emission		Reference: Nordex N175 4 m/s											
Evening (4h)		Lw /dB (A)		102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0	
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
Lden		-		0.0		0.0		0.0				-		0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
Day (12h)		12.00	Day	102.4		1.00		1.09340				-10.40		-10.4	
Evening (4h)		4.00	Evening	102.4		1.00		0.26490				-11.79		-11.8	
Night (8h)		8.00	Night	102.4		1.00		0.46330				-12.37		-12.4	
EQCN026	Label		B14				Action radius/m				3000.00				
	Group		4 m/s				Lw (Day (12h)) /dB(A)				102.41				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				102.41				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				102.41				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Emission		Reference: Nordex N175 4 m/s										
	Day (12h)		Lw /dB (A)		102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0
	Night (8h)		Emission		Reference: Nordex N175 4 m/s										
Night (8h)		Lw /dB (A)		102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0	
Evening (4h)		Emission		Reference: Nordex N175 4 m/s											
Evening (4h)		Lw /dB (A)		102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0	
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
Lden		-		0.0		0.0		0.0				-		0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
Day (12h)		12.00	Day	102.4		1.00		1.09340				-10.40		-10.4	
Evening (4h)		4.00	Evening	102.4		1.00		0.26490				-11.79		-11.8	
Night (8h)		8.00	Night	102.4		1.00		0.46330				-12.37		-12.4	
EQCN027	Label		B1				Action radius/m				3000.00				
	Group		4 m/s				Lw (Day (12h)) /dB(A)				102.41				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				102.41				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				102.41				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Emission		Reference: Nordex N175 4 m/s										
	Day (12h)		Lw /dB (A)		102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0
	Night (8h)		Emission		Reference: Nordex N175 4 m/s										
Night (8h)		Lw /dB (A)		102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0	
Evening (4h)		Emission		Reference: Nordex N175 4 m/s											
Evening (4h)		Lw /dB (A)		102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0	



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----

Vides trokšņa ievades dati "PurpleGreen Solwin" B alternatīva

	Evening (4h)	Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden	-		0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	102.4		1.00		1.09340		-10.40		-10.4		
	Evening (4h)	4.00	Evening	102.4		1.00		0.26490		-11.79		-11.8		
	Night (8h)	8.00	Night	102.4		1.00		0.46330		-12.37		-12.4		
EQCN031	Label	B5					Action radius/m					3000.00		
	Group	4 m/s					Lw (Day (12h)) /dB(A)					102.41		
	Number of nodes	1					Lw (Night (8h)) /dB(A)					102.41		
	Length/ m	---					Lw (Evening (4h)) /dB(A)					102.41		
	Length/ m (2D)	---					Emission is					Sound power level (Lw)		
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 4 m/s											
	Day (12h)	Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0	
	Night (8h)	Emission	Reference: Nordex N175 4 m/s											
Night (8h)	Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0		
Evening (4h)	Emission	Reference: Nordex N175 4 m/s												
Evening (4h)	Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0		
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden	-		0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	102.4		1.00		1.09340		-10.40		-10.4		
	Evening (4h)	4.00	Evening	102.4		1.00		0.26490		-11.79		-11.8		
	Night (8h)	8.00	Night	102.4		1.00		0.46330		-12.37		-12.4		
EQCN032	Label	B7					Action radius/m					3000.00		
	Group	4 m/s					Lw (Day (12h)) /dB(A)					102.41		
	Number of nodes	1					Lw (Night (8h)) /dB(A)					102.41		
	Length/ m	---					Lw (Evening (4h)) /dB(A)					102.41		
	Length/ m (2D)	---					Emission is					Sound power level (Lw)		
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 4 m/s											
	Day (12h)	Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0	
	Night (8h)	Emission	Reference: Nordex N175 4 m/s											
Night (8h)	Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0		
Evening (4h)	Emission	Reference: Nordex N175 4 m/s												
Evening (4h)	Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0		
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden	-		0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	102.4		1.00		1.09340		-10.40		-10.4		
	Evening (4h)	4.00	Evening	102.4		1.00		0.26490		-11.79		-11.8		
	Night (8h)	8.00	Night	102.4		1.00		0.46330		-12.37		-12.4		
EQCN033	Label	B9					Action radius/m					3000.00		
	Group	4 m/s					Lw (Day (12h)) /dB(A)					102.41		
	Number of nodes	1					Lw (Night (8h)) /dB(A)					102.41		
	Length/ m	---					Lw (Evening (4h)) /dB(A)					102.41		
	Length/ m (2D)	---					Emission is					Sound power level (Lw)		
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 4 m/s											
	Day (12h)	Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0	
	Night (8h)	Emission	Reference: Nordex N175 4 m/s											
Night (8h)	Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0		
Evening (4h)	Emission	Reference: Nordex N175 4 m/s												
Evening (4h)	Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0		
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden	-		0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		

Vides trokšņa ievades dati "PurpleGreen Solwin" B alternatīva

	Day (12h)		12.00	Day		102.4		1.00		1.09340		-10.40		-10.4
	Evening (4h)		4.00	Evening		102.4		1.00		0.26490		-11.79		-11.8
	Night (8h)		8.00	Night		102.4		1.00		0.46330		-12.37		-12.4
EQCN034	Label	B17				Action radius/m				3000.00				
	Group	4 m/s				Lw (Day (12h)) /dB(A)				102.41				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				102.41				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				102.41				
	Length/ m (2D)	---				Emission is				Sound power level (Lw)				
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 4 m/s											
	Day (12h)	Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0	
	Night (8h)	Emission	Reference: Nordex N175 4 m/s											
Night (8h)	Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0		
Evening (4h)	Emission	Reference: Nordex N175 4 m/s												
Evening (4h)	Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0		
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
Lden		-		0.0		0.0		0.0		-		0.0		
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
Day (12h)		12.00	Day	102.4		1.00		1.09340		-10.40		-10.4		
Evening (4h)		4.00	Evening	102.4		1.00		0.26490		-11.79		-11.8		
Night (8h)		8.00	Night	102.4		1.00		0.46330		-12.37		-12.4		
EQCN035	Label	B15				Action radius/m				3000.00				
	Group	5 m/s				Lw (Day (12h)) /dB(A)				107.31				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				107.31				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				107.31				
	Length/ m (2D)	---				Emission is				Sound power level (Lw)				
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 5 m/s											
	Day (12h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9	
	Night (8h)	Emission	Reference: Nordex N175 5 m/s											
Night (8h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9		
Evening (4h)	Emission	Reference: Nordex N175 5 m/s												
Evening (4h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9		
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
Lden		-		0.0		0.0		0.0		-		0.0		
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
Day (12h)		12.00	Day	107.3		1.00		1.25780		-9.80		-9.8		
Evening (4h)		4.00	Evening	107.3		1.00		0.30300		-11.21		-11.2		
Night (8h)		8.00	Night	107.3		1.00		0.58470		-11.36		-11.4		
EQCN036	Label	B18				Action radius/m				3000.00				
	Group	5 m/s				Lw (Day (12h)) /dB(A)				107.31				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				107.31				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				107.31				
	Length/ m (2D)	---				Emission is				Sound power level (Lw)				
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 5 m/s											
	Day (12h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9	
	Night (8h)	Emission	Reference: Nordex N175 5 m/s											
Night (8h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9		
Evening (4h)	Emission	Reference: Nordex N175 5 m/s												
Evening (4h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9		
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
Lden		-		0.0		0.0		0.0		-		0.0		
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
Day (12h)		12.00	Day	107.3		1.00		1.25780		-9.80		-9.8		
Evening (4h)		4.00	Evening	107.3		1.00		0.30300		-11.21		-11.2		
Night (8h)		8.00	Night	107.3		1.00		0.58470		-11.36		-11.4		
EQCN037	Label	B22				Action radius/m				3000.00				
	Group	5 m/s				Lw (Day (12h)) /dB(A)				107.31				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				107.31				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				107.31				
	Length/ m (2D)	---				Emission is				Sound power level (Lw)				
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 5 m/s											
	Day (12h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9	
	Night (8h)	Emission	Reference: Nordex N175 5 m/s											
Night (8h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9		
Evening (4h)	Emission	Reference: Nordex N175 5 m/s												
Evening (4h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9		

Vides trokšņa ievades dati "PurpleGreen Solwin" B alternatīva

Area /m²		---				---				---			
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)	Emission	Reference: Nordex N175 5 m/s											
Day (12h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9	
Night (8h)	Emission	Reference: Nordex N175 5 m/s											
Night (8h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9	
Evening (4h)	Emission	Reference: Nordex N175 5 m/s											
Evening (4h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9	
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
Lden		-		0.0		0.0		0.0		-		0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)		12.00	Day	107.3		1.00		1.25780		-9.80		-9.8	
Evening (4h)		4.00	Evening	107.3		1.00		0.30300		-11.21		-11.2	
Night (8h)		8.00	Night	107.3		1.00		0.58470		-11.36		-11.4	
EQCN038		Label		B24		Action radius/m						3000.00	
		Group		5 m/s		Lw (Day (12h)) /dB(A)						107.31	
		Number of nodes		1		Lw (Night (8h)) /dB(A)						107.31	
		Length/ m		---		Lw (Evening (4h)) /dB(A)						107.31	
		Length/ m (2D)		---		Emission is						Sound power level (Lw)	
		Area /m²		---									
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)	Emission	Reference: Nordex N175 5 m/s											
Day (12h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9	
Night (8h)	Emission	Reference: Nordex N175 5 m/s											
Night (8h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9	
Evening (4h)	Emission	Reference: Nordex N175 5 m/s											
Evening (4h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9	
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
Lden		-		0.0		0.0		0.0		-		0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)		12.00	Day	107.3		1.00		1.25780		-9.80		-9.8	
Evening (4h)		4.00	Evening	107.3		1.00		0.30300		-11.21		-11.2	
Night (8h)		8.00	Night	107.3		1.00		0.58470		-11.36		-11.4	
EQCN039		Label		B25		Action radius/m						3000.00	
		Group		5 m/s		Lw (Day (12h)) /dB(A)						107.31	
		Number of nodes		1		Lw (Night (8h)) /dB(A)						107.31	
		Length/ m		---		Lw (Evening (4h)) /dB(A)						107.31	
		Length/ m (2D)		---		Emission is						Sound power level (Lw)	
		Area /m²		---									
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)	Emission	Reference: Nordex N175 5 m/s											
Day (12h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9	
Night (8h)	Emission	Reference: Nordex N175 5 m/s											
Night (8h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9	
Evening (4h)	Emission	Reference: Nordex N175 5 m/s											
Evening (4h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9	
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
Lden		-		0.0		0.0		0.0		-		0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)		12.00	Day	107.3		1.00		1.25780		-9.80		-9.8	
Evening (4h)		4.00	Evening	107.3		1.00		0.30300		-11.21		-11.2	
Night (8h)		8.00	Night	107.3		1.00		0.58470		-11.36		-11.4	
EQCN040		Label		B23		Action radius/m						3000.00	
		Group		5 m/s		Lw (Day (12h)) /dB(A)						107.31	
		Number of nodes		1		Lw (Night (8h)) /dB(A)						107.31	
		Length/ m		---		Lw (Evening (4h)) /dB(A)						107.31	
		Length/ m (2D)		---		Emission is						Sound power level (Lw)	
		Area /m²		---									
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)	Emission	Reference: Nordex N175 5 m/s											
Day (12h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9	
Night (8h)	Emission	Reference: Nordex N175 5 m/s											
Night (8h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9	

Vides trokšņa ievades dati "PurpleGreen Solwin" B alternatīva

				66.9 70.2	75.5 76.7	83.0 85.7	89.9 91.9	94.2 95.3	95.5 96.6	97.6 98.1	95.8 92.3	83.0 78.1	63.3 53.9	
	Evening (4h)	Emission	Reference: Nordex N175 5 m/s											
	Evening (4h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	107.3		1.00		1.25780		-9.80		-9.8	
	Evening (4h)		4.00	Evening	107.3		1.00		0.30300		-11.21		-11.2	
	Night (8h)		8.00	Night	107.3		1.00		0.58470		-11.36		-11.4	
EQCN041	Label		B11		Action radius/m		3000.00							
	Group		5 m/s		Lw (Day (12h)) /dB(A)		107.31							
	Number of nodes		1		Lw (Night (8h)) /dB(A)		107.31							
	Length/ m		---		Lw (Evening (4h)) /dB(A)		107.31							
	Length/ m (2D)		---		Emission is				Sound power level (Lw)					
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Reference: Nordex N175 5 m/s											
	Day (12h)		Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9
	Night (8h)		Emission	Reference: Nordex N175 5 m/s										
Night (8h)		Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9	
Evening (4h)		Emission	Reference: Nordex N175 5 m/s											
Evening (4h)		Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	107.3		1.00		1.25780		-9.80		-9.8	
	Evening (4h)		4.00	Evening	107.3		1.00		0.30300		-11.21		-11.2	
	Night (8h)		8.00	Night	107.3		1.00		0.58470		-11.36		-11.4	
EQCN042	Label		B12		Action radius/m		3000.00							
	Group		5 m/s		Lw (Day (12h)) /dB(A)		107.31							
	Number of nodes		1		Lw (Night (8h)) /dB(A)		107.31							
	Length/ m		---		Lw (Evening (4h)) /dB(A)		107.31							
	Length/ m (2D)		---		Emission is				Sound power level (Lw)					
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Reference: Nordex N175 5 m/s											
	Day (12h)		Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9
	Night (8h)		Emission	Reference: Nordex N175 5 m/s										
Night (8h)		Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9	
Evening (4h)		Emission	Reference: Nordex N175 5 m/s											
Evening (4h)		Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	107.3		1.00		1.25780		-9.80		-9.8	
	Evening (4h)		4.00	Evening	107.3		1.00		0.30300		-11.21		-11.2	
	Night (8h)		8.00	Night	107.3		1.00		0.58470		-11.36		-11.4	
EQCN043	Label		B14		Action radius/m		3000.00							
	Group		5 m/s		Lw (Day (12h)) /dB(A)		107.31							
	Number of nodes		1		Lw (Night (8h)) /dB(A)		107.31							
	Length/ m		---		Lw (Evening (4h)) /dB(A)		107.31							
	Length/ m (2D)		---		Emission is				Sound power level (Lw)					
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Reference: Nordex N175 5 m/s											
	Day (12h)		Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9
	Night (8h)		Emission	Reference: Nordex N175 5 m/s										
Night (8h)		Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9	
Evening (4h)		Emission	Reference: Nordex N175 5 m/s											
Evening (4h)		Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	

Vides trokšņa ievades dati "PurpleGreen Solwin" B alternatīva

	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	107.3		1.00		1.25780		-9.80		-9.8		
	Evening (4h)		4.00	Evening	107.3		1.00		0.30300		-11.21		-11.2		
	Night (8h)		8.00	Night	107.3		1.00		0.58470		-11.36		-11.4		
EQCN044	Label		B1				Action radius/m				3000.00				
	Group		5 m/s				Lw (Day (12h)) /dB(A)				107.31				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				107.31				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				107.31				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum				16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz
	Day (12h)		Emission		Reference: Nordex N175 5 m/s										
	Day (12h)		Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9	
	Night (8h)		Emission		Reference: Nordex N175 5 m/s										
	Night (8h)		Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9	
	Evening (4h)		Emission		Reference: Nordex N175 5 m/s										
	Evening (4h)		Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	107.3		1.00		1.25780		-9.80		-9.8		
	Evening (4h)		4.00	Evening	107.3		1.00		0.30300		-11.21		-11.2		
	Night (8h)		8.00	Night	107.3		1.00		0.58470		-11.36		-11.4		
EQCN045	Label		B2				Action radius/m				3000.00				
	Group		5 m/s				Lw (Day (12h)) /dB(A)				107.31				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				107.31				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				107.31				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum				16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz
	Day (12h)		Emission		Reference: Nordex N175 5 m/s										
	Day (12h)		Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9	
	Night (8h)		Emission		Reference: Nordex N175 5 m/s										
	Night (8h)		Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9	
	Evening (4h)		Emission		Reference: Nordex N175 5 m/s										
	Evening (4h)		Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	107.3		1.00		1.25780		-9.80		-9.8		
	Evening (4h)		4.00	Evening	107.3		1.00		0.30300		-11.21		-11.2		
	Night (8h)		8.00	Night	107.3		1.00		0.58470		-11.36		-11.4		
EQCN046	Label		B3				Action radius/m				3000.00				
	Group		5 m/s				Lw (Day (12h)) /dB(A)				107.31				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				107.31				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				107.31				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum				16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz
	Day (12h)		Emission		Reference: Nordex N175 5 m/s										
	Day (12h)		Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9	
	Night (8h)		Emission		Reference: Nordex N175 5 m/s										
	Night (8h)		Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9	
	Evening (4h)		Emission		Reference: Nordex N175 5 m/s										
	Evening (4h)		Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	107.3		1.00		1.25780		-9.80		-9.8		
	Evening (4h)		4.00	Evening	107.3		1.00		0.30300		-11.21		-11.2		
	Night (8h)		8.00	Night	107.3		1.00		0.58470		-11.36		-11.4		
EQCN047	Label		B4				Action radius/m				3000.00				
	Group		5 m/s				Lw (Day (12h)) /dB(A)				107.31				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				107.31				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				107.31				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum				16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz
	Day (12h)		Emission		Reference: Nordex N175 5 m/s										
	Day (12h)		Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9	
	Night (8h)		Emission		Reference: Nordex N175 5 m/s										
	Night (8h)		Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9	
	Evening (4h)		Emission		Reference: Nordex N175 5 m/s										
	Evening (4h)		Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	107.3		1.00		1.25780		-9.80		-9.8		
	Evening (4h)		4.00	Evening	107.3		1.00		0.30300		-11.21		-11.2		
	Night (8h)		8.00	Night	107.3		1.00		0.58470		-11.36		-11.4		
EQCN047	Label		B4				Action radius/m				3000.00				
	Group		5 m/s				Lw (Day (12h)) /dB(A)				107.31				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				107.31				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				107.31				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum				16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz
	Day (12h)		Emission		Reference: Nordex N175 5 m/s										
	Day (12h)		Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9	
	Night (8h)		Emission		Reference: Nordex N175 5 m/s										
	Night (8h)		Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9	
	Evening (4h)		Emission		Reference: Nordex N175 5 m/s										
	Evening (4h)		Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	107.3		1.00		1.25780		-9.80		-9.8		
	Evening (4h)		4.00	Evening	107.3		1.00		0.30300		-11.21		-11.2		
	Night (8h)		8.00	Night	107.3		1.00		0.58470		-11.36		-11.4		
EQCN047	Label		B4				Action radius/m				3000.00				
	Group		5 m/s				Lw (Day (12h)) /dB(A)				107.31				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				107.31				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				107.31				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum				16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz
	Day (12h)		Emission		Reference: Nordex N175 5 m/s										
	Day (12h)		Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9	
	Night (8h)		Emission		Reference: Nordex N175 5 m/s										
	Night (8h)		Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9	
	Evening (4h)		Emission		Reference: Nordex N175 5 m/s										
	Evening (4h)		Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	107.3		1.00		1.25780		-9.80		-9.8		
	Evening (4h)		4.00	Evening	107.3		1.00		0.30300		-11.21		-11.2		
	Night (8h)		8.00	Night	107.3		1.00		0.58470		-11.36		-11.4		
EQCN047	Label		B4				Action radius/m				3000.00				
	Group		5 m/s				Lw (Day (12h)) /dB(A)				107.31				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				107.31				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				107.31				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum</												

Vides trokšņa ievades dati "PurpleGreen Solwin" B alternatīva

	Number of nodes	1	Lw (Night (8h)) /dB(A)										107.31
	Length/ m	---	Lw (Evening (4h)) /dB(A)										107.31
	Length/ m (2D)	---	Emission is										Sound power level (Lw)
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 5 m/s										
	Day (12h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9
	Night (8h)	Emission	Reference: Nordex N175 5 m/s										
	Night (8h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9
	Evening (4h)	Emission	Reference: Nordex N175 5 m/s										
	Evening (4h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB							
	Lden	-	0.0	0.0	0.0	0.0							
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	107.3	1.00	1.25780	-9.80	-9.8					
	Evening (4h)	4.00	Evening	107.3	1.00	0.30300	-11.21	-11.2					
	Night (8h)	8.00	Night	107.3	1.00	0.58470	-11.36	-11.4					
EQCN048	Label	B5	Action radius/m										3000.00
	Group	5 m/s	Lw (Day (12h)) /dB(A)										107.31
	Number of nodes	1	Lw (Night (8h)) /dB(A)										107.31
	Length/ m	---	Lw (Evening (4h)) /dB(A)										107.31
	Length/ m (2D)	---	Emission is										Sound power level (Lw)
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 5 m/s										
	Day (12h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9
	Night (8h)	Emission	Reference: Nordex N175 5 m/s										
	Night (8h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9
	Evening (4h)	Emission	Reference: Nordex N175 5 m/s										
	Evening (4h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB							
	Lden	-	0.0	0.0	0.0	0.0							
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	107.3	1.00	1.25780	-9.80	-9.8					
	Evening (4h)	4.00	Evening	107.3	1.00	0.30300	-11.21	-11.2					
	Night (8h)	8.00	Night	107.3	1.00	0.58470	-11.36	-11.4					
EQCN049	Label	B7	Action radius/m										3000.00
	Group	5 m/s	Lw (Day (12h)) /dB(A)										107.31
	Number of nodes	1	Lw (Night (8h)) /dB(A)										107.31
	Length/ m	---	Lw (Evening (4h)) /dB(A)										107.31
	Length/ m (2D)	---	Emission is										Sound power level (Lw)
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 5 m/s										
	Day (12h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9
	Night (8h)	Emission	Reference: Nordex N175 5 m/s										
	Night (8h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9
	Evening (4h)	Emission	Reference: Nordex N175 5 m/s										
	Evening (4h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB							
	Lden	-	0.0	0.0	0.0	0.0							
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	107.3	1.00	1.25780	-9.80	-9.8					
	Evening (4h)	4.00	Evening	107.3	1.00	0.30300	-11.21	-11.2					
	Night (8h)	8.00	Night	107.3	1.00	0.58470	-11.36	-11.4					
EQCN050	Label	B9	Action radius/m										3000.00
	Group	5 m/s	Lw (Day (12h)) /dB(A)										107.31
	Number of nodes	1	Lw (Night (8h)) /dB(A)										107.31
	Length/ m	---	Lw (Evening (4h)) /dB(A)										107.31
	Length/ m (2D)	---	Emission is										Sound power level (Lw)
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 5 m/s										
	Day (12h)	Lw /dB (A)	107.3	62.3 66.9	73.6 75.5	78.7 83.0	87.3 89.9	93.2 94.2	95.4 95.5	97.4 97.6	97.9 95.8	88.0 83.0	71.0 63.3

Vides trokšņa ievades dati "PurpleGreen Solwin" B alternatīva

				70.2	76.7	85.7	91.9	95.3	96.6	98.1	92.3	78.1	53.9		
	Night (8h)	Emission	Reference:	Nordex N175 5 m/s											
				62.3	73.6	78.7	87.3	93.2	95.4	97.4	97.9	88.0	71.0		
	Night (8h)	Lw /dB (A)	107.3	66.9	75.5	83.0	89.9	94.2	95.5	97.6	95.8	83.0	63.3		
				70.2	76.7	85.7	91.9	95.3	96.6	98.1	92.3	78.1	53.9		
	Evening (4h)	Emission	Reference:	Nordex N175 5 m/s											
				62.3	73.6	78.7	87.3	93.2	95.4	97.4	97.9	88.0	71.0		
	Evening (4h)	Lw /dB (A)	107.3	66.9	75.5	83.0	89.9	94.2	95.5	97.6	95.8	83.0	63.3		
				70.2	76.7	85.7	91.9	95.3	96.6	98.1	92.3	78.1	53.9		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)		12.00	Day	107.3	1.00		1.25780		-9.80		-9.8			
	Evening (4h)		4.00	Evening	107.3	1.00		0.30300		-11.21		-11.2			
	Night (8h)		8.00	Night	107.3	1.00		0.58470		-11.36		-11.4			
EQCN051	Label		B17		Action radius/m		3000.00								
	Group		5 m/s		Lw (Day (12h)) /dB(A)		107.31								
	Number of nodes		1		Lw (Night (8h)) /dB(A)		107.31								
	Length/ m		---		Lw (Evening (4h)) /dB(A)		107.31								
	Length/ m (2D)		---		Emission is		Sound power level (Lw)								
	Area /m²		---												
	Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Reference: Nordex N175 5 m/s												
					62.3	73.6	78.7	87.3	93.2	95.4	97.4	97.9	88.0	71.0	
		Day (12h)	Lw /dB (A)	107.3	66.9	75.5	83.0	89.9	94.2	95.5	97.6	95.8	83.0	63.3	
				70.2	76.7	85.7	91.9	95.3	96.6	98.1	92.3	78.1	53.9		
	Night (8h)	Emission	Reference:	Nordex N175 5 m/s											
				62.3	73.6	78.7	87.3	93.2	95.4	97.4	97.9	88.0	71.0		
	Night (8h)	Lw /dB (A)	107.3	66.9	75.5	83.0	89.9	94.2	95.5	97.6	95.8	83.0	63.3		
				70.2	76.7	85.7	91.9	95.3	96.6	98.1	92.3	78.1	53.9		
	Evening (4h)	Emission	Reference:	Nordex N175 5 m/s											
				62.3	73.6	78.7	87.3	93.2	95.4	97.4	97.9	88.0	71.0		
	Evening (4h)	Lw /dB (A)	107.3	66.9	75.5	83.0	89.9	94.2	95.5	97.6	95.8	83.0	63.3		
				70.2	76.7	85.7	91.9	95.3	96.6	98.1	92.3	78.1	53.9		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)		12.00	Day	107.3	1.00		1.25780		-9.80		-9.8			
	Evening (4h)		4.00	Evening	107.3	1.00		0.30300		-11.21		-11.2			
	Night (8h)		8.00	Night	107.3	1.00		0.58470		-11.36		-11.4			
EQCN052	Label		B15		Action radius/m		3000.00								
	Group		6 m/s		Lw (Day (12h)) /dB(A)		108.91								
	Number of nodes		1		Lw (Night (8h)) /dB(A)		108.91								
	Length/ m		---		Lw (Evening (4h)) /dB(A)		108.91								
	Length/ m (2D)		---		Emission is		Sound power level (Lw)								
	Area /m²		---												
	Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Reference: Nordex N175 6 m/s												
					63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6	
		Day (12h)	Lw /dB (A)	108.9	68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9	
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5		
	Night (8h)	Emission	Reference:	Nordex N175 6 m/s											
				63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6		
	Night (8h)	Lw /dB (A)	108.9	68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9		
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5		
	Evening (4h)	Emission	Reference:	Nordex N175 6 m/s											
				63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6		
	Evening (4h)	Lw /dB (A)	108.9	68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9		
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)		12.00	Day	108.9	1.00		1.31860		-9.59		-9.6			
	Evening (4h)		4.00	Evening	108.9	1.00		0.35890		-10.47		-10.5			
	Night (8h)		8.00	Night	108.9	1.00		0.65480		-10.87		-10.9			
EQCN053	Label		B18		Action radius/m		3000.00								
	Group		6 m/s		Lw (Day (12h)) /dB(A)		108.91								
	Number of nodes		1		Lw (Night (8h)) /dB(A)		108.91								
	Length/ m		---		Lw (Evening (4h)) /dB(A)		108.91								
	Length/ m (2D)		---		Emission is		Sound power level (Lw)								
	Area /m²		---												
	Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Reference: Nordex N175 6 m/s												
					63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6	
		Day (12h)	Lw /dB (A)	108.9	68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9	
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5		
	Night (8h)	Emission	Reference:	Nordex N175 6 m/s											
				63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6		
	Night (8h)	Lw /dB (A)	108.9	68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9		
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5		
	Evening (4h)	Emission	Reference:	Nordex N175 6 m/s											
				63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6		
	Evening (4h)	Lw /dB (A)	108.9	68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9		



Vides trokšņa ievades dati "PurpleGreen Solwin" B alternatīva

				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5
	<b>Rating method</b>	<b>Peak level</b>	<b>Corr. for impulsivity /dB</b>			<b>Corr. for tonality /dB</b>	<b>Corr. for inform. content/dB</b>					<b>Special correction /dB</b>	
	Lden	-	0.0			0.0	0.0					-	0.0
	<b>Rating period / Period</b>	<b>Duration /h</b>	<b>Emiss. variant</b>	<b>Lw /dB(A)</b>		<b>n times</b>	<b>Impact time /h</b>	<b>dLi /dB</b>				<b>Lwr /dB(A)</b>	
	Day (12h)	12.00	Day	108.9		1.00	1.31860				-9.59		-9.6
	Evening (4h)	4.00	Evening	108.9		1.00	0.35890				-10.47		-10.5
	Night (8h)	8.00	Night	108.9		1.00	0.65480				-10.87		-10.9
<b>EQCN054</b>	<b>Label</b>	B22				<b>Action radius/m</b>							3000.00
	<b>Group</b>	6 m/s				<b>Lw (Day (12h)) /dB(A)</b>							108.91
	<b>Number of nodes</b>	1				<b>Lw (Night (8h)) /dB(A)</b>							108.91
	<b>Length/ m</b>	---				<b>Lw (Evening (4h)) /dB(A)</b>							108.91
	<b>Length/ m (2D)</b>	---				<b>Emission is</b>							Sound power level (Lw)
	<b>Area /m²</b>	---											
	<b>Emiss. variant</b>		<b>Sum</b>	<b>16 Hz</b>	<b>31.5 Hz</b>	<b>63 Hz</b>	<b>125 Hz</b>	<b>250 Hz</b>	<b>500 Hz</b>	<b>1000 Hz</b>	<b>2000 Hz</b>	<b>4000 Hz</b>	<b>8000 Hz</b>
	Day (12h)	Emission	Reference: Nordex N175 6 m/s										
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)	Emission	Reference: Nordex N175 6 m/s										
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Evening (4h)	Emission	Reference: Nordex N175 6 m/s										
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	<b>Rating method</b>	<b>Peak level</b>	<b>Corr. for impulsivity /dB</b>			<b>Corr. for tonality /dB</b>	<b>Corr. for inform. content/dB</b>					<b>Special correction /dB</b>	
	Lden	-	0.0			0.0	0.0					-	0.0
	<b>Rating period / Period</b>	<b>Duration /h</b>	<b>Emiss. variant</b>	<b>Lw /dB(A)</b>		<b>n times</b>	<b>Impact time /h</b>	<b>dLi /dB</b>				<b>Lwr /dB(A)</b>	
	Day (12h)	12.00	Day	108.9		1.00	1.31860				-9.59		-9.6
	Evening (4h)	4.00	Evening	108.9		1.00	0.35890				-10.47		-10.5
	Night (8h)	8.00	Night	108.9		1.00	0.65480				-10.87		-10.9
<b>EQCN055</b>	<b>Label</b>	B24				<b>Action radius/m</b>							3000.00
	<b>Group</b>	6 m/s				<b>Lw (Day (12h)) /dB(A)</b>							108.91
	<b>Number of nodes</b>	1				<b>Lw (Night (8h)) /dB(A)</b>							108.91
	<b>Length/ m</b>	---				<b>Lw (Evening (4h)) /dB(A)</b>							108.91
	<b>Length/ m (2D)</b>	---				<b>Emission is</b>							Sound power level (Lw)
	<b>Area /m²</b>	---											
	<b>Emiss. variant</b>		<b>Sum</b>	<b>16 Hz</b>	<b>31.5 Hz</b>	<b>63 Hz</b>	<b>125 Hz</b>	<b>250 Hz</b>	<b>500 Hz</b>	<b>1000 Hz</b>	<b>2000 Hz</b>	<b>4000 Hz</b>	<b>8000 Hz</b>
	Day (12h)	Emission	Reference: Nordex N175 6 m/s										
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)	Emission	Reference: Nordex N175 6 m/s										
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Evening (4h)	Emission	Reference: Nordex N175 6 m/s										
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	<b>Rating method</b>	<b>Peak level</b>	<b>Corr. for impulsivity /dB</b>			<b>Corr. for tonality /dB</b>	<b>Corr. for inform. content/dB</b>					<b>Special correction /dB</b>	
	Lden	-	0.0			0.0	0.0					-	0.0
	<b>Rating period / Period</b>	<b>Duration /h</b>	<b>Emiss. variant</b>	<b>Lw /dB(A)</b>		<b>n times</b>	<b>Impact time /h</b>	<b>dLi /dB</b>				<b>Lwr /dB(A)</b>	
	Day (12h)	12.00	Day	108.9		1.00	1.31860				-9.59		-9.6
	Evening (4h)	4.00	Evening	108.9		1.00	0.35890				-10.47		-10.5
	Night (8h)	8.00	Night	108.9		1.00	0.65480				-10.87		-10.9
<b>EQCN056</b>	<b>Label</b>	B25				<b>Action radius/m</b>							3000.00
	<b>Group</b>	6 m/s				<b>Lw (Day (12h)) /dB(A)</b>							108.91
	<b>Number of nodes</b>	1				<b>Lw (Night (8h)) /dB(A)</b>							108.91
	<b>Length/ m</b>	---				<b>Lw (Evening (4h)) /dB(A)</b>							108.91
	<b>Length/ m (2D)</b>	---				<b>Emission is</b>							Sound power level (Lw)
	<b>Area /m²</b>	---											
	<b>Emiss. variant</b>		<b>Sum</b>	<b>16 Hz</b>	<b>31.5 Hz</b>	<b>63 Hz</b>	<b>125 Hz</b>	<b>250 Hz</b>	<b>500 Hz</b>	<b>1000 Hz</b>	<b>2000 Hz</b>	<b>4000 Hz</b>	<b>8000 Hz</b>
	Day (12h)	Emission	Reference: Nordex N175 6 m/s										
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)	Emission	Reference: Nordex N175 6 m/s										
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Evening (4h)	Emission	Reference: Nordex N175 6 m/s										
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	<b>Rating method</b>	<b>Peak level</b>	<b>Corr. for impulsivity /dB</b>			<b>Corr. for tonality /dB</b>	<b>Corr. for inform. content/dB</b>					<b>Special correction /dB</b>	
	Lden	-	0.0			0.0	0.0					-	0.0
	<b>Rating period / Period</b>	<b>Duration /h</b>	<b>Emiss. variant</b>	<b>Lw /dB(A)</b>		<b>n times</b>	<b>Impact time /h</b>	<b>dLi /dB</b>				<b>Lwr /dB(A)</b>	
	Day (12h)	12.00	Day	108.9		1.00	1.31860				-9.59		-9.6
	Evening (4h)	4.00	Evening	108.9		1.00	0.35890				-10.47		-10.5

Vides trokšņa ievades dati "PurpleGreen Solwin" B alternatīva

EQCN057	Night (8h)		8.00			Night	108.9		1.00		0.65480		-10.87		-10.9	
	Label		B23				Action radius/m				3000.00					
	Group		6 m/s				Lw (Day (12h)) /dB(A)				108.91					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.91					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.91					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Emission		Reference: Nordex N175 6 m/s											
	Day (12h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)		Emission		Reference: Nordex N175 6 m/s											
	Night (8h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Evening (4h)		Emission		Reference: Nordex N175 6 m/s											
Evening (4h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
Rating method		Peak level			Corr. for impulsivity /dB			Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
Lden		-			0.0			0.0		0.0		-		0.0		
Rating period / Period		Duration /h		Emiss. variant	Lw /dB(A)			n times		Impact time /h		dLi /dB		Lwr /dB(A)		
Day (12h)		12.00		Day	108.9			1.00		1.31860		-9.59		-9.6		
Evening (4h)		4.00		Evening	108.9			1.00		0.35890		-10.47		-10.5		
Night (8h)		8.00		Night	108.9			1.00		0.65480		-10.87		-10.9		
EQCN058	Label		B11				Action radius/m				3000.00					
	Group		6 m/s				Lw (Day (12h)) /dB(A)				108.91					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.91					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.91					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Emission		Reference: Nordex N175 6 m/s											
	Day (12h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)		Emission		Reference: Nordex N175 6 m/s											
	Night (8h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Evening (4h)		Emission		Reference: Nordex N175 6 m/s											
	Evening (4h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Rating method		Peak level			Corr. for impulsivity /dB			Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
Lden		-			0.0			0.0		0.0		-		0.0		
Rating period / Period		Duration /h		Emiss. variant	Lw /dB(A)			n times		Impact time /h		dLi /dB		Lwr /dB(A)		
Day (12h)		12.00		Day	108.9			1.00		1.31860		-9.59		-9.6		
Evening (4h)		4.00		Evening	108.9			1.00		0.35890		-10.47		-10.5		
Night (8h)		8.00		Night	108.9			1.00		0.65480		-10.87		-10.9		
EQCN059	Label		B12				Action radius/m				3000.00					
	Group		6 m/s				Lw (Day (12h)) /dB(A)				108.91					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.91					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.91					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Emission		Reference: Nordex N175 6 m/s											
	Day (12h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)		Emission		Reference: Nordex N175 6 m/s											
	Night (8h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Evening (4h)		Emission		Reference: Nordex N175 6 m/s											
	Evening (4h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Rating method		Peak level			Corr. for impulsivity /dB			Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
Lden		-			0.0			0.0		0.0		-		0.0		
Rating period / Period		Duration /h		Emiss. variant	Lw /dB(A)			n times		Impact time /h		dLi /dB		Lwr /dB(A)		
Day (12h)		12.00		Day	108.9			1.00		1.31860		-9.59		-9.6		
Evening (4h)		4.00		Evening	108.9			1.00		0.35890		-10.47		-10.5		
Night (8h)		8.00		Night	108.9			1.00		0.65480		-10.87		-10.9		
EQCN060	Label		B14				Action radius/m				3000.00					
	Group		6 m/s				Lw (Day (12h)) /dB(A)				108.91					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.91					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.91					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	

Vides trokšņa ievades dati "PurpleGreen Solwin" B alternatīva

	Day (12h)	Emission	Reference: Nordex N175 6 m/s										
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)	Emission	Reference: Nordex N175 6 m/s										
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Evening (4h)	Emission	Reference: Nordex N175 6 m/s										
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	108.9		1.00		1.31860		-9.59		-9.6
	Evening (4h)		4.00	Evening	108.9		1.00		0.35890		-10.47		-10.5
	Night (8h)		8.00	Night	108.9		1.00		0.65480		-10.87		-10.9
EQCN061	Label		B1		Action radius/m								3000.00
	Group		6 m/s		Lw (Day (12h)) /dB(A)								108.91
	Number of nodes		1		Lw (Night (8h)) /dB(A)								108.91
	Length/ m		---		Lw (Evening (4h)) /dB(A)								108.91
	Length/ m (2D)		---		Emission is								Sound power level (Lw)
	Area /m²		---										
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz
	Day (12h)	Emission	Reference: Nordex N175 6 m/s										
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)	Emission	Reference: Nordex N175 6 m/s										
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Evening (4h)	Emission	Reference: Nordex N175 6 m/s										
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	108.9		1.00		1.31860		-9.59		-9.6
	Evening (4h)		4.00	Evening	108.9		1.00		0.35890		-10.47		-10.5
	Night (8h)		8.00	Night	108.9		1.00		0.65480		-10.87		-10.9
EQCN062	Label		B2		Action radius/m								3000.00
	Group		6 m/s		Lw (Day (12h)) /dB(A)								108.91
	Number of nodes		1		Lw (Night (8h)) /dB(A)								108.91
	Length/ m		---		Lw (Evening (4h)) /dB(A)								108.91
	Length/ m (2D)		---		Emission is								Sound power level (Lw)
	Area /m²		---										
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz
	Day (12h)	Emission	Reference: Nordex N175 6 m/s										
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)	Emission	Reference: Nordex N175 6 m/s										
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Evening (4h)	Emission	Reference: Nordex N175 6 m/s										
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	108.9		1.00		1.31860		-9.59		-9.6
	Evening (4h)		4.00	Evening	108.9		1.00		0.35890		-10.47		-10.5
	Night (8h)		8.00	Night	108.9		1.00		0.65480		-10.87		-10.9
EQCN063	Label		B3		Action radius/m								3000.00
	Group		6 m/s		Lw (Day (12h)) /dB(A)								108.91
	Number of nodes		1		Lw (Night (8h)) /dB(A)								108.91
	Length/ m		---		Lw (Evening (4h)) /dB(A)								108.91
	Length/ m (2D)		---		Emission is								Sound power level (Lw)
	Area /m²		---										
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz
	Day (12h)	Emission	Reference: Nordex N175 6 m/s										
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)	Emission	Reference: Nordex N175 6 m/s										
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5

Vides trokšņa ievades dati "PurpleGreen Solwin" B alternatīva

	Evening (4h)	Emission	Reference: Nordex N175 6 m/s										
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.9	1.00		1.31860		-9.59		-9.6	
	Evening (4h)		4.00	Evening	108.9	1.00		0.35890		-10.47		-10.5	
	Night (8h)		8.00	Night	108.9	1.00		0.65480		-10.87		-10.9	
EQCN064	Label		B4		Action radius/m		3000.00						
	Group		6 m/s		Lw (Day (12h)) /dB(A)		108.91						
	Number of nodes		1		Lw (Night (8h)) /dB(A)		108.91						
	Length/ m		---		Lw (Evening (4h)) /dB(A)		108.91						
	Length/ m (2D)		---		Emission is		Sound power level (Lw)						
	Area /m²		---										
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz
	Day (12h)	Emission	Reference: Nordex N175 6 m/s										
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)	Emission	Reference: Nordex N175 6 m/s										
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Evening (4h)	Emission	Reference: Nordex N175 6 m/s										
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.9	1.00		1.31860		-9.59		-9.6	
	Evening (4h)		4.00	Evening	108.9	1.00		0.35890		-10.47		-10.5	
	Night (8h)		8.00	Night	108.9	1.00		0.65480		-10.87		-10.9	
EQCN065	Label		B5		Action radius/m		3000.00						
	Group		6 m/s		Lw (Day (12h)) /dB(A)		108.91						
	Number of nodes		1		Lw (Night (8h)) /dB(A)		108.91						
	Length/ m		---		Lw (Evening (4h)) /dB(A)		108.91						
	Length/ m (2D)		---		Emission is		Sound power level (Lw)						
	Area /m²		---										
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz
	Day (12h)	Emission	Reference: Nordex N175 6 m/s										
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)	Emission	Reference: Nordex N175 6 m/s										
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Evening (4h)	Emission	Reference: Nordex N175 6 m/s										
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.9	1.00		1.31860		-9.59		-9.6	
	Evening (4h)		4.00	Evening	108.9	1.00		0.35890		-10.47		-10.5	
	Night (8h)		8.00	Night	108.9	1.00		0.65480		-10.87		-10.9	
EQCN066	Label		B7		Action radius/m		3000.00						
	Group		6 m/s		Lw (Day (12h)) /dB(A)		108.91						
	Number of nodes		1		Lw (Night (8h)) /dB(A)		108.91						
	Length/ m		---		Lw (Evening (4h)) /dB(A)		108.91						
	Length/ m (2D)		---		Emission is		Sound power level (Lw)						
	Area /m²		---										
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz
	Day (12h)	Emission	Reference: Nordex N175 6 m/s										
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)	Emission	Reference: Nordex N175 6 m/s										
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Evening (4h)	Emission	Reference: Nordex N175 6 m/s										
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		

Vides trokšņa ievades dati "PurpleGreen Solwin" B alternatīva

Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)						
Day (12h)		12.00	Day	108.9		1.00	1.31860	-9.59		-9.6				
Evening (4h)		4.00	Evening	108.9		1.00	0.35890	-10.47		-10.5				
Night (8h)		8.00	Night	108.9		1.00	0.65480	-10.87		-10.9				
EQCN067		Label		B9		Action radius/m		3000.00						
Group		6 m/s				Lw (Day (12h)) /dB(A)		108.91						
Number of nodes		1				Lw (Night (8h)) /dB(A)		108.91						
Length/ m		---				Lw (Evening (4h)) /dB(A)		108.91						
Length/ m (2D)		---				Emission is		Sound power level (Lw)						
Area /m²		---												
Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
Day (12h)		Emission		Reference: Nordex N175 6 m/s										
Day (12h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
Night (8h)		Emission		Reference: Nordex N175 6 m/s										
Night (8h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
Evening (4h)		Emission		Reference: Nordex N175 6 m/s										
Evening (4h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
Lden				-		0.0		0.0		0.0		-		0.0
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
Day (12h)		12.00	Day	108.9		1.00		1.31860		-9.59		-9.6		
Evening (4h)		4.00	Evening	108.9		1.00		0.35890		-10.47		-10.5		
Night (8h)		8.00	Night	108.9		1.00		0.65480		-10.87		-10.9		
EQCN068		Label		B17		Action radius/m		3000.00						
Group		6 m/s				Lw (Day (12h)) /dB(A)		108.91						
Number of nodes		1				Lw (Night (8h)) /dB(A)		108.91						
Length/ m		---				Lw (Evening (4h)) /dB(A)		108.91						
Length/ m (2D)		---				Emission is		Sound power level (Lw)						
Area /m²		---												
Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
Day (12h)		Emission		Reference: Nordex N175 6 m/s										
Day (12h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
Night (8h)		Emission		Reference: Nordex N175 6 m/s										
Night (8h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
Evening (4h)		Emission		Reference: Nordex N175 6 m/s										
Evening (4h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
Lden				-		0.0		0.0		0.0		-		0.0
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
Day (12h)		12.00	Day	108.9		1.00		1.31860		-9.59		-9.6		
Evening (4h)		4.00	Evening	108.9		1.00		0.35890		-10.47		-10.5		
Night (8h)		8.00	Night	108.9		1.00		0.65480		-10.87		-10.9		
EQCN069		Label		B15		Action radius/m		3000.00						
Group		7 m/s				Lw (Day (12h)) /dB(A)		108.91						
Number of nodes		1				Lw (Night (8h)) /dB(A)		108.91						
Length/ m		---				Lw (Evening (4h)) /dB(A)		108.91						
Length/ m (2D)		---				Emission is		Sound power level (Lw)						
Area /m²		---												
Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
Day (12h)		Emission		Reference: Nordex N175 7 m/s										
Day (12h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
Night (8h)		Emission		Reference: Nordex N175 7 m/s										
Night (8h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
Evening (4h)		Emission		Reference: Nordex N175 7 m/s										
Evening (4h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
Lden				-		0.0		0.0		0.0		-		0.0
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
Day (12h)		12.00	Day	108.9		1.00		1.19450		-10.02		-10.0		
Evening (4h)		4.00	Evening	108.9		1.00		0.39230		-10.08		-10.1		
Night (8h)		8.00	Night	108.9		1.00		0.73590		-10.36		-10.4		
EQCN070		Label		B18		Action radius/m		3000.00						
Group		7 m/s				Lw (Day (12h)) /dB(A)		108.91						
Number of nodes		1				Lw (Night (8h)) /dB(A)		108.91						

Vides trokšņa ievades dati "PurpleGreen Solwin" B alternatīva

	Length/ m	---					Lw (Evening (4h)) /dB(A)				108.91			
	Length/ m (2D)	---					Emission is				Sound power level (Lw)			
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 7 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)	Emission	Reference: Nordex N175 7 m/s											
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Evening (4h)	Emission	Reference: Nordex N175 7 m/s											
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-	0.0		0.0		0.0				0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	108.9		1.00		1.19450		-10.02		-10.0		
	Evening (4h)	4.00	Evening	108.9		1.00		0.39230		-10.08		-10.1		
	Night (8h)	8.00	Night	108.9		1.00		0.73590		-10.36		-10.4		
EQCN071	Label	B22					Action radius/m				3000.00			
	Group	7 m/s					Lw (Day (12h)) /dB(A)				108.91			
	Number of nodes	1					Lw (Night (8h)) /dB(A)				108.91			
	Length/ m	---					Lw (Evening (4h)) /dB(A)				108.91			
	Length/ m (2D)	---					Emission is				Sound power level (Lw)			
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 7 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)	Emission	Reference: Nordex N175 7 m/s											
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Evening (4h)	Emission	Reference: Nordex N175 7 m/s											
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-	0.0		0.0		0.0				0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	108.9		1.00		1.19450		-10.02		-10.0		
	Evening (4h)	4.00	Evening	108.9		1.00		0.39230		-10.08		-10.1		
	Night (8h)	8.00	Night	108.9		1.00		0.73590		-10.36		-10.4		
EQCN072	Label	B24					Action radius/m				3000.00			
	Group	7 m/s					Lw (Day (12h)) /dB(A)				108.91			
	Number of nodes	1					Lw (Night (8h)) /dB(A)				108.91			
	Length/ m	---					Lw (Evening (4h)) /dB(A)				108.91			
	Length/ m (2D)	---					Emission is				Sound power level (Lw)			
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 7 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)	Emission	Reference: Nordex N175 7 m/s											
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Evening (4h)	Emission	Reference: Nordex N175 7 m/s											
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-	0.0		0.0		0.0				0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	108.9		1.00		1.19450		-10.02		-10.0		
	Evening (4h)	4.00	Evening	108.9		1.00		0.39230		-10.08		-10.1		
	Night (8h)	8.00	Night	108.9		1.00		0.73590		-10.36		-10.4		
EQCN073	Label	B25					Action radius/m				3000.00			
	Group	7 m/s					Lw (Day (12h)) /dB(A)				108.91			
	Number of nodes	1					Lw (Night (8h)) /dB(A)				108.91			
	Length/ m	---					Lw (Evening (4h)) /dB(A)				108.91			
	Length/ m (2D)	---					Emission is				Sound power level (Lw)			
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 7 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	

Vides trokšņa ievades dati "PurpleGreen Solwin" B alternatīva

	Night (8h)	Emission	Reference: Nordex N175 7 m/s											
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Evening (4h)	Emission	Reference: Nordex N175 7 m/s											
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.9		1.00		1.19450		-10.02		-10.0	
	Evening (4h)		4.00	Evening	108.9		1.00		0.39230		-10.08		-10.1	
	Night (8h)		8.00	Night	108.9		1.00		0.73590		-10.36		-10.4	
EQCN074	Label		B23					Action radius/m					3000.00	
	Group		7 m/s					Lw (Day (12h)) /dB(A)					108.91	
	Number of nodes		1					Lw (Night (8h)) /dB(A)					108.91	
	Length/ m		---					Lw (Evening (4h)) /dB(A)					108.91	
	Length/ m (2D)		---					Emission is					Sound power level (Lw)	
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Reference: Nordex N175 7 m/s											
	Day (12h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)		Reference: Nordex N175 7 m/s											
Night (8h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Evening (4h)		Reference: Nordex N175 7 m/s												
Evening (4h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.9		1.00		1.19450		-10.02		-10.0	
	Evening (4h)		4.00	Evening	108.9		1.00		0.39230		-10.08		-10.1	
	Night (8h)		8.00	Night	108.9		1.00		0.73590		-10.36		-10.4	
EQCN075	Label		B11					Action radius/m					3000.00	
	Group		7 m/s					Lw (Day (12h)) /dB(A)					108.91	
	Number of nodes		1					Lw (Night (8h)) /dB(A)					108.91	
	Length/ m		---					Lw (Evening (4h)) /dB(A)					108.91	
	Length/ m (2D)		---					Emission is					Sound power level (Lw)	
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Reference: Nordex N175 7 m/s											
	Day (12h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)		Reference: Nordex N175 7 m/s											
Night (8h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Evening (4h)		Reference: Nordex N175 7 m/s												
Evening (4h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.9		1.00		1.19450		-10.02		-10.0	
	Evening (4h)		4.00	Evening	108.9		1.00		0.39230		-10.08		-10.1	
	Night (8h)		8.00	Night	108.9		1.00		0.73590		-10.36		-10.4	
EQCN076	Label		B12					Action radius/m					3000.00	
	Group		7 m/s					Lw (Day (12h)) /dB(A)					108.91	
	Number of nodes		1					Lw (Night (8h)) /dB(A)					108.91	
	Length/ m		---					Lw (Evening (4h)) /dB(A)					108.91	
	Length/ m (2D)		---					Emission is					Sound power level (Lw)	
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Reference: Nordex N175 7 m/s											
	Day (12h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)		Reference: Nordex N175 7 m/s											
Night (8h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Evening (4h)		Reference: Nordex N175 7 m/s												
Evening (4h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	

Vides trokšņa ievades dati "PurpleGreen Solwin" B alternatīva

	Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden				-	0.0		0.0				-	0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)		12.00	Day	108.9			1.00		1.19450		-10.02		-10.0	
	Evening (4h)		4.00	Evening	108.9			1.00		0.39230		-10.08		-10.1	
	Night (8h)		8.00	Night	108.9			1.00		0.73590		-10.36		-10.4	
EQCN077	Label		B14			Action radius/m						3000.00			
	Group		7 m/s			Lw (Day (12h)) /dB(A)						108.91			
	Number of nodes		1			Lw (Night (8h)) /dB(A)						108.91			
	Length/ m		---			Lw (Evening (4h)) /dB(A)						108.91			
	Length/ m (2D)		---			Emission is						Sound power level (Lw)			
	Area /m²		---												
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Emission		Reference: Nordex N175 7 m/s										
	Day (12h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)		Emission		Reference: Nordex N175 7 m/s										
Night (8h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Evening (4h)		Emission		Reference: Nordex N175 7 m/s											
Evening (4h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden				-	0.0		0.0				-	0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)		12.00	Day	108.9			1.00		1.19450		-10.02		-10.0	
	Evening (4h)		4.00	Evening	108.9			1.00		0.39230		-10.08		-10.1	
	Night (8h)		8.00	Night	108.9			1.00		0.73590		-10.36		-10.4	
EQCN078	Label		B1			Action radius/m						3000.00			
	Group		7 m/s			Lw (Day (12h)) /dB(A)						108.91			
	Number of nodes		1			Lw (Night (8h)) /dB(A)						108.91			
	Length/ m		---			Lw (Evening (4h)) /dB(A)						108.91			
	Length/ m (2D)		---			Emission is						Sound power level (Lw)			
	Area /m²		---												
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Emission		Reference: Nordex N175 7 m/s										
	Day (12h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)		Emission		Reference: Nordex N175 7 m/s										
Night (8h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Evening (4h)		Emission		Reference: Nordex N175 7 m/s											
Evening (4h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden				-	0.0		0.0				-	0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)		12.00	Day	108.9			1.00		1.19450		-10.02		-10.0	
	Evening (4h)		4.00	Evening	108.9			1.00		0.39230		-10.08		-10.1	
	Night (8h)		8.00	Night	108.9			1.00		0.73590		-10.36		-10.4	
EQCN079	Label		B2			Action radius/m						3000.00			
	Group		7 m/s			Lw (Day (12h)) /dB(A)						108.91			
	Number of nodes		1			Lw (Night (8h)) /dB(A)						108.91			
	Length/ m		---			Lw (Evening (4h)) /dB(A)						108.91			
	Length/ m (2D)		---			Emission is						Sound power level (Lw)			
	Area /m²		---												
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Emission		Reference: Nordex N175 7 m/s										
	Day (12h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)		Emission		Reference: Nordex N175 7 m/s										
Night (8h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Evening (4h)		Emission		Reference: Nordex N175 7 m/s											
Evening (4h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden				-	0.0		0.0				-	0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)		12.00	Day	108.9			1.00		1.19450		-10.02		-10.0	
	Evening (4h)		4.00	Evening	108.9			1.00		0.39230		-10.08		-10.1	
	Night (8h)		8.00	Night	108.9			1.00		0.73590		-10.36		-10.4	



Vides trokšņa ievades dati "PurpleGreen Solwin" B alternatīva

EQCN080	Label		B3				Action radius/m				3000.00			
	Group		7 m/s				Lw (Day (12h)) /dB(A)				108.91			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.91			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.91			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Nordex N175 7 m/s									
	Day (12h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)		Emission		Reference: Nordex N175 7 m/s									
	Night (8h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Evening (4h)		Emission		Reference: Nordex N175 7 m/s									
	Evening (4h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0				0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
Day (12h)		12.00	Day	108.9		1.00		1.19450		-10.02		-10.0		
Evening (4h)		4.00	Evening	108.9		1.00		0.39230		-10.08		-10.1		
Night (8h)		8.00	Night	108.9		1.00		0.73590		-10.36		-10.4		
EQCN081	Label		B4				Action radius/m				3000.00			
	Group		7 m/s				Lw (Day (12h)) /dB(A)				108.91			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.91			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.91			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Nordex N175 7 m/s									
	Day (12h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)		Emission		Reference: Nordex N175 7 m/s									
	Night (8h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Evening (4h)		Emission		Reference: Nordex N175 7 m/s									
	Evening (4h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0				0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
Day (12h)		12.00	Day	108.9		1.00		1.19450		-10.02		-10.0		
Evening (4h)		4.00	Evening	108.9		1.00		0.39230		-10.08		-10.1		
Night (8h)		8.00	Night	108.9		1.00		0.73590		-10.36		-10.4		
EQCN082	Label		B5				Action radius/m				3000.00			
	Group		7 m/s				Lw (Day (12h)) /dB(A)				108.91			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.91			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.91			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Nordex N175 7 m/s									
	Day (12h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)		Emission		Reference: Nordex N175 7 m/s									
	Night (8h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Evening (4h)		Emission		Reference: Nordex N175 7 m/s									
	Evening (4h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0				0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
Day (12h)		12.00	Day	108.9		1.00		1.19450		-10.02		-10.0		
Evening (4h)		4.00	Evening	108.9		1.00		0.39230		-10.08		-10.1		
Night (8h)		8.00	Night	108.9		1.00		0.73590		-10.36		-10.4		
EQCN083	Label		B7				Action radius/m				3000.00			
	Group		7 m/s				Lw (Day (12h)) /dB(A)				108.91			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.91			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.91			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Nordex N175 7 m/s									

*Vides trokšņa ievades dati “PurpleGreen Solwin” B alternatīva*

	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
	Night (8h)	Emission	Reference: Nordex N175 7 m/s												
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
	Evening (4h)	Emission	Reference: Nordex N175 7 m/s												
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)		12.00	Day	108.9	1.00		1.19450		-10.02		-10.0			
	Evening (4h)		4.00	Evening	108.9	1.00		0.39230		-10.08		-10.1			
	Night (8h)		8.00	Night	108.9	1.00		0.73590		-10.36		-10.4			
EQCN084	Label		B9				Action radius/m				3000.00				
	Group		7 m/s				Lw (Day (12h)) /dB(A)				108.91				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.91				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.91				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum				16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz
	Day (12h)	Emission	Reference: Nordex N175 7 m/s												
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
	Night (8h)	Emission	Reference: Nordex N175 7 m/s												
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
	Evening (4h)	Emission	Reference: Nordex N175 7 m/s												
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)		12.00	Day	108.9	1.00		1.19450		-10.02		-10.0			
	Evening (4h)		4.00	Evening	108.9	1.00		0.39230		-10.08		-10.1			
	Night (8h)		8.00	Night	108.9	1.00		0.73590		-10.36		-10.4			
EQCN085	Label		B17				Action radius/m				3000.00				
	Group		7 m/s				Lw (Day (12h)) /dB(A)				108.91				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.91				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.91				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum				16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz
	Day (12h)	Emission	Reference: Nordex N175 7 m/s												
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
	Night (8h)	Emission	Reference: Nordex N175 7 m/s												
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
	Evening (4h)	Emission	Reference: Nordex N175 7 m/s												
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)		12.00	Day	108.9	1.00		1.19450		-10.02		-10.0			
	Evening (4h)		4.00	Evening	108.9	1.00		0.39230		-10.08		-10.1			
	Night (8h)		8.00	Night	108.9	1.00		0.73590		-10.36		-10.4			
EQCN086	Label		B15				Action radius/m				3000.00				
	Group		8 m/s				Lw (Day (12h)) /dB(A)				108.91				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.91				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.91				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum				16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz
	Day (12h)	Emission	Reference: Nordex N175 8 m/s												
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
	Night (8h)	Emission	Reference: Nordex N175 8 m/s												
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
	Evening (4h)	Emission	Reference: Nordex N175 8 m/s												

Vides trokšņa ievades dati "PurpleGreen Solwin" B alternatīva

	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.9		1.00		1.12410		-10.28		-10.3	
	Evening (4h)		4.00	Evening	108.9		1.00		0.39950		-10.01		-10.0	
	Night (8h)		8.00	Night	108.9		1.00		0.81450		-9.92		-9.9	
EQCN087	Label		B18				Action radius/m				3000.00			
	Group		8 m/s				Lw (Day (12h)) /dB(A)				108.91			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.91			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.91			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission	Reference: Nordex N175 8 m/s										
	Day (12h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)		Emission	Reference: Nordex N175 8 m/s										
Night (8h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Evening (4h)		Emission	Reference: Nordex N175 8 m/s											
Evening (4h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.9		1.00		1.12410		-10.28		-10.3	
	Evening (4h)		4.00	Evening	108.9		1.00		0.39950		-10.01		-10.0	
	Night (8h)		8.00	Night	108.9		1.00		0.81450		-9.92		-9.9	
EQCN088	Label		B22				Action radius/m				3000.00			
	Group		8 m/s				Lw (Day (12h)) /dB(A)				108.91			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.91			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.91			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission	Reference: Nordex N175 8 m/s										
	Day (12h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)		Emission	Reference: Nordex N175 8 m/s										
Night (8h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Evening (4h)		Emission	Reference: Nordex N175 8 m/s											
Evening (4h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.9		1.00		1.12410		-10.28		-10.3	
	Evening (4h)		4.00	Evening	108.9		1.00		0.39950		-10.01		-10.0	
	Night (8h)		8.00	Night	108.9		1.00		0.81450		-9.92		-9.9	
EQCN089	Label		B24				Action radius/m				3000.00			
	Group		8 m/s				Lw (Day (12h)) /dB(A)				108.91			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.91			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.91			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission	Reference: Nordex N175 8 m/s										
	Day (12h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)		Emission	Reference: Nordex N175 8 m/s										
Night (8h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Evening (4h)		Emission	Reference: Nordex N175 8 m/s											
Evening (4h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	

Vides trokšņa ievades dati "PurpleGreen Solwin" B alternatīva

	Day (12h)		12.00	Day		108.9		1.00		1.12410		-10.28		-10.3
	Evening (4h)		4.00	Evening		108.9		1.00		0.39950		-10.01		-10.0
	Night (8h)		8.00	Night		108.9		1.00		0.81450		-9.92		-9.9
EQCN090	Label	B25				Action radius/m						3000.00		
	Group	8 m/s				Lw (Day (12h)) /dB(A)						108.91		
	Number of nodes	1				Lw (Night (8h)) /dB(A)						108.91		
	Length/ m	---				Lw (Evening (4h)) /dB(A)						108.91		
	Length/ m (2D)	---				Emission is						Sound power level (Lw)		
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 8 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)	Emission	Reference: Nordex N175 8 m/s											
Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
Evening (4h)	Emission	Reference: Nordex N175 8 m/s												
Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB				
	Lden	-		0.0		0.0		0.0		0.0				
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	108.9		1.00		1.12410		-10.28		-10.3		
	Evening (4h)	4.00	Evening	108.9		1.00		0.39950		-10.01		-10.0		
	Night (8h)	8.00	Night	108.9		1.00		0.81450		-9.92		-9.9		
EQCN091	Label	B23				Action radius/m						3000.00		
	Group	8 m/s				Lw (Day (12h)) /dB(A)						108.91		
	Number of nodes	1				Lw (Night (8h)) /dB(A)						108.91		
	Length/ m	---				Lw (Evening (4h)) /dB(A)						108.91		
	Length/ m (2D)	---				Emission is						Sound power level (Lw)		
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 8 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)	Emission	Reference: Nordex N175 8 m/s											
Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
Evening (4h)	Emission	Reference: Nordex N175 8 m/s												
Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB				
	Lden	-		0.0		0.0		0.0		0.0				
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	108.9		1.00		1.12410		-10.28		-10.3		
	Evening (4h)	4.00	Evening	108.9		1.00		0.39950		-10.01		-10.0		
	Night (8h)	8.00	Night	108.9		1.00		0.81450		-9.92		-9.9		
EQCN092	Label	B11				Action radius/m						3000.00		
	Group	8 m/s				Lw (Day (12h)) /dB(A)						108.91		
	Number of nodes	1				Lw (Night (8h)) /dB(A)						108.91		
	Length/ m	---				Lw (Evening (4h)) /dB(A)						108.91		
	Length/ m (2D)	---				Emission is						Sound power level (Lw)		
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 8 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)	Emission	Reference: Nordex N175 8 m/s											
Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
Evening (4h)	Emission	Reference: Nordex N175 8 m/s												
Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB				
	Lden	-		0.0		0.0		0.0		0.0				
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	108.9		1.00		1.12410		-10.28		-10.3		
	Evening (4h)	4.00	Evening	108.9		1.00		0.39950		-10.01		-10.0		
	Night (8h)	8.00	Night	108.9		1.00		0.81450		-9.92		-9.9		
EQCN093	Label	B12				Action radius/m						3000.00		
	Group	8 m/s				Lw (Day (12h)) /dB(A)						108.91		
	Number of nodes	1				Lw (Night (8h)) /dB(A)						108.91		
	Length/ m	---				Lw (Evening (4h)) /dB(A)						108.91		
	Length/ m (2D)	---				Emission is						Sound power level (Lw)		
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 8 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)	Emission	Reference: Nordex N175 8 m/s											

Vides trokšņa ievades dati "PurpleGreen Solwin" B alternatīva

Area /m²		---				---				---			
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)	Emission	Reference: Nordex N175 8 m/s											
Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Night (8h)	Emission	Reference: Nordex N175 8 m/s											
Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Evening (4h)	Emission	Reference: Nordex N175 8 m/s											
Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
Lden		-		0.0		0.0		0.0		-		0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)		12.00	Day	108.9		1.00		1.12410		-10.28		-10.3	
Evening (4h)		4.00	Evening	108.9		1.00		0.39950		-10.01		-10.0	
Night (8h)		8.00	Night	108.9		1.00		0.81450		-9.92		-9.9	
EQCN094		Label		B14		Action radius/m		3000.00					
		Group		8 m/s		Lw (Day (12h)) /dB(A)		108.91					
		Number of nodes		1		Lw (Night (8h)) /dB(A)		108.91					
		Length/ m		---		Lw (Evening (4h)) /dB(A)		108.91					
		Length/ m (2D)		---		Emission is		Sound power level (Lw)					
		Area /m²		---									
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)	Emission	Reference: Nordex N175 8 m/s											
Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Night (8h)	Emission	Reference: Nordex N175 8 m/s											
Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Evening (4h)	Emission	Reference: Nordex N175 8 m/s											
Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
Lden		-		0.0		0.0		0.0		-		0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)		12.00	Day	108.9		1.00		1.12410		-10.28		-10.3	
Evening (4h)		4.00	Evening	108.9		1.00		0.39950		-10.01		-10.0	
Night (8h)		8.00	Night	108.9		1.00		0.81450		-9.92		-9.9	
EQCN095		Label		B1		Action radius/m		3000.00					
		Group		8 m/s		Lw (Day (12h)) /dB(A)		108.91					
		Number of nodes		1		Lw (Night (8h)) /dB(A)		108.91					
		Length/ m		---		Lw (Evening (4h)) /dB(A)		108.91					
		Length/ m (2D)		---		Emission is		Sound power level (Lw)					
		Area /m²		---									
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)	Emission	Reference: Nordex N175 8 m/s											
Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Night (8h)	Emission	Reference: Nordex N175 8 m/s											
Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Evening (4h)	Emission	Reference: Nordex N175 8 m/s											
Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
Lden		-		0.0		0.0		0.0		-		0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)		12.00	Day	108.9		1.00		1.12410		-10.28		-10.3	
Evening (4h)		4.00	Evening	108.9		1.00		0.39950		-10.01		-10.0	
Night (8h)		8.00	Night	108.9		1.00		0.81450		-9.92		-9.9	
EQCN096		Label		B2		Action radius/m		3000.00					
		Group		8 m/s		Lw (Day (12h)) /dB(A)		108.91					
		Number of nodes		1		Lw (Night (8h)) /dB(A)		108.91					
		Length/ m		---		Lw (Evening (4h)) /dB(A)		108.91					
		Length/ m (2D)		---		Emission is		Sound power level (Lw)					
		Area /m²		---									
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)	Emission	Reference: Nordex N175 8 m/s											
Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Night (8h)	Emission	Reference: Nordex N175 8 m/s											
Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	

Vides trokšņa ievades dati "PurpleGreen Solwin" B alternatīva

				68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9	
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5	
	Evening (4h)	Emission	Reference:	Nordex N175 8 m/s										
	Evening (4h)	Lw /dB (A)	108.9	63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6	
				68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9	
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.9		1.00		1.12410		-10.28		-10.3	
	Evening (4h)		4.00	Evening	108.9		1.00		0.39950		-10.01		-10.0	
	Night (8h)		8.00	Night	108.9		1.00		0.81450		-9.92		-9.9	
EQCN097	Label		B3				Action radius/m						3000.00	
	Group		8 m/s				Lw (Day (12h)) /dB(A)						108.91	
	Number of nodes		1				Lw (Night (8h)) /dB(A)						108.91	
	Length/ m		---				Lw (Evening (4h)) /dB(A)						108.91	
	Length/ m (2D)		---				Emission is						Sound power level (Lw)	
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission	Reference:	Nordex N175 8 m/s									
	Day (12h)		Lw /dB (A)	108.9	63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6
					68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9
					71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5
	Night (8h)	Emission	Reference:	Nordex N175 8 m/s										
	Night (8h)	Lw /dB (A)	108.9	63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6	
				68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9	
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5	
	Evening (4h)	Emission	Reference:	Nordex N175 8 m/s										
	Evening (4h)	Lw /dB (A)	108.9	63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6	
				68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9	
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.9		1.00		1.12410		-10.28		-10.3	
	Evening (4h)		4.00	Evening	108.9		1.00		0.39950		-10.01		-10.0	
	Night (8h)		8.00	Night	108.9		1.00		0.81450		-9.92		-9.9	
EQCN098	Label		B4				Action radius/m						3000.00	
	Group		8 m/s				Lw (Day (12h)) /dB(A)						108.91	
	Number of nodes		1				Lw (Night (8h)) /dB(A)						108.91	
	Length/ m		---				Lw (Evening (4h)) /dB(A)						108.91	
	Length/ m (2D)		---				Emission is						Sound power level (Lw)	
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission	Reference:	Nordex N175 8 m/s									
	Day (12h)		Lw /dB (A)	108.9	63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6
					68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9
					71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5
	Night (8h)	Emission	Reference:	Nordex N175 8 m/s										
	Night (8h)	Lw /dB (A)	108.9	63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6	
				68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9	
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5	
	Evening (4h)	Emission	Reference:	Nordex N175 8 m/s										
	Evening (4h)	Lw /dB (A)	108.9	63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6	
				68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9	
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.9		1.00		1.12410		-10.28		-10.3	
	Evening (4h)		4.00	Evening	108.9		1.00		0.39950		-10.01		-10.0	
	Night (8h)		8.00	Night	108.9		1.00		0.81450		-9.92		-9.9	
EQCN099	Label		B5				Action radius/m						3000.00	
	Group		8 m/s				Lw (Day (12h)) /dB(A)						108.91	
	Number of nodes		1				Lw (Night (8h)) /dB(A)						108.91	
	Length/ m		---				Lw (Evening (4h)) /dB(A)						108.91	
	Length/ m (2D)		---				Emission is						Sound power level (Lw)	
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission	Reference:	Nordex N175 8 m/s									
	Day (12h)		Lw /dB (A)	108.9	63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6
					68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9
					71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5
	Night (8h)	Emission	Reference:	Nordex N175 8 m/s										
	Night (8h)	Lw /dB (A)	108.9	63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6	
				68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9	
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5	
	Evening (4h)	Emission	Reference:	Nordex N175 8 m/s										
	Evening (4h)	Lw /dB (A)	108.9	63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6	
				68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9	
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	

Vides trokšņa ievades dati "PurpleGreen Solwin" B alternatīva

	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.9		1.00		1.12410		-10.28		-10.3	
	Evening (4h)		4.00	Evening	108.9		1.00		0.39950		-10.01		-10.0	
	Night (8h)		8.00	Night	108.9		1.00		0.81450		-9.92		-9.9	
EQCN100	Label		B7				Action radius/m						3000.00	
	Group		8 m/s				Lw (Day (12h)) /dB(A)						108.91	
	Number of nodes		1				Lw (Night (8h)) /dB(A)						108.91	
	Length/ m		---				Lw (Evening (4h)) /dB(A)						108.91	
	Length/ m (2D)		---				Emission is						Sound power level (Lw)	
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 8 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)	Emission	Reference: Nordex N175 8 m/s											
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Evening (4h)	Emission	Reference: Nordex N175 8 m/s											
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.9		1.00		1.12410		-10.28		-10.3	
	Evening (4h)		4.00	Evening	108.9		1.00		0.39950		-10.01		-10.0	
	Night (8h)		8.00	Night	108.9		1.00		0.81450		-9.92		-9.9	
EQCN101	Label		B9				Action radius/m						3000.00	
	Group		8 m/s				Lw (Day (12h)) /dB(A)						108.91	
	Number of nodes		1				Lw (Night (8h)) /dB(A)						108.91	
	Length/ m		---				Lw (Evening (4h)) /dB(A)						108.91	
	Length/ m (2D)		---				Emission is						Sound power level (Lw)	
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 8 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)	Emission	Reference: Nordex N175 8 m/s											
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Evening (4h)	Emission	Reference: Nordex N175 8 m/s											
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.9		1.00		1.12410		-10.28		-10.3	
	Evening (4h)		4.00	Evening	108.9		1.00		0.39950		-10.01		-10.0	
	Night (8h)		8.00	Night	108.9		1.00		0.81450		-9.92		-9.9	
EQCN102	Label		B17				Action radius/m						3000.00	
	Group		8 m/s				Lw (Day (12h)) /dB(A)						108.91	
	Number of nodes		1				Lw (Night (8h)) /dB(A)						108.91	
	Length/ m		---				Lw (Evening (4h)) /dB(A)						108.91	
	Length/ m (2D)		---				Emission is						Sound power level (Lw)	
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 8 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)	Emission	Reference: Nordex N175 8 m/s											
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Evening (4h)	Emission	Reference: Nordex N175 8 m/s											
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.9		1.00		1.12410		-10.28		-10.3	
	Evening (4h)		4.00	Evening	108.9		1.00		0.39950		-10.01		-10.0	
	Night (8h)		8.00	Night	108.9		1.00		0.81450		-9.92		-9.9	
EQCN103	Label		B15				Action radius/m						3000.00	
	Group		9 m/s				Lw (Day (12h)) /dB(A)						108.91	
	Number of nodes		1				Lw (Night (8h)) /dB(A)						108.91	
	Length/ m		---				Lw (Evening (4h)) /dB(A)						108.91	
	Length/ m (2D)		---				Emission is						Sound power level (Lw)	
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 8 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)	Emission	Reference: Nordex N175 8 m/s											
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Evening (4h)	Emission	Reference: Nordex N175 8 m/s											
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.9		1.00		1.12410		-10.28		-10.3	
	Evening (4h)		4.00	Evening	108.9		1.00		0.39950		-10.01		-10.0	
	Night (8h)		8.00	Night	108.9		1.00		0.81450		-9.92		-9.9	
EQCN103	Label		B15				Action radius/m						3000.00	
	Group		9 m/s				Lw (Day (12h)) /dB(A)						108.91	

Vides trokšņa ievades dati "PurpleGreen Solwin" B alternatīva

	Number of nodes		1			Lw (Night (8h)) /dB(A)				108.91				
	Length/ m		---			Lw (Evening (4h)) /dB(A)				108.91				
	Length/ m (2D)		---			Emission is				Sound power level (Lw)				
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 9 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)	Emission	Reference: Nordex N175 9 m/s											
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Evening (4h)	Emission	Reference: Nordex N175 9 m/s											
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden				-		0.0		0.0				0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.9		1.00		0.97070		-10.92		-10.9	
	Evening (4h)		4.00	Evening	108.9		1.00		0.43480		-9.64		-9.6	
	Night (8h)		8.00	Night	108.9		1.00		0.89970		-9.49		-9.5	
EQCN104	Label		B18				Action radius/m				3000.00			
	Group		9 m/s				Lw (Day (12h)) /dB(A)				108.91			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.91			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.91			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 9 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)	Emission	Reference: Nordex N175 9 m/s											
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Evening (4h)	Emission	Reference: Nordex N175 9 m/s											
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden				-		0.0		0.0				0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.9		1.00		0.97070		-10.92		-10.9	
	Evening (4h)		4.00	Evening	108.9		1.00		0.43480		-9.64		-9.6	
	Night (8h)		8.00	Night	108.9		1.00		0.89970		-9.49		-9.5	
EQCN105	Label		B22				Action radius/m				3000.00			
	Group		9 m/s				Lw (Day (12h)) /dB(A)				108.91			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.91			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.91			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 9 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)	Emission	Reference: Nordex N175 9 m/s											
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Evening (4h)	Emission	Reference: Nordex N175 9 m/s											
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden				-		0.0		0.0				0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.9		1.00		0.97070		-10.92		-10.9	
	Evening (4h)		4.00	Evening	108.9		1.00		0.43480		-9.64		-9.6	
	Night (8h)		8.00	Night	108.9		1.00		0.89970		-9.49		-9.5	
EQCN106	Label		B24				Action radius/m				3000.00			
	Group		9 m/s				Lw (Day (12h)) /dB(A)				108.91			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.91			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.91			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 9 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5	75.2 77.1	80.3 84.6	88.9 91.5	94.8 95.8	97.0 97.1	99.0 99.2	99.5 97.4	89.6 84.6	72.6 64.9	



Vides trokšņa ievades dati "PurpleGreen Solwin" B alternatīva

				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5		
	Night (8h)	Emission	Reference:	Nordex N175 9 m/s											
				63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6		
	Night (8h)	Lw /dB (A)	108.9	68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9		
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5		
	Evening (4h)	Emission	Reference:	Nordex N175 9 m/s											
				63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6		
	Evening (4h)	Lw /dB (A)	108.9	68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9		
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)		12.00	Day	108.9	1.00		0.97070		-10.92		-10.9			
	Evening (4h)		4.00	Evening	108.9	1.00		0.43480		-9.64		-9.6			
	Night (8h)		8.00	Night	108.9	1.00		0.89970		-9.49		-9.5			
EQCN107	Label		B25		Action radius/m								3000.00		
	Group		9 m/s		Lw (Day (12h)) /dB(A)								108.91		
	Number of nodes		1		Lw (Night (8h)) /dB(A)								108.91		
	Length/ m		---		Lw (Evening (4h)) /dB(A)								108.91		
	Length/ m (2D)		---		Emission is								Sound power level (Lw)		
	Area /m²		---												
	Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Nordex N175 9 m/s										
					63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6	
		Day (12h)	Lw /dB (A)	108.9	68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9	
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5		
	Night (8h)	Emission	Reference:	Nordex N175 9 m/s											
				63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6		
	Night (8h)	Lw /dB (A)	108.9	68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9		
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5		
	Evening (4h)	Emission	Reference:	Nordex N175 9 m/s											
				63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6		
	Evening (4h)	Lw /dB (A)	108.9	68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9		
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)		12.00	Day	108.9	1.00		0.97070		-10.92		-10.9			
	Evening (4h)		4.00	Evening	108.9	1.00		0.43480		-9.64		-9.6			
	Night (8h)		8.00	Night	108.9	1.00		0.89970		-9.49		-9.5			
EQCN108	Label		B23		Action radius/m								3000.00		
	Group		9 m/s		Lw (Day (12h)) /dB(A)								108.91		
	Number of nodes		1		Lw (Night (8h)) /dB(A)								108.91		
	Length/ m		---		Lw (Evening (4h)) /dB(A)								108.91		
	Length/ m (2D)		---		Emission is								Sound power level (Lw)		
	Area /m²		---												
	Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Nordex N175 9 m/s										
					63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6	
		Day (12h)	Lw /dB (A)	108.9	68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9	
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5		
	Night (8h)	Emission	Reference:	Nordex N175 9 m/s											
				63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6		
	Night (8h)	Lw /dB (A)	108.9	68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9		
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5		
	Evening (4h)	Emission	Reference:	Nordex N175 9 m/s											
				63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6		
	Evening (4h)	Lw /dB (A)	108.9	68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9		
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)		12.00	Day	108.9	1.00		0.97070		-10.92		-10.9			
	Evening (4h)		4.00	Evening	108.9	1.00		0.43480		-9.64		-9.6			
	Night (8h)		8.00	Night	108.9	1.00		0.89970		-9.49		-9.5			
EQCN109	Label		B11		Action radius/m								3000.00		
	Group		9 m/s		Lw (Day (12h)) /dB(A)								108.91		
	Number of nodes		1		Lw (Night (8h)) /dB(A)								108.91		
	Length/ m		---		Lw (Evening (4h)) /dB(A)								108.91		
	Length/ m (2D)		---		Emission is								Sound power level (Lw)		
	Area /m²		---												
	Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Nordex N175 9 m/s										
					63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6	
		Day (12h)	Lw /dB (A)	108.9	68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9	
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5		
	Night (8h)	Emission	Reference:	Nordex N175 9 m/s											
				63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6		
	Night (8h)	Lw /dB (A)	108.9	68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9		
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5		
	Evening (4h)	Emission	Reference:	Nordex N175 9 m/s											
				63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6		
	Evening (4h)	Lw /dB (A)	108.9	68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9		

Vides trokšņa ievades dati "PurpleGreen Solwin" B alternatīva

				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-	0.0		0.0		0.0				-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	108.9		1.00		0.97070		-10.92		-10.9	
	Evening (4h)	4.00	Evening	108.9		1.00		0.43480		-9.64		-9.6	
	Night (8h)	8.00	Night	108.9		1.00		0.89970		-9.49		-9.5	
EQCN110	Label	B12				Action radius/m						3000.00	
	Group	9 m/s				Lw (Day (12h)) /dB(A)						108.91	
	Number of nodes	1				Lw (Night (8h)) /dB(A)						108.91	
	Length/ m	---				Lw (Evening (4h)) /dB(A)						108.91	
	Length/ m (2D)	---				Emission is						Sound power level (Lw)	
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 9 m/s										
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)	Emission	Reference: Nordex N175 9 m/s										
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Evening (4h)	Emission	Reference: Nordex N175 9 m/s										
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-	0.0		0.0		0.0				-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	108.9		1.00		0.97070		-10.92		-10.9	
	Evening (4h)	4.00	Evening	108.9		1.00		0.43480		-9.64		-9.6	
	Night (8h)	8.00	Night	108.9		1.00		0.89970		-9.49		-9.5	
EQCN111	Label	B14				Action radius/m						3000.00	
	Group	9 m/s				Lw (Day (12h)) /dB(A)						108.91	
	Number of nodes	1				Lw (Night (8h)) /dB(A)						108.91	
	Length/ m	---				Lw (Evening (4h)) /dB(A)						108.91	
	Length/ m (2D)	---				Emission is						Sound power level (Lw)	
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 9 m/s										
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)	Emission	Reference: Nordex N175 9 m/s										
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Evening (4h)	Emission	Reference: Nordex N175 9 m/s										
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-	0.0		0.0		0.0				-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	108.9		1.00		0.97070		-10.92		-10.9	
	Evening (4h)	4.00	Evening	108.9		1.00		0.43480		-9.64		-9.6	
	Night (8h)	8.00	Night	108.9		1.00		0.89970		-9.49		-9.5	
EQCN112	Label	B1				Action radius/m						3000.00	
	Group	9 m/s				Lw (Day (12h)) /dB(A)						108.91	
	Number of nodes	1				Lw (Night (8h)) /dB(A)						108.91	
	Length/ m	---				Lw (Evening (4h)) /dB(A)						108.91	
	Length/ m (2D)	---				Emission is						Sound power level (Lw)	
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 9 m/s										
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)	Emission	Reference: Nordex N175 9 m/s										
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Evening (4h)	Emission	Reference: Nordex N175 9 m/s										
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-	0.0		0.0		0.0				-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	108.9		1.00		0.97070		-10.92		-10.9	
	Evening (4h)	4.00	Evening	108.9		1.00		0.43480		-9.64		-9.6	

EQCN113	Night (8h)		8.00		Night	108.9		1.00		0.89970		-9.49		-9.5	
	Label				B2			Action radius/m						3000.00	
	Group				9 m/s			Lw (Day (12h)) /dB(A)						108.91	
	Number of nodes				1			Lw (Night (8h)) /dB(A)						108.91	
	Length/ m				---			Lw (Evening (4h)) /dB(A)						108.91	
	Length/ m (2D)				---			Emission is						Sound power level (Lw)	
	Area /m²				---										
Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)		Emission		Reference: Nordex N175 9 m/s											
Day (12h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Night (8h)		Emission		Reference: Nordex N175 9 m/s											
Night (8h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Evening (4h)		Emission		Reference: Nordex N175 9 m/s											
Evening (4h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
Lden		-		0.0		0.0		0.0				-		0.0	
Rating period / Period		Duration /h		Emiss. variant		Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)		12.00		Day		108.9		1.00		0.97070		-10.92		-10.9	
Evening (4h)		4.00		Evening		108.9		1.00		0.43480		-9.64		-9.6	
Night (8h)		8.00		Night		108.9		1.00		0.89970		-9.49		-9.5	
EQCN114	Label				B3			Action radius/m						3000.00	
	Group				9 m/s			Lw (Day (12h)) /dB(A)						108.91	
	Number of nodes				1			Lw (Night (8h)) /dB(A)						108.91	
	Length/ m				---			Lw (Evening (4h)) /dB(A)						108.91	
	Length/ m (2D)				---			Emission is						Sound power level (Lw)	
	Area /m²				---										
	Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
Day (12h)		Emission		Reference: Nordex N175 9 m/s											
Day (12h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Night (8h)		Emission		Reference: Nordex N175 9 m/s											
Night (8h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Evening (4h)		Emission		Reference: Nordex N175 9 m/s											
Evening (4h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
Lden		-		0.0		0.0		0.0				-		0.0	
Rating period / Period		Duration /h		Emiss. variant		Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)		12.00		Day		108.9		1.00		0.97070		-10.92		-10.9	
Evening (4h)		4.00		Evening		108.9		1.00		0.43480		-9.64		-9.6	
Night (8h)		8.00		Night		108.9		1.00		0.89970		-9.49		-9.5	
EQCN115	Label				B4			Action radius/m						3000.00	
	Group				9 m/s			Lw (Day (12h)) /dB(A)						108.91	
	Number of nodes				1			Lw (Night (8h)) /dB(A)						108.91	
	Length/ m				---			Lw (Evening (4h)) /dB(A)						108.91	
	Length/ m (2D)				---			Emission is						Sound power level (Lw)	
	Area /m²				---										
	Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
Day (12h)		Emission		Reference: Nordex N175 9 m/s											
Day (12h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Night (8h)		Emission		Reference: Nordex N175 9 m/s											
Night (8h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Evening (4h)		Emission		Reference: Nordex N175 9 m/s											
Evening (4h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
Lden		-		0.0		0.0		0.0				-		0.0	
Rating period / Period		Duration /h		Emiss. variant		Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)		12.00		Day		108.9		1.00		0.97070		-10.92		-10.9	
Evening (4h)		4.00		Evening		108.9		1.00		0.43480		-9.64		-9.6	
Night (8h)		8.00		Night		108.9		1.00		0.89970		-9.49		-9.5	
EQCN116	Label				B5			Action radius/m						3000.00	
	Group				9 m/s			Lw (Day (12h)) /dB(A)						108.91	
	Number of nodes				1			Lw (Night (8h)) /dB(A)						108.91	
	Length/ m				---			Lw (Evening (4h)) /dB(A)						108.91	
	Length/ m (2D)				---			Emission is						Sound power level (Lw)	
	Area /m²				---										
	Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz

Vides trokšņa ievades dati "PurpleGreen Solwin" B alternatīva

	Day (12h)	Emission	Reference: Nordex N175 9 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)	Emission	Reference: Nordex N175 9 m/s											
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Evening (4h)	Emission	Reference: Nordex N175 9 m/s											
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
EQCN117	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0				0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.9		1.00		0.97070		-10.92		-10.9	
	Evening (4h)		4.00	Evening	108.9		1.00		0.43480		-9.64		-9.6	
	Night (8h)		8.00	Night	108.9		1.00		0.89970		-9.49		-9.5	
	Label		B7				Action radius/m				3000.00			
	Group		9 m/s				Lw (Day (12h)) /dB(A)				108.91			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.91			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.91			
Length/ m (2D)		---				Emission is				Sound power level (Lw)				
Area /m²		---												
Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 9 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)	Emission	Reference: Nordex N175 9 m/s											
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Evening (4h)	Emission	Reference: Nordex N175 9 m/s											
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
EQCN118	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0				0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.9		1.00		0.97070		-10.92		-10.9	
	Evening (4h)		4.00	Evening	108.9		1.00		0.43480		-9.64		-9.6	
	Night (8h)		8.00	Night	108.9		1.00		0.89970		-9.49		-9.5	
	Label		B9				Action radius/m				3000.00			
	Group		9 m/s				Lw (Day (12h)) /dB(A)				108.91			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.91			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.91			
Length/ m (2D)		---				Emission is				Sound power level (Lw)				
Area /m²		---												
Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 9 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)	Emission	Reference: Nordex N175 9 m/s											
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Evening (4h)	Emission	Reference: Nordex N175 9 m/s											
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
EQCN119	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0				0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.9		1.00		0.97070		-10.92		-10.9	
	Evening (4h)		4.00	Evening	108.9		1.00		0.43480		-9.64		-9.6	
	Night (8h)		8.00	Night	108.9		1.00		0.89970		-9.49		-9.5	
	Label		B17				Action radius/m				3000.00			
	Group		9 m/s				Lw (Day (12h)) /dB(A)				108.91			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.91			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.91			
Length/ m (2D)		---				Emission is				Sound power level (Lw)				
Area /m²		---												
Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 9 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)	Emission	Reference: Nordex N175 9 m/s											
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	

Vides trokšņa ievades dati "PurpleGreen Solwin" B alternatīva

	Evening (4h)	Emission	Reference: Nordex N175 9 m/s											
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden		-		0.0		0.0		0.0		-			
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	108.9	1.00		0.97070		-10.92		-10.9		
	Evening (4h)		4.00	Evening	108.9	1.00		0.43480		-9.64		-9.6		
	Night (8h)		8.00	Night	108.9	1.00		0.89970		-9.49		-9.5		
EQCN120	Label		B15				Action radius/m				3000.00			
	Group		10 m/s				Lw (Day (12h)) /dB(A)				108.91			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.91			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.91			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 10 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)	Emission	Reference: Nordex N175 10 m/s											
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Evening (4h)	Emission	Reference: Nordex N175 10 m/s											
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden		-		0.0		0.0		0.0		-			
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	108.9	1.00		0.88900		-11.30		-11.3		
	Evening (4h)		4.00	Evening	108.9	1.00		0.40410		-9.96		-10.0		
	Night (8h)		8.00	Night	108.9	1.00		0.86300		-9.67		-9.7		
EQCN121	Label		B18				Action radius/m				3000.00			
	Group		10 m/s				Lw (Day (12h)) /dB(A)				108.91			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.91			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.91			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 10 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)	Emission	Reference: Nordex N175 10 m/s											
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Evening (4h)	Emission	Reference: Nordex N175 10 m/s											
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden		-		0.0		0.0		0.0		-			
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	108.9	1.00		0.88900		-11.30		-11.3		
	Evening (4h)		4.00	Evening	108.9	1.00		0.40410		-9.96		-10.0		
	Night (8h)		8.00	Night	108.9	1.00		0.86300		-9.67		-9.7		
EQCN122	Label		B22				Action radius/m				3000.00			
	Group		10 m/s				Lw (Day (12h)) /dB(A)				108.91			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.91			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.91			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 10 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)	Emission	Reference: Nordex N175 10 m/s											
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Evening (4h)	Emission	Reference: Nordex N175 10 m/s											
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden		-		0.0		0.0		0.0		-			

Vides trokšņa ievades dati "PurpleGreen Solwin" B alternatīva

	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h		dLi /dB	Lwr /dB(A)			
	Day (12h)		12.00	Day	108.9	1.00	0.88900		-11.30	-11.3			
	Evening (4h)		4.00	Evening	108.9	1.00	0.40410		-9.96	-10.0			
	Night (8h)		8.00	Night	108.9	1.00	0.86300		-9.67	-9.7			
EQCN123	Label		B24			Action radius/m			3000.00				
	Group		10 m/s			Lw (Day (12h)) /dB(A)			108.91				
	Number of nodes		1			Lw (Night (8h)) /dB(A)			108.91				
	Length/ m		---			Lw (Evening (4h)) /dB(A)			108.91				
	Length/ m (2D)		---			Emission is			Sound power level (Lw)				
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 10 m/s										
	Day (12h)	Lw /dB (A)	108.9	63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6
				68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5
	Night (8h)	Emission	Reference: Nordex N175 10 m/s										
	Night (8h)	Lw /dB (A)	108.9	63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6
				68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5
	Evening (4h)	Emission	Reference: Nordex N175 10 m/s										
	Evening (4h)	Lw /dB (A)	108.9	63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6
				68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5
	Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden		-		0.0	0.0		0.0		0.0			
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h		dLi /dB	Lwr /dB(A)			
	Day (12h)		12.00	Day	108.9	1.00	0.88900		-11.30	-11.3			
	Evening (4h)		4.00	Evening	108.9	1.00	0.40410		-9.96	-10.0			
	Night (8h)		8.00	Night	108.9	1.00	0.86300		-9.67	-9.7			
EQCN124	Label		B25			Action radius/m			3000.00				
	Group		10 m/s			Lw (Day (12h)) /dB(A)			108.91				
	Number of nodes		1			Lw (Night (8h)) /dB(A)			108.91				
	Length/ m		---			Lw (Evening (4h)) /dB(A)			108.91				
	Length/ m (2D)		---			Emission is			Sound power level (Lw)				
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 10 m/s										
	Day (12h)	Lw /dB (A)	108.9	63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6
				68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5
	Night (8h)	Emission	Reference: Nordex N175 10 m/s										
	Night (8h)	Lw /dB (A)	108.9	63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6
				68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5
	Evening (4h)	Emission	Reference: Nordex N175 10 m/s										
	Evening (4h)	Lw /dB (A)	108.9	63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6
				68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5
	Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden		-		0.0	0.0		0.0		0.0			
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h		dLi /dB	Lwr /dB(A)			
	Day (12h)		12.00	Day	108.9	1.00	0.88900		-11.30	-11.3			
	Evening (4h)		4.00	Evening	108.9	1.00	0.40410		-9.96	-10.0			
	Night (8h)		8.00	Night	108.9	1.00	0.86300		-9.67	-9.7			
EQCN125	Label		B23			Action radius/m			3000.00				
	Group		10 m/s			Lw (Day (12h)) /dB(A)			108.91				
	Number of nodes		1			Lw (Night (8h)) /dB(A)			108.91				
	Length/ m		---			Lw (Evening (4h)) /dB(A)			108.91				
	Length/ m (2D)		---			Emission is			Sound power level (Lw)				
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 10 m/s										
	Day (12h)	Lw /dB (A)	108.9	63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6
				68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5
	Night (8h)	Emission	Reference: Nordex N175 10 m/s										
	Night (8h)	Lw /dB (A)	108.9	63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6
				68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5
	Evening (4h)	Emission	Reference: Nordex N175 10 m/s										
	Evening (4h)	Lw /dB (A)	108.9	63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6
				68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5
	Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden		-		0.0	0.0		0.0		0.0			
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h		dLi /dB	Lwr /dB(A)			
	Day (12h)		12.00	Day	108.9	1.00	0.88900		-11.30	-11.3			
	Evening (4h)		4.00	Evening	108.9	1.00	0.40410		-9.96	-10.0			
	Night (8h)		8.00	Night	108.9	1.00	0.86300		-9.67	-9.7			
EQCN126	Label		B11			Action radius/m			3000.00				
	Group		10 m/s			Lw (Day (12h)) /dB(A)			108.91				
	Number of nodes		1			Lw (Night (8h)) /dB(A)			108.91				

Vides trokšņa ievades dati "PurpleGreen Solwin" B alternatīva

	Length/ m	---					Lw (Evening (4h)) /dB(A)				108.91			
	Length/ m (2D)	---					Emission is				Sound power level (Lw)			
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 10 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)	Emission	Reference: Nordex N175 10 m/s											
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Evening (4h)	Emission	Reference: Nordex N175 10 m/s											
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB			Special correction /dB			
	Lden		-	0.0		0.0		0.0		-	0.0			
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB	Lwr /dB(A)			
	Day (12h)	12.00	Day	108.9		1.00		0.88900		-11.30	-11.3			
	Evening (4h)	4.00	Evening	108.9		1.00		0.40410		-9.96	-10.0			
	Night (8h)	8.00	Night	108.9		1.00		0.86300		-9.67	-9.7			
EQCN127	Label	B12					Action radius/m				3000.00			
	Group	10 m/s					Lw (Day (12h)) /dB(A)				108.91			
	Number of nodes	1					Lw (Night (8h)) /dB(A)				108.91			
	Length/ m	---					Lw (Evening (4h)) /dB(A)				108.91			
	Length/ m (2D)	---					Emission is				Sound power level (Lw)			
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 10 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)	Emission	Reference: Nordex N175 10 m/s											
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Evening (4h)	Emission	Reference: Nordex N175 10 m/s											
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB			Special correction /dB			
	Lden		-	0.0		0.0		0.0		-	0.0			
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB	Lwr /dB(A)			
	Day (12h)	12.00	Day	108.9		1.00		0.88900		-11.30	-11.3			
	Evening (4h)	4.00	Evening	108.9		1.00		0.40410		-9.96	-10.0			
	Night (8h)	8.00	Night	108.9		1.00		0.86300		-9.67	-9.7			
EQCN128	Label	B14					Action radius/m				3000.00			
	Group	10 m/s					Lw (Day (12h)) /dB(A)				108.91			
	Number of nodes	1					Lw (Night (8h)) /dB(A)				108.91			
	Length/ m	---					Lw (Evening (4h)) /dB(A)				108.91			
	Length/ m (2D)	---					Emission is				Sound power level (Lw)			
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 10 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)	Emission	Reference: Nordex N175 10 m/s											
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Evening (4h)	Emission	Reference: Nordex N175 10 m/s											
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB			Special correction /dB			
	Lden		-	0.0		0.0		0.0		-	0.0			
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB	Lwr /dB(A)			
	Day (12h)	12.00	Day	108.9		1.00		0.88900		-11.30	-11.3			
	Evening (4h)	4.00	Evening	108.9		1.00		0.40410		-9.96	-10.0			
	Night (8h)	8.00	Night	108.9		1.00		0.86300		-9.67	-9.7			
EQCN129	Label	B1					Action radius/m				3000.00			
	Group	10 m/s					Lw (Day (12h)) /dB(A)				108.91			
	Number of nodes	1					Lw (Night (8h)) /dB(A)				108.91			
	Length/ m	---					Lw (Evening (4h)) /dB(A)				108.91			
	Length/ m (2D)	---					Emission is				Sound power level (Lw)			
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 10 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	

Vides trokšņa ievades dati "PurpleGreen Solwin" B alternatīva

	Night (8h)	Emission	Reference: Nordex N175 10 m/s												
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
	Evening (4h)	Emission	Reference: Nordex N175 10 m/s												
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB				
	Lden		-		0.0		0.0		0.0		-				
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	108.9		1.00		0.88900		-11.30		-11.3		
	Evening (4h)		4.00	Evening	108.9		1.00		0.40410		-9.96		-10.0		
	Night (8h)		8.00	Night	108.9		1.00		0.86300		-9.67		-9.7		
EQCN130	Label		B2					Action radius/m			3000.00				
	Group		10 m/s					Lw (Day (12h)) /dB(A)			108.91				
	Number of nodes		1					Lw (Night (8h)) /dB(A)			108.91				
	Length/ m		---					Lw (Evening (4h)) /dB(A)			108.91				
	Length/ m (2D)		---					Emission is			Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)		Emission	Reference: Nordex N175 10 m/s											
		Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
		Night (8h)	Emission	Reference: Nordex N175 10 m/s											
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
	Evening (4h)	Emission	Reference: Nordex N175 10 m/s												
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB				
	Lden		-		0.0		0.0		0.0		-				
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	108.9		1.00		0.88900		-11.30		-11.3		
	Evening (4h)		4.00	Evening	108.9		1.00		0.40410		-9.96		-10.0		
	Night (8h)		8.00	Night	108.9		1.00		0.86300		-9.67		-9.7		
EQCN131	Label		B3					Action radius/m			3000.00				
	Group		10 m/s					Lw (Day (12h)) /dB(A)			108.91				
	Number of nodes		1					Lw (Night (8h)) /dB(A)			108.91				
	Length/ m		---					Lw (Evening (4h)) /dB(A)			108.91				
	Length/ m (2D)		---					Emission is			Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)		Emission	Reference: Nordex N175 10 m/s											
		Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
		Night (8h)	Emission	Reference: Nordex N175 10 m/s											
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
	Evening (4h)	Emission	Reference: Nordex N175 10 m/s												
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB				
	Lden		-		0.0		0.0		0.0		-				
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	108.9		1.00		0.88900		-11.30		-11.3		
	Evening (4h)		4.00	Evening	108.9		1.00		0.40410		-9.96		-10.0		
	Night (8h)		8.00	Night	108.9		1.00		0.86300		-9.67		-9.7		
EQCN132	Label		B4					Action radius/m			3000.00				
	Group		10 m/s					Lw (Day (12h)) /dB(A)			108.91				
	Number of nodes		1					Lw (Night (8h)) /dB(A)			108.91				
	Length/ m		---					Lw (Evening (4h)) /dB(A)			108.91				
	Length/ m (2D)		---					Emission is			Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)		Emission	Reference: Nordex N175 10 m/s											
		Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
		Night (8h)	Emission	Reference: Nordex N175 10 m/s											
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
	Evening (4h)	Emission	Reference: Nordex N175 10 m/s												
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		



Vides trokšņa ievades dati "PurpleGreen Solwin" B alternatīva

Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB						
Lden				-	0.0	0.0	-	0.0					
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
Day (12h)		12.00	Day	108.9	1.00	0.88900	-11.30	-11.3					
Evening (4h)		4.00	Evening	108.9	1.00	0.40410	-9.96	-10.0					
Night (8h)		8.00	Night	108.9	1.00	0.86300	-9.67	-9.7					
EQCN133	Label		B5		Action radius/m		3000.00						
	Group		10 m/s		Lw (Day (12h)) /dB(A)		108.91						
	Number of nodes		1		Lw (Night (8h)) /dB(A)		108.91						
	Length/ m		---		Lw (Evening (4h)) /dB(A)		108.91						
	Length/ m (2D)		---		Emission is		Sound power level (Lw)						
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission	Reference: Nordex N175 10 m/s									
Day (12h)		Lw /dB (A)	108.9	63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6
				68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5
Night (8h)		Emission	Reference: Nordex N175 10 m/s										
Night (8h)		Lw /dB (A)	108.9	63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6
				68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5
Evening (4h)		Emission	Reference: Nordex N175 10 m/s										
Evening (4h)		Lw /dB (A)	108.9	63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6
				68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5
Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB						
Lden				-	0.0	0.0	-	0.0					
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
Day (12h)		12.00	Day	108.9	1.00	0.88900	-11.30	-11.3					
Evening (4h)		4.00	Evening	108.9	1.00	0.40410	-9.96	-10.0					
Night (8h)		8.00	Night	108.9	1.00	0.86300	-9.67	-9.7					
EQCN134	Label		B7		Action radius/m		3000.00						
	Group		10 m/s		Lw (Day (12h)) /dB(A)		108.91						
	Number of nodes		1		Lw (Night (8h)) /dB(A)		108.91						
	Length/ m		---		Lw (Evening (4h)) /dB(A)		108.91						
	Length/ m (2D)		---		Emission is		Sound power level (Lw)						
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission	Reference: Nordex N175 10 m/s									
Day (12h)		Lw /dB (A)	108.9	63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6
				68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5
Night (8h)		Emission	Reference: Nordex N175 10 m/s										
Night (8h)		Lw /dB (A)	108.9	63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6
				68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5
Evening (4h)		Emission	Reference: Nordex N175 10 m/s										
Evening (4h)		Lw /dB (A)	108.9	63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6
				68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5
Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB						
Lden				-	0.0	0.0	-	0.0					
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
Day (12h)		12.00	Day	108.9	1.00	0.88900	-11.30	-11.3					
Evening (4h)		4.00	Evening	108.9	1.00	0.40410	-9.96	-10.0					
Night (8h)		8.00	Night	108.9	1.00	0.86300	-9.67	-9.7					
EQCN135	Label		B9		Action radius/m		3000.00						
	Group		10 m/s		Lw (Day (12h)) /dB(A)		108.91						
	Number of nodes		1		Lw (Night (8h)) /dB(A)		108.91						
	Length/ m		---		Lw (Evening (4h)) /dB(A)		108.91						
	Length/ m (2D)		---		Emission is		Sound power level (Lw)						
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission	Reference: Nordex N175 10 m/s									
Day (12h)		Lw /dB (A)	108.9	63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6
				68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5
Night (8h)		Emission	Reference: Nordex N175 10 m/s										
Night (8h)		Lw /dB (A)	108.9	63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6
				68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5
Evening (4h)		Emission	Reference: Nordex N175 10 m/s										
Evening (4h)		Lw /dB (A)	108.9	63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6
				68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5
Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB						
Lden				-	0.0	0.0	-	0.0					
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
Day (12h)		12.00	Day	108.9	1.00	0.88900	-11.30	-11.3					
Evening (4h)		4.00	Evening	108.9	1.00	0.40410	-9.96	-10.0					
Night (8h)		8.00	Night	108.9	1.00	0.86300	-9.67	-9.7					













Vides trokšņa ievades dati "PurpleGreen Solwin" B alternatīva

	Lden	-	0.0	0.0	0.0	-	0.0						
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	108.9	1.00	1.39010	-9.36	-9.4					
	Evening (4h)	4.00	Evening	108.9	1.00	0.70330	-7.55	-7.5					
	Night (8h)	8.00	Night	108.9	1.00	1.44300	-7.44	-7.4					
EQCN156	Label	B22			Action radius/m			3000.00					
	Group	>= 12 m/s			Lw (Day (12h)) /dB(A)			108.91					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			108.91					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			108.91					
	Length/ m (2D)	---			Emission is			Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 >= 12 m/s										
	Day (12h)	Lw /dB (A)	108.9	63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6
				68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5
	Night (8h)	Emission	Reference: Nordex N175 >= 12 m/s										
	Night (8h)	Lw /dB (A)	108.9	63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6
				68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5
	Evening (4h)	Emission	Reference: Nordex N175 >= 12 m/s										
	Evening (4h)	Lw /dB (A)	108.9	63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6
				68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB							
	Lden	-	0.0	0.0	0.0	-	0.0						
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	108.9	1.00	1.39010	-9.36	-9.4					
	Evening (4h)	4.00	Evening	108.9	1.00	0.70330	-7.55	-7.5					
	Night (8h)	8.00	Night	108.9	1.00	1.44300	-7.44	-7.4					
EQCN157	Label	B24			Action radius/m			3000.00					
	Group	>= 12 m/s			Lw (Day (12h)) /dB(A)			108.91					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			108.91					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			108.91					
	Length/ m (2D)	---			Emission is			Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 >= 12 m/s										
	Day (12h)	Lw /dB (A)	108.9	63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6
				68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5
	Night (8h)	Emission	Reference: Nordex N175 >= 12 m/s										
	Night (8h)	Lw /dB (A)	108.9	63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6
				68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5
	Evening (4h)	Emission	Reference: Nordex N175 >= 12 m/s										
	Evening (4h)	Lw /dB (A)	108.9	63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6
				68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB							
	Lden	-	0.0	0.0	0.0	-	0.0						
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	108.9	1.00	1.39010	-9.36	-9.4					
	Evening (4h)	4.00	Evening	108.9	1.00	0.70330	-7.55	-7.5					
	Night (8h)	8.00	Night	108.9	1.00	1.44300	-7.44	-7.4					
EQCN158	Label	B25			Action radius/m			3000.00					
	Group	>= 12 m/s			Lw (Day (12h)) /dB(A)			108.91					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			108.91					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			108.91					
	Length/ m (2D)	---			Emission is			Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 >= 12 m/s										
	Day (12h)	Lw /dB (A)	108.9	63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6
				68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5
	Night (8h)	Emission	Reference: Nordex N175 >= 12 m/s										
	Night (8h)	Lw /dB (A)	108.9	63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6
				68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5
	Evening (4h)	Emission	Reference: Nordex N175 >= 12 m/s										
	Evening (4h)	Lw /dB (A)	108.9	63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6
				68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB							
	Lden	-	0.0	0.0	0.0	-	0.0						
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	108.9	1.00	1.39010	-9.36	-9.4					
	Evening (4h)	4.00	Evening	108.9	1.00	0.70330	-7.55	-7.5					
	Night (8h)	8.00	Night	108.9	1.00	1.44300	-7.44	-7.4					
EQCN159	Label	B23			Action radius/m			3000.00					
	Group	>= 12 m/s			Lw (Day (12h)) /dB(A)			108.91					



Vides trokšņa ievades dati "PurpleGreen Solwin" B alternatīva

	Number of nodes		1			Lw (Night (8h)) /dB(A)				108.91			
	Length/ m		---			Lw (Evening (4h)) /dB(A)				108.91			
	Length/ m (2D)		---			Emission is				Sound power level (Lw)			
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 >= 12 m/s										
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)	Emission	Reference: Nordex N175 >= 12 m/s										
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Evening (4h)	Emission	Reference: Nordex N175 >= 12 m/s										
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Rating method	Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden	-	0.0		0.0		0.0		0.0		0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	108.9		1.00		1.39010		-9.36		-9.4	
	Evening (4h)	4.00	Evening	108.9		1.00		0.70330		-7.55		-7.5	
	Night (8h)	8.00	Night	108.9		1.00		1.44300		-7.44		-7.4	
EQCN160	Label	B11		Action radius/m		3000.00							
	Group	>= 12 m/s		Lw (Day (12h)) /dB(A)		108.91							
	Number of nodes	1		Lw (Night (8h)) /dB(A)		108.91							
	Length/ m	---		Lw (Evening (4h)) /dB(A)		108.91							
	Length/ m (2D)	---		Emission is		Sound power level (Lw)							
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 >= 12 m/s										
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)	Emission	Reference: Nordex N175 >= 12 m/s										
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Evening (4h)	Emission	Reference: Nordex N175 >= 12 m/s										
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Rating method	Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden	-	0.0		0.0		0.0		0.0		0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	108.9		1.00		1.39010		-9.36		-9.4	
	Evening (4h)	4.00	Evening	108.9		1.00		0.70330		-7.55		-7.5	
	Night (8h)	8.00	Night	108.9		1.00		1.44300		-7.44		-7.4	
EQCN161	Label	B12		Action radius/m		3000.00							
	Group	>= 12 m/s		Lw (Day (12h)) /dB(A)		108.91							
	Number of nodes	1		Lw (Night (8h)) /dB(A)		108.91							
	Length/ m	---		Lw (Evening (4h)) /dB(A)		108.91							
	Length/ m (2D)	---		Emission is		Sound power level (Lw)							
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 >= 12 m/s										
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)	Emission	Reference: Nordex N175 >= 12 m/s										
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Evening (4h)	Emission	Reference: Nordex N175 >= 12 m/s										
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Rating method	Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden	-	0.0		0.0		0.0		0.0		0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	108.9		1.00		1.39010		-9.36		-9.4	
	Evening (4h)	4.00	Evening	108.9		1.00		0.70330		-7.55		-7.5	
	Night (8h)	8.00	Night	108.9		1.00		1.44300		-7.44		-7.4	
EQCN162	Label	B14		Action radius/m		3000.00							
	Group	>= 12 m/s		Lw (Day (12h)) /dB(A)		108.91							
	Number of nodes	1		Lw (Night (8h)) /dB(A)		108.91							
	Length/ m	---		Lw (Evening (4h)) /dB(A)		108.91							
	Length/ m (2D)	---		Emission is		Sound power level (Lw)							
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 >= 12 m/s										
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5	75.2 77.1	80.3 84.6	88.9 91.5	94.8 95.8	97.0 97.1	99.0 99.2	99.5 97.4	89.6 84.6	72.6 64.9



Vides trokšņa ievades dati "PurpleGreen Solwin" B alternatīva

				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5
	<b>Rating method</b>	<b>Peak level</b>	<b>Corr. for impulsivity /dB</b>			<b>Corr. for tonality /dB</b>	<b>Corr. for inform. content/dB</b>					<b>Special correction /dB</b>	
	Lden	-	0.0			0.0	0.0					-	0.0
	<b>Rating period / Period</b>	<b>Duration /h</b>	<b>Emiss. variant</b>	<b>Lw /dB(A)</b>	<b>n times</b>	<b>Impact time /h</b>	<b>dLi /dB</b>					<b>Lwr /dB(A)</b>	
	Day (12h)	12.00	Day	108.9		1.00	1.39010					-9.36	-9.4
	Evening (4h)	4.00	Evening	108.9		1.00	0.70330					-7.55	-7.5
	Night (8h)	8.00	Night	108.9		1.00	1.44300					-7.44	-7.4
<b>EQCN166</b>	<b>Label</b>	B4				<b>Action radius/m</b>							3000.00
	<b>Group</b>	>= 12 m/s				<b>Lw (Day (12h)) /dB(A)</b>							108.91
	<b>Number of nodes</b>	1				<b>Lw (Night (8h)) /dB(A)</b>							108.91
	<b>Length/ m</b>	---				<b>Lw (Evening (4h)) /dB(A)</b>							108.91
	<b>Length/ m (2D)</b>	---				<b>Emission is</b>							Sound power level (Lw)
	<b>Area /m²</b>	---											
	<b>Emiss. variant</b>		<b>Sum</b>	<b>16 Hz</b>	<b>31.5 Hz</b>	<b>63 Hz</b>	<b>125 Hz</b>	<b>250 Hz</b>	<b>500 Hz</b>	<b>1000 Hz</b>	<b>2000 Hz</b>	<b>4000 Hz</b>	<b>8000 Hz</b>
	Day (12h)	Emission	Reference: Nordex N175 >= 12 m/s										
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)	Emission	Reference: Nordex N175 >= 12 m/s										
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Evening (4h)	Emission	Reference: Nordex N175 >= 12 m/s										
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	<b>Rating method</b>	<b>Peak level</b>	<b>Corr. for impulsivity /dB</b>			<b>Corr. for tonality /dB</b>	<b>Corr. for inform. content/dB</b>					<b>Special correction /dB</b>	
	Lden	-	0.0			0.0	0.0					-	0.0
	<b>Rating period / Period</b>	<b>Duration /h</b>	<b>Emiss. variant</b>	<b>Lw /dB(A)</b>	<b>n times</b>	<b>Impact time /h</b>	<b>dLi /dB</b>					<b>Lwr /dB(A)</b>	
	Day (12h)	12.00	Day	108.9		1.00	1.39010					-9.36	-9.4
	Evening (4h)	4.00	Evening	108.9		1.00	0.70330					-7.55	-7.5
	Night (8h)	8.00	Night	108.9		1.00	1.44300					-7.44	-7.4
<b>EQCN167</b>	<b>Label</b>	B5				<b>Action radius/m</b>							3000.00
	<b>Group</b>	>= 12 m/s				<b>Lw (Day (12h)) /dB(A)</b>							108.91
	<b>Number of nodes</b>	1				<b>Lw (Night (8h)) /dB(A)</b>							108.91
	<b>Length/ m</b>	---				<b>Lw (Evening (4h)) /dB(A)</b>							108.91
	<b>Length/ m (2D)</b>	---				<b>Emission is</b>							Sound power level (Lw)
	<b>Area /m²</b>	---											
	<b>Emiss. variant</b>		<b>Sum</b>	<b>16 Hz</b>	<b>31.5 Hz</b>	<b>63 Hz</b>	<b>125 Hz</b>	<b>250 Hz</b>	<b>500 Hz</b>	<b>1000 Hz</b>	<b>2000 Hz</b>	<b>4000 Hz</b>	<b>8000 Hz</b>
	Day (12h)	Emission	Reference: Nordex N175 >= 12 m/s										
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)	Emission	Reference: Nordex N175 >= 12 m/s										
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Evening (4h)	Emission	Reference: Nordex N175 >= 12 m/s										
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	<b>Rating method</b>	<b>Peak level</b>	<b>Corr. for impulsivity /dB</b>			<b>Corr. for tonality /dB</b>	<b>Corr. for inform. content/dB</b>					<b>Special correction /dB</b>	
	Lden	-	0.0			0.0	0.0					-	0.0
	<b>Rating period / Period</b>	<b>Duration /h</b>	<b>Emiss. variant</b>	<b>Lw /dB(A)</b>	<b>n times</b>	<b>Impact time /h</b>	<b>dLi /dB</b>					<b>Lwr /dB(A)</b>	
	Day (12h)	12.00	Day	108.9		1.00	1.39010					-9.36	-9.4
	Evening (4h)	4.00	Evening	108.9		1.00	0.70330					-7.55	-7.5
	Night (8h)	8.00	Night	108.9		1.00	1.44300					-7.44	-7.4
<b>EQCN168</b>	<b>Label</b>	B7				<b>Action radius/m</b>							3000.00
	<b>Group</b>	>= 12 m/s				<b>Lw (Day (12h)) /dB(A)</b>							108.91
	<b>Number of nodes</b>	1				<b>Lw (Night (8h)) /dB(A)</b>							108.91
	<b>Length/ m</b>	---				<b>Lw (Evening (4h)) /dB(A)</b>							108.91
	<b>Length/ m (2D)</b>	---				<b>Emission is</b>							Sound power level (Lw)
	<b>Area /m²</b>	---											
	<b>Emiss. variant</b>		<b>Sum</b>	<b>16 Hz</b>	<b>31.5 Hz</b>	<b>63 Hz</b>	<b>125 Hz</b>	<b>250 Hz</b>	<b>500 Hz</b>	<b>1000 Hz</b>	<b>2000 Hz</b>	<b>4000 Hz</b>	<b>8000 Hz</b>
	Day (12h)	Emission	Reference: Nordex N175 >= 12 m/s										
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)	Emission	Reference: Nordex N175 >= 12 m/s										
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Evening (4h)	Emission	Reference: Nordex N175 >= 12 m/s										
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	<b>Rating method</b>	<b>Peak level</b>	<b>Corr. for impulsivity /dB</b>			<b>Corr. for tonality /dB</b>	<b>Corr. for inform. content/dB</b>					<b>Special correction /dB</b>	
	Lden	-	0.0			0.0	0.0					-	0.0
	<b>Rating period / Period</b>	<b>Duration /h</b>	<b>Emiss. variant</b>	<b>Lw /dB(A)</b>	<b>n times</b>	<b>Impact time /h</b>	<b>dLi /dB</b>					<b>Lwr /dB(A)</b>	
	Day (12h)	12.00	Day	108.9		1.00	1.39010					-9.36	-9.4
	Evening (4h)	4.00	Evening	108.9		1.00	0.70330					-7.55	-7.5

Vides trokšņa ievades dati "PurpleGreen Solwin" B alternatīva

	Night (8h)	8.00	Night	108.9	1.00	1.44300	-7.44	-7.4						
EQCN169	Label	B9			Action radius/m			3000.00						
	Group	>= 12 m/s			Lw (Day (12h)) /dB(A)			108.91						
	Number of nodes	1			Lw (Night (8h)) /dB(A)			108.91						
	Length/ m	---			Lw (Evening (4h)) /dB(A)			108.91						
	Length/ m (2D)	---			Emission is			Sound power level (Lw)						
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 >= 12 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)	Emission	Reference: Nordex N175 >= 12 m/s											
Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
Evening (4h)	Emission	Reference: Nordex N175 >= 12 m/s												
Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden	-		0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	108.9		1.00		1.39010		-9.36		-9.4		
	Evening (4h)	4.00	Evening	108.9		1.00		0.70330		-7.55		-7.5		
	Night (8h)	8.00	Night	108.9		1.00		1.44300		-7.44		-7.4		
EQCN170	Label	B17			Action radius/m			3000.00						
	Group	>= 12 m/s			Lw (Day (12h)) /dB(A)			108.91						
	Number of nodes	1			Lw (Night (8h)) /dB(A)			108.91						
	Length/ m	---			Lw (Evening (4h)) /dB(A)			108.91						
	Length/ m (2D)	---			Emission is			Sound power level (Lw)						
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 >= 12 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)	Emission	Reference: Nordex N175 >= 12 m/s											
Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
Evening (4h)	Emission	Reference: Nordex N175 >= 12 m/s												
Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden	-		0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	108.9		1.00		1.39010		-9.36		-9.4		
	Evening (4h)	4.00	Evening	108.9		1.00		0.70330		-7.55		-7.5		
	Night (8h)	8.00	Night	108.9		1.00		1.44300		-7.44		-7.4		