

Vides trokšņa ievades dati "PurpleGreen Solwin" C alternatīva

Point source /CNOSSO (170)													Variant 0		
EQCN001	Label		C1			Action radius/m					3000.00				
	Group		3 m/s			Lw (Day (12h)) /dB(A)					98.21				
	Number of nodes		1			Lw (Night (8h)) /dB(A)					98.21				
	Length/ m		---			Lw (Evening (4h)) /dB(A)					98.21				
	Length/ m (2D)		---			Emission is					Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum			16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Nordex N175 3 m/s										
	Day (12h)		Lw /dB (A)		98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8
	Night (8h)		Emission		Reference: Nordex N175 3 m/s										
Night (8h)		Lw /dB (A)		98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8	
Evening (4h)		Emission		Reference: Nordex N175 3 m/s											
Evening (4h)		Lw /dB (A)		98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8	
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
Lden		-		0.0		0.0		0.0				-		0.0	
Rating period / Period		Duration /h		Emiss. variant		Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)		12.00		Day		98.2		1.00		0.92850		-11.11		-11.1	
Evening (4h)		4.00		Evening		98.2		1.00		0.17400		-13.62		-13.6	
Night (8h)		8.00		Night		98.2		1.00		0.36360		-13.42		-13.4	
EQCN002	Label		C2			Action radius/m					3000.00				
	Group		3 m/s			Lw (Day (12h)) /dB(A)					98.21				
	Number of nodes		1			Lw (Night (8h)) /dB(A)					98.21				
	Length/ m		---			Lw (Evening (4h)) /dB(A)					98.21				
	Length/ m (2D)		---			Emission is					Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum			16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Nordex N175 3 m/s										
	Day (12h)		Lw /dB (A)		98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8
	Night (8h)		Emission		Reference: Nordex N175 3 m/s										
Night (8h)		Lw /dB (A)		98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8	
Evening (4h)		Emission		Reference: Nordex N175 3 m/s											
Evening (4h)		Lw /dB (A)		98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8	
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
Lden		-		0.0		0.0		0.0				-		0.0	
Rating period / Period		Duration /h		Emiss. variant		Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)		12.00		Day		98.2		1.00		0.92850		-11.11		-11.1	
Evening (4h)		4.00		Evening		98.2		1.00		0.17400		-13.62		-13.6	
Night (8h)		8.00		Night		98.2		1.00		0.36360		-13.42		-13.4	
EQCN003	Label		C3			Action radius/m					3000.00				
	Group		3 m/s			Lw (Day (12h)) /dB(A)					98.21				
	Number of nodes		1			Lw (Night (8h)) /dB(A)					98.21				
	Length/ m		---			Lw (Evening (4h)) /dB(A)					98.21				
	Length/ m (2D)		---			Emission is					Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum			16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Nordex N175 3 m/s										
	Day (12h)		Lw /dB (A)		98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8
	Night (8h)		Emission		Reference: Nordex N175 3 m/s										
Night (8h)		Lw /dB (A)		98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8	
Evening (4h)		Emission		Reference: Nordex N175 3 m/s											
Evening (4h)		Lw /dB (A)		98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8	
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
Lden		-		0.0		0.0		0.0				-		0.0	
Rating period / Period		Duration /h		Emiss. variant		Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)		12.00		Day		98.2		1.00		0.92850		-11.11		-11.1	
Evening (4h)		4.00		Evening		98.2		1.00		0.17400		-13.62		-13.6	
Night (8h)		8.00		Night		98.2		1.00		0.36360		-13.42		-13.4	
EQCN004	Label		C4			Action radius/m					3000.00				
	Group		3 m/s			Lw (Day (12h)) /dB(A)					98.21				
	Number of nodes		1			Lw (Night (8h)) /dB(A)					98.21				
	Length/ m		---			Lw (Evening (4h)) /dB(A)					98.21				
	Length/ m (2D)		---			Emission is					Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum			16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Nordex N175 3 m/s										
	Day (12h)		Lw /dB (A)		98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8
	Night (8h)		Emission		Reference: Nordex N175 3 m/s										

Vides trokšņa ievades dati "PurpleGreen Solwin" C alternatīva

	Day (12h)	Emission	Reference: Nordex N175 3 m/s											
	Day (12h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8	
	Night (8h)	Emission	Reference: Nordex N175 3 m/s											
	Night (8h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8	
	Evening (4h)	Emission	Reference: Nordex N175 3 m/s											
	Evening (4h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	98.2		1.00		0.92850		-11.11		-11.1	
	Evening (4h)		4.00	Evening	98.2		1.00		0.17400		-13.62		-13.6	
	Night (8h)		8.00	Night	98.2		1.00		0.36360		-13.42		-13.4	
EQCN005	Label		C5				Action radius/m				3000.00			
	Group		3 m/s				Lw (Day (12h)) /dB(A)				98.21			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				98.21			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				98.21			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 3 m/s											
	Day (12h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8	
	Night (8h)	Emission	Reference: Nordex N175 3 m/s											
	Night (8h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8	
	Evening (4h)	Emission	Reference: Nordex N175 3 m/s											
	Evening (4h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	98.2		1.00		0.92850		-11.11		-11.1	
	Evening (4h)		4.00	Evening	98.2		1.00		0.17400		-13.62		-13.6	
	Night (8h)		8.00	Night	98.2		1.00		0.36360		-13.42		-13.4	
EQCN006	Label		C6				Action radius/m				3000.00			
	Group		3 m/s				Lw (Day (12h)) /dB(A)				98.21			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				98.21			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				98.21			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 3 m/s											
	Day (12h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8	
	Night (8h)	Emission	Reference: Nordex N175 3 m/s											
	Night (8h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8	
	Evening (4h)	Emission	Reference: Nordex N175 3 m/s											
	Evening (4h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	98.2		1.00		0.92850		-11.11		-11.1	
	Evening (4h)		4.00	Evening	98.2		1.00		0.17400		-13.62		-13.6	
	Night (8h)		8.00	Night	98.2		1.00		0.36360		-13.42		-13.4	
EQCN007	Label		C7				Action radius/m				3000.00			
	Group		3 m/s				Lw (Day (12h)) /dB(A)				98.21			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				98.21			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				98.21			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 3 m/s											
	Day (12h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8	
	Night (8h)	Emission	Reference: Nordex N175 3 m/s											
	Night (8h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8	

Vides trokšņa ievades dati "PurpleGreen Solwin" C alternatīva

	Evening (4h)	Emission	Reference: Nordex N175 3 m/s										
	Evening (4h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	98.2		1.00		0.92850		-11.11		-11.1
	Evening (4h)		4.00	Evening	98.2		1.00		0.17400		-13.62		-13.6
	Night (8h)		8.00	Night	98.2		1.00		0.36360		-13.42		-13.4
EQCN008	Label		C8		Action radius/m		3000.00						
	Group		3 m/s		Lw (Day (12h)) /dB(A)		98.21						
	Number of nodes		1		Lw (Night (8h)) /dB(A)		98.21						
	Length/ m		---		Lw (Evening (4h)) /dB(A)		98.21						
	Length/ m (2D)		---		Emission is		Sound power level (Lw)						
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 3 m/s										
	Day (12h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8
	Night (8h)	Emission	Reference: Nordex N175 3 m/s										
	Night (8h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8
	Evening (4h)	Emission	Reference: Nordex N175 3 m/s										
	Evening (4h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	98.2		1.00		0.92850		-11.11		-11.1
	Evening (4h)		4.00	Evening	98.2		1.00		0.17400		-13.62		-13.6
	Night (8h)		8.00	Night	98.2		1.00		0.36360		-13.42		-13.4
EQCN009	Label		C9		Action radius/m		3000.00						
	Group		3 m/s		Lw (Day (12h)) /dB(A)		98.21						
	Number of nodes		1		Lw (Night (8h)) /dB(A)		98.21						
	Length/ m		---		Lw (Evening (4h)) /dB(A)		98.21						
	Length/ m (2D)		---		Emission is		Sound power level (Lw)						
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 3 m/s										
	Day (12h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8
	Night (8h)	Emission	Reference: Nordex N175 3 m/s										
	Night (8h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8
	Evening (4h)	Emission	Reference: Nordex N175 3 m/s										
	Evening (4h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	98.2		1.00		0.92850		-11.11		-11.1
	Evening (4h)		4.00	Evening	98.2		1.00		0.17400		-13.62		-13.6
	Night (8h)		8.00	Night	98.2		1.00		0.36360		-13.42		-13.4
EQCN010	Label		C10		Action radius/m		3000.00						
	Group		3 m/s		Lw (Day (12h)) /dB(A)		98.21						
	Number of nodes		1		Lw (Night (8h)) /dB(A)		98.21						
	Length/ m		---		Lw (Evening (4h)) /dB(A)		98.21						
	Length/ m (2D)		---		Emission is		Sound power level (Lw)						
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 3 m/s										
	Day (12h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8
	Night (8h)	Emission	Reference: Nordex N175 3 m/s										
	Night (8h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8
	Evening (4h)	Emission	Reference: Nordex N175 3 m/s										
	Evening (4h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		

Vides trokšņa ievades dati "PurpleGreen Solwin" C alternatīva

Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
Day (12h)		12.00	Day		98.2	1.00	0.92850		-11.11				-11.1
Evening (4h)		4.00	Evening		98.2	1.00	0.17400		-13.62				-13.6
Night (8h)		8.00	Night		98.2	1.00	0.36360		-13.42				-13.4
EQCN011		Label			C11	Action radius/m		3000.00					
Group		3 m/s			Lw (Day (12h)) /dB(A)		98.21						
Number of nodes		1			Lw (Night (8h)) /dB(A)		98.21						
Length/ m		---			Lw (Evening (4h)) /dB(A)		98.21						
Length/ m (2D)		---			Emission is		Sound power level (Lw)						
Area /m²		---											
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)		Emission	Reference: Nordex N175 3 m/s										
Day (12h)		Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8
Night (8h)		Emission	Reference: Nordex N175 3 m/s										
Night (8h)		Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8
Evening (4h)		Emission	Reference: Nordex N175 3 m/s										
Evening (4h)		Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
Lden				-		0.0		0.0		0.0			
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
Day (12h)		12.00	Day		98.2	1.00	0.92850		-11.11				-11.1
Evening (4h)		4.00	Evening		98.2	1.00	0.17400		-13.62				-13.6
Night (8h)		8.00	Night		98.2	1.00	0.36360		-13.42				-13.4
EQCN012		Label			C12	Action radius/m		3000.00					
Group		3 m/s			Lw (Day (12h)) /dB(A)		98.21						
Number of nodes		1			Lw (Night (8h)) /dB(A)		98.21						
Length/ m		---			Lw (Evening (4h)) /dB(A)		98.21						
Length/ m (2D)		---			Emission is		Sound power level (Lw)						
Area /m²		---											
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)		Emission	Reference: Nordex N175 3 m/s										
Day (12h)		Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8
Night (8h)		Emission	Reference: Nordex N175 3 m/s										
Night (8h)		Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8
Evening (4h)		Emission	Reference: Nordex N175 3 m/s										
Evening (4h)		Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
Lden				-		0.0		0.0		0.0			
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
Day (12h)		12.00	Day		98.2	1.00	0.92850		-11.11				-11.1
Evening (4h)		4.00	Evening		98.2	1.00	0.17400		-13.62				-13.6
Night (8h)		8.00	Night		98.2	1.00	0.36360		-13.42				-13.4
EQCN013		Label			C13	Action radius/m		3000.00					
Group		3 m/s			Lw (Day (12h)) /dB(A)		98.21						
Number of nodes		1			Lw (Night (8h)) /dB(A)		98.21						
Length/ m		---			Lw (Evening (4h)) /dB(A)		98.21						
Length/ m (2D)		---			Emission is		Sound power level (Lw)						
Area /m²		---											
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)		Emission	Reference: Nordex N175 3 m/s										
Day (12h)		Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8
Night (8h)		Emission	Reference: Nordex N175 3 m/s										
Night (8h)		Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8
Evening (4h)		Emission	Reference: Nordex N175 3 m/s										
Evening (4h)		Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
Lden				-		0.0		0.0		0.0			
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
Day (12h)		12.00	Day		98.2	1.00	0.92850		-11.11				-11.1
Evening (4h)		4.00	Evening		98.2	1.00	0.17400		-13.62				-13.6
Night (8h)		8.00	Night		98.2	1.00	0.36360		-13.42				-13.4
EQCN014		Label			C14	Action radius/m		3000.00					
Group		3 m/s			Lw (Day (12h)) /dB(A)		98.21						
Number of nodes		1			Lw (Night (8h)) /dB(A)		98.21						

Vides trokšņa ievades dati "PurpleGreen Solwin" C alternatīva

	Length/ m	---				Lw (Evening (4h)) /dB(A)								98.21
	Length/ m (2D)	---				Emission is								Sound power level (Lw)
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference:	Nordex N175 3 m/s										
	Day (12h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8	
	Night (8h)	Emission	Reference:	Nordex N175 3 m/s										
	Night (8h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8	
	Evening (4h)	Emission	Reference:	Nordex N175 3 m/s										
	Evening (4h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8	
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB					
	Lden	-	0.0	0.0	0.0				-					
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)						
	Day (12h)	12.00	Day	98.2	1.00	0.92850	-11.11	-11.1						
	Evening (4h)	4.00	Evening	98.2	1.00	0.17400	-13.62	-13.6						
	Night (8h)	8.00	Night	98.2	1.00	0.36360	-13.42	-13.4						
EQCN015	Label	C15	Action radius/m				3000.00							
	Group	3 m/s	Lw (Day (12h)) /dB(A)				98.21							
	Number of nodes	1	Lw (Night (8h)) /dB(A)				98.21							
	Length/ m	---	Lw (Evening (4h)) /dB(A)				98.21							
	Length/ m (2D)	---	Emission is				Sound power level (Lw)							
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference:	Nordex N175 3 m/s										
	Day (12h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8	
	Night (8h)	Emission	Reference:	Nordex N175 3 m/s										
	Night (8h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8	
	Evening (4h)	Emission	Reference:	Nordex N175 3 m/s										
	Evening (4h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8	
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB					
	Lden	-	0.0	0.0	0.0				-					
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)						
	Day (12h)	12.00	Day	98.2	1.00	0.92850	-11.11	-11.1						
	Evening (4h)	4.00	Evening	98.2	1.00	0.17400	-13.62	-13.6						
	Night (8h)	8.00	Night	98.2	1.00	0.36360	-13.42	-13.4						
EQCN016	Label	C16	Action radius/m				3000.00							
	Group	3 m/s	Lw (Day (12h)) /dB(A)				98.21							
	Number of nodes	1	Lw (Night (8h)) /dB(A)				98.21							
	Length/ m	---	Lw (Evening (4h)) /dB(A)				98.21							
	Length/ m (2D)	---	Emission is				Sound power level (Lw)							
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference:	Nordex N175 3 m/s										
	Day (12h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8	
	Night (8h)	Emission	Reference:	Nordex N175 3 m/s										
	Night (8h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8	
	Evening (4h)	Emission	Reference:	Nordex N175 3 m/s										
	Evening (4h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8	
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB					
	Lden	-	0.0	0.0	0.0				-					
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)						
	Day (12h)	12.00	Day	98.2	1.00	0.92850	-11.11	-11.1						
	Evening (4h)	4.00	Evening	98.2	1.00	0.17400	-13.62	-13.6						
	Night (8h)	8.00	Night	98.2	1.00	0.36360	-13.42	-13.4						
EQCN017	Label	C17	Action radius/m				3000.00							
	Group	3 m/s	Lw (Day (12h)) /dB(A)				98.21							
	Number of nodes	1	Lw (Night (8h)) /dB(A)				98.21							
	Length/ m	---	Lw (Evening (4h)) /dB(A)				98.21							
	Length/ m (2D)	---	Emission is				Sound power level (Lw)							
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference:	Nordex N175 3 m/s										
	Day (12h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8	

Vides trokšņa ievades dati "PurpleGreen Solwin" C alternatīva

	Night (8h)	Emission	Reference: Nordex N175 3 m/s											
	Night (8h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8	
	Evening (4h)	Emission	Reference: Nordex N175 3 m/s											
	Evening (4h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	98.2		1.00		0.92850		-11.11		-11.1	
	Evening (4h)		4.00	Evening	98.2		1.00		0.17400		-13.62		-13.6	
	Night (8h)		8.00	Night	98.2		1.00		0.36360		-13.42		-13.4	
EQCN018	Label		C1				Action radius/m				3000.00			
	Group		4 m/s				Lw (Day (12h)) /dB(A)				102.41			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				102.41			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				102.41			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Reference: Nordex N175 4 m/s											
	Day (12h)		102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0	
		Night (8h)	Emission	Reference: Nordex N175 4 m/s										
	Night (8h)	Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0	
	Evening (4h)	Emission	Reference: Nordex N175 4 m/s											
	Evening (4h)	Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	102.4		1.00		1.09340		-10.40		-10.4	
	Evening (4h)		4.00	Evening	102.4		1.00		0.26490		-11.79		-11.8	
	Night (8h)		8.00	Night	102.4		1.00		0.46330		-12.37		-12.4	
EQCN019	Label		C2				Action radius/m				3000.00			
	Group		4 m/s				Lw (Day (12h)) /dB(A)				102.41			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				102.41			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				102.41			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Reference: Nordex N175 4 m/s											
	Day (12h)		102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0	
		Night (8h)	Emission	Reference: Nordex N175 4 m/s										
	Night (8h)	Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0	
	Evening (4h)	Emission	Reference: Nordex N175 4 m/s											
	Evening (4h)	Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	102.4		1.00		1.09340		-10.40		-10.4	
	Evening (4h)		4.00	Evening	102.4		1.00		0.26490		-11.79		-11.8	
	Night (8h)		8.00	Night	102.4		1.00		0.46330		-12.37		-12.4	
EQCN020	Label		C3				Action radius/m				3000.00			
	Group		4 m/s				Lw (Day (12h)) /dB(A)				102.41			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				102.41			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				102.41			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Reference: Nordex N175 4 m/s											
	Day (12h)		102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0	
		Night (8h)	Emission	Reference: Nordex N175 4 m/s										
	Night (8h)	Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0	
	Evening (4h)	Emission	Reference: Nordex N175 4 m/s											
	Evening (4h)	Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0	

Vides trokšņa ievades dati "PurpleGreen Solwin" C alternatīva

	Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB			
	Lden				-	0.0	0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)		12.00	Day	102.4		1.00		1.09340		-10.40		-10.4	
	Evening (4h)		4.00	Evening	102.4		1.00		0.26490		-11.79		-11.8	
	Night (8h)		8.00	Night	102.4		1.00		0.46330		-12.37		-12.4	
EQCN021	Label		C4			Action radius/m				3000.00				
	Group		4 m/s			Lw (Day (12h)) /dB(A)				102.41				
	Number of nodes		1			Lw (Night (8h)) /dB(A)				102.41				
	Length/ m		---			Lw (Evening (4h)) /dB(A)				102.41				
	Length/ m (2D)		---			Emission is				Sound power level (Lw)				
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Nordex N175 4 m/s									
	Day (12h)		Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0
	Night (8h)		Emission		Reference: Nordex N175 4 m/s									
Night (8h)		Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0	
Evening (4h)		Emission		Reference: Nordex N175 4 m/s										
Evening (4h)		Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0	
	Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB			
	Lden				-	0.0	0.0				-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)		12.00	Day	102.4		1.00		1.09340		-10.40		-10.4	
	Evening (4h)		4.00	Evening	102.4		1.00		0.26490		-11.79		-11.8	
	Night (8h)		8.00	Night	102.4		1.00		0.46330		-12.37		-12.4	
EQCN022	Label		C5			Action radius/m				3000.00				
	Group		4 m/s			Lw (Day (12h)) /dB(A)				102.41				
	Number of nodes		1			Lw (Night (8h)) /dB(A)				102.41				
	Length/ m		---			Lw (Evening (4h)) /dB(A)				102.41				
	Length/ m (2D)		---			Emission is				Sound power level (Lw)				
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Nordex N175 4 m/s									
	Day (12h)		Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0
	Night (8h)		Emission		Reference: Nordex N175 4 m/s									
Night (8h)		Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0	
Evening (4h)		Emission		Reference: Nordex N175 4 m/s										
Evening (4h)		Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0	
	Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB			
	Lden				-	0.0	0.0				-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)		12.00	Day	102.4		1.00		1.09340		-10.40		-10.4	
	Evening (4h)		4.00	Evening	102.4		1.00		0.26490		-11.79		-11.8	
	Night (8h)		8.00	Night	102.4		1.00		0.46330		-12.37		-12.4	
EQCN023	Label		C6			Action radius/m				3000.00				
	Group		4 m/s			Lw (Day (12h)) /dB(A)				102.41				
	Number of nodes		1			Lw (Night (8h)) /dB(A)				102.41				
	Length/ m		---			Lw (Evening (4h)) /dB(A)				102.41				
	Length/ m (2D)		---			Emission is				Sound power level (Lw)				
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Nordex N175 4 m/s									
	Day (12h)		Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0
	Night (8h)		Emission		Reference: Nordex N175 4 m/s									
Night (8h)		Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0	
Evening (4h)		Emission		Reference: Nordex N175 4 m/s										
Evening (4h)		Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0	
	Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB			
	Lden				-	0.0	0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)		12.00	Day	102.4		1.00		1.09340		-10.40		-10.4	
	Evening (4h)		4.00	Evening	102.4		1.00		0.26490		-11.79		-11.8	
	Night (8h)		8.00	Night	102.4		1.00		0.46330		-12.37		-12.4	

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)	(37)	(38)	(39)	(40)	(41)	(42)	(43)	(44)	(45)	(46)	(47)	(48)	(49)	(50)	(51)	(52)	(53)	(54)	(55)	(56)	(57)	(58)	(59)	(60)	(61)	(62)	(63)	(64)	(65)	(66)	(67)	(68)	(69)	(70)	(71)	(72)	(73)	(74)	(75)	(76)	(77)	(78)	(79)	(80)	(81)	(82)	(83)	(84)	(85)	(86)	(87)	(88)	(89)	(90)	(91)	(92)	(93)	(94)	(95)	(96)	(97)	(98)	(99)	(100)	(101)	(102)	(103)	(104)	(105)	(106)	(107)	(108)	(109)	(110)	(111)	(112)	(113)	(114)	(115)	(116)	(117)	(118)	(119)	(120)	(121)	(122)	(123)	(124)	(125)	(126)	(127)	(128)	(129)	(130)	(131)	(132)	(133)	(134)	(135)	(136)	(137)	(138)	(139)	(140)	(141)	(142)	(143)	(144)	(145)	(146)	(147)	(148)	(149)	(150)	(151)	(152)	(153)	(154)	(155)	(156)	(157)	(158)	(159)	(160)	(161)	(162)	(163)	(164)	(165)	(166)	(167)	(168)	(169)	(170)	(171)	(172)	(173)	(174)	(175)	(176)	(177)	(178)	(179)	(180)	(181)	(182)	(183)	(184)	(185)	(186)	(187)	(188)	(189)	(190)	(191)	(192)	(193)	(194)	(195)	(196)	(197)	(198)	(199)	(200)	(201)	(202)	(203)	(204)	(205)	(206)	(207)	(208)	(209)	(210)	(211)	(212)	(213)	(214)	(215)	(216)	(217)	(218)	(219)	(220)	(221)	(222)	(223)	(224)	(225)	(226)	(227)	(228)	(229)	(230)	(231)	(232)	(233)	(234)	(235)	(236)	(237)	(238)	(239)	(240)	(241)	(242)	(243)	(244)	(245)	(246)	(247)	(248)	(249)	(250)	(251)	(252)	(253)	(254)	(255)	(256)	(257)	(258)	(259)	(260)	(261)	(262)	(263)	(264)	(265)	(266)	(267)	(268)	(269)	(270)	(271)	(272)	(273)	(274)	(275)	(276)	(277)	(278)	(279)	(280)	(281)	(282)	(283)	(284)	(285)	(286)	(287)	(288)	(289)	(290)	(291)	(292)	(293)	(294)	(295)	(296)	(297)	(298)	(299)	(300)	(301)	(302)	(303)	(304)	(305)	(306)	(307)	(308)	(309)	(310)	(311)	(312)	(313)	(314)	(315)	(316)	(317)	(318)	(319)	(320)	(321)	(322)	(323)	(324)	(325)	(326)	(327)	(328)	(329)	(330)	(331)	(332)	(333)	(334)	(335)	(336)	(337)	(338)	(339)	(340)	(341)	(342)	(343)	(344)	(345)	(346)	(347)	(348)	(349)	(350)	(351)	(352)	(353)	(354)	(355)	(356)	(357)	(358)	(359)	(360)	(361)	(362)	(363)	(364)	(365)	(366)	(367)	(368)	(369)	(370)	(371)	(372)	(373)	(374)	(375)	(376)	(377)	(378)	(379)	(380)	(381)	(382)	(383)	(384)	(385)	(386)	(387)	(388)	(389)	(390)	(391)	(392)	(393)	(394)	(395)	(396)	(397)	(398)	(399)	(400)	(401)	(402)	(403)	(404)	(405)	(406)	(407)	(408)	(409)	(410)	(411)	(412)	(413)	(414)	(415)	(416)	(417)	(418)	(419)	(420)	(421)	(422)	(423)	(424)	(425)	(426)	(427)	(428)	(429)	(430)	(431)	(432)	(433)	(434)	(435)	(436)	(437)	(438)	(439)	(440)	(441)	(442)	(443)	(444)	(445)	(446)	(447)	(448)	(449)	(450)	(451)	(452)	(453)	(454)	(455)	(456)	(457)	(458)	(459)	(460)	(461)	(462)	(463)	(464)	(465)	(466)	(467)	(468)	(469)	(470)	(471)	(472)	(473)	(474)	(475)	(476)	(477)	(478)	(479)	(480)	(481)	(482)	(483)	(484)	(485)	(486)	(487)	(488)	(489)	(490)	(491)	(492)	(493)	(494)	(495)	(496)	(497)	(498)	(499)	(500)	(501)	(502)	(503)	(504)	(505)	(506)	(507)	(508)	(509)	(510)	(511)	(512)	(513)	(514)	(515)	(516)	(517)	(518)	(519)	(520)	(521)	(522)	(523)	(524)	(525)	(526)	(527)	(528)	(529)	(530)	(531)	(532)	(533)	(534)	(535)	(536)	(537)	(538)	(539)	(540)	(541)	(542)	(543)	(544)	(545)	(546)	(547)	(548)	(549)	(550)	(551)	(552)	(553)	(554)	(555)	(556)	(557)	(558)	(559)	(560)	(561)	(562)	(563)	(564)	(565)	(566)	(567)	(568)	(569)	(570)	(571)	(572)	(573)	(574)	(575)	(576)	(577)	(578)	(579)	(580)	(581)	(582)	(583)	(584)	(585)	(586)	(587)	(588)	(589)	(590)	(591)	(592)	(593)	(594)	(595)	(596)	(597)	(598)	(599)	(600)	(601)	(602)	(603)	(604)	(605)	(606)	(607)	(608)	(609)	(610)	(611)	(612)	(613)	(614)	(615)	(616)	(617)	(618)	(619)	(620)	(621)	(622)	(623)	(624)	(625)	(626)	(627)	(628)	(629)	(630)	(631)	(632)	(633)	(634)	(635)	(636)	(637)	(638)	(639)	(640)	(641)	(642)	(643)	(644)	(645)	(646)	(647)	(648)	(649)	(650)	(651)	(652)	(653)	(654)	(655)	(656)	(657)	(658)	(659)	(660)	(661)	(662)	(663)	(664)	(665)	(666)	(667)	(668)	(669)	(670)	(671)	(672)	(673)	(674)	(675)	(676)	(677)	(678)	(679)	(680)	(681)	(682)	(683)	(684)	(685)	(686)	(687)	(688)	(689)	(690)	(691)	(692)	(693)	(694)	(695)	(696)	(697)	(698)	(699)	(700)	(701)	(702)	(703)	(704)	(705)	(706)	(707)	(708)	(709)	(710)	(711)	(712)	(713)	(714)	(715)	(716)	(717)	(718)	(719)	(720)	(721)	(722)	(723)	(724)	(725)	(726)	(727)	(728)	(729)	(730)	(731)	(732)	(733)	(734)	(735)	(736)	(737)	(738)	(739)	(740)	(741)	(742)	(743)	(744)	(745)	(746)	(747)	(748)	(749)	(750)	(751)	(752)	(753)	(754)	(755)	(756)	(757)	(758)	(759)	(760)	(761)	(762)	(763)	(764)	(765)	(766)	(767)	(768)	(769)	(770)	(771)	(772)	(773)	(774)	(775)	(776)	(777)	(778)	(779)	(780)	(781)	(782)	(783)	(784)	(785)	(786)	(787)	(788)	(789)	(790)	(791)	(792)	(793)	(794)	(795)	(796)	(797)	(798)	(799)	(800)	(801)	(802)	(803)	(804)	(805)	(806)	(807)	(808)	(809)	(810)	(811)	(812)	(813)	(814)	(815)	(816)	(817)	(818)	(819)	(820)	(821)	(822)	(823)	(824)	(825)	(826)	(827)	(828)	(829)	(830)	(831)	(832)	(833)	(834)	(835)	(836)	(837)	(838)	(839)	(840)	(841)	(842)	(843)	(844)	(845)	(846)	(847)	(848)	(849)	(850)	(851)	(852)	(853)	(854)	(855)	(856)	(857)	(858)	(859)	(860)	(861)	(862)	(863)	(864)	(865)	(866)	(867)	(868)	(869)	(870)	(871)	(872)	(873)	(874)	(875)	(876)	(877)	(878)	(879)	(880)	(881)	(882)	(883)	(884)	(885)	(886)	(887)	(888)	(889)	(890)	(891)	(892)	(893)	(894)	(895)	(896)	(897)	(898)	(899)	(900)	(901)	(902)	(903)	(904)	(905)	(906)	(907)	(908)	(909)	(910)	(911)	(912)	(913)	(914)	(915)	(916)	(917)	(918)	(919)	(920)	(921)	(922)	(923)	(924)	(925)	(926)	(927)	(928)	(929)	(930)	(931)	(932)	(933)	(934)	(935)	(936)	(937)	(938)	(939)	(940)	(941)	(942)	(943)	(944)	(945)	(946)	(947)	(948)	(949)	(950)	(951)	(952)	(953)	(954)	(955)	(956)	(957)	(958)	(959)	(960)	(961)	(962)	(963)	(964)	(965)	(966)	(967)	(968)	(969)	(970)	(971)	(972)	(973)	(974)	(975)	(976)	(977)	(978)	(979)	(980)	(981)	(982)	(983)	(984)	(985)	(986)	(987)	(988)	(989)	(990)	(991)	(992)	(993)	(994)	(995)	(996)	(997)	(998)	(999)	(1000)
--	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	--------

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----

Vides trokšņa ievades dati "PurpleGreen Solwin" C alternatīva

	Evening (4h)	Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0			
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden		-		0.0		0.0		0.0		-		0.0			
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)		12.00	Day	102.4		1.00		1.09340		-10.40		-10.4			
	Evening (4h)		4.00	Evening	102.4		1.00		0.26490		-11.79		-11.8			
	Night (8h)		8.00	Night	102.4		1.00		0.46330		-12.37		-12.4			
EQCN031	Label		C14				Action radius/m				3000.00					
	Group		4 m/s				Lw (Day (12h)) /dB(A)				102.41					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				102.41					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				102.41					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant		Sum				16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Nordex N175 4 m/s											
	Day (12h)		Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0		
	Night (8h)		Emission		Reference: Nordex N175 4 m/s											
Night (8h)		Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0			
Evening (4h)		Emission		Reference: Nordex N175 4 m/s												
Evening (4h)		Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0			
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden		-		0.0		0.0		0.0		-		0.0			
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)		12.00	Day	102.4		1.00		1.09340		-10.40		-10.4			
	Evening (4h)		4.00	Evening	102.4		1.00		0.26490		-11.79		-11.8			
	Night (8h)		8.00	Night	102.4		1.00		0.46330		-12.37		-12.4			
EQCN032	Label		C15				Action radius/m				3000.00					
	Group		4 m/s				Lw (Day (12h)) /dB(A)				102.41					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				102.41					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				102.41					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant		Sum				16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Nordex N175 4 m/s											
	Day (12h)		Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0		
	Night (8h)		Emission		Reference: Nordex N175 4 m/s											
Night (8h)		Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0			
Evening (4h)		Emission		Reference: Nordex N175 4 m/s												
Evening (4h)		Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0			
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden		-		0.0		0.0		0.0		-		0.0			
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)		12.00	Day	102.4		1.00		1.09340		-10.40		-10.4			
	Evening (4h)		4.00	Evening	102.4		1.00		0.26490		-11.79		-11.8			
	Night (8h)		8.00	Night	102.4		1.00		0.46330		-12.37		-12.4			
EQCN033	Label		C16				Action radius/m				3000.00					
	Group		4 m/s				Lw (Day (12h)) /dB(A)				102.41					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				102.41					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				102.41					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant		Sum				16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Nordex N175 4 m/s											
	Day (12h)		Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0		
	Night (8h)		Emission		Reference: Nordex N175 4 m/s											
Night (8h)		Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0			
Evening (4h)		Emission		Reference: Nordex N175 4 m/s												
Evening (4h)		Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0			
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden		-		0.0		0.0		0.0		-		0.0			
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			

Vides trokšņa ievades dati "PurpleGreen Solwin" C alternatīva

	Day (12h)		12.00	Day		102.4		1.00		1.09340		-10.40		-10.4	
	Evening (4h)		4.00	Evening		102.4		1.00		0.26490		-11.79		-11.8	
	Night (8h)		8.00	Night		102.4		1.00		0.46330		-12.37		-12.4	
EQCN034	Label	C17					Action radius/m					3000.00			
	Group	4 m/s					Lw (Day (12h)) /dB(A)					102.41			
	Number of nodes	1					Lw (Night (8h)) /dB(A)					102.41			
	Length/ m	---					Lw (Evening (4h)) /dB(A)					102.41			
	Length/ m (2D)	---					Emission is					Sound power level (Lw)			
	Area /m²	---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Nordex N175 4 m/s												
	Day (12h)	Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0		
	Night (8h)	Emission	Reference: Nordex N175 4 m/s												
Night (8h)	Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0			
	Evening (4h)	Emission	Reference: Nordex N175 4 m/s												
	Evening (4h)	Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0		
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden	-		0.0		0.0		0.0				0.0			
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)	12.00	Day	102.4		1.00		1.09340		-10.40		-10.4			
	Evening (4h)	4.00	Evening	102.4		1.00		0.26490		-11.79		-11.8			
	Night (8h)	8.00	Night	102.4		1.00		0.46330		-12.37		-12.4			
EQCN035	Label	C1					Action radius/m					3000.00			
	Group	5 m/s					Lw (Day (12h)) /dB(A)					107.31			
	Number of nodes	1					Lw (Night (8h)) /dB(A)					107.31			
	Length/ m	---					Lw (Evening (4h)) /dB(A)					107.31			
	Length/ m (2D)	---					Emission is					Sound power level (Lw)			
	Area /m²	---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Nordex N175 5 m/s												
	Day (12h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9		
	Night (8h)	Emission	Reference: Nordex N175 5 m/s												
Night (8h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9			
	Evening (4h)	Emission	Reference: Nordex N175 5 m/s												
	Evening (4h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9		
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden	-		0.0		0.0		0.0				0.0			
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)	12.00	Day	107.3		1.00		1.25780		-9.80		-9.8			
	Evening (4h)	4.00	Evening	107.3		1.00		0.30300		-11.21		-11.2			
	Night (8h)	8.00	Night	107.3		1.00		0.58470		-11.36		-11.4			
EQCN036	Label	C2					Action radius/m					3000.00			
	Group	5 m/s					Lw (Day (12h)) /dB(A)					107.31			
	Number of nodes	1					Lw (Night (8h)) /dB(A)					107.31			
	Length/ m	---					Lw (Evening (4h)) /dB(A)					107.31			
	Length/ m (2D)	---					Emission is					Sound power level (Lw)			
	Area /m²	---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Nordex N175 5 m/s												
	Day (12h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9		
	Night (8h)	Emission	Reference: Nordex N175 5 m/s												
Night (8h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9			
	Evening (4h)	Emission	Reference: Nordex N175 5 m/s												
	Evening (4h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9		
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden	-		0.0		0.0		0.0				0.0			
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)	12.00	Day	107.3		1.00		1.25780		-9.80		-9.8			
	Evening (4h)	4.00	Evening	107.3		1.00		0.30300		-11.21		-11.2			
	Night (8h)	8.00	Night	107.3		1.00		0.58470		-11.36		-11.4			
EQCN037	Label	C3					Action radius/m					3000.00			
	Group	5 m/s					Lw (Day (12h)) /dB(A)					107.31			
	Number of nodes	1					Lw (Night (8h)) /dB(A)					107.31			
	Length/ m	---					Lw (Evening (4h)) /dB(A)					107.31			
	Length/ m (2D)	---					Emission is					Sound power level (Lw)			
	Area /m²	---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Nordex N175 5 m/s												
	Day (12h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9		
	Night (8h)	Emission	Reference: Nordex N175 5 m/s												
Night (8h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9			

Vides trokšņa ievades dati "PurpleGreen Solwin" C alternatīva

Area /m²		---		---		---		---		---		---	
Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
Day (12h)		Emission		Reference: Nordex N175 5 m/s									
Day (12h)		Lw /dB (A)		107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1
Night (8h)		Emission		Reference: Nordex N175 5 m/s									
Night (8h)		Lw /dB (A)		107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1
Evening (4h)		Emission		Reference: Nordex N175 5 m/s									
Evening (4h)		Lw /dB (A)		107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
Lden				-		0.0		0.0		0.0		-	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)		12.00	Day	107.3		1.00		1.25780		-9.80		-9.8	
Evening (4h)		4.00	Evening	107.3		1.00		0.30300		-11.21		-11.2	
Night (8h)		8.00	Night	107.3		1.00		0.58470		-11.36		-11.4	
EQCN038		Label		C4		Action radius/m						3000.00	
Group		5 m/s				Lw (Day (12h)) /dB(A)						107.31	
Number of nodes		1				Lw (Night (8h)) /dB(A)						107.31	
Length/ m		---				Lw (Evening (4h)) /dB(A)						107.31	
Length/ m (2D)		---				Emission is						Sound power level (Lw)	
Area /m²		---											
Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
Day (12h)		Emission		Reference: Nordex N175 5 m/s									
Day (12h)		Lw /dB (A)		107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1
Night (8h)		Emission		Reference: Nordex N175 5 m/s									
Night (8h)		Lw /dB (A)		107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1
Evening (4h)		Emission		Reference: Nordex N175 5 m/s									
Evening (4h)		Lw /dB (A)		107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
Lden				-		0.0		0.0		0.0		-	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)		12.00	Day	107.3		1.00		1.25780		-9.80		-9.8	
Evening (4h)		4.00	Evening	107.3		1.00		0.30300		-11.21		-11.2	
Night (8h)		8.00	Night	107.3		1.00		0.58470		-11.36		-11.4	
EQCN039		Label		C5		Action radius/m						3000.00	
Group		5 m/s				Lw (Day (12h)) /dB(A)						107.31	
Number of nodes		1				Lw (Night (8h)) /dB(A)						107.31	
Length/ m		---				Lw (Evening (4h)) /dB(A)						107.31	
Length/ m (2D)		---				Emission is						Sound power level (Lw)	
Area /m²		---											
Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
Day (12h)		Emission		Reference: Nordex N175 5 m/s									
Day (12h)		Lw /dB (A)		107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1
Night (8h)		Emission		Reference: Nordex N175 5 m/s									
Night (8h)		Lw /dB (A)		107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1
Evening (4h)		Emission		Reference: Nordex N175 5 m/s									
Evening (4h)		Lw /dB (A)		107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
Lden				-		0.0		0.0		0.0		-	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)		12.00	Day	107.3		1.00		1.25780		-9.80		-9.8	
Evening (4h)		4.00	Evening	107.3		1.00		0.30300		-11.21		-11.2	
Night (8h)		8.00	Night	107.3		1.00		0.58470		-11.36		-11.4	
EQCN040		Label		C6		Action radius/m						3000.00	
Group		5 m/s				Lw (Day (12h)) /dB(A)						107.31	
Number of nodes		1				Lw (Night (8h)) /dB(A)						107.31	
Length/ m		---				Lw (Evening (4h)) /dB(A)						107.31	
Length/ m (2D)		---				Emission is						Sound power level (Lw)	
Area /m²		---											
Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
Day (12h)		Emission		Reference: Nordex N175 5 m/s									
Day (12h)		Lw /dB (A)		107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1
Night (8h)		Emission		Reference: Nordex N175 5 m/s									
Night (8h)		Lw /dB (A)		107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1

Vides trokšņa ievades dati "PurpleGreen Solwin" C alternatīva

				66.9 70.2	75.5 76.7	83.0 85.7	89.9 91.9	94.2 95.3	95.5 96.6	97.6 98.1	95.8 92.3	83.0 78.1	63.3 53.9	
	Evening (4h)	Emission	Reference: Nordex N175 5 m/s											
	Evening (4h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	107.3		1.00		1.25780		-9.80		-9.8	
	Evening (4h)		4.00	Evening	107.3		1.00		0.30300		-11.21		-11.2	
	Night (8h)		8.00	Night	107.3		1.00		0.58470		-11.36		-11.4	
EQCN041	Label		C7		Action radius/m								3000.00	
	Group		5 m/s		Lw (Day (12h)) /dB(A)								107.31	
	Number of nodes		1		Lw (Night (8h)) /dB(A)								107.31	
	Length/ m		---		Lw (Evening (4h)) /dB(A)								107.31	
	Length/ m (2D)		---		Emission is								Sound power level (Lw)	
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission	Reference: Nordex N175 5 m/s										
	Day (12h)		Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9
	Night (8h)		Emission	Reference: Nordex N175 5 m/s										
Night (8h)		Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9	
Evening (4h)		Emission	Reference: Nordex N175 5 m/s											
Evening (4h)		Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	107.3		1.00		1.25780		-9.80		-9.8	
	Evening (4h)		4.00	Evening	107.3		1.00		0.30300		-11.21		-11.2	
	Night (8h)		8.00	Night	107.3		1.00		0.58470		-11.36		-11.4	
EQCN042	Label		C8		Action radius/m								3000.00	
	Group		5 m/s		Lw (Day (12h)) /dB(A)								107.31	
	Number of nodes		1		Lw (Night (8h)) /dB(A)								107.31	
	Length/ m		---		Lw (Evening (4h)) /dB(A)								107.31	
	Length/ m (2D)		---		Emission is								Sound power level (Lw)	
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission	Reference: Nordex N175 5 m/s										
	Day (12h)		Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9
	Night (8h)		Emission	Reference: Nordex N175 5 m/s										
Night (8h)		Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9	
Evening (4h)		Emission	Reference: Nordex N175 5 m/s											
Evening (4h)		Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	107.3		1.00		1.25780		-9.80		-9.8	
	Evening (4h)		4.00	Evening	107.3		1.00		0.30300		-11.21		-11.2	
	Night (8h)		8.00	Night	107.3		1.00		0.58470		-11.36		-11.4	
EQCN043	Label		C9		Action radius/m								3000.00	
	Group		5 m/s		Lw (Day (12h)) /dB(A)								107.31	
	Number of nodes		1		Lw (Night (8h)) /dB(A)								107.31	
	Length/ m		---		Lw (Evening (4h)) /dB(A)								107.31	
	Length/ m (2D)		---		Emission is								Sound power level (Lw)	
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission	Reference: Nordex N175 5 m/s										
	Day (12h)		Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9
	Night (8h)		Emission	Reference: Nordex N175 5 m/s										
Night (8h)		Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9	
Evening (4h)		Emission	Reference: Nordex N175 5 m/s											
Evening (4h)		Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	

Vides trokšņa ievades dati "PurpleGreen Solwin" C alternatīva

	Lden		-		0.0		0.0		0.0		-		0.0			
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)		12.00	Day	107.3		1.00		1.25780		-9.80		-9.8			
	Evening (4h)		4.00	Evening	107.3		1.00		0.30300		-11.21		-11.2			
	Night (8h)		8.00	Night	107.3		1.00		0.58470		-11.36		-11.4			
EQCN044	Label		C10				Action radius/m				3000.00					
	Group		5 m/s				Lw (Day (12h)) /dB(A)				107.31					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				107.31					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				107.31					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant		Sum				16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Nordex N175 5 m/s											
	Day (12h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9			
	Night (8h)	Emission	Reference: Nordex N175 5 m/s													
	Night (8h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9			
	Evening (4h)	Emission	Reference: Nordex N175 5 m/s													
	Evening (4h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9			
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden		-		0.0		0.0		0.0		-		0.0			
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)		12.00	Day	107.3		1.00		1.25780		-9.80		-9.8			
	Evening (4h)		4.00	Evening	107.3		1.00		0.30300		-11.21		-11.2			
	Night (8h)		8.00	Night	107.3		1.00		0.58470		-11.36		-11.4			
EQCN045	Label		C11				Action radius/m				3000.00					
	Group		5 m/s				Lw (Day (12h)) /dB(A)				107.31					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				107.31					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				107.31					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant		Sum				16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Nordex N175 5 m/s											
	Day (12h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9			
	Night (8h)	Emission	Reference: Nordex N175 5 m/s													
	Night (8h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9			
	Evening (4h)	Emission	Reference: Nordex N175 5 m/s													
	Evening (4h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9			
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden		-		0.0		0.0		0.0		-		0.0			
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)		12.00	Day	107.3		1.00		1.25780		-9.80		-9.8			
	Evening (4h)		4.00	Evening	107.3		1.00		0.30300		-11.21		-11.2			
	Night (8h)		8.00	Night	107.3		1.00		0.58470		-11.36		-11.4			
EQCN046	Label		C12				Action radius/m				3000.00					
	Group		5 m/s				Lw (Day (12h)) /dB(A)				107.31					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				107.31					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				107.31					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant		Sum				16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Nordex N175 5 m/s											
	Day (12h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9			
	Night (8h)	Emission	Reference: Nordex N175 5 m/s													
	Night (8h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9			
	Evening (4h)	Emission	Reference: Nordex N175 5 m/s													
	Evening (4h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9			
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden		-		0.0		0.0		0.0		-		0.0			
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)		12.00	Day	107.3		1.00		1.25780		-9.80		-9.8			
	Evening (4h)		4.00	Evening	107.3		1.00		0.30300		-11.21		-11.2			
	Night (8h)		8.00	Night	107.3		1.00		0.58470		-11.36		-11.4			
EQCN047	Label		C13				Action radius/m				3000.00					
	Group		5 m/s				Lw (Day (12h)) /dB(A)				107.31					

Vides trokšņa ievades dati "PurpleGreen Solwin" C alternatīva

	Number of nodes	1	Lw (Night (8h)) /dB(A)										107.31
	Length/ m	---	Lw (Evening (4h)) /dB(A)										107.31
	Length/ m (2D)	---	Emission is										Sound power level (Lw)
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 5 m/s										
	Day (12h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9
	Night (8h)	Emission	Reference: Nordex N175 5 m/s										
	Night (8h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9
	Evening (4h)	Emission	Reference: Nordex N175 5 m/s										
	Evening (4h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB							
	Lden	-	0.0	0.0	0.0	0.0							
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	107.3	1.00	1.25780	-9.80	-9.8					
	Evening (4h)	4.00	Evening	107.3	1.00	0.30300	-11.21	-11.2					
	Night (8h)	8.00	Night	107.3	1.00	0.58470	-11.36	-11.4					
EQCN048	Label	C14	Action radius/m										3000.00
	Group	5 m/s	Lw (Day (12h)) /dB(A)										107.31
	Number of nodes	1	Lw (Night (8h)) /dB(A)										107.31
	Length/ m	---	Lw (Evening (4h)) /dB(A)										107.31
	Length/ m (2D)	---	Emission is										Sound power level (Lw)
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 5 m/s										
	Day (12h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9
	Night (8h)	Emission	Reference: Nordex N175 5 m/s										
	Night (8h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9
	Evening (4h)	Emission	Reference: Nordex N175 5 m/s										
	Evening (4h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB							
	Lden	-	0.0	0.0	0.0	0.0							
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	107.3	1.00	1.25780	-9.80	-9.8					
	Evening (4h)	4.00	Evening	107.3	1.00	0.30300	-11.21	-11.2					
	Night (8h)	8.00	Night	107.3	1.00	0.58470	-11.36	-11.4					
EQCN049	Label	C15	Action radius/m										3000.00
	Group	5 m/s	Lw (Day (12h)) /dB(A)										107.31
	Number of nodes	1	Lw (Night (8h)) /dB(A)										107.31
	Length/ m	---	Lw (Evening (4h)) /dB(A)										107.31
	Length/ m (2D)	---	Emission is										Sound power level (Lw)
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 5 m/s										
	Day (12h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9
	Night (8h)	Emission	Reference: Nordex N175 5 m/s										
	Night (8h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9
	Evening (4h)	Emission	Reference: Nordex N175 5 m/s										
	Evening (4h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB							
	Lden	-	0.0	0.0	0.0	0.0							
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	107.3	1.00	1.25780	-9.80	-9.8					
	Evening (4h)	4.00	Evening	107.3	1.00	0.30300	-11.21	-11.2					
	Night (8h)	8.00	Night	107.3	1.00	0.58470	-11.36	-11.4					
EQCN050	Label	C16	Action radius/m										3000.00
	Group	5 m/s	Lw (Day (12h)) /dB(A)										107.31
	Number of nodes	1	Lw (Night (8h)) /dB(A)										107.31
	Length/ m	---	Lw (Evening (4h)) /dB(A)										107.31
	Length/ m (2D)	---	Emission is										Sound power level (Lw)
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 5 m/s										
	Day (12h)	Lw /dB (A)	107.3	62.3 66.9	73.6 75.5	78.7 83.0	87.3 89.9	93.2 94.2	95.4 95.5	97.4 97.6	97.9 95.8	88.0 83.0	71.0 63.3

Vides trokšņa ievades dati "PurpleGreen Solwin" C alternatīva

				70.2	76.7	85.7	91.9	95.3	96.6	98.1	92.3	78.1	53.9		
	Night (8h)	Emission	Reference:	Nordex N175 5 m/s											
				62.3	73.6	78.7	87.3	93.2	95.4	97.4	97.9	88.0	71.0		
	Night (8h)	Lw /dB (A)	107.3	66.9	75.5	83.0	89.9	94.2	95.5	97.6	95.8	83.0	63.3		
				70.2	76.7	85.7	91.9	95.3	96.6	98.1	92.3	78.1	53.9		
	Evening (4h)	Emission	Reference:	Nordex N175 5 m/s											
				62.3	73.6	78.7	87.3	93.2	95.4	97.4	97.9	88.0	71.0		
	Evening (4h)	Lw /dB (A)	107.3	66.9	75.5	83.0	89.9	94.2	95.5	97.6	95.8	83.0	63.3		
				70.2	76.7	85.7	91.9	95.3	96.6	98.1	92.3	78.1	53.9		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	107.3		1.00		1.25780		-9.80		-9.8		
	Evening (4h)		4.00	Evening	107.3		1.00		0.30300		-11.21		-11.2		
	Night (8h)		8.00	Night	107.3		1.00		0.58470		-11.36		-11.4		
EQCN051	Label		C17				Action radius/m						3000.00		
	Group		5 m/s				Lw (Day (12h)) /dB(A)						107.31		
	Number of nodes		1				Lw (Night (8h)) /dB(A)						107.31		
	Length/ m		---				Lw (Evening (4h)) /dB(A)						107.31		
	Length/ m (2D)		---				Emission is						Sound power level (Lw)		
	Area /m²		---												
	Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Nordex N175 5 m/s										
					62.3	73.6	78.7	87.3	93.2	95.4	97.4	97.9	88.0	71.0	
		Day (12h)	Lw /dB (A)	107.3	66.9	75.5	83.0	89.9	94.2	95.5	97.6	95.8	83.0	63.3	
				70.2	76.7	85.7	91.9	95.3	96.6	98.1	92.3	78.1	53.9		
	Night (8h)	Emission	Reference:	Nordex N175 5 m/s											
				62.3	73.6	78.7	87.3	93.2	95.4	97.4	97.9	88.0	71.0		
	Night (8h)	Lw /dB (A)	107.3	66.9	75.5	83.0	89.9	94.2	95.5	97.6	95.8	83.0	63.3		
				70.2	76.7	85.7	91.9	95.3	96.6	98.1	92.3	78.1	53.9		
	Evening (4h)	Emission	Reference:	Nordex N175 5 m/s											
				62.3	73.6	78.7	87.3	93.2	95.4	97.4	97.9	88.0	71.0		
	Evening (4h)	Lw /dB (A)	107.3	66.9	75.5	83.0	89.9	94.2	95.5	97.6	95.8	83.0	63.3		
				70.2	76.7	85.7	91.9	95.3	96.6	98.1	92.3	78.1	53.9		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	107.3		1.00		1.25780		-9.80		-9.8		
	Evening (4h)		4.00	Evening	107.3		1.00		0.30300		-11.21		-11.2		
	Night (8h)		8.00	Night	107.3		1.00		0.58470		-11.36		-11.4		
EQCN052	Label		C1				Action radius/m						3000.00		
	Group		6 m/s				Lw (Day (12h)) /dB(A)						108.91		
	Number of nodes		1				Lw (Night (8h)) /dB(A)						108.91		
	Length/ m		---				Lw (Evening (4h)) /dB(A)						108.91		
	Length/ m (2D)		---				Emission is						Sound power level (Lw)		
	Area /m²		---												
	Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Nordex N175 6 m/s										
					63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6	
		Day (12h)	Lw /dB (A)	108.9	68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9	
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5		
	Night (8h)	Emission	Reference:	Nordex N175 6 m/s											
				63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6		
	Night (8h)	Lw /dB (A)	108.9	68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9		
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5		
	Evening (4h)	Emission	Reference:	Nordex N175 6 m/s											
				63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6		
	Evening (4h)	Lw /dB (A)	108.9	68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9		
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	108.9		1.00		1.31860		-9.59		-9.6		
	Evening (4h)		4.00	Evening	108.9		1.00		0.35890		-10.47		-10.5		
	Night (8h)		8.00	Night	108.9		1.00		0.65480		-10.87		-10.9		
EQCN053	Label		C2				Action radius/m						3000.00		
	Group		6 m/s				Lw (Day (12h)) /dB(A)						108.91		
	Number of nodes		1				Lw (Night (8h)) /dB(A)						108.91		
	Length/ m		---				Lw (Evening (4h)) /dB(A)						108.91		
	Length/ m (2D)		---				Emission is						Sound power level (Lw)		
	Area /m²		---												
	Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Nordex N175 6 m/s										
					63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6	
		Day (12h)	Lw /dB (A)	108.9	68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9	
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5		
	Night (8h)	Emission	Reference:	Nordex N175 6 m/s											
				63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6		
	Night (8h)	Lw /dB (A)	108.9	68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9		
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5		
	Evening (4h)	Emission	Reference:	Nordex N175 6 m/s											
				63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6		
	Evening (4h)	Lw /dB (A)	108.9	68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9		

Vides trokšņa ievades dati "PurpleGreen Solwin" C alternatīva

				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-	0.0		0.0		0.0				-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	108.9		1.00		1.31860		-9.59		-9.6	
	Evening (4h)	4.00	Evening	108.9		1.00		0.35890		-10.47		-10.5	
	Night (8h)	8.00	Night	108.9		1.00		0.65480		-10.87		-10.9	
EQCN054	Label	C3				Action radius/m						3000.00	
	Group	6 m/s				Lw (Day (12h)) /dB(A)						108.91	
	Number of nodes	1				Lw (Night (8h)) /dB(A)						108.91	
	Length/ m	---				Lw (Evening (4h)) /dB(A)						108.91	
	Length/ m (2D)	---				Emission is						Sound power level (Lw)	
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 6 m/s										
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)	Emission	Reference: Nordex N175 6 m/s										
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Evening (4h)	Emission	Reference: Nordex N175 6 m/s										
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-	0.0		0.0		0.0				-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	108.9		1.00		1.31860		-9.59		-9.6	
	Evening (4h)	4.00	Evening	108.9		1.00		0.35890		-10.47		-10.5	
	Night (8h)	8.00	Night	108.9		1.00		0.65480		-10.87		-10.9	
EQCN055	Label	C4				Action radius/m						3000.00	
	Group	6 m/s				Lw (Day (12h)) /dB(A)						108.91	
	Number of nodes	1				Lw (Night (8h)) /dB(A)						108.91	
	Length/ m	---				Lw (Evening (4h)) /dB(A)						108.91	
	Length/ m (2D)	---				Emission is						Sound power level (Lw)	
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 6 m/s										
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)	Emission	Reference: Nordex N175 6 m/s										
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Evening (4h)	Emission	Reference: Nordex N175 6 m/s										
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-	0.0		0.0		0.0				-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	108.9		1.00		1.31860		-9.59		-9.6	
	Evening (4h)	4.00	Evening	108.9		1.00		0.35890		-10.47		-10.5	
	Night (8h)	8.00	Night	108.9		1.00		0.65480		-10.87		-10.9	
EQCN056	Label	C5				Action radius/m						3000.00	
	Group	6 m/s				Lw (Day (12h)) /dB(A)						108.91	
	Number of nodes	1				Lw (Night (8h)) /dB(A)						108.91	
	Length/ m	---				Lw (Evening (4h)) /dB(A)						108.91	
	Length/ m (2D)	---				Emission is						Sound power level (Lw)	
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 6 m/s										
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)	Emission	Reference: Nordex N175 6 m/s										
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Evening (4h)	Emission	Reference: Nordex N175 6 m/s										
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-	0.0		0.0		0.0				-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	108.9		1.00		1.31860		-9.59		-9.6	
	Evening (4h)	4.00	Evening	108.9		1.00		0.35890		-10.47		-10.5	

Vides trokšņa ievades dati "PurpleGreen Solwin" C alternatīva

	Evening (4h)	Emission	Reference: Nordex N175 6 m/s											
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden		-		0.0		0.0		0.0		-			
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	108.9	1.00		1.31860		-9.59		-9.6		
	Evening (4h)		4.00	Evening	108.9	1.00		0.35890		-10.47		-10.5		
	Night (8h)		8.00	Night	108.9	1.00		0.65480		-10.87		-10.9		
EQCN064	Label		C13					Action radius/m					3000.00	
	Group		6 m/s					Lw (Day (12h)) /dB(A)					108.91	
	Number of nodes		1					Lw (Night (8h)) /dB(A)					108.91	
	Length/ m		---					Lw (Evening (4h)) /dB(A)					108.91	
	Length/ m (2D)		---					Emission is					Sound power level (Lw)	
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 6 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)	Emission	Reference: Nordex N175 6 m/s											
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Evening (4h)	Emission	Reference: Nordex N175 6 m/s											
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden		-		0.0		0.0		0.0		-			
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	108.9	1.00		1.31860		-9.59		-9.6		
	Evening (4h)		4.00	Evening	108.9	1.00		0.35890		-10.47		-10.5		
	Night (8h)		8.00	Night	108.9	1.00		0.65480		-10.87		-10.9		
EQCN065	Label		C14					Action radius/m					3000.00	
	Group		6 m/s					Lw (Day (12h)) /dB(A)					108.91	
	Number of nodes		1					Lw (Night (8h)) /dB(A)					108.91	
	Length/ m		---					Lw (Evening (4h)) /dB(A)					108.91	
	Length/ m (2D)		---					Emission is					Sound power level (Lw)	
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 6 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)	Emission	Reference: Nordex N175 6 m/s											
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Evening (4h)	Emission	Reference: Nordex N175 6 m/s											
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden		-		0.0		0.0		0.0		-			
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	108.9	1.00		1.31860		-9.59		-9.6		
	Evening (4h)		4.00	Evening	108.9	1.00		0.35890		-10.47		-10.5		
	Night (8h)		8.00	Night	108.9	1.00		0.65480		-10.87		-10.9		
EQCN066	Label		C15					Action radius/m					3000.00	
	Group		6 m/s					Lw (Day (12h)) /dB(A)					108.91	
	Number of nodes		1					Lw (Night (8h)) /dB(A)					108.91	
	Length/ m		---					Lw (Evening (4h)) /dB(A)					108.91	
	Length/ m (2D)		---					Emission is					Sound power level (Lw)	
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 6 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)	Emission	Reference: Nordex N175 6 m/s											
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Evening (4h)	Emission	Reference: Nordex N175 6 m/s											
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden		-		0.0		0.0		0.0		-			

Vides trokšņa ievades dati "PurpleGreen Solwin" C alternatīva

	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h		dLi /dB	Lwr /dB(A)			
	Day (12h)		12.00	Day	108.9	1.00	1.31860		-9.59	-9.6			
	Evening (4h)		4.00	Evening	108.9	1.00	0.35890		-10.47	-10.5			
	Night (8h)		8.00	Night	108.9	1.00	0.65480		-10.87	-10.9			
EQCN067	Label		C16			Action radius/m			3000.00				
	Group		6 m/s			Lw (Day (12h)) /dB(A)			108.91				
	Number of nodes		1			Lw (Night (8h)) /dB(A)			108.91				
	Length/ m		---			Lw (Evening (4h)) /dB(A)			108.91				
	Length/ m (2D)		---			Emission is			Sound power level (Lw)				
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 6 m/s										
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)	Emission	Reference: Nordex N175 6 m/s										
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Evening (4h)	Emission	Reference: Nordex N175 6 m/s										
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0	0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h		dLi /dB	Lwr /dB(A)			
	Day (12h)		12.00	Day	108.9	1.00	1.31860		-9.59	-9.6			
	Evening (4h)		4.00	Evening	108.9	1.00	0.35890		-10.47	-10.5			
	Night (8h)		8.00	Night	108.9	1.00	0.65480		-10.87	-10.9			
EQCN068	Label		C17			Action radius/m			3000.00				
	Group		6 m/s			Lw (Day (12h)) /dB(A)			108.91				
	Number of nodes		1			Lw (Night (8h)) /dB(A)			108.91				
	Length/ m		---			Lw (Evening (4h)) /dB(A)			108.91				
	Length/ m (2D)		---			Emission is			Sound power level (Lw)				
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 6 m/s										
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)	Emission	Reference: Nordex N175 6 m/s										
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Evening (4h)	Emission	Reference: Nordex N175 6 m/s										
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0	0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h		dLi /dB	Lwr /dB(A)			
	Day (12h)		12.00	Day	108.9	1.00	1.31860		-9.59	-9.6			
	Evening (4h)		4.00	Evening	108.9	1.00	0.35890		-10.47	-10.5			
	Night (8h)		8.00	Night	108.9	1.00	0.65480		-10.87	-10.9			
EQCN069	Label		C1			Action radius/m			3000.00				
	Group		7 m/s			Lw (Day (12h)) /dB(A)			108.91				
	Number of nodes		1			Lw (Night (8h)) /dB(A)			108.91				
	Length/ m		---			Lw (Evening (4h)) /dB(A)			108.91				
	Length/ m (2D)		---			Emission is			Sound power level (Lw)				
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 7 m/s										
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)	Emission	Reference: Nordex N175 7 m/s										
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Evening (4h)	Emission	Reference: Nordex N175 7 m/s										
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0	0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h		dLi /dB	Lwr /dB(A)			
	Day (12h)		12.00	Day	108.9	1.00	1.19450		-10.02	-10.0			
	Evening (4h)		4.00	Evening	108.9	1.00	0.39230		-10.08	-10.1			
	Night (8h)		8.00	Night	108.9	1.00	0.73590		-10.36	-10.4			
EQCN070	Label		C2			Action radius/m			3000.00				
	Group		7 m/s			Lw (Day (12h)) /dB(A)			108.91				
	Number of nodes		1			Lw (Night (8h)) /dB(A)			108.91				

Vides trokšņa ievades dati "PurpleGreen Solwin" C alternatīva

	Length/ m	---					Lw (Evening (4h)) /dB(A)				108.91			
	Length/ m (2D)	---					Emission is				Sound power level (Lw)			
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 7 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)	Emission	Reference: Nordex N175 7 m/s											
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Evening (4h)	Emission	Reference: Nordex N175 7 m/s											
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-	0.0		0.0		0.0				0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	108.9		1.00		1.19450		-10.02		-10.0		
	Evening (4h)	4.00	Evening	108.9		1.00		0.39230		-10.08		-10.1		
	Night (8h)	8.00	Night	108.9		1.00		0.73590		-10.36		-10.4		
EQCN071	Label	C3					Action radius/m				3000.00			
	Group	7 m/s					Lw (Day (12h)) /dB(A)				108.91			
	Number of nodes	1					Lw (Night (8h)) /dB(A)				108.91			
	Length/ m	---					Lw (Evening (4h)) /dB(A)				108.91			
	Length/ m (2D)	---					Emission is				Sound power level (Lw)			
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 7 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)	Emission	Reference: Nordex N175 7 m/s											
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Evening (4h)	Emission	Reference: Nordex N175 7 m/s											
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-	0.0		0.0		0.0				0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	108.9		1.00		1.19450		-10.02		-10.0		
	Evening (4h)	4.00	Evening	108.9		1.00		0.39230		-10.08		-10.1		
	Night (8h)	8.00	Night	108.9		1.00		0.73590		-10.36		-10.4		
EQCN072	Label	C4					Action radius/m				3000.00			
	Group	7 m/s					Lw (Day (12h)) /dB(A)				108.91			
	Number of nodes	1					Lw (Night (8h)) /dB(A)				108.91			
	Length/ m	---					Lw (Evening (4h)) /dB(A)				108.91			
	Length/ m (2D)	---					Emission is				Sound power level (Lw)			
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 7 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)	Emission	Reference: Nordex N175 7 m/s											
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Evening (4h)	Emission	Reference: Nordex N175 7 m/s											
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-	0.0		0.0		0.0				0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	108.9		1.00		1.19450		-10.02		-10.0		
	Evening (4h)	4.00	Evening	108.9		1.00		0.39230		-10.08		-10.1		
	Night (8h)	8.00	Night	108.9		1.00		0.73590		-10.36		-10.4		
EQCN073	Label	C5					Action radius/m				3000.00			
	Group	7 m/s					Lw (Day (12h)) /dB(A)				108.91			
	Number of nodes	1					Lw (Night (8h)) /dB(A)				108.91			
	Length/ m	---					Lw (Evening (4h)) /dB(A)				108.91			
	Length/ m (2D)	---					Emission is				Sound power level (Lw)			
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 7 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	

Vides trokšņa ievades dati "PurpleGreen Solwin" C alternatīva

	Night (8h)	Emission	Reference: Nordex N175 7 m/s										
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Evening (4h)	Emission	Reference: Nordex N175 7 m/s										
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	108.9		1.00		1.19450		-10.02		-10.0
	Evening (4h)		4.00	Evening	108.9		1.00		0.39230		-10.08		-10.1
	Night (8h)		8.00	Night	108.9		1.00		0.73590		-10.36		-10.4
EQCN074	Label		C6					Action radius/m					3000.00
	Group		7 m/s					Lw (Day (12h)) /dB(A)					108.91
	Number of nodes		1					Lw (Night (8h)) /dB(A)					108.91
	Length/ m		---					Lw (Evening (4h)) /dB(A)					108.91
	Length/ m (2D)		---					Emission is					Sound power level (Lw)
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Reference: Nordex N175 7 m/s										
	Day (12h)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)		Reference: Nordex N175 7 m/s										
	Night (8h)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Evening (4h)		Reference: Nordex N175 7 m/s										
	Evening (4h)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	108.9		1.00		1.19450		-10.02		-10.0
	Evening (4h)		4.00	Evening	108.9		1.00		0.39230		-10.08		-10.1
	Night (8h)		8.00	Night	108.9		1.00		0.73590		-10.36		-10.4
EQCN075	Label		C7					Action radius/m					3000.00
	Group		7 m/s					Lw (Day (12h)) /dB(A)					108.91
	Number of nodes		1					Lw (Night (8h)) /dB(A)					108.91
	Length/ m		---					Lw (Evening (4h)) /dB(A)					108.91
	Length/ m (2D)		---					Emission is					Sound power level (Lw)
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Reference: Nordex N175 7 m/s										
	Day (12h)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)		Reference: Nordex N175 7 m/s										
	Night (8h)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Evening (4h)		Reference: Nordex N175 7 m/s										
	Evening (4h)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	108.9		1.00		1.19450		-10.02		-10.0
	Evening (4h)		4.00	Evening	108.9		1.00		0.39230		-10.08		-10.1
	Night (8h)		8.00	Night	108.9		1.00		0.73590		-10.36		-10.4
EQCN076	Label		C8					Action radius/m					3000.00
	Group		7 m/s					Lw (Day (12h)) /dB(A)					108.91
	Number of nodes		1					Lw (Night (8h)) /dB(A)					108.91
	Length/ m		---					Lw (Evening (4h)) /dB(A)					108.91
	Length/ m (2D)		---					Emission is					Sound power level (Lw)
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Reference: Nordex N175 7 m/s										
	Day (12h)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)		Reference: Nordex N175 7 m/s										
	Night (8h)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Evening (4h)		Reference: Nordex N175 7 m/s										
	Evening (4h)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5

Vides trokšņa ievades dati "PurpleGreen Solwin" C alternatīva

Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB							
Lden				-	0.0	0.0	0.0							
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)						
Day (12h)		12.00	Day	108.9		1.00	1.19450	-10.02						
Evening (4h)		4.00	Evening	108.9		1.00	0.39230	-10.08						
Night (8h)		8.00	Night	108.9		1.00	0.73590	-10.36						
EQCN077	Label		C9			Action radius/m			3000.00					
	Group		7 m/s			Lw (Day (12h)) /dB(A)			108.91					
	Number of nodes		1			Lw (Night (8h)) /dB(A)			108.91					
	Length/ m		---			Lw (Evening (4h)) /dB(A)			108.91					
	Length/ m (2D)		---			Emission is			Sound power level (Lw)					
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Emission	Reference: Nordex N175 7 m/s										
Day (12h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Night (8h)		Emission	Reference: Nordex N175 7 m/s											
Night (8h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Evening (4h)		Emission	Reference: Nordex N175 7 m/s											
Evening (4h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB							
Lden				-	0.0	0.0	0.0							
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)						
Day (12h)		12.00	Day	108.9		1.00	1.19450	-10.02						
Evening (4h)		4.00	Evening	108.9		1.00	0.39230	-10.08						
Night (8h)		8.00	Night	108.9		1.00	0.73590	-10.36						
EQCN078	Label		C10			Action radius/m			3000.00					
	Group		7 m/s			Lw (Day (12h)) /dB(A)			108.91					
	Number of nodes		1			Lw (Night (8h)) /dB(A)			108.91					
	Length/ m		---			Lw (Evening (4h)) /dB(A)			108.91					
	Length/ m (2D)		---			Emission is			Sound power level (Lw)					
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Emission	Reference: Nordex N175 7 m/s										
Day (12h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Night (8h)		Emission	Reference: Nordex N175 7 m/s											
Night (8h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Evening (4h)		Emission	Reference: Nordex N175 7 m/s											
Evening (4h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB							
Lden				-	0.0	0.0	0.0							
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)						
Day (12h)		12.00	Day	108.9		1.00	1.19450	-10.02						
Evening (4h)		4.00	Evening	108.9		1.00	0.39230	-10.08						
Night (8h)		8.00	Night	108.9		1.00	0.73590	-10.36						
EQCN079	Label		C11			Action radius/m			3000.00					
	Group		7 m/s			Lw (Day (12h)) /dB(A)			108.91					
	Number of nodes		1			Lw (Night (8h)) /dB(A)			108.91					
	Length/ m		---			Lw (Evening (4h)) /dB(A)			108.91					
	Length/ m (2D)		---			Emission is			Sound power level (Lw)					
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Emission	Reference: Nordex N175 7 m/s										
Day (12h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Night (8h)		Emission	Reference: Nordex N175 7 m/s											
Night (8h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Evening (4h)		Emission	Reference: Nordex N175 7 m/s											
Evening (4h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB							
Lden				-	0.0	0.0	0.0							
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)						
Day (12h)		12.00	Day	108.9		1.00	1.19450	-10.02						
Evening (4h)		4.00	Evening	108.9		1.00	0.39230	-10.08						
Night (8h)		8.00	Night	108.9		1.00	0.73590	-10.36						

EQCN080	Label		C12				Action radius/m				3000.00					
	Group		7 m/s				Lw (Day (12h)) /dB(A)				108.91					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.91					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.91					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)		Emission		Reference: Nordex N175 7 m/s											
	Day (12h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)		Emission		Reference: Nordex N175 7 m/s											
Night (8h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
Evening (4h)		Emission		Reference: Nordex N175 7 m/s												
Evening (4h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB				
Lden		-		0.0		0.0		0.0				-		0.0		
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)				
Day (12h)		12.00	Day	108.9		1.00		1.19450				-10.02		-10.0		
Evening (4h)		4.00	Evening	108.9		1.00		0.39230				-10.08		-10.1		
Night (8h)		8.00	Night	108.9		1.00		0.73590				-10.36		-10.4		
EQCN081	Label		C13				Action radius/m				3000.00					
	Group		7 m/s				Lw (Day (12h)) /dB(A)				108.91					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.91					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.91					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)		Emission		Reference: Nordex N175 7 m/s											
	Day (12h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)		Emission		Reference: Nordex N175 7 m/s											
Night (8h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
Evening (4h)		Emission		Reference: Nordex N175 7 m/s												
Evening (4h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB				
Lden		-		0.0		0.0		0.0				-		0.0		
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)				
Day (12h)		12.00	Day	108.9		1.00		1.19450				-10.02		-10.0		
Evening (4h)		4.00	Evening	108.9		1.00		0.39230				-10.08		-10.1		
Night (8h)		8.00	Night	108.9		1.00		0.73590				-10.36		-10.4		
EQCN082	Label		C14				Action radius/m				3000.00					
	Group		7 m/s				Lw (Day (12h)) /dB(A)				108.91					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.91					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.91					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)		Emission		Reference: Nordex N175 7 m/s											
	Day (12h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)		Emission		Reference: Nordex N175 7 m/s											
Night (8h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
Evening (4h)		Emission		Reference: Nordex N175 7 m/s												
Evening (4h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB				
Lden		-		0.0		0.0		0.0				-		0.0		
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)				
Day (12h)		12.00	Day	108.9		1.00		1.19450				-10.02		-10.0		
Evening (4h)		4.00	Evening	108.9		1.00		0.39230				-10.08		-10.1		
Night (8h)		8.00	Night	108.9		1.00		0.73590				-10.36		-10.4		
EQCN082	Label		C14				Action radius/m				3000.00					
	Group		7 m/s				Lw (Day (12h)) /dB(A)				108.91					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.91					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.91					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)		Emission		Reference: Nordex N175 7 m/s											
	Day (12h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)		Emission		Reference: Nordex N175 7 m/s											
Night (8h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
Evening (4h)		Emission		Reference: Nordex N175 7 m/s												
Evening (4h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB				
Lden		-		0.0		0.0		0.0				-		0.0		
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)				
Day (12h)		12.00	Day	108.9		1.00		1.19450				-10.02		-10.0		
Evening (4h)		4.00	Evening	108.9		1.00		0.39230				-10.08		-10.1		
Night (8h)		8.00	Night	108.9		1.00		0.73590				-10.36		-10.4		
EQCN083	Label		C15				Action radius/m				3000.00					
	Group		7 m/s				Lw (Day (12h)) /dB(A)				108.91					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.91					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.91					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)		Emission		Reference: Nordex N175 7 m/s											
	Day (12h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)		Emission		Reference: Nordex N175 7 m/s											
Night (8h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
Evening (4h)		Emission		Reference: Nordex N175 7 m/s												
Evening (4h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		

Vides trokšņa ievades dati “PurpleGreen Solwin” C alternatīva

	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
	Night (8h)	Emission	Reference: Nordex N175 7 m/s												
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
	Evening (4h)	Emission	Reference: Nordex N175 7 m/s												
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)		12.00	Day	108.9	1.00		1.19450		-10.02		-10.0			
	Evening (4h)		4.00	Evening	108.9	1.00		0.39230		-10.08		-10.1			
	Night (8h)		8.00	Night	108.9	1.00		0.73590		-10.36		-10.4			
EQCN084	Label		C16				Action radius/m				3000.00				
	Group		7 m/s				Lw (Day (12h)) /dB(A)				108.91				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.91				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.91				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum				16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz
	Day (12h)	Emission	Reference: Nordex N175 7 m/s												
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
	Night (8h)	Emission	Reference: Nordex N175 7 m/s												
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
	Evening (4h)	Emission	Reference: Nordex N175 7 m/s												
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)		12.00	Day	108.9	1.00		1.19450		-10.02		-10.0			
	Evening (4h)		4.00	Evening	108.9	1.00		0.39230		-10.08		-10.1			
	Night (8h)		8.00	Night	108.9	1.00		0.73590		-10.36		-10.4			
EQCN085	Label		C17				Action radius/m				3000.00				
	Group		7 m/s				Lw (Day (12h)) /dB(A)				108.91				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.91				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.91				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum				16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz
	Day (12h)	Emission	Reference: Nordex N175 7 m/s												
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
	Night (8h)	Emission	Reference: Nordex N175 7 m/s												
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
	Evening (4h)	Emission	Reference: Nordex N175 7 m/s												
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)		12.00	Day	108.9	1.00		1.19450		-10.02		-10.0			
	Evening (4h)		4.00	Evening	108.9	1.00		0.39230		-10.08		-10.1			
	Night (8h)		8.00	Night	108.9	1.00		0.73590		-10.36		-10.4			
EQCN086	Label		C1				Action radius/m				3000.00				
	Group		8 m/s				Lw (Day (12h)) /dB(A)				108.91				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.91				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.91				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum				16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz
	Day (12h)	Emission	Reference: Nordex N175 8 m/s												
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
	Night (8h)	Emission	Reference: Nordex N175 8 m/s												
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
	Evening (4h)	Emission	Reference: Nordex N175 8 m/s												

Vides trokšņa ievades dati "PurpleGreen Solwin" C alternatīva

	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.9		1.00		1.12410		-10.28		-10.3	
	Evening (4h)		4.00	Evening	108.9		1.00		0.39950		-10.01		-10.0	
	Night (8h)		8.00	Night	108.9		1.00		0.81450		-9.92		-9.9	
EQCN087	Label		C2				Action radius/m				3000.00			
	Group		8 m/s				Lw (Day (12h)) /dB(A)				108.91			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.91			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.91			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission	Reference: Nordex N175 8 m/s										
	Day (12h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)		Emission	Reference: Nordex N175 8 m/s										
Night (8h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Evening (4h)		Emission	Reference: Nordex N175 8 m/s											
Evening (4h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.9		1.00		1.12410		-10.28		-10.3	
	Evening (4h)		4.00	Evening	108.9		1.00		0.39950		-10.01		-10.0	
	Night (8h)		8.00	Night	108.9		1.00		0.81450		-9.92		-9.9	
EQCN088	Label		C3				Action radius/m				3000.00			
	Group		8 m/s				Lw (Day (12h)) /dB(A)				108.91			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.91			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.91			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission	Reference: Nordex N175 8 m/s										
	Day (12h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)		Emission	Reference: Nordex N175 8 m/s										
Night (8h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Evening (4h)		Emission	Reference: Nordex N175 8 m/s											
Evening (4h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.9		1.00		1.12410		-10.28		-10.3	
	Evening (4h)		4.00	Evening	108.9		1.00		0.39950		-10.01		-10.0	
	Night (8h)		8.00	Night	108.9		1.00		0.81450		-9.92		-9.9	
EQCN089	Label		C4				Action radius/m				3000.00			
	Group		8 m/s				Lw (Day (12h)) /dB(A)				108.91			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.91			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.91			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission	Reference: Nordex N175 8 m/s										
	Day (12h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)		Emission	Reference: Nordex N175 8 m/s										
Night (8h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Evening (4h)		Emission	Reference: Nordex N175 8 m/s											
Evening (4h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	

Vides trokšņa ievades dati "PurpleGreen Solwin" C alternatīva

	Day (12h)		12.00	Day		108.9		1.00		1.12410		-10.28		-10.3
	Evening (4h)		4.00	Evening		108.9		1.00		0.39950		-10.01		-10.0
	Night (8h)		8.00	Night		108.9		1.00		0.81450		-9.92		-9.9
EQCN090	Label	C5				Action radius/m						3000.00		
	Group	8 m/s				Lw (Day (12h)) /dB(A)						108.91		
	Number of nodes	1				Lw (Night (8h)) /dB(A)						108.91		
	Length/ m	---				Lw (Evening (4h)) /dB(A)						108.91		
	Length/ m (2D)	---				Emission is						Sound power level (Lw)		
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 8 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)	Emission	Reference: Nordex N175 8 m/s											
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Evening (4h)	Emission	Reference: Nordex N175 8 m/s											
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB				
	Lden	-		0.0		0.0		0.0		0.0				
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	108.9		1.00		1.12410		-10.28		-10.3		
	Evening (4h)	4.00	Evening	108.9		1.00		0.39950		-10.01		-10.0		
	Night (8h)	8.00	Night	108.9		1.00		0.81450		-9.92		-9.9		
EQCN091	Label	C6				Action radius/m						3000.00		
	Group	8 m/s				Lw (Day (12h)) /dB(A)						108.91		
	Number of nodes	1				Lw (Night (8h)) /dB(A)						108.91		
	Length/ m	---				Lw (Evening (4h)) /dB(A)						108.91		
	Length/ m (2D)	---				Emission is						Sound power level (Lw)		
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 8 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)	Emission	Reference: Nordex N175 8 m/s											
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Evening (4h)	Emission	Reference: Nordex N175 8 m/s											
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB				
	Lden	-		0.0		0.0		0.0		0.0				
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	108.9		1.00		1.12410		-10.28		-10.3		
	Evening (4h)	4.00	Evening	108.9		1.00		0.39950		-10.01		-10.0		
	Night (8h)	8.00	Night	108.9		1.00		0.81450		-9.92		-9.9		
EQCN092	Label	C7				Action radius/m						3000.00		
	Group	8 m/s				Lw (Day (12h)) /dB(A)						108.91		
	Number of nodes	1				Lw (Night (8h)) /dB(A)						108.91		
	Length/ m	---				Lw (Evening (4h)) /dB(A)						108.91		
	Length/ m (2D)	---				Emission is						Sound power level (Lw)		
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 8 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)	Emission	Reference: Nordex N175 8 m/s											
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Evening (4h)	Emission	Reference: Nordex N175 8 m/s											
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB				
	Lden	-		0.0		0.0		0.0		0.0				
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	108.9		1.00		1.12410		-10.28		-10.3		
	Evening (4h)	4.00	Evening	108.9		1.00		0.39950		-10.01		-10.0		
	Night (8h)	8.00	Night	108.9		1.00		0.81450		-9.92		-9.9		
EQCN093	Label	C8				Action radius/m						3000.00		
	Group	8 m/s				Lw (Day (12h)) /dB(A)						108.91		
	Number of nodes	1				Lw (Night (8h)) /dB(A)						108.91		
	Length/ m	---				Lw (Evening (4h)) /dB(A)						108.91		
	Length/ m (2D)	---				Emission is						Sound power level (Lw)		
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 8 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)	Emission	Reference: Nordex N175 8 m/s											
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Evening (4h)	Emission	Reference: Nordex N175 8 m/s											
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB				
	Lden	-		0.0		0.0		0.0		0.0				
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	108.9		1.00		1.12410		-10.28		-10.3		
	Evening (4h)	4.00	Evening	108.9		1.00		0.39950		-10.01		-10.0		
	Night (8h)	8.00	Night	108.9		1.00		0.81450		-9.92		-9.9		

Vides trokšņa ievades dati "PurpleGreen Solwin" C alternatīva

Area /m²		---				---				---			
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)	Emission	Reference: Nordex N175 8 m/s											
Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Night (8h)	Emission	Reference: Nordex N175 8 m/s											
Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Evening (4h)	Emission	Reference: Nordex N175 8 m/s											
Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
Lden		-		0.0		0.0		0.0		-		0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)		12.00	Day	108.9		1.00		1.12410		-10.28		-10.3	
Evening (4h)		4.00	Evening	108.9		1.00		0.39950		-10.01		-10.0	
Night (8h)		8.00	Night	108.9		1.00		0.81450		-9.92		-9.9	
EQCN094		Label		C9		Action radius/m		3000.00					
		Group		8 m/s		Lw (Day (12h)) /dB(A)		108.91					
		Number of nodes		1		Lw (Night (8h)) /dB(A)		108.91					
		Length/ m		---		Lw (Evening (4h)) /dB(A)		108.91					
		Length/ m (2D)		---		Emission is		Sound power level (Lw)					
		Area /m²		---									
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)	Emission	Reference: Nordex N175 8 m/s											
Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Night (8h)	Emission	Reference: Nordex N175 8 m/s											
Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Evening (4h)	Emission	Reference: Nordex N175 8 m/s											
Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
Lden		-		0.0		0.0		0.0		-		0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)		12.00	Day	108.9		1.00		1.12410		-10.28		-10.3	
Evening (4h)		4.00	Evening	108.9		1.00		0.39950		-10.01		-10.0	
Night (8h)		8.00	Night	108.9		1.00		0.81450		-9.92		-9.9	
EQCN095		Label		C10		Action radius/m		3000.00					
		Group		8 m/s		Lw (Day (12h)) /dB(A)		108.91					
		Number of nodes		1		Lw (Night (8h)) /dB(A)		108.91					
		Length/ m		---		Lw (Evening (4h)) /dB(A)		108.91					
		Length/ m (2D)		---		Emission is		Sound power level (Lw)					
		Area /m²		---									
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)	Emission	Reference: Nordex N175 8 m/s											
Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Night (8h)	Emission	Reference: Nordex N175 8 m/s											
Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Evening (4h)	Emission	Reference: Nordex N175 8 m/s											
Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
Lden		-		0.0		0.0		0.0		-		0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)		12.00	Day	108.9		1.00		1.12410		-10.28		-10.3	
Evening (4h)		4.00	Evening	108.9		1.00		0.39950		-10.01		-10.0	
Night (8h)		8.00	Night	108.9		1.00		0.81450		-9.92		-9.9	
EQCN096		Label		C11		Action radius/m		3000.00					
		Group		8 m/s		Lw (Day (12h)) /dB(A)		108.91					
		Number of nodes		1		Lw (Night (8h)) /dB(A)		108.91					
		Length/ m		---		Lw (Evening (4h)) /dB(A)		108.91					
		Length/ m (2D)		---		Emission is		Sound power level (Lw)					
		Area /m²		---									
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)	Emission	Reference: Nordex N175 8 m/s											
Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Night (8h)	Emission	Reference: Nordex N175 8 m/s											
Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	

Vides trokšņa ievades dati "PurpleGreen Solwin" C alternatīva

				68.5 71.8	77.1 78.3	84.6 87.3	91.5 93.5	95.8 96.9	97.1 98.2	99.2 99.7	97.4 93.9	84.6 79.7	64.9 55.5	
	Evening (4h)	Emission	Reference: Nordex N175 8 m/s											
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.9		1.00		1.12410		-10.28		-10.3	
	Evening (4h)		4.00	Evening	108.9		1.00		0.39950		-10.01		-10.0	
	Night (8h)		8.00	Night	108.9		1.00		0.81450		-9.92		-9.9	
EQCN097	Label		C12		Action radius/m								3000.00	
	Group		8 m/s		Lw (Day (12h)) /dB(A)								108.91	
	Number of nodes		1		Lw (Night (8h)) /dB(A)								108.91	
	Length/ m		---		Lw (Evening (4h)) /dB(A)								108.91	
	Length/ m (2D)		---		Emission is								Sound power level (Lw)	
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission	Reference: Nordex N175 8 m/s										
	Day (12h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)		Emission	Reference: Nordex N175 8 m/s										
	Night (8h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Evening (4h)		Emission	Reference: Nordex N175 8 m/s										
	Evening (4h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.9		1.00		1.12410		-10.28		-10.3	
	Evening (4h)		4.00	Evening	108.9		1.00		0.39950		-10.01		-10.0	
	Night (8h)		8.00	Night	108.9		1.00		0.81450		-9.92		-9.9	
EQCN098	Label		C13		Action radius/m								3000.00	
	Group		8 m/s		Lw (Day (12h)) /dB(A)								108.91	
	Number of nodes		1		Lw (Night (8h)) /dB(A)								108.91	
	Length/ m		---		Lw (Evening (4h)) /dB(A)								108.91	
	Length/ m (2D)		---		Emission is								Sound power level (Lw)	
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission	Reference: Nordex N175 8 m/s										
	Day (12h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)		Emission	Reference: Nordex N175 8 m/s										
	Night (8h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Evening (4h)		Emission	Reference: Nordex N175 8 m/s										
	Evening (4h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.9		1.00		1.12410		-10.28		-10.3	
	Evening (4h)		4.00	Evening	108.9		1.00		0.39950		-10.01		-10.0	
	Night (8h)		8.00	Night	108.9		1.00		0.81450		-9.92		-9.9	
EQCN099	Label		C14		Action radius/m								3000.00	
	Group		8 m/s		Lw (Day (12h)) /dB(A)								108.91	
	Number of nodes		1		Lw (Night (8h)) /dB(A)								108.91	
	Length/ m		---		Lw (Evening (4h)) /dB(A)								108.91	
	Length/ m (2D)		---		Emission is								Sound power level (Lw)	
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission	Reference: Nordex N175 8 m/s										
	Day (12h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)		Emission	Reference: Nordex N175 8 m/s										
	Night (8h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Evening (4h)		Emission	Reference: Nordex N175 8 m/s										
	Evening (4h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	

Vides trokšņa ievades dati "PurpleGreen Solwin" C alternatīva

	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.9		1.00		1.12410		-10.28		-10.3	
	Evening (4h)		4.00	Evening	108.9		1.00		0.39950		-10.01		-10.0	
	Night (8h)		8.00	Night	108.9		1.00		0.81450		-9.92		-9.9	
EQCN100	Label		C15				Action radius/m				3000.00			
	Group		8 m/s				Lw (Day (12h)) /dB(A)				108.91			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.91			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.91			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 8 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)	Emission	Reference: Nordex N175 8 m/s											
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Evening (4h)	Emission	Reference: Nordex N175 8 m/s											
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.9		1.00		1.12410		-10.28		-10.3	
	Evening (4h)		4.00	Evening	108.9		1.00		0.39950		-10.01		-10.0	
	Night (8h)		8.00	Night	108.9		1.00		0.81450		-9.92		-9.9	
EQCN101	Label		C16				Action radius/m				3000.00			
	Group		8 m/s				Lw (Day (12h)) /dB(A)				108.91			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.91			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.91			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 8 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)	Emission	Reference: Nordex N175 8 m/s											
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Evening (4h)	Emission	Reference: Nordex N175 8 m/s											
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.9		1.00		1.12410		-10.28		-10.3	
	Evening (4h)		4.00	Evening	108.9		1.00		0.39950		-10.01		-10.0	
	Night (8h)		8.00	Night	108.9		1.00		0.81450		-9.92		-9.9	
EQCN102	Label		C17				Action radius/m				3000.00			
	Group		8 m/s				Lw (Day (12h)) /dB(A)				108.91			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.91			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.91			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 8 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)	Emission	Reference: Nordex N175 8 m/s											
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Evening (4h)	Emission	Reference: Nordex N175 8 m/s											
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.9		1.00		1.12410		-10.28		-10.3	
	Evening (4h)		4.00	Evening	108.9		1.00		0.39950		-10.01		-10.0	
	Night (8h)		8.00	Night	108.9		1.00		0.81450		-9.92		-9.9	
EQCN103	Label		C1				Action radius/m				3000.00			
	Group		9 m/s				Lw (Day (12h)) /dB(A)				108.91			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.91			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.91			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 8 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)	Emission	Reference: Nordex N175 8 m/s											
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Evening (4h)	Emission	Reference: Nordex N175 8 m/s											
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.9		1.00		1.12410		-10.28		-10.3	
	Evening (4h)		4.00	Evening	108.9		1.00		0.39950		-10.01		-10.0	
	Night (8h)		8.00	Night	108.9		1.00		0.81450		-9.92		-9.9	
EQCN103	Label		C1				Action radius/m				3000.00			
	Group		9 m/s				Lw (Day (12h)) /dB(A)				108.91			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.91			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.91			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 8 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)	Emission	Reference: Nordex N175 8 m/s											
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Evening (4h)	Emission	Reference: Nordex N175 8 m/s											
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.9		1.00		1.12410		-10.28		-10.3	
	Evening (4h)		4.00	Evening	108.9		1.00		0.39950		-10.01		-10.0	
	Night (8h)		8.00	Night	108.9		1.00		0.81450		-9.92		-9.9	
EQCN103	Label		C1				Action radius/m				3000.00			
	Group		9 m/s				Lw (Day (12h)) /dB(A)				108.91			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.91			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.91			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 8 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)	Emission	Reference: Nordex N175 8 m/s											
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Evening (4h)	Emission	Reference: Nordex N175 8 m/s											
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.9		1.00		1.12410		-10.28		-10.3	
	Evening (4h)		4.00	Evening	108.9		1.00		0.39950		-10.01		-10.0	
	Night (8h)		8.00	Night	108.9		1.00		0.81450		-9.92		-9.9	
EQCN103	Label		C1				Action radius/m				3000.00			
	Group		9 m/s				Lw (Day (12h)) /dB(A)				108.91			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.91			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.91			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 8 m/s											
	Day (12h)	Lw /dB (A)	108.9											

Vides trokšņa ievades dati "PurpleGreen Solwin" C alternatīva

	Number of nodes	1			Lw (Night (8h)) /dB(A)								108.91
	Length/ m	---			Lw (Evening (4h)) /dB(A)								108.91
	Length/ m (2D)	---			Emission is								Sound power level (Lw)
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 9 m/s										
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)	Emission	Reference: Nordex N175 9 m/s										
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Evening (4h)	Emission	Reference: Nordex N175 9 m/s										
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-	0.0		0.0		0.0				-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	108.9		1.00		0.97070		-10.92		-10.9	
	Evening (4h)	4.00	Evening	108.9		1.00		0.43480		-9.64		-9.6	
	Night (8h)	8.00	Night	108.9		1.00		0.89970		-9.49		-9.5	
EQCN104	Label	C2				Action radius/m							3000.00
	Group	9 m/s				Lw (Day (12h)) /dB(A)							108.91
	Number of nodes	1				Lw (Night (8h)) /dB(A)							108.91
	Length/ m	---				Lw (Evening (4h)) /dB(A)							108.91
	Length/ m (2D)	---				Emission is							Sound power level (Lw)
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 9 m/s										
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)	Emission	Reference: Nordex N175 9 m/s										
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Evening (4h)	Emission	Reference: Nordex N175 9 m/s										
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-	0.0		0.0		0.0				-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	108.9		1.00		0.97070		-10.92		-10.9	
	Evening (4h)	4.00	Evening	108.9		1.00		0.43480		-9.64		-9.6	
	Night (8h)	8.00	Night	108.9		1.00		0.89970		-9.49		-9.5	
EQCN105	Label	C3				Action radius/m							3000.00
	Group	9 m/s				Lw (Day (12h)) /dB(A)							108.91
	Number of nodes	1				Lw (Night (8h)) /dB(A)							108.91
	Length/ m	---				Lw (Evening (4h)) /dB(A)							108.91
	Length/ m (2D)	---				Emission is							Sound power level (Lw)
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 9 m/s										
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)	Emission	Reference: Nordex N175 9 m/s										
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Evening (4h)	Emission	Reference: Nordex N175 9 m/s										
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-	0.0		0.0		0.0				-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	108.9		1.00		0.97070		-10.92		-10.9	
	Evening (4h)	4.00	Evening	108.9		1.00		0.43480		-9.64		-9.6	
	Night (8h)	8.00	Night	108.9		1.00		0.89970		-9.49		-9.5	
EQCN106	Label	C4				Action radius/m							3000.00
	Group	9 m/s				Lw (Day (12h)) /dB(A)							108.91
	Number of nodes	1				Lw (Night (8h)) /dB(A)							108.91
	Length/ m	---				Lw (Evening (4h)) /dB(A)							108.91
	Length/ m (2D)	---				Emission is							Sound power level (Lw)
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 9 m/s										
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5	75.2 77.1	80.3 84.6	88.9 91.5	94.8 95.8	97.0 97.1	99.0 99.2	99.5 97.4	89.6 84.6	72.6 64.9

Vides trokšņa ievades dati "PurpleGreen Solwin" C alternatīva

				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5
	Rating method	Peak level	Corr. for impulsivity /dB			Corr. for tonality /dB	Corr. for inform. content/dB					Special correction /dB	
	Lden	-	0.0			0.0	0.0					-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times	Impact time /h	dLi /dB				Lwr /dB(A)	
	Day (12h)	12.00	Day	108.9		1.00	0.97070				-10.92		-10.9
	Evening (4h)	4.00	Evening	108.9		1.00	0.43480				-9.64		-9.6
	Night (8h)	8.00	Night	108.9		1.00	0.89970				-9.49		-9.5
EQCN110	Label	C8				Action radius/m							3000.00
	Group	9 m/s				Lw (Day (12h)) /dB(A)							108.91
	Number of nodes	1				Lw (Night (8h)) /dB(A)							108.91
	Length/ m	---				Lw (Evening (4h)) /dB(A)							108.91
	Length/ m (2D)	---				Emission is							Sound power level (Lw)
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 9 m/s										
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)	Emission	Reference: Nordex N175 9 m/s										
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Evening (4h)	Emission	Reference: Nordex N175 9 m/s										
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Rating method	Peak level	Corr. for impulsivity /dB			Corr. for tonality /dB	Corr. for inform. content/dB					Special correction /dB	
	Lden	-	0.0			0.0	0.0					-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times	Impact time /h	dLi /dB				Lwr /dB(A)	
	Day (12h)	12.00	Day	108.9		1.00	0.97070				-10.92		-10.9
	Evening (4h)	4.00	Evening	108.9		1.00	0.43480				-9.64		-9.6
	Night (8h)	8.00	Night	108.9		1.00	0.89970				-9.49		-9.5
EQCN111	Label	C9				Action radius/m							3000.00
	Group	9 m/s				Lw (Day (12h)) /dB(A)							108.91
	Number of nodes	1				Lw (Night (8h)) /dB(A)							108.91
	Length/ m	---				Lw (Evening (4h)) /dB(A)							108.91
	Length/ m (2D)	---				Emission is							Sound power level (Lw)
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 9 m/s										
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)	Emission	Reference: Nordex N175 9 m/s										
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Evening (4h)	Emission	Reference: Nordex N175 9 m/s										
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Rating method	Peak level	Corr. for impulsivity /dB			Corr. for tonality /dB	Corr. for inform. content/dB					Special correction /dB	
	Lden	-	0.0			0.0	0.0					-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times	Impact time /h	dLi /dB				Lwr /dB(A)	
	Day (12h)	12.00	Day	108.9		1.00	0.97070				-10.92		-10.9
	Evening (4h)	4.00	Evening	108.9		1.00	0.43480				-9.64		-9.6
	Night (8h)	8.00	Night	108.9		1.00	0.89970				-9.49		-9.5
EQCN112	Label	C10				Action radius/m							3000.00
	Group	9 m/s				Lw (Day (12h)) /dB(A)							108.91
	Number of nodes	1				Lw (Night (8h)) /dB(A)							108.91
	Length/ m	---				Lw (Evening (4h)) /dB(A)							108.91
	Length/ m (2D)	---				Emission is							Sound power level (Lw)
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 9 m/s										
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)	Emission	Reference: Nordex N175 9 m/s										
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Evening (4h)	Emission	Reference: Nordex N175 9 m/s										
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Rating method	Peak level	Corr. for impulsivity /dB			Corr. for tonality /dB	Corr. for inform. content/dB					Special correction /dB	
	Lden	-	0.0			0.0	0.0					-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times	Impact time /h	dLi /dB				Lwr /dB(A)	
	Day (12h)	12.00	Day	108.9		1.00	0.97070				-10.92		-10.9
	Evening (4h)	4.00	Evening	108.9		1.00	0.43480				-9.64		-9.6

Vides trokšņa ievades dati "PurpleGreen Solwin" C alternatīva

	Day (12h)	Emission	Reference: Nordex N175 9 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)	Emission	Reference: Nordex N175 9 m/s											
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Evening (4h)	Emission	Reference: Nordex N175 9 m/s											
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
EQCN117	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0				0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.9		1.00		0.97070		-10.92		-10.9	
	Evening (4h)		4.00	Evening	108.9		1.00		0.43480		-9.64		-9.6	
	Night (8h)		8.00	Night	108.9		1.00		0.89970		-9.49		-9.5	
	Label		C15				Action radius/m				3000.00			
	Group		9 m/s				Lw (Day (12h)) /dB(A)				108.91			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.91			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.91			
Length/ m (2D)		---				Emission is				Sound power level (Lw)				
Area /m²		---												
Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 9 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)	Emission	Reference: Nordex N175 9 m/s											
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Evening (4h)	Emission	Reference: Nordex N175 9 m/s											
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
EQCN118	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0				0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.9		1.00		0.97070		-10.92		-10.9	
	Evening (4h)		4.00	Evening	108.9		1.00		0.43480		-9.64		-9.6	
	Night (8h)		8.00	Night	108.9		1.00		0.89970		-9.49		-9.5	
	Label		C16				Action radius/m				3000.00			
	Group		9 m/s				Lw (Day (12h)) /dB(A)				108.91			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.91			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.91			
Length/ m (2D)		---				Emission is				Sound power level (Lw)				
Area /m²		---												
Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 9 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)	Emission	Reference: Nordex N175 9 m/s											
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Evening (4h)	Emission	Reference: Nordex N175 9 m/s											
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
EQCN119	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0				0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.9		1.00		0.97070		-10.92		-10.9	
	Evening (4h)		4.00	Evening	108.9		1.00		0.43480		-9.64		-9.6	
	Night (8h)		8.00	Night	108.9		1.00		0.89970		-9.49		-9.5	
	Label		C17				Action radius/m				3000.00			
	Group		9 m/s				Lw (Day (12h)) /dB(A)				108.91			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.91			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.91			
Length/ m (2D)		---				Emission is				Sound power level (Lw)				
Area /m²		---												
Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 9 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)	Emission	Reference: Nordex N175 9 m/s											
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	

Vides trokšņa ievades dati "PurpleGreen Solwin" C alternatīva

	Evening (4h)	Emission	Reference: Nordex N175 9 m/s											
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0				0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.9		1.00		0.97070		-10.92		-10.9	
	Evening (4h)		4.00	Evening	108.9		1.00		0.43480		-9.64		-9.6	
	Night (8h)		8.00	Night	108.9		1.00		0.89970		-9.49		-9.5	
EQCN120	Label		C1				Action radius/m				3000.00			
	Group		10 m/s				Lw (Day (12h)) /dB(A)				108.91			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.91			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.91			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 10 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)	Emission	Reference: Nordex N175 10 m/s											
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Evening (4h)	Emission	Reference: Nordex N175 10 m/s											
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0				0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.9		1.00		0.88900		-11.30		-11.3	
	Evening (4h)		4.00	Evening	108.9		1.00		0.40410		-9.96		-10.0	
	Night (8h)		8.00	Night	108.9		1.00		0.86300		-9.67		-9.7	
EQCN121	Label		C2				Action radius/m				3000.00			
	Group		10 m/s				Lw (Day (12h)) /dB(A)				108.91			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.91			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.91			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 10 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)	Emission	Reference: Nordex N175 10 m/s											
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Evening (4h)	Emission	Reference: Nordex N175 10 m/s											
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0				0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.9		1.00		0.88900		-11.30		-11.3	
	Evening (4h)		4.00	Evening	108.9		1.00		0.40410		-9.96		-10.0	
	Night (8h)		8.00	Night	108.9		1.00		0.86300		-9.67		-9.7	
EQCN122	Label		C3				Action radius/m				3000.00			
	Group		10 m/s				Lw (Day (12h)) /dB(A)				108.91			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.91			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.91			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 10 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)	Emission	Reference: Nordex N175 10 m/s											
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Evening (4h)	Emission	Reference: Nordex N175 10 m/s											
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0				0.0	

Vides trokšņa ievades dati "PurpleGreen Solwin" C alternatīva

Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)						
Day (12h)		12.00	Day	108.9		1.00	0.88900	-11.30		-11.3				
Evening (4h)		4.00	Evening	108.9		1.00	0.40410	-9.96		-10.0				
Night (8h)		8.00	Night	108.9		1.00	0.86300	-9.67		-9.7				
EQCN123	Label	C4			Action radius/m			3000.00						
	Group	10 m/s			Lw (Day (12h)) /dB(A)			108.91						
	Number of nodes	1			Lw (Night (8h)) /dB(A)			108.91						
	Length/ m	---			Lw (Evening (4h)) /dB(A)			108.91						
	Length/ m (2D)	---			Emission is			Sound power level (Lw)						
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)	Emission	Reference: Nordex N175 10 m/s												
Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
Night (8h)	Emission	Reference: Nordex N175 10 m/s												
Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
Evening (4h)	Emission	Reference: Nordex N175 10 m/s												
Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
Lden		-		0.0		0.0		0.0		-		0.0		
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)						
Day (12h)		12.00	Day	108.9		1.00	0.88900	-11.30		-11.3				
Evening (4h)		4.00	Evening	108.9		1.00	0.40410	-9.96		-10.0				
Night (8h)		8.00	Night	108.9		1.00	0.86300	-9.67		-9.7				
EQCN124	Label	C5			Action radius/m			3000.00						
	Group	10 m/s			Lw (Day (12h)) /dB(A)			108.91						
	Number of nodes	1			Lw (Night (8h)) /dB(A)			108.91						
	Length/ m	---			Lw (Evening (4h)) /dB(A)			108.91						
	Length/ m (2D)	---			Emission is			Sound power level (Lw)						
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)	Emission	Reference: Nordex N175 10 m/s												
Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
Night (8h)	Emission	Reference: Nordex N175 10 m/s												
Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
Evening (4h)	Emission	Reference: Nordex N175 10 m/s												
Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
Lden		-		0.0		0.0		0.0		-		0.0		
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)						
Day (12h)		12.00	Day	108.9		1.00	0.88900	-11.30		-11.3				
Evening (4h)		4.00	Evening	108.9		1.00	0.40410	-9.96		-10.0				
Night (8h)		8.00	Night	108.9		1.00	0.86300	-9.67		-9.7				
EQCN125	Label	C6			Action radius/m			3000.00						
	Group	10 m/s			Lw (Day (12h)) /dB(A)			108.91						
	Number of nodes	1			Lw (Night (8h)) /dB(A)			108.91						
	Length/ m	---			Lw (Evening (4h)) /dB(A)			108.91						
	Length/ m (2D)	---			Emission is			Sound power level (Lw)						
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)	Emission	Reference: Nordex N175 10 m/s												
Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
Night (8h)	Emission	Reference: Nordex N175 10 m/s												
Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
Evening (4h)	Emission	Reference: Nordex N175 10 m/s												
Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
Lden		-		0.0		0.0		0.0		-		0.0		
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)						
Day (12h)		12.00	Day	108.9		1.00	0.88900	-11.30		-11.3				
Evening (4h)		4.00	Evening	108.9		1.00	0.40410	-9.96		-10.0				
Night (8h)		8.00	Night	108.9		1.00	0.86300	-9.67		-9.7				
EQCN126	Label	C7			Action radius/m			3000.00						
	Group	10 m/s			Lw (Day (12h)) /dB(A)			108.91						
	Number of nodes	1			Lw (Night (8h)) /dB(A)			108.91						

Vides trokšņa ievades dati "PurpleGreen Solwin" C alternatīva

	Length/ m	---					Lw (Evening (4h)) /dB(A)				108.91			
	Length/ m (2D)	---					Emission is				Sound power level (Lw)			
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 10 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)	Emission	Reference: Nordex N175 10 m/s											
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Evening (4h)	Emission	Reference: Nordex N175 10 m/s											
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden			-		0.0		0.0		0.0		-		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	108.9				1.00		0.88900		-11.30		-11.3
	Evening (4h)	4.00	Evening	108.9				1.00		0.40410		-9.96		-10.0
	Night (8h)	8.00	Night	108.9				1.00		0.86300		-9.67		-9.7
EQCN127	Label	C8					Action radius/m				3000.00			
	Group	10 m/s					Lw (Day (12h)) /dB(A)				108.91			
	Number of nodes	1					Lw (Night (8h)) /dB(A)				108.91			
	Length/ m	---					Lw (Evening (4h)) /dB(A)				108.91			
	Length/ m (2D)	---					Emission is				Sound power level (Lw)			
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 10 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)	Emission	Reference: Nordex N175 10 m/s											
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Evening (4h)	Emission	Reference: Nordex N175 10 m/s											
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden			-		0.0		0.0		0.0		-		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	108.9				1.00		0.88900		-11.30		-11.3
	Evening (4h)	4.00	Evening	108.9				1.00		0.40410		-9.96		-10.0
	Night (8h)	8.00	Night	108.9				1.00		0.86300		-9.67		-9.7
EQCN128	Label	C9					Action radius/m				3000.00			
	Group	10 m/s					Lw (Day (12h)) /dB(A)				108.91			
	Number of nodes	1					Lw (Night (8h)) /dB(A)				108.91			
	Length/ m	---					Lw (Evening (4h)) /dB(A)				108.91			
	Length/ m (2D)	---					Emission is				Sound power level (Lw)			
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 10 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)	Emission	Reference: Nordex N175 10 m/s											
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Evening (4h)	Emission	Reference: Nordex N175 10 m/s											
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden			-		0.0		0.0		0.0		-		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	108.9				1.00		0.88900		-11.30		-11.3
	Evening (4h)	4.00	Evening	108.9				1.00		0.40410		-9.96		-10.0
	Night (8h)	8.00	Night	108.9				1.00		0.86300		-9.67		-9.7
EQCN129	Label	C10					Action radius/m				3000.00			
	Group	10 m/s					Lw (Day (12h)) /dB(A)				108.91			
	Number of nodes	1					Lw (Night (8h)) /dB(A)				108.91			
	Length/ m	---					Lw (Evening (4h)) /dB(A)				108.91			
	Length/ m (2D)	---					Emission is				Sound power level (Lw)			
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 10 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	

Vides trokšņa ievades dati "PurpleGreen Solwin" C alternatīva

	Night (8h)	Emission	Reference: Nordex N175 10 m/s												
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
	Evening (4h)	Emission	Reference: Nordex N175 10 m/s												
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB				
	Lden		-		0.0		0.0		0.0		-				
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)		12.00	Day	108.9	1.00		0.88900		-11.30		-11.3			
	Evening (4h)		4.00	Evening	108.9	1.00		0.40410		-9.96		-10.0			
	Night (8h)		8.00	Night	108.9	1.00		0.86300		-9.67		-9.7			
EQCN130	Label		C11				Action radius/m				3000.00				
	Group		10 m/s				Lw (Day (12h)) /dB(A)				108.91				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.91				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.91				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)		Emission	Reference: Nordex N175 10 m/s											
	Day (12h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
		Night (8h)	Emission	Reference: Nordex N175 10 m/s											
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
	Evening (4h)	Emission	Reference: Nordex N175 10 m/s												
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB				
	Lden		-		0.0		0.0		0.0		-				
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)		12.00	Day	108.9	1.00		0.88900		-11.30		-11.3			
	Evening (4h)		4.00	Evening	108.9	1.00		0.40410		-9.96		-10.0			
	Night (8h)		8.00	Night	108.9	1.00		0.86300		-9.67		-9.7			
EQCN131	Label		C12				Action radius/m				3000.00				
	Group		10 m/s				Lw (Day (12h)) /dB(A)				108.91				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.91				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.91				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)		Emission	Reference: Nordex N175 10 m/s											
	Day (12h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
		Night (8h)	Emission	Reference: Nordex N175 10 m/s											
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
	Evening (4h)	Emission	Reference: Nordex N175 10 m/s												
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB				
	Lden		-		0.0		0.0		0.0		-				
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)		12.00	Day	108.9	1.00		0.88900		-11.30		-11.3			
	Evening (4h)		4.00	Evening	108.9	1.00		0.40410		-9.96		-10.0			
	Night (8h)		8.00	Night	108.9	1.00		0.86300		-9.67		-9.7			
EQCN132	Label		C13				Action radius/m				3000.00				
	Group		10 m/s				Lw (Day (12h)) /dB(A)				108.91				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.91				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.91				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)		Emission	Reference: Nordex N175 10 m/s											
	Day (12h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
		Night (8h)	Emission	Reference: Nordex N175 10 m/s											
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
	Evening (4h)	Emission	Reference: Nordex N175 10 m/s												
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		

Vides trokšņa ievades dati "PurpleGreen Solwin" C alternatīva

Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB						
Lden				-	0.0	0.0	0.0	-					
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
Day (12h)		12.00	Day	108.9	1.00	0.88900	-11.30	-11.3					
Evening (4h)		4.00	Evening	108.9	1.00	0.40410	-9.96	-10.0					
Night (8h)		8.00	Night	108.9	1.00	0.86300	-9.67	-9.7					
EQCN133	Label	C14			Action radius/m			3000.00					
	Group	10 m/s			Lw (Day (12h)) /dB(A)			108.91					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			108.91					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			108.91					
	Length/ m (2D)	---			Emission is			Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 10 m/s										
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
Night (8h)	Emission	Reference: Nordex N175 10 m/s											
Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Evening (4h)	Emission	Reference: Nordex N175 10 m/s											
Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB						
Lden				-	0.0	0.0	0.0	-					
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
Day (12h)		12.00	Day	108.9	1.00	0.88900	-11.30	-11.3					
Evening (4h)		4.00	Evening	108.9	1.00	0.40410	-9.96	-10.0					
Night (8h)		8.00	Night	108.9	1.00	0.86300	-9.67	-9.7					
EQCN134	Label	C15			Action radius/m			3000.00					
	Group	10 m/s			Lw (Day (12h)) /dB(A)			108.91					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			108.91					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			108.91					
	Length/ m (2D)	---			Emission is			Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 10 m/s										
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
Night (8h)	Emission	Reference: Nordex N175 10 m/s											
Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Evening (4h)	Emission	Reference: Nordex N175 10 m/s											
Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB						
Lden				-	0.0	0.0	0.0	-					
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
Day (12h)		12.00	Day	108.9	1.00	0.88900	-11.30	-11.3					
Evening (4h)		4.00	Evening	108.9	1.00	0.40410	-9.96	-10.0					
Night (8h)		8.00	Night	108.9	1.00	0.86300	-9.67	-9.7					
EQCN135	Label	C16			Action radius/m			3000.00					
	Group	10 m/s			Lw (Day (12h)) /dB(A)			108.91					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			108.91					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			108.91					
	Length/ m (2D)	---			Emission is			Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 10 m/s										
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
Night (8h)	Emission	Reference: Nordex N175 10 m/s											
Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Evening (4h)	Emission	Reference: Nordex N175 10 m/s											
Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB						
Lden				-	0.0	0.0	0.0	-					
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
Day (12h)		12.00	Day	108.9	1.00	0.88900	-11.30	-11.3					
Evening (4h)		4.00	Evening	108.9	1.00	0.40410	-9.96	-10.0					
Night (8h)		8.00	Night	108.9	1.00	0.86300	-9.67	-9.7					

	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)	Emission	Reference: Nordex N175 11 m/s											
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Evening (4h)	Emission	Reference: Nordex N175 11 m/s											
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	108.9	1.00		0.78300		-11.85		-11.9		
	Evening (4h)		4.00	Evening	108.9	1.00		0.37340		-10.30		-10.3		
	Night (8h)		8.00	Night	108.9	1.00		0.79890		-10.01		-10.0		
EQCN140	Label		C4					Action radius/m					3000.00	
	Group		11 m/s					Lw (Day (12h)) /dB(A)					108.91	
	Number of nodes		1					Lw (Night (8h)) /dB(A)					108.91	
	Length/ m		---					Lw (Evening (4h)) /dB(A)					108.91	
	Length/ m (2D)		---					Emission is					Sound power level (Lw)	
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 11 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)	Emission	Reference: Nordex N175 11 m/s											
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Evening (4h)	Emission	Reference: Nordex N175 11 m/s											
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	108.9	1.00		0.78300		-11.85		-11.9		
	Evening (4h)		4.00	Evening	108.9	1.00		0.37340		-10.30		-10.3		
	Night (8h)		8.00	Night	108.9	1.00		0.79890		-10.01		-10.0		
EQCN141	Label		C5					Action radius/m					3000.00	
	Group		11 m/s					Lw (Day (12h)) /dB(A)					108.91	
	Number of nodes		1					Lw (Night (8h)) /dB(A)					108.91	
	Length/ m		---					Lw (Evening (4h)) /dB(A)					108.91	
	Length/ m (2D)		---					Emission is					Sound power level (Lw)	
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 11 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)	Emission	Reference: Nordex N175 11 m/s											
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Evening (4h)	Emission	Reference: Nordex N175 11 m/s											
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	108.9	1.00		0.78300		-11.85		-11.9		
	Evening (4h)		4.00	Evening	108.9	1.00		0.37340		-10.30		-10.3		
	Night (8h)		8.00	Night	108.9	1.00		0.79890		-10.01		-10.0		
EQCN142	Label		C6					Action radius/m					3000.00	
	Group		11 m/s					Lw (Day (12h)) /dB(A)					108.91	
	Number of nodes		1					Lw (Night (8h)) /dB(A)					108.91	
	Length/ m		---					Lw (Evening (4h)) /dB(A)					108.91	
	Length/ m (2D)		---					Emission is					Sound power level (Lw)	
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 11 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)	Emission	Reference: Nordex N175 11 m/s											
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Evening (4h)	Emission	Reference: Nordex N175 11 m/s											

Vides trokšņa ievades dati "PurpleGreen Solwin" C alternatīva

	Lden	-	0.0	0.0	0.0	-	0.0						
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	108.9	1.00	1.39010	-9.36	-9.4					
	Evening (4h)	4.00	Evening	108.9	1.00	0.70330	-7.55	-7.5					
	Night (8h)	8.00	Night	108.9	1.00	1.44300	-7.44	-7.4					
EQCN156	Label	C3			Action radius/m			3000.00					
	Group	>= 12 m/s			Lw (Day (12h)) /dB(A)			108.91					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			108.91					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			108.91					
	Length/ m (2D)	---			Emission is			Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 >= 12 m/s										
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)	Emission	Reference: Nordex N175 >= 12 m/s										
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Evening (4h)	Emission	Reference: Nordex N175 >= 12 m/s										
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB							Special correction /dB	
	Lden	-	0.0	0.0	0.0	-	0.0					0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	108.9	1.00	1.39010	-9.36	-9.4					
	Evening (4h)	4.00	Evening	108.9	1.00	0.70330	-7.55	-7.5					
	Night (8h)	8.00	Night	108.9	1.00	1.44300	-7.44	-7.4					
EQCN157	Label	C4			Action radius/m			3000.00					
	Group	>= 12 m/s			Lw (Day (12h)) /dB(A)			108.91					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			108.91					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			108.91					
	Length/ m (2D)	---			Emission is			Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 >= 12 m/s										
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)	Emission	Reference: Nordex N175 >= 12 m/s										
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Evening (4h)	Emission	Reference: Nordex N175 >= 12 m/s										
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB							Special correction /dB	
	Lden	-	0.0	0.0	0.0	-	0.0					0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	108.9	1.00	1.39010	-9.36	-9.4					
	Evening (4h)	4.00	Evening	108.9	1.00	0.70330	-7.55	-7.5					
	Night (8h)	8.00	Night	108.9	1.00	1.44300	-7.44	-7.4					
EQCN158	Label	C5			Action radius/m			3000.00					
	Group	>= 12 m/s			Lw (Day (12h)) /dB(A)			108.91					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			108.91					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			108.91					
	Length/ m (2D)	---			Emission is			Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 >= 12 m/s										
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)	Emission	Reference: Nordex N175 >= 12 m/s										
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Evening (4h)	Emission	Reference: Nordex N175 >= 12 m/s										
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB							Special correction /dB	
	Lden	-	0.0	0.0	0.0	-	0.0					0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	108.9	1.00	1.39010	-9.36	-9.4					
	Evening (4h)	4.00	Evening	108.9	1.00	0.70330	-7.55	-7.5					
	Night (8h)	8.00	Night	108.9	1.00	1.44300	-7.44	-7.4					
EQCN159	Label	C6			Action radius/m			3000.00					
	Group	>= 12 m/s			Lw (Day (12h)) /dB(A)			108.91					

Vides trokšņa ievades dati "PurpleGreen Solwin" C alternatīva

	Number of nodes		1			Lw (Night (8h)) /dB(A)				108.91			
	Length/ m		---			Lw (Evening (4h)) /dB(A)				108.91			
	Length/ m (2D)		---			Emission is				Sound power level (Lw)			
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 >= 12 m/s										
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)	Emission	Reference: Nordex N175 >= 12 m/s										
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Evening (4h)	Emission	Reference: Nordex N175 >= 12 m/s										
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Rating method	Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden	-	0.0		0.0		0.0		0.0		-		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	108.9		1.00		1.39010		-9.36		-9.4	
	Evening (4h)	4.00	Evening	108.9		1.00		0.70330		-7.55		-7.5	
	Night (8h)	8.00	Night	108.9		1.00		1.44300		-7.44		-7.4	
EQCN160	Label	C7				Action radius/m				3000.00			
	Group	>= 12 m/s				Lw (Day (12h)) /dB(A)				108.91			
	Number of nodes	1				Lw (Night (8h)) /dB(A)				108.91			
	Length/ m	---				Lw (Evening (4h)) /dB(A)				108.91			
	Length/ m (2D)	---				Emission is				Sound power level (Lw)			
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 >= 12 m/s										
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)	Emission	Reference: Nordex N175 >= 12 m/s										
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Evening (4h)	Emission	Reference: Nordex N175 >= 12 m/s										
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Rating method	Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden	-	0.0		0.0		0.0		0.0		-		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	108.9		1.00		1.39010		-9.36		-9.4	
	Evening (4h)	4.00	Evening	108.9		1.00		0.70330		-7.55		-7.5	
	Night (8h)	8.00	Night	108.9		1.00		1.44300		-7.44		-7.4	
EQCN161	Label	C8				Action radius/m				3000.00			
	Group	>= 12 m/s				Lw (Day (12h)) /dB(A)				108.91			
	Number of nodes	1				Lw (Night (8h)) /dB(A)				108.91			
	Length/ m	---				Lw (Evening (4h)) /dB(A)				108.91			
	Length/ m (2D)	---				Emission is				Sound power level (Lw)			
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 >= 12 m/s										
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)	Emission	Reference: Nordex N175 >= 12 m/s										
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Evening (4h)	Emission	Reference: Nordex N175 >= 12 m/s										
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Rating method	Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden	-	0.0		0.0		0.0		0.0		-		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	108.9		1.00		1.39010		-9.36		-9.4	
	Evening (4h)	4.00	Evening	108.9		1.00		0.70330		-7.55		-7.5	
	Night (8h)	8.00	Night	108.9		1.00		1.44300		-7.44		-7.4	
EQCN162	Label	C9				Action radius/m				3000.00			
	Group	>= 12 m/s				Lw (Day (12h)) /dB(A)				108.91			
	Number of nodes	1				Lw (Night (8h)) /dB(A)				108.91			
	Length/ m	---				Lw (Evening (4h)) /dB(A)				108.91			
	Length/ m (2D)	---				Emission is				Sound power level (Lw)			
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 >= 12 m/s										
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5	75.2 77.1	80.3 84.6	88.9 91.5	94.8 95.8	97.0 97.1	99.0 99.2	99.5 97.4	89.6 84.6	72.6 64.9

Vides trokšņa ievades dati "PurpleGreen Solwin" C alternatīva

				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5
	Rating method	Peak level	Corr. for impulsivity /dB			Corr. for tonality /dB	Corr. for inform. content/dB					Special correction /dB	
	Lden	-	0.0			0.0	0.0					-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB					Lwr /dB(A)	
	Day (12h)	12.00	Day	108.9		1.00	1.39010				-9.36		-9.4
	Evening (4h)	4.00	Evening	108.9		1.00	0.70330				-7.55		-7.5
	Night (8h)	8.00	Night	108.9		1.00	1.44300				-7.44		-7.4
EQCN166	Label	C13				Action radius/m							3000.00
	Group	>= 12 m/s				Lw (Day (12h)) /dB(A)							108.91
	Number of nodes	1				Lw (Night (8h)) /dB(A)							108.91
	Length/ m	---				Lw (Evening (4h)) /dB(A)							108.91
	Length/ m (2D)	---				Emission is							Sound power level (Lw)
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 >= 12 m/s										
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)	Emission	Reference: Nordex N175 >= 12 m/s										
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Evening (4h)	Emission	Reference: Nordex N175 >= 12 m/s										
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Rating method	Peak level	Corr. for impulsivity /dB			Corr. for tonality /dB	Corr. for inform. content/dB					Special correction /dB	
	Lden	-	0.0			0.0	0.0					-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB					Lwr /dB(A)	
	Day (12h)	12.00	Day	108.9		1.00	1.39010				-9.36		-9.4
	Evening (4h)	4.00	Evening	108.9		1.00	0.70330				-7.55		-7.5
	Night (8h)	8.00	Night	108.9		1.00	1.44300				-7.44		-7.4
EQCN167	Label	C14				Action radius/m							3000.00
	Group	>= 12 m/s				Lw (Day (12h)) /dB(A)							108.91
	Number of nodes	1				Lw (Night (8h)) /dB(A)							108.91
	Length/ m	---				Lw (Evening (4h)) /dB(A)							108.91
	Length/ m (2D)	---				Emission is							Sound power level (Lw)
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 >= 12 m/s										
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)	Emission	Reference: Nordex N175 >= 12 m/s										
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Evening (4h)	Emission	Reference: Nordex N175 >= 12 m/s										
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Rating method	Peak level	Corr. for impulsivity /dB			Corr. for tonality /dB	Corr. for inform. content/dB					Special correction /dB	
	Lden	-	0.0			0.0	0.0					-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB					Lwr /dB(A)	
	Day (12h)	12.00	Day	108.9		1.00	1.39010				-9.36		-9.4
	Evening (4h)	4.00	Evening	108.9		1.00	0.70330				-7.55		-7.5
	Night (8h)	8.00	Night	108.9		1.00	1.44300				-7.44		-7.4
EQCN168	Label	C15				Action radius/m							3000.00
	Group	>= 12 m/s				Lw (Day (12h)) /dB(A)							108.91
	Number of nodes	1				Lw (Night (8h)) /dB(A)							108.91
	Length/ m	---				Lw (Evening (4h)) /dB(A)							108.91
	Length/ m (2D)	---				Emission is							Sound power level (Lw)
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 >= 12 m/s										
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)	Emission	Reference: Nordex N175 >= 12 m/s										
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Evening (4h)	Emission	Reference: Nordex N175 >= 12 m/s										
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Rating method	Peak level	Corr. for impulsivity /dB			Corr. for tonality /dB	Corr. for inform. content/dB					Special correction /dB	
	Lden	-	0.0			0.0	0.0					-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB					Lwr /dB(A)	
	Day (12h)	12.00	Day	108.9		1.00	1.39010				-9.36		-9.4
	Evening (4h)	4.00	Evening	108.9		1.00	0.70330				-7.55		-7.5

Vides trokšņa ievades dati "PurpleGreen Solwin" C alternatīva

	Night (8h)		8.00	Night		108.9		1.00		1.44300		-7.44		-7.4
EQCN169	Label		C16			Action radius/m			3000.00					
	Group		>= 12 m/s			Lw (Day (12h)) /dB(A)			108.91					
	Number of nodes		1			Lw (Night (8h)) /dB(A)			108.91					
	Length/ m		---			Lw (Evening (4h)) /dB(A)			108.91					
	Length/ m (2D)		---			Emission is			Sound power level (Lw)					
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 >= 12 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)	Emission	Reference: Nordex N175 >= 12 m/s											
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Evening (4h)	Emission	Reference: Nordex N175 >= 12 m/s											
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.9		1.00		1.39010		-9.36		-9.4	
	Evening (4h)		4.00	Evening	108.9		1.00		0.70330		-7.55		-7.5	
	Night (8h)		8.00	Night	108.9		1.00		1.44300		-7.44		-7.4	
EQCN170	Label		C17			Action radius/m			3000.00					
	Group		>= 12 m/s			Lw (Day (12h)) /dB(A)			108.91					
	Number of nodes		1			Lw (Night (8h)) /dB(A)			108.91					
	Length/ m		---			Lw (Evening (4h)) /dB(A)			108.91					
	Length/ m (2D)		---			Emission is			Sound power level (Lw)					
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 >= 12 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)	Emission	Reference: Nordex N175 >= 12 m/s											
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Evening (4h)	Emission	Reference: Nordex N175 >= 12 m/s											
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.9		1.00		1.39010		-9.36		-9.4	
	Evening (4h)		4.00	Evening	108.9		1.00		0.70330		-7.55		-7.5	
	Night (8h)		8.00	Night	108.9		1.00		1.44300		-7.44		-7.4	