

Vides trokšņa ievades dati "PurpleGreen Solwin" E alternatīva

Point source /CNOSSO (160)											Variant 0										
EQCN001	Label	E1				Action radius/m				3000.00											
	Group	3 m/s				Lw (Day (12h)) /dB(A)				98.21											
	Number of nodes	1				Lw (Night (8h)) /dB(A)				98.21											
	Length/ m	---				Lw (Evening (4h)) /dB(A)				98.21											
	Length/ m (2D)	---				Emission is				Sound power level (Lw)											
	Area /m²	---																			
	Emiss. variant	Sum				16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz						
	Day (12h)	Emission	Reference: Nordex N175 3 m/s																		
	Day (12h)	Lw /dB (A)	98.2	53.2	64.5	69.6	78.2	84.1	86.3	88.3	88.8	78.9	61.9								
				57.8	66.4	73.9	80.8	85.1	86.4	88.5	86.7	73.9	54.2								
EQCN002	Night (8h)	Emission	Reference: Nordex N175 3 m/s																		
	Night (8h)	Lw /dB (A)	98.2	53.2	64.5	69.6	78.2	84.1	86.3	88.3	88.8	78.9	61.9								
				57.8	66.4	73.9	80.8	85.1	86.4	88.5	86.7	73.9	54.2								
				61.1	67.6	76.6	82.8	86.2	87.5	89.0	83.2	69.0	44.8								
	Evening (4h)	Emission	Reference: Nordex N175 3 m/s																		
	Evening (4h)	Lw /dB (A)	98.2	53.2	64.5	69.6	78.2	84.1	86.3	88.3	88.8	78.9	61.9								
				57.8	66.4	73.9	80.8	85.1	86.4	88.5	86.7	73.9	54.2								
				61.1	67.6	76.6	82.8	86.2	87.5	89.0	83.2	69.0	44.8								
	Rating method	Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB												
	Lden		-		0.0		0.0		0.0		-										
EQCN003	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)									
	Day (12h)	12.00	Day	98.2		1.00		0.92850		-11.11		-11.1									
	Evening (4h)	4.00	Evening	98.2		1.00		0.17400		-13.62		-13.6									
	Night (8h)	8.00	Night	98.2		1.00		0.36360		-13.42		-13.4									
	Label	E2				Action radius/m				3000.00											
	Group	3 m/s				Lw (Day (12h)) /dB(A)				98.21											
	Number of nodes	1				Lw (Night (8h)) /dB(A)				98.21											
	Length/ m	---				Lw (Evening (4h)) /dB(A)				98.21											
	Length/ m (2D)	---				Emission is				Sound power level (Lw)											
	Area /m²	---																			
	Emiss. variant	Sum				16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz						
EQCN004	Day (12h)	Emission	Reference: Nordex N175 3 m/s																		
	Day (12h)	Lw /dB (A)	98.2	53.2	64.5	69.6	78.2	84.1	86.3	88.3	88.8	78.9	61.9								
				57.8	66.4	73.9	80.8	85.1	86.4	88.5	86.7	73.9	54.2								
				61.1	67.6	76.6	82.8	86.2	87.5	89.0	83.2	69.0	44.8								
	Night (8h)	Emission	Reference: Nordex N175 3 m/s																		
	Night (8h)	Lw /dB (A)	98.2	53.2	64.5	69.6	78.2	84.1	86.3	88.3	88.8	78.9	61.9								
				57.8	66.4	73.9	80.8	85.1	86.4	88.5	86.7	73.9	54.2								
				61.1	67.6	76.6	82.8	86.2	87.5	89.0	83.2	69.0	44.8								
	Evening (4h)	Emission	Reference: Nordex N175 3 m/s																		
	Evening (4h)	Lw /dB (A)	98.2	53.2	64.5	69.6	78.2	84.1	86.3	88.3	88.8	78.9	61.9								
				57.8	66.4	73.9	80.8	85.1	86.4	88.5	86.7	73.9	54.2								
EQCN005				61.1	67.6	76.6	82.8	86.2	87.5	89.0	83.2	69.0	44.8								
	Rating method	Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB												
	Lden		-		0.0		0.0		0.0		-										
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)									
	Day (12h)	12.00	Day	98.2		1.00		0.92850		-11.11		-11.1									
	Evening (4h)	4.00	Evening	98.2		1.00		0.17400		-13.62		-13.6									
	Night (8h)	8.00	Night	98.2		1.00		0.36360		-13.42		-13.4									
	Label	E3				Action radius/m				3000.00											
	Group	3 m/s				Lw (Day (12h)) /dB(A)				98.21											
	Number of nodes	1				Lw (Night (8h)) /dB(A)				98.21											
	Length/ m	---				Lw (Evening (4h)) /dB(A)				98.21											
	Length/ m (2D)	---				Emission is				Sound power level (Lw)											
	Area /m²	---																			
	Emiss. variant	Sum				16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz						
EQCN006	Day (12h)	Emission	Reference: Nordex N175 3 m/s																		
	Day (12h)	Lw /dB (A)	98.2	53.2	64.5	69.6	78.2	84.1	86.3	88.3	88.8	78.9	61.9								
				57.8	66.4	73.9	80.8	85.1	86.4	88.5	86.7	73.9	54.2								
				61.1	67.6	76.6	82.8	86.2	87.5	89.0	83.2	69.0	44.8								
	Night (8h)	Emission	Reference: Nordex N175 3 m/s																		
	Night (8h)	Lw /dB (A)	98.2	53.2	64.5	69.6	78.2	84.1	86.3	88.3	88.8	78.9	61.9								
				57.8	66.4	73.9	80.8	85.1	86.4	88.5	86.7	73.9	54.2								
				61.1	67.6	76.6	82.8	86.2	87.5	89.0	83.2	69.0	44.8								
	Evening (4h)	Emission	Reference: Nordex N175 3 m/s																		
	Evening (4h)	Lw /dB (A)	98.2	53.2	64.5	69.6	78.2	84.1	86.3	88.3	88.8	78.9	61.9								
				57.8	66.4	73.9	80.8	85.1	86.4	88.5	86.7	73.9	54.2								
				61.1	67.6	76.6	82.8	86.2	87.5	89.0	83.2	69.0	44.8								
EQCN007	Rating method	Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB												
	Lden		-		0.0		0.0		0.0		-										
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)									
	Day (12h)	12.00	Day	98.2		1.00		0.92850		-11.11		-11.1									
	Evening (4h)	4.00	Evening	98.2		1.00		0.17400		-13.62		-13.6									
	Night (8h)	8.00	Night	98.2		1.00		0.36360		-13.42		-13.4									
	Label	E4				Action radius/m				3000.00											
	Group	3 m/s				Lw (Day (12h)) /dB(A)				98.21											
	Number of nodes	1				Lw (Night (8h)) /dB(A)				98.21											
	Length/ m	---				Lw (Evening (4h)) /dB(A)				98.21											
	Length/ m (2D)	---				Emission is															

Vides trokšņa ievades dati "PurpleGreen Solwin" E alternatīva

	Day (12h)	Emission	Reference: Nordex N175 3 m/s												
	Day (12h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8		
	Night (8h)	Emission	Reference: Nordex N175 3 m/s												
	Night (8h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8		
	Evening (4h)	Emission	Reference: Nordex N175 3 m/s												
	Evening (4h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB				
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	98.2		1.00		0.92850		-11.11		-11.1		
	Evening (4h)		4.00	Evening	98.2		1.00		0.17400		-13.62		-13.6		
	Night (8h)		8.00	Night	98.2		1.00		0.36360		-13.42		-13.4		
EQCN005	Label		E5		Action radius/m		3000.00								
	Group		3 m/s		Lw (Day (12h)) /dB(A)		98.21								
	Number of nodes		1		Lw (Night (8h)) /dB(A)		98.21								
	Length/ m		---		Lw (Evening (4h)) /dB(A)		98.21								
	Length/ m (2D)		---		Emission is				Sound power level (Lw)						
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)		Reference: Nordex N175 3 m/s												
	Day (12h)		98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8		
	Night (8h)		Reference: Nordex N175 3 m/s												
	Night (8h)		98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8		
	Evening (4h)		Reference: Nordex N175 3 m/s												
	Evening (4h)		98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB				
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	98.2		1.00		0.92850		-11.11		-11.1		
	Evening (4h)		4.00	Evening	98.2		1.00		0.17400		-13.62		-13.6		
	Night (8h)		8.00	Night	98.2		1.00		0.36360		-13.42		-13.4		
EQCN006	Label		E6		Action radius/m		3000.00								
	Group		3 m/s		Lw (Day (12h)) /dB(A)		98.21								
	Number of nodes		1		Lw (Night (8h)) /dB(A)		98.21								
	Length/ m		---		Lw (Evening (4h)) /dB(A)		98.21								
	Length/ m (2D)		---		Emission is				Sound power level (Lw)						
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)		Reference: Nordex N175 3 m/s												
	Day (12h)		98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8		
	Night (8h)		Reference: Nordex N175 3 m/s												
	Night (8h)		98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8		
	Evening (4h)		Reference: Nordex N175 3 m/s												
	Evening (4h)		98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB				
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	98.2		1.00		0.92850		-11.11		-11.1		
	Evening (4h)		4.00	Evening	98.2		1.00		0.17400		-13.62		-13.6		
	Night (8h)		8.00	Night	98.2		1.00		0.36360		-13.42		-13.4		
EQCN007	Label		E7		Action radius/m		3000.00								
	Group		3 m/s		Lw (Day (12h)) /dB(A)		98.21								
	Number of nodes		1		Lw (Night (8h)) /dB(A)		98.21								
	Length/ m		---		Lw (Evening (4h)) /dB(A)		98.21								
	Length/ m (2D)		---		Emission is				Sound power level (Lw)						
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)		Reference: Nordex N175 3 m/s												
	Day (12h)		98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8		
	Night (8h)		Reference: Nordex N175 3 m/s												
	Night (8h)		98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8		

Vides trokšņa ievades dati "PurpleGreen Solwin" E alternatīva

	Evening (4h)	Emission	Reference: Nordex N175 3 m/s										
	Evening (4h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	98.2		1.00		0.92850		-11.11		-11.1
	Evening (4h)		4.00	Evening	98.2		1.00		0.17400		-13.62		-13.6
	Night (8h)		8.00	Night	98.2		1.00		0.36360		-13.42		-13.4
EQCN008	Label		E8		Action radius/m		3000.00						
	Group		3 m/s		Lw (Day (12h)) /dB(A)		98.21						
	Number of nodes		1		Lw (Night (8h)) /dB(A)		98.21						
	Length/ m		---		Lw (Evening (4h)) /dB(A)		98.21						
	Length/ m (2D)		---		Emission is		Sound power level (Lw)						
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 3 m/s										
	Day (12h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8
	Night (8h)	Emission	Reference: Nordex N175 3 m/s										
	Night (8h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8
	Evening (4h)	Emission	Reference: Nordex N175 3 m/s										
	Evening (4h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	98.2		1.00		0.92850		-11.11		-11.1
	Evening (4h)		4.00	Evening	98.2		1.00		0.17400		-13.62		-13.6
	Night (8h)		8.00	Night	98.2		1.00		0.36360		-13.42		-13.4
EQCN009	Label		E9		Action radius/m		3000.00						
	Group		3 m/s		Lw (Day (12h)) /dB(A)		98.21						
	Number of nodes		1		Lw (Night (8h)) /dB(A)		98.21						
	Length/ m		---		Lw (Evening (4h)) /dB(A)		98.21						
	Length/ m (2D)		---		Emission is		Sound power level (Lw)						
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 3 m/s										
	Day (12h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8
	Night (8h)	Emission	Reference: Nordex N175 3 m/s										
	Night (8h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8
	Evening (4h)	Emission	Reference: Nordex N175 3 m/s										
	Evening (4h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	98.2		1.00		0.92850		-11.11		-11.1
	Evening (4h)		4.00	Evening	98.2		1.00		0.17400		-13.62		-13.6
	Night (8h)		8.00	Night	98.2		1.00		0.36360		-13.42		-13.4
EQCN010	Label		E10		Action radius/m		3000.00						
	Group		3 m/s		Lw (Day (12h)) /dB(A)		98.21						
	Number of nodes		1		Lw (Night (8h)) /dB(A)		98.21						
	Length/ m		---		Lw (Evening (4h)) /dB(A)		98.21						
	Length/ m (2D)		---		Emission is		Sound power level (Lw)						
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 3 m/s										
	Day (12h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8
	Night (8h)	Emission	Reference: Nordex N175 3 m/s										
	Night (8h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8
	Evening (4h)	Emission	Reference: Nordex N175 3 m/s										
	Evening (4h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		

Vides trokšņa ievades dati "PurpleGreen Solwin" E alternatīva

	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)		12.00	Day		98.2	1.00		0.92850		-11.11 -11.1			
	Evening (4h)		4.00	Evening		98.2	1.00		0.17400		-13.62 -13.6			
	Night (8h)		8.00	Night		98.2	1.00		0.36360		-13.42 -13.4			
EQCN011	Label		E11			Action radius/m				3000.00				
	Group		3 m/s			Lw (Day (12h)) /dB(A)				98.21				
	Number of nodes		1			Lw (Night (8h)) /dB(A)				98.21				
	Length/ m		---			Lw (Evening (4h)) /dB(A)				98.21				
	Length/ m (2D)		---			Emission is				Sound power level (Lw)				
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Emission			Reference: Nordex N175 3 m/s								
	Day (12h)		Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8
	Night (8h)		Emission			Reference: Nordex N175 3 m/s								
Night (8h)		Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8	
Evening (4h)		Emission			Reference: Nordex N175 3 m/s									
Evening (4h)		Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8	
Rating method			Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
Lden					-		0.0		0.0		-		0.0	
Rating period / Period			Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)			12.00	Day	98.2		1.00		0.92850		-11.11		-11.1	
Evening (4h)			4.00	Evening	98.2		1.00		0.17400		-13.62		-13.6	
Night (8h)			8.00	Night	98.2		1.00		0.36360		-13.42		-13.4	
EQCN012	Label		E12			Action radius/m				3000.00				
	Group		3 m/s			Lw (Day (12h)) /dB(A)				98.21				
	Number of nodes		1			Lw (Night (8h)) /dB(A)				98.21				
	Length/ m		---			Lw (Evening (4h)) /dB(A)				98.21				
	Length/ m (2D)		---			Emission is				Sound power level (Lw)				
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Emission			Reference: Nordex N175 3 m/s								
	Day (12h)		Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8
	Night (8h)		Emission			Reference: Nordex N175 3 m/s								
Night (8h)		Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8	
Evening (4h)		Emission			Reference: Nordex N175 3 m/s									
Evening (4h)		Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8	
Rating method			Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
Lden					-		0.0		0.0		-		0.0	
Rating period / Period			Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)			12.00	Day	98.2		1.00		0.92850		-11.11		-11.1	
Evening (4h)			4.00	Evening	98.2		1.00		0.17400		-13.62		-13.6	
Night (8h)			8.00	Night	98.2		1.00		0.36360		-13.42		-13.4	
EQCN013	Label		E13			Action radius/m				3000.00				
	Group		3 m/s			Lw (Day (12h)) /dB(A)				98.21				
	Number of nodes		1			Lw (Night (8h)) /dB(A)				98.21				
	Length/ m		---			Lw (Evening (4h)) /dB(A)				98.21				
	Length/ m (2D)		---			Emission is				Sound power level (Lw)				
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Emission			Reference: Nordex N175 3 m/s								
	Day (12h)		Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8
	Night (8h)		Emission			Reference: Nordex N175 3 m/s								
Night (8h)		Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8	
Evening (4h)		Emission			Reference: Nordex N175 3 m/s									
Evening (4h)		Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8	
Rating method			Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
Lden					-		0.0		0.0		-		0.0	
Rating period / Period			Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)			12.00	Day	98.2		1.00		0.92850		-11.11		-11.1	
Evening (4h)			4.00	Evening	98.2		1.00		0.17400		-13.62		-13.6	
Night (8h)			8.00	Night	98.2		1.00		0.36360		-13.42		-13.4	
EQCN014	Label		E14			Action radius/m				3000.00				
	Group		3 m/s			Lw (Day (12h)) /dB(A)				98.21				
	Number of nodes		1			Lw (Night (8h)) /dB(A)				98.21				

Vides trokšņa ievades dati "PurpleGreen Solwin" E alternatīva

	Length/ m	---				Lw (Evening (4h)) /dB(A)				98.21			
	Length/ m (2D)	---				Emission is				Sound power level (Lw)			
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 3 m/s										
	Day (12h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8
	Night (8h)	Emission	Reference: Nordex N175 3 m/s										
	Night (8h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8
	Evening (4h)	Emission	Reference: Nordex N175 3 m/s										
	Evening (4h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden	-		0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	98.2		1.00		0.92850		-11.11		-11.1	
	Evening (4h)	4.00	Evening	98.2		1.00		0.17400		-13.62		-13.6	
	Night (8h)	8.00	Night	98.2		1.00		0.36360		-13.42		-13.4	
EQCN015	Label	E15				Action radius/m				3000.00			
	Group	3 m/s				Lw (Day (12h)) /dB(A)				98.21			
	Number of nodes	1				Lw (Night (8h)) /dB(A)				98.21			
	Length/ m	---				Lw (Evening (4h)) /dB(A)				98.21			
	Length/ m (2D)	---				Emission is				Sound power level (Lw)			
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 3 m/s										
	Day (12h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8
	Night (8h)	Emission	Reference: Nordex N175 3 m/s										
	Night (8h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8
	Evening (4h)	Emission	Reference: Nordex N175 3 m/s										
	Evening (4h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden	-		0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	98.2		1.00		0.92850		-11.11		-11.1	
	Evening (4h)	4.00	Evening	98.2		1.00		0.17400		-13.62		-13.6	
	Night (8h)	8.00	Night	98.2		1.00		0.36360		-13.42		-13.4	
EQCN016	Label	E16				Action radius/m				3000.00			
	Group	3 m/s				Lw (Day (12h)) /dB(A)				98.21			
	Number of nodes	1				Lw (Night (8h)) /dB(A)				98.21			
	Length/ m	---				Lw (Evening (4h)) /dB(A)				98.21			
	Length/ m (2D)	---				Emission is				Sound power level (Lw)			
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 3 m/s										
	Day (12h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8
	Night (8h)	Emission	Reference: Nordex N175 3 m/s										
	Night (8h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8
	Evening (4h)	Emission	Reference: Nordex N175 3 m/s										
	Evening (4h)	Lw /dB (A)	98.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	84.1 85.1 86.2	86.3 86.4 87.5	88.3 88.5 89.0	88.8 86.7 83.2	78.9 73.9 69.0	61.9 54.2 44.8
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden	-		0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	98.2		1.00		0.92850		-11.11		-11.1	
	Evening (4h)	4.00	Evening	98.2		1.00		0.17400		-13.62		-13.6	
	Night (8h)	8.00	Night	98.2		1.00		0.36360		-13.42		-13.4	
EQCN017	Label	E1				Action radius/m				3000.00			
	Group	4 m/s				Lw (Day (12h)) /dB(A)				102.41			
	Number of nodes	1				Lw (Night (8h)) /dB(A)				102.41			
	Length/ m	---				Lw (Evening (4h)) /dB(A)				102.41			
	Length/ m (2D)	---				Emission is				Sound power level (Lw)			
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 4 m/s										
	Day (12h)	Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0

Vides trokšņa ievades dati "PurpleGreen Solwin" E alternatīva

	Night (8h)	Emission	Reference: Nordex N175 4 m/s											
	Night (8h)	Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0	
	Evening (4h)	Emission	Reference: Nordex N175 4 m/s											
	Evening (4h)	Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden		-		0.0		0.0		0.0		-			
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	102.4		1.00		1.09340		-10.40		-10.4	
	Evening (4h)		4.00	Evening	102.4		1.00		0.26490		-11.79		-11.8	
	Night (8h)		8.00	Night	102.4		1.00		0.46330		-12.37		-12.4	
EQCN018	Label		E2					Action radius/m			3000.00			
	Group		4 m/s					Lw (Day (12h)) /dB(A)			102.41			
	Number of nodes		1					Lw (Night (8h)) /dB(A)			102.41			
	Length/ m		---					Lw (Evening (4h)) /dB(A)			102.41			
	Length/ m (2D)		---					Emission is			Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Nordex N175 4 m/s									
	Day (12h)		Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0
	Night (8h)		Emission		Reference: Nordex N175 4 m/s									
Night (8h)		Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0	
Evening (4h)		Emission		Reference: Nordex N175 4 m/s										
Evening (4h)		Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden		-		0.0		0.0		0.0		-			
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	102.4		1.00		1.09340		-10.40		-10.4	
	Evening (4h)		4.00	Evening	102.4		1.00		0.26490		-11.79		-11.8	
	Night (8h)		8.00	Night	102.4		1.00		0.46330		-12.37		-12.4	
EQCN019	Label		E3					Action radius/m			3000.00			
	Group		4 m/s					Lw (Day (12h)) /dB(A)			102.41			
	Number of nodes		1					Lw (Night (8h)) /dB(A)			102.41			
	Length/ m		---					Lw (Evening (4h)) /dB(A)			102.41			
	Length/ m (2D)		---					Emission is			Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Nordex N175 4 m/s									
	Day (12h)		Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0
	Night (8h)		Emission		Reference: Nordex N175 4 m/s									
Night (8h)		Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0	
Evening (4h)		Emission		Reference: Nordex N175 4 m/s										
Evening (4h)		Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden		-		0.0		0.0		0.0		-			
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	102.4		1.00		1.09340		-10.40		-10.4	
	Evening (4h)		4.00	Evening	102.4		1.00		0.26490		-11.79		-11.8	
	Night (8h)		8.00	Night	102.4		1.00		0.46330		-12.37		-12.4	
EQCN020	Label		E4					Action radius/m			3000.00			
	Group		4 m/s					Lw (Day (12h)) /dB(A)			102.41			
	Number of nodes		1					Lw (Night (8h)) /dB(A)			102.41			
	Length/ m		---					Lw (Evening (4h)) /dB(A)			102.41			
	Length/ m (2D)		---					Emission is			Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Nordex N175 4 m/s									
	Day (12h)		Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0
	Night (8h)		Emission		Reference: Nordex N175 4 m/s									
Night (8h)		Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0	
Evening (4h)		Emission		Reference: Nordex N175 4 m/s										
Evening (4h)		Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0	

Vides trokšņa ievades dati "PurpleGreen Solwin" E alternatīva

Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB						
Lden				-	0.0	0.0		0.0						
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h		dLi /dB		Lwr /dB(A)				
Day (12h)		12.00	Day	102.4		1.00		1.09340				-10.40	-10.4	
Evening (4h)		4.00	Evening	102.4		1.00		0.26490				-11.79	-11.8	
Night (8h)		8.00	Night	102.4		1.00		0.46330				-12.37	-12.4	
EQCN021	Label		E5		Action radius/m				3000.00					
	Group		4 m/s		Lw (Day (12h)) /dB(A)				102.41					
	Number of nodes		1		Lw (Night (8h)) /dB(A)				102.41					
	Length/ m		---		Lw (Evening (4h)) /dB(A)				102.41					
	Length/ m (2D)		---		Emission is				Sound power level (Lw)					
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Nordex N175 4 m/s									
Day (12h)		Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0	
Night (8h)		Emission		Reference: Nordex N175 4 m/s										
Night (8h)		Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0	
Evening (4h)		Emission		Reference: Nordex N175 4 m/s										
Evening (4h)		Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0	
Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB						
Lden				-	0.0	0.0		0.0						
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h		dLi /dB		Lwr /dB(A)				
Day (12h)		12.00	Day	102.4		1.00		1.09340				-10.40	-10.4	
Evening (4h)		4.00	Evening	102.4		1.00		0.26490				-11.79	-11.8	
Night (8h)		8.00	Night	102.4		1.00		0.46330				-12.37	-12.4	
EQCN022	Label		E6		Action radius/m				3000.00					
	Group		4 m/s		Lw (Day (12h)) /dB(A)				102.41					
	Number of nodes		1		Lw (Night (8h)) /dB(A)				102.41					
	Length/ m		---		Lw (Evening (4h)) /dB(A)				102.41					
	Length/ m (2D)		---		Emission is				Sound power level (Lw)					
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Nordex N175 4 m/s									
Day (12h)		Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0	
Night (8h)		Emission		Reference: Nordex N175 4 m/s										
Night (8h)		Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0	
Evening (4h)		Emission		Reference: Nordex N175 4 m/s										
Evening (4h)		Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0	
Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB						
Lden				-	0.0	0.0		0.0						
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h		dLi /dB		Lwr /dB(A)				
Day (12h)		12.00	Day	102.4		1.00		1.09340				-10.40	-10.4	
Evening (4h)		4.00	Evening	102.4		1.00		0.26490				-11.79	-11.8	
Night (8h)		8.00	Night	102.4		1.00		0.46330				-12.37	-12.4	
EQCN023	Label		E7		Action radius/m				3000.00					
	Group		4 m/s		Lw (Day (12h)) /dB(A)				102.41					
	Number of nodes		1		Lw (Night (8h)) /dB(A)				102.41					
	Length/ m		---		Lw (Evening (4h)) /dB(A)				102.41					
	Length/ m (2D)		---		Emission is				Sound power level (Lw)					
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Nordex N175 4 m/s									
Day (12h)		Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0	
Night (8h)		Emission		Reference: Nordex N175 4 m/s										
Night (8h)		Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0	
Evening (4h)		Emission		Reference: Nordex N175 4 m/s										
Evening (4h)		Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0	
Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB						
Lden				-	0.0	0.0		0.0						
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h		dLi /dB		Lwr /dB(A)				
Day (12h)		12.00	Day	102.4		1.00		1.09340				-10.40	-10.4	
Evening (4h)		4.00	Evening	102.4		1.00		0.26490				-11.79	-11.8	
Night (8h)		8.00	Night	102.4		1.00		0.46330				-12.37	-12.4	

[illegible]



	Day (12h)	Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0	
	Night (8h)	Emission	Reference:	Nordex N175 4 m/s										
	Night (8h)	Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0	
	Evening (4h)	Emission	Reference:	Nordex N175 4 m/s										
	Evening (4h)	Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden	-		0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	102.4		1.00		1.09340		-10.40		-10.4		
	Evening (4h)	4.00	Evening	102.4		1.00		0.26490		-11.79		-11.8		
	Night (8h)	8.00	Night	102.4		1.00		0.46330		-12.37		-12.4		
EQCN028	Label	E12				Action radius/m						3000.00		
	Group	4 m/s				Lw (Day (12h)) /dB(A)						102.41		
	Number of nodes	1				Lw (Night (8h)) /dB(A)						102.41		
	Length/ m	---				Lw (Evening (4h)) /dB(A)						102.41		
	Length/ m (2D)	---				Emission is						Sound power level (Lw)		
	Area /m²	---												
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference:	Nordex N175 4 m/s										
	Day (12h)	Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0	
	Night (8h)	Emission	Reference:	Nordex N175 4 m/s										
	Night (8h)	Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0	
	Evening (4h)	Emission	Reference:	Nordex N175 4 m/s										
	Evening (4h)	Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden	-		0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	102.4		1.00		1.09340		-10.40		-10.4		
	Evening (4h)	4.00	Evening	102.4		1.00		0.26490		-11.79		-11.8		
	Night (8h)	8.00	Night	102.4		1.00		0.46330		-12.37		-12.4		
EQCN029	Label	E13				Action radius/m						3000.00		
	Group	4 m/s				Lw (Day (12h)) /dB(A)						102.41		
	Number of nodes	1				Lw (Night (8h)) /dB(A)						102.41		
	Length/ m	---				Lw (Evening (4h)) /dB(A)						102.41		
	Length/ m (2D)	---				Emission is						Sound power level (Lw)		
	Area /m²	---												
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference:	Nordex N175 4 m/s										
	Day (12h)	Lw /dB (A)	102.4	57.4 62.0 65										

Vides trokšņa ievades dati "PurpleGreen Solwin" E alternatīva

	Evening (4h)	Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden	-		0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	102.4		1.00		1.09340		-10.40		-10.4		
	Evening (4h)	4.00	Evening	102.4		1.00		0.26490		-11.79		-11.8		
	Night (8h)	8.00	Night	102.4		1.00		0.46330		-12.37		-12.4		
EQCN031	Label	E15					Action radius/m					3000.00		
	Group	4 m/s					Lw (Day (12h)) /dB(A)					102.41		
	Number of nodes	1					Lw (Night (8h)) /dB(A)					102.41		
	Length/ m	---					Lw (Evening (4h)) /dB(A)					102.41		
	Length/ m (2D)	---					Emission is					Sound power level (Lw)		
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 4 m/s											
	Day (12h)	Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0	
	Night (8h)	Emission	Reference: Nordex N175 4 m/s											
Night (8h)	Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0		
Evening (4h)	Emission	Reference: Nordex N175 4 m/s												
Evening (4h)	Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0		
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden	-		0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	102.4		1.00		1.09340		-10.40		-10.4		
	Evening (4h)	4.00	Evening	102.4		1.00		0.26490		-11.79		-11.8		
	Night (8h)	8.00	Night	102.4		1.00		0.46330		-12.37		-12.4		
EQCN032	Label	E16					Action radius/m					3000.00		
	Group	4 m/s					Lw (Day (12h)) /dB(A)					102.41		
	Number of nodes	1					Lw (Night (8h)) /dB(A)					102.41		
	Length/ m	---					Lw (Evening (4h)) /dB(A)					102.41		
	Length/ m (2D)	---					Emission is					Sound power level (Lw)		
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 4 m/s											
	Day (12h)	Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0	
	Night (8h)	Emission	Reference: Nordex N175 4 m/s											
Night (8h)	Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0		
Evening (4h)	Emission	Reference: Nordex N175 4 m/s												
Evening (4h)	Lw /dB (A)	102.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.3 89.3 90.4	90.5 90.6 91.7	92.5 92.7 93.2	93.0 90.9 87.4	83.1 78.1 73.2	66.1 58.4 49.0		
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden	-		0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	102.4		1.00		1.09340		-10.40		-10.4		
	Evening (4h)	4.00	Evening	102.4		1.00		0.26490		-11.79		-11.8		
	Night (8h)	8.00	Night	102.4		1.00		0.46330		-12.37		-12.4		
EQCN033	Label	E1					Action radius/m					3000.00		
	Group	5 m/s					Lw (Day (12h)) /dB(A)					107.31		
	Number of nodes	1					Lw (Night (8h)) /dB(A)					107.31		
	Length/ m	---					Lw (Evening (4h)) /dB(A)					107.31		
	Length/ m (2D)	---					Emission is					Sound power level (Lw)		
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 5 m/s											
	Day (12h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9	
	Night (8h)	Emission	Reference: Nordex N175 5 m/s											
Night (8h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9		
Evening (4h)	Emission	Reference: Nordex N175 5 m/s												
Evening (4h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9		
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden	-		0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		

Vides trokšņa ievades dati "PurpleGreen Solwin" E alternatīva

	Day (12h)		12.00	Day		107.3		1.00		1.25780		-9.80		-9.8
	Evening (4h)		4.00	Evening		107.3		1.00		0.30300		-11.21		-11.2
	Night (8h)		8.00	Night		107.3		1.00		0.58470		-11.36		-11.4
EQCN034	Label	E2				Action radius/m				3000.00				
	Group	5 m/s				Lw (Day (12h)) /dB(A)				107.31				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				107.31				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				107.31				
	Length/ m (2D)	---				Emission is				Sound power level (Lw)				
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 5 m/s											
	Day (12h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9	
	Night (8h)	Emission	Reference: Nordex N175 5 m/s											
	Night (8h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9	
	Evening (4h)	Emission	Reference: Nordex N175 5 m/s											
	Evening (4h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB				
	Lden	-		0.0		0.0		0.0		0.0				
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	107.3		1.00		1.25780		-9.80		-9.8		
	Evening (4h)	4.00	Evening	107.3		1.00		0.30300		-11.21		-11.2		
	Night (8h)	8.00	Night	107.3		1.00		0.58470		-11.36		-11.4		
EQCN035	Label	E3				Action radius/m				3000.00				
	Group	5 m/s				Lw (Day (12h)) /dB(A)				107.31				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				107.31				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				107.31				
	Length/ m (2D)	---				Emission is				Sound power level (Lw)				
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 5 m/s											
	Day (12h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9	
	Night (8h)	Emission	Reference: Nordex N175 5 m/s											
	Night (8h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9	
	Evening (4h)	Emission	Reference: Nordex N175 5 m/s											
	Evening (4h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB				
	Lden	-		0.0		0.0		0.0		0.0				
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	107.3		1.00		1.25780		-9.80		-9.8		
	Evening (4h)	4.00	Evening	107.3		1.00		0.30300		-11.21		-11.2		
	Night (8h)	8.00	Night	107.3		1.00		0.58470		-11.36		-11.4		
EQCN036	Label	E4				Action radius/m				3000.00				
	Group	5 m/s				Lw (Day (12h)) /dB(A)				107.31				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				107.31				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				107.31				
	Length/ m (2D)	---				Emission is				Sound power level (Lw)				
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 5 m/s											
	Day (12h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9	
	Night (8h)	Emission	Reference: Nordex N175 5 m/s											
	Night (8h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9	
	Evening (4h)	Emission	Reference: Nordex N175 5 m/s											
	Evening (4h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB				
	Lden	-		0.0		0.0		0.0		0.0				
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	107.3		1.00		1.25780		-9.80		-9.8		
	Evening (4h)	4.00	Evening	107.3		1.00		0.30300		-11.21		-11.2		
	Night (8h)	8.00	Night	107.3		1.00		0.58470		-11.36		-11.4		
EQCN037	Label	E5				Action radius/m				3000.00				
	Group	5 m/s				Lw (Day (12h)) /dB(A)				107.31				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				107.31				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				107.31				
	Length/ m (2D)	---				Emission is				Sound power level (Lw)				
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 5 m/s											
	Day (12h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9	
	Night (8h)	Emission	Reference: Nordex N175 5 m/s											
	Night (8h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9	
	Evening (4h)	Emission	Reference: Nordex N175 5 m/s											
	Evening (4h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9	

Vides trokšņa ievades dati "PurpleGreen Solwin" E alternatīva

Area /m²		---														
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz				
Day (12h)	Emission	Reference: Nordex N175 5 m/s														
Day (12h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9				
Night (8h)	Emission	Reference: Nordex N175 5 m/s														
Night (8h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9				
Evening (4h)	Emission	Reference: Nordex N175 5 m/s														
Evening (4h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9				
Rating method		Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB							
Lden		-	0.0		0.0		0.0		-		0.0					
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)					
Day (12h)		12.00	Day	107.3	1.00		1.25780		-9.80		-9.8					
Evening (4h)		4.00	Evening	107.3	1.00		0.30300		-11.21		-11.2					
Night (8h)		8.00	Night	107.3	1.00		0.58470		-11.36		-11.4					
EQCN038		Label	E6			Action radius/m			3000.00							
		Group	5 m/s			Lw (Day (12h)) /dB(A)			107.31							
		Number of nodes	1			Lw (Night (8h)) /dB(A)			107.31							
		Length/ m	---			Lw (Evening (4h)) /dB(A)			107.31							
		Length/ m (2D)	---			Emission is			Sound power level (Lw)							
		Area /m²	---													
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz				
Day (12h)	Emission	Reference: Nordex N175 5 m/s														
Day (12h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9				
Night (8h)	Emission	Reference: Nordex N175 5 m/s														
Night (8h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9				
Evening (4h)	Emission	Reference: Nordex N175 5 m/s														
Evening (4h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9				
Rating method		Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB							
Lden		-	0.0		0.0		0.0		-		0.0					
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)					
Day (12h)		12.00	Day	107.3	1.00		1.25780		-9.80		-9.8					
Evening (4h)		4.00	Evening	107.3	1.00		0.30300		-11.21		-11.2					
Night (8h)		8.00	Night	107.3	1.00		0.58470		-11.36		-11.4					
EQCN039		Label	E7			Action radius/m			3000.00							
		Group	5 m/s			Lw (Day (12h)) /dB(A)			107.31							
		Number of nodes	1			Lw (Night (8h)) /dB(A)			107.31							
		Length/ m	---			Lw (Evening (4h)) /dB(A)			107.31							
		Length/ m (2D)	---			Emission is			Sound power level (Lw)							
		Area /m²	---													
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz				
Day (12h)	Emission	Reference: Nordex N175 5 m/s														
Day (12h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9				
Night (8h)	Emission	Reference: Nordex N175 5 m/s														
Night (8h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9				
Evening (4h)	Emission	Reference: Nordex N175 5 m/s														
Evening (4h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9				
Rating method		Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB							
Lden		-	0.0		0.0		0.0		-		0.0					
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)					
Day (12h)		12.00	Day	107.3	1.00		1.25780		-9.80		-9.8					
Evening (4h)		4.00	Evening	107.3	1.00		0.30300		-11.21		-11.2					
Night (8h)		8.00	Night	107.3	1.00		0.58470		-11.36		-11.4					
EQCN040		Label	E8			Action radius/m			3000.00							
		Group	5 m/s			Lw (Day (12h)) /dB(A)			107.31							
		Number of nodes	1			Lw (Night (8h)) /dB(A)			107.31							
		Length/ m	---			Lw (Evening (4h)) /dB(A)			107.31							
		Length/ m (2D)	---			Emission is			Sound power level (Lw)							
		Area /m²	---													
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz				
Day (12h)	Emission	Reference: Nordex N175 5 m/s														
Day (12h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9				
Night (8h)	Emission	Reference: Nordex N175 5 m/s														
Night (8h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9				

Vides trokšņa ievades dati "PurpleGreen Solwin" E alternatīva

				66.9 70.2	75.5 76.7	83.0 85.7	89.9 91.9	94.2 95.3	95.5 96.6	97.6 98.1	95.8 92.3	83.0 78.1	63.3 53.9				
	Evening (4h)	Emission	Reference: Nordex N175 5 m/s														
	Evening (4h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9				
	Rating method		Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB							
	Lden		-	0.0		0.0		0.0		-		0.0					
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)					
	Day (12h)		12.00	Day	107.3	1.00		1.25780		-9.80		-9.8					
	Evening (4h)		4.00	Evening	107.3	1.00		0.30300		-11.21		-11.2					
	Night (8h)		8.00	Night	107.3	1.00		0.58470		-11.36		-11.4					
EQCN041	Label		E9		Action radius/m		3000.00										
	Group		5 m/s		Lw (Day (12h)) /dB(A)		107.31										
	Number of nodes		1		Lw (Night (8h)) /dB(A)		107.31										
	Length/ m		---		Lw (Evening (4h)) /dB(A)		107.31										
	Length/ m (2D)		---		Emission is				Sound power level (Lw)								
	Area /m²		---														
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz				
	Day (12h)		Reference: Nordex N175 5 m/s														
	Day (12h)		Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1				
	Night (8h)		Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1				
EQCN042	Label		E10		Action radius/m		3000.00										
	Group		5 m/s		Lw (Day (12h)) /dB(A)		107.31										
	Number of nodes		1		Lw (Night (8h)) /dB(A)		107.31										
	Length/ m		---		Lw (Evening (4h)) /dB(A)		107.31										
	Length/ m (2D)		---		Emission is				Sound power level (Lw)								
	Area /m²		---														
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz				
	Day (12h)		Reference: Nordex N175 5 m/s														
	Day (12h)		Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1				
	Night (8h)		Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1				
EQCN043	Label		E11		Action radius/m		3000.00										
	Group		5 m/s		Lw (Day (12h)) /dB(A)		107.31										
	Number of nodes		1		Lw (Night (8h)) /dB(A)		107.31										
	Length/ m		---		Lw (Evening (4h)) /dB(A)		107.31										
	Length/ m (2D)		---		Emission is				Sound power level (Lw)								
	Area /m²		---														
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz				
	Day (12h)		Reference: Nordex N175 5 m/s														
	Day (12h)		Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1				
	Night (8h)		Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1				
Rating method		Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB								
Lden		-	0.0		0.0		0.0		-		0.0						
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)						
Day (12h)		12.00	Day	107.3	1.00		1.25780		-9.80		-9.8						
Evening (4h)		4.00	Evening	107.3	1.00		0.30300		-11.21		-11.2						
Night (8h)		8.00	Night	107.3	1.00		0.58470		-11.36		-11.4						
Day (12h)		Reference: Nordex N175 5 m/s															
Day (12h)		Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9				
Night (8h)		Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9				
Evening (4h)		Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9				

Vides trokšņa ievades dati "PurpleGreen Solwin" E alternatīva

	Lden	-	0.0	0.0	0.0	-	0.0						
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	107.3	1.00	1.25780	-9.80	-9.8					
	Evening (4h)	4.00	Evening	107.3	1.00	0.30300	-11.21	-11.2					
	Night (8h)	8.00	Night	107.3	1.00	0.58470	-11.36	-11.4					
EQCN044	Label	E12			Action radius/m			3000.00					
	Group	5 m/s			Lw (Day (12h)) /dB(A)			107.31					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			107.31					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			107.31					
	Length/ m (2D)	---			Emission is			Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 5 m/s										
	Day (12h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9
	Night (8h)	Emission	Reference: Nordex N175 5 m/s										
	Night (8h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9
	Evening (4h)	Emission	Reference: Nordex N175 5 m/s										
	Evening (4h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB							
	Lden	-	0.0	0.0	0.0	-	0.0						
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	107.3	1.00	1.25780	-9.80	-9.8					
	Evening (4h)	4.00	Evening	107.3	1.00	0.30300	-11.21	-11.2					
	Night (8h)	8.00	Night	107.3	1.00	0.58470	-11.36	-11.4					
EQCN045	Label	E13			Action radius/m			3000.00					
	Group	5 m/s			Lw (Day (12h)) /dB(A)			107.31					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			107.31					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			107.31					
	Length/ m (2D)	---			Emission is			Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 5 m/s										
	Day (12h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9
	Night (8h)	Emission	Reference: Nordex N175 5 m/s										
	Night (8h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9
	Evening (4h)	Emission	Reference: Nordex N175 5 m/s										
	Evening (4h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB							
	Lden	-	0.0	0.0	0.0	-	0.0						
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	107.3	1.00	1.25780	-9.80	-9.8					
	Evening (4h)	4.00	Evening	107.3	1.00	0.30300	-11.21	-11.2					
	Night (8h)	8.00	Night	107.3	1.00	0.58470	-11.36	-11.4					
EQCN046	Label	E14			Action radius/m			3000.00					
	Group	5 m/s			Lw (Day (12h)) /dB(A)			107.31					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			107.31					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			107.31					
	Length/ m (2D)	---			Emission is			Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 5 m/s										
	Day (12h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9
	Night (8h)	Emission	Reference: Nordex N175 5 m/s										
	Night (8h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9
	Evening (4h)	Emission	Reference: Nordex N175 5 m/s										
	Evening (4h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB							
	Lden	-	0.0	0.0	0.0	-	0.0						
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	107.3	1.00	1.25780	-9.80	-9.8					
	Evening (4h)	4.00	Evening	107.3	1.00	0.30300	-11.21	-11.2					
	Night (8h)	8.00	Night	107.3	1.00	0.58470	-11.36	-11.4					
EQCN047	Label	E15			Action radius/m			3000.00					
	Group	5 m/s			Lw (Day (12h)) /dB(A)			107.31					

	Number of nodes		1			Lw (Night (8h)) /dB(A)				107.31				
	Length/ m		---			Lw (Evening (4h)) /dB(A)				107.31				
	Length/ m (2D)		---			Emission is				Sound power level (Lw)				
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 5 m/s											
	Day (12h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9	
	Night (8h)	Emission	Reference: Nordex N175 5 m/s											
	Night (8h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9	
	Evening (4h)	Emission	Reference: Nordex N175 5 m/s											
	Evening (4h)	Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	107.3		1.00		1.25780		-9.80		-9.8	
	Evening (4h)		4.00	Evening	107.3		1.00		0.30300		-11.21		-11.2	
	Night (8h)		8.00	Night	107.3		1.00		0.58470		-11.36		-11.4	
EQCN048	Label		E16				Action radius/m				3000.00			
	Group		5 m/s				Lw (Day (12h)) /dB(A)				107.31			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				107.31			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				107.31			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Emission	Reference: Nordex N175 5 m/s										
	Day (12h)		Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9
	Night (8h)		Emission	Reference: Nordex N175 5 m/s										
Night (8h)		Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9	
Evening (4h)		Emission	Reference: Nordex N175 5 m/s											
Evening (4h)		Lw /dB (A)	107.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	93.2 94.2 95.3	95.4 95.5 96.6	97.4 97.6 98.1	97.9 95.8 92.3	88.0 83.0 78.1	71.0 63.3 53.9	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	107.3		1.00		1.25780		-9.80		-9.8	
	Evening (4h)		4.00	Evening	107.3		1.00		0.30300		-11.21		-11.2	
	Night (8h)		8.00	Night	107.3		1.00		0.58470		-11.36		-11.4	
EQCN049	Label		E1				Action radius/m				3000.00			
	Group		6 m/s				Lw (Day (12h)) /dB(A)				108.91			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.91			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.91			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)													

Vides trokšņa ievades dati "PurpleGreen Solwin" E alternatīva

				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5						
	Night (8h)	Emission	Reference:	Nordex N175 6 m/s															
				63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6						
	Night (8h)	Lw /dB (A)	108.9	68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9						
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5						
	Evening (4h)	Emission	Reference:	Nordex N175 6 m/s															
				63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6						
	Evening (4h)	Lw /dB (A)	108.9	68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9						
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5						
	Rating method		Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB									
	Lden		-	0.0		0.0		0.0		-		0.0							
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)							
	Day (12h)		12.00	Day	108.9	1.00		1.31860		-9.59		-9.6							
	Evening (4h)		4.00	Evening	108.9	1.00		0.35890		-10.47		-10.5							
	Night (8h)		8.00	Night	108.9	1.00		0.65480		-10.87		-10.9							
EQCN051	Label		E3		Action radius/m		3000.00												
	Group		6 m/s		Lw (Day (12h)) /dB(A)		108.91												
	Number of nodes		1		Lw (Night (8h)) /dB(A)		108.91												
	Length/ m		---		Lw (Evening (4h)) /dB(A)		108.91												
	Length/ m (2D)		---		Emission is		Sound power level (Lw)												
	Area /m²		---																
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz						
	Day (12h)		Reference: Nordex N175 6 m/s																
				63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6						
	Day (12h)	Lw /dB (A)	108.9	68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9						
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5						
	Night (8h)	Emission	Reference:	Nordex N175 6 m/s															
				63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6						
	Night (8h)	Lw /dB (A)	108.9	68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9						
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5						
	Evening (4h)	Emission	Reference:	Nordex N175 6 m/s															
				63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6						
	Evening (4h)	Lw /dB (A)	108.9	68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9						
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5						
	Rating method		Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB									
	Lden		-	0.0		0.0		0.0		-		0.0							
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)							
	Day (12h)		12.00	Day	108.9	1.00		1.31860		-9.59		-9.6							
	Evening (4h)		4.00	Evening	108.9	1.00		0.35890		-10.47		-10.5							
	Night (8h)		8.00	Night	108.9	1.00		0.65480		-10.87		-10.9							
EQCN052	Label		E4		Action radius/m		3000.00												
	Group		6 m/s		Lw (Day (12h)) /dB(A)		108.91												
	Number of nodes		1		Lw (Night (8h)) /dB(A)		108.91												
	Length/ m		---		Lw (Evening (4h)) /dB(A)		108.91												
	Length/ m (2D)		---		Emission is		Sound power level (Lw)												
	Area /m²		---																
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz						
	Day (12h)		Reference: Nordex N175 6 m/s																
				63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6						
	Day (12h)	Lw /dB (A)	108.9	68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9						
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5						
	Night (8h)	Emission	Reference:	Nordex N175 6 m/s															
				63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6						
	Night (8h)	Lw /dB (A)	108.9	68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9						
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5						
	Evening (4h)	Emission	Reference:	Nordex N175 6 m/s															
				63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6						
	Evening (4h)	Lw /dB (A)	108.9	68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9						
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5						
	Rating method		Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB									
	Lden		-	0.0		0.0		0.0		-		0.0							
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)							
	Day (12h)		12.00	Day	108.9	1.00		1.31860		-9.59		-9.6							
	Evening (4h)		4.00	Evening	108.9	1.00		0.35890		-10.47		-10.5							
	Night (8h)		8.00	Night	108.9	1.00		0.65480		-10.87		-10.9							
EQCN053	Label		E5		Action radius/m		3000.00												
	Group		6 m/s		Lw (Day (12h)) /dB(A)		108.91												
	Number of nodes		1		Lw (Night (8h)) /dB(A)		108.91												
	Length/ m		---		Lw (Evening (4h)) /dB(A)		108.91												
	Length/ m (2D)		---		Emission is		Sound power level (Lw)												
	Area /m²		---																
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz						
	Day (12h)		Reference: Nordex N175 6 m/s																
				63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6						
	Day (12h)	Lw /dB (A)	108.9	68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9						
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5						
	Night (8h)	Emission	Reference:	Nordex N175 6 m/s															
				63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6						
	Night (8h)	Lw /dB (A)	108.9	68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9						
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5						
	Evening (4h)	Emission	Reference:	Nordex N175 6 m/s															
				63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6						
	Evening (4h)	Lw /dB (A)	108.9	68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9						



Vides trokšņa ievades dati "PurpleGreen Solwin" E alternatīva

				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5
	<b>Rating method</b>	<b>Peak level</b>	<b>Corr. for impulsivity /dB</b>			<b>Corr. for tonality /dB</b>	<b>Corr. for inform. content/dB</b>					<b>Special correction /dB</b>	
	Lden	-	0.0			0.0	0.0					-	0.0
	<b>Rating period / Period</b>	<b>Duration /h</b>	<b>Emiss. variant</b>	<b>Lw /dB(A)</b>		<b>n times</b>	<b>Impact time /h</b>	<b>dLi /dB</b>				<b>Lwr /dB(A)</b>	
	Day (12h)	12.00	Day	108.9		1.00	1.31860				-9.59		-9.6
	Evening (4h)	4.00	Evening	108.9		1.00	0.35890				-10.47		-10.5
	Night (8h)	8.00	Night	108.9		1.00	0.65480				-10.87		-10.9
<b>EQCN054</b>	<b>Label</b>	E6				<b>Action radius/m</b>							3000.00
	<b>Group</b>	6 m/s				<b>Lw (Day (12h)) /dB(A)</b>							108.91
	<b>Number of nodes</b>	1				<b>Lw (Night (8h)) /dB(A)</b>							108.91
	<b>Length/ m</b>	---				<b>Lw (Evening (4h)) /dB(A)</b>							108.91
	<b>Length/ m (2D)</b>	---				<b>Emission is</b>							Sound power level (Lw)
	<b>Area /m²</b>	---											
	<b>Emiss. variant</b>		<b>Sum</b>	<b>16 Hz</b>	<b>31.5 Hz</b>	<b>63 Hz</b>	<b>125 Hz</b>	<b>250 Hz</b>	<b>500 Hz</b>	<b>1000 Hz</b>	<b>2000 Hz</b>	<b>4000 Hz</b>	<b>8000 Hz</b>
	Day (12h)	Emission	Reference: Nordex N175 6 m/s										
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)	Emission	Reference: Nordex N175 6 m/s										
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Evening (4h)	Emission	Reference: Nordex N175 6 m/s										
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	<b>Rating method</b>	<b>Peak level</b>	<b>Corr. for impulsivity /dB</b>			<b>Corr. for tonality /dB</b>	<b>Corr. for inform. content/dB</b>					<b>Special correction /dB</b>	
	Lden	-	0.0			0.0	0.0					-	0.0
	<b>Rating period / Period</b>	<b>Duration /h</b>	<b>Emiss. variant</b>	<b>Lw /dB(A)</b>		<b>n times</b>	<b>Impact time /h</b>	<b>dLi /dB</b>				<b>Lwr /dB(A)</b>	
	Day (12h)	12.00	Day	108.9		1.00	1.31860				-9.59		-9.6
	Evening (4h)	4.00	Evening	108.9		1.00	0.35890				-10.47		-10.5
	Night (8h)	8.00	Night	108.9		1.00	0.65480				-10.87		-10.9
<b>EQCN055</b>	<b>Label</b>	E7				<b>Action radius/m</b>							3000.00
	<b>Group</b>	6 m/s				<b>Lw (Day (12h)) /dB(A)</b>							108.91
	<b>Number of nodes</b>	1				<b>Lw (Night (8h)) /dB(A)</b>							108.91
	<b>Length/ m</b>	---				<b>Lw (Evening (4h)) /dB(A)</b>							108.91
	<b>Length/ m (2D)</b>	---				<b>Emission is</b>							Sound power level (Lw)
	<b>Area /m²</b>	---											
	<b>Emiss. variant</b>		<b>Sum</b>	<b>16 Hz</b>	<b>31.5 Hz</b>	<b>63 Hz</b>	<b>125 Hz</b>	<b>250 Hz</b>	<b>500 Hz</b>	<b>1000 Hz</b>	<b>2000 Hz</b>	<b>4000 Hz</b>	<b>8000 Hz</b>
	Day (12h)	Emission	Reference: Nordex N175 6 m/s										
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)	Emission	Reference: Nordex N175 6 m/s										
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Evening (4h)	Emission	Reference: Nordex N175 6 m/s										
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	<b>Rating method</b>	<b>Peak level</b>	<b>Corr. for impulsivity /dB</b>			<b>Corr. for tonality /dB</b>	<b>Corr. for inform. content/dB</b>					<b>Special correction /dB</b>	
	Lden	-	0.0			0.0	0.0					-	0.0
	<b>Rating period / Period</b>	<b>Duration /h</b>	<b>Emiss. variant</b>	<b>Lw /dB(A)</b>		<b>n times</b>	<b>Impact time /h</b>	<b>dLi /dB</b>				<b>Lwr /dB(A)</b>	
	Day (12h)	12.00	Day	108.9		1.00	1.31860				-9.59		-9.6
	Evening (4h)	4.00	Evening	108.9		1.00	0.35890				-10.47		-10.5
	Night (8h)	8.00	Night	108.9		1.00	0.65480				-10.87		-10.9
<b>EQCN056</b>	<b>Label</b>	E8				<b>Action radius/m</b>							3000.00
	<b>Group</b>	6 m/s				<b>Lw (Day (12h)) /dB(A)</b>							108.91
	<b>Number of nodes</b>	1				<b>Lw (Night (8h)) /dB(A)</b>							108.91
	<b>Length/ m</b>	---				<b>Lw (Evening (4h)) /dB(A)</b>							108.91
	<b>Length/ m (2D)</b>	---				<b>Emission is</b>							Sound power level (Lw)
	<b>Area /m²</b>	---											
	<b>Emiss. variant</b>		<b>Sum</b>	<b>16 Hz</b>	<b>31.5 Hz</b>	<b>63 Hz</b>	<b>125 Hz</b>	<b>250 Hz</b>	<b>500 Hz</b>	<b>1000 Hz</b>	<b>2000 Hz</b>	<b>4000 Hz</b>	<b>8000 Hz</b>
	Day (12h)	Emission	Reference: Nordex N175 6 m/s										
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)	Emission	Reference: Nordex N175 6 m/s										
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Evening (4h)	Emission	Reference: Nordex N175 6 m/s										
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	<b>Rating method</b>	<b>Peak level</b>	<b>Corr. for impulsivity /dB</b>			<b>Corr. for tonality /dB</b>	<b>Corr. for inform. content/dB</b>					<b>Special correction /dB</b>	
	Lden	-	0.0			0.0	0.0					-	0.0
	<b>Rating period / Period</b>	<b>Duration /h</b>	<b>Emiss. variant</b>	<b>Lw /dB(A)</b>		<b>n times</b>	<b>Impact time /h</b>	<b>dLi /dB</b>				<b>Lwr /dB(A)</b>	
	Day (12h)	12.00	Day	108.9		1.00	1.31860				-9.59		-9.6
	Evening (4h)	4.00	Evening	108.9		1.00	0.35890				-10.47		-10.5

Vides trokšņa ievades dati "PurpleGreen Solwin" E alternatīva

	Night (8h)		8.00	Night		108.9		1.00		0.65480		-10.87		-10.9
EQCN057	Label	E9					Action radius/m				3000.00			
	Group	6 m/s					Lw (Day (12h)) /dB(A)				108.91			
	Number of nodes	1					Lw (Night (8h)) /dB(A)				108.91			
	Length/ m	---					Lw (Evening (4h)) /dB(A)				108.91			
	Length/ m (2D)	---					Emission is				Sound power level (Lw)			
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 6 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)	Emission	Reference: Nordex N175 6 m/s											
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Evening (4h)	Emission	Reference: Nordex N175 6 m/s											
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Rating method			Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
Lden			-		0.0		0.0		0.0		-		0.0	
Rating period / Period			Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)			12.00	Day	108.9		1.00		1.31860		-9.59		-9.6	
Evening (4h)			4.00	Evening	108.9		1.00		0.35890		-10.47		-10.5	
Night (8h)			8.00	Night	108.9		1.00		0.65480		-10.87		-10.9	
EQCN058	Label	E10					Action radius/m				3000.00			
	Group	6 m/s					Lw (Day (12h)) /dB(A)				108.91			
	Number of nodes	1					Lw (Night (8h)) /dB(A)				108.91			
	Length/ m	---					Lw (Evening (4h)) /dB(A)				108.91			
	Length/ m (2D)	---					Emission is				Sound power level (Lw)			
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 6 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)	Emission	Reference: Nordex N175 6 m/s											
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Evening (4h)	Emission	Reference: Nordex N175 6 m/s											
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Rating method			Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
Lden			-		0.0		0.0		0.0		-		0.0	
Rating period / Period			Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)			12.00	Day	108.9		1.00		1.31860		-9.59		-9.6	
Evening (4h)			4.00	Evening	108.9		1.00		0.35890		-10.47		-10.5	
Night (8h)			8.00	Night	108.9		1.00		0.65480		-10.87		-10.9	
EQCN059	Label	E11					Action radius/m				3000.00			
	Group	6 m/s					Lw (Day (12h)) /dB(A)				108.91			
	Number of nodes	1					Lw (Night (8h)) /dB(A)				108.91			
	Length/ m	---					Lw (Evening (4h)) /dB(A)				108.91			
	Length/ m (2D)	---					Emission is				Sound power level (Lw)			
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 6 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)	Emission	Reference: Nordex N175 6 m/s											
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Evening (4h)	Emission	Reference: Nordex N175 6 m/s											
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Rating method			Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
Lden			-		0.0		0.0		0.0		-		0.0	
Rating period / Period			Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)			12.00	Day	108.9		1.00		1.31860		-9.59		-9.6	
Evening (4h)			4.00	Evening	108.9		1.00		0.35890		-10.47		-10.5	
Night (8h)			8.00	Night	108.9		1.00		0.65480		-10.87		-10.9	
EQCN060	Label	E12					Action radius/m				3000.00			
	Group	6 m/s					Lw (Day (12h)) /dB(A)				108.91			
	Number of nodes	1					Lw (Night (8h)) /dB(A)				108.91			
	Length/ m	---					Lw (Evening (4h)) /dB(A)				108.91			
	Length/ m (2D)	---					Emission is				Sound power level (Lw)			
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 6 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)	Emission	Reference: Nordex N175 6 m/s											
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Evening (4h)	Emission	Reference: Nordex N175 6 m/s											

Vides trokšņa ievades dati "PurpleGreen Solwin" E alternatīva

	Day (12h)	Emission	Reference: Nordex N175 6 m/s										
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)	Emission	Reference: Nordex N175 6 m/s										
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Evening (4h)	Emission	Reference: Nordex N175 6 m/s										
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
EQCN061	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB
	Lden				0.0		0.0		0.0				0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	108.9		1.00		1.31860		-9.59		-9.6
	Evening (4h)		4.00	Evening	108.9		1.00		0.35890		-10.47		-10.5
	Night (8h)		8.00	Night	108.9		1.00		0.65480		-10.87		-10.9
	Label		E13					Action radius/m			3000.00		
	Group		6 m/s					Lw (Day (12h)) /dB(A)			108.91		
	Number of nodes		1					Lw (Night (8h)) /dB(A)			108.91		
	Length/ m		---					Lw (Evening (4h)) /dB(A)			108.91		
Length/ m (2D)		---					Emission is			Sound power level (Lw)			
Area /m²		---											
Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 6 m/s										
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)	Emission	Reference: Nordex N175 6 m/s										
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Evening (4h)	Emission	Reference: Nordex N175 6 m/s										
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
EQCN062	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB
	Lden				0.0		0.0		0.0				0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	108.9		1.00		1.31860		-9.59		-9.6
	Evening (4h)		4.00	Evening	108.9		1.00		0.35890		-10.47		-10.5
	Night (8h)		8.00	Night	108.9		1.00		0.65480		-10.87		-10.9
	Label		E14					Action radius/m			3000.00		
	Group		6 m/s					Lw (Day (12h)) /dB(A)			108.91		
	Number of nodes		1					Lw (Night (8h)) /dB(A)			108.91		
	Length/ m		---					Lw (Evening (4h)) /dB(A)			108.91		
Length/ m (2D)		---					Emission is			Sound power level (Lw)			
Area /m²		---											
Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 6 m/s										
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)	Emission	Reference: Nordex N175 6 m/s										
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Evening (4h)	Emission	Reference: Nordex N175 6 m/s										
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
EQCN063	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB
	Lden				0.0		0.0		0.0				0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	108.9		1.00		1.31860		-9.59		-9.6
	Evening (4h)		4.00	Evening	108.9		1.00		0.35890		-10.47		-10.5
	Night (8h)		8.00	Night	108.9		1.00		0.65480		-10.87		-10.9
	Label		E15					Action radius/m			3000.00		
	Group		6 m/s					Lw (Day (12h)) /dB(A)			108.91		
	Number of nodes		1					Lw (Night (8h)) /dB(A)			108.91		
	Length/ m		---					Lw (Evening (4h)) /dB(A)			108.91		
Length/ m (2D)		---					Emission is			Sound power level (Lw)			
Area /m²		---											
Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 6 m/s										
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)	Emission	Reference: Nordex N175 6 m/s										
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5

Vides trokšņa ievades dati "PurpleGreen Solwin" E alternatīva

	Evening (4h)	Emission	Reference: Nordex N175 6 m/s										
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB			Special correction /dB			
	Lden		-		0.0	0.0	0.0			0.0			
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)				
	Day (12h)		12.00	Day	108.9	1.00	1.31860	-9.59	-9.6				
	Evening (4h)		4.00	Evening	108.9	1.00	0.35890	-10.47	-10.5				
	Night (8h)		8.00	Night	108.9	1.00	0.65480	-10.87	-10.9				
EQCN064	Label		E16		Action radius/m		3000.00						
	Group		6 m/s		Lw (Day (12h)) /dB(A)		108.91						
	Number of nodes		1		Lw (Night (8h)) /dB(A)		108.91						
	Length/ m		---		Lw (Evening (4h)) /dB(A)		108.91						
	Length/ m (2D)		---		Emission is		Sound power level (Lw)						
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 6 m/s										
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)	Emission	Reference: Nordex N175 6 m/s										
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Evening (4h)	Emission	Reference: Nordex N175 6 m/s										
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB			Special correction /dB			
	Lden		-		0.0	0.0	0.0			0.0			
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)				
	Day (12h)		12.00	Day	108.9	1.00	1.31860	-9.59	-9.6				
	Evening (4h)		4.00	Evening	108.9	1.00	0.35890	-10.47	-10.5				
	Night (8h)		8.00	Night	108.9	1.00	0.65480	-10.87	-10.9				
EQCN065	Label		E1		Action radius/m		3000.00						
	Group		7 m/s		Lw (Day (12h)) /dB(A)		108.91						
	Number of nodes		1		Lw (Night (8h)) /dB(A)		108.91						
	Length/ m		---		Lw (Evening (4h)) /dB(A)		108.91						
	Length/ m (2D)		---		Emission is		Sound power level (Lw)						
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 7 m/s										
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)	Emission	Reference: Nordex N175 7 m/s										
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Evening (4h)	Emission	Reference: Nordex N175 7 m/s										
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB			Special correction /dB			
	Lden		-		0.0	0.0	0.0			0.0			
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)				
	Day (12h)		12.00	Day	108.9	1.00	1.19450	-10.02	-10.0				
	Evening (4h)		4.00	Evening	108.9	1.00	0.39230	-10.08	-10.1				
	Night (8h)		8.00	Night	108.9	1.00	0.73590	-10.36	-10.4				
EQCN066	Label		E2		Action radius/m		3000.00						
	Group		7 m/s		Lw (Day (12h)) /dB(A)		108.91						
	Number of nodes		1		Lw (Night (8h)) /dB(A)		108.91						
	Length/ m		---		Lw (Evening (4h)) /dB(A)		108.91						
	Length/ m (2D)		---		Emission is		Sound power level (Lw)						
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 7 m/s										
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)	Emission	Reference: Nordex N175 7 m/s										
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Evening (4h)	Emission	Reference: Nordex N175 7 m/s										
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB			Special correction /dB			
	Lden		-		0.0	0.0	0.0			0.0			

Vides trokšņa ievades dati "PurpleGreen Solwin" E alternatīva

	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h		dLi /dB	Lwr /dB(A)			
	Day (12h)		12.00	Day	108.9	1.00	1.19450		-10.02	-10.0			
	Evening (4h)		4.00	Evening	108.9	1.00	0.39230		-10.08	-10.1			
	Night (8h)		8.00	Night	108.9	1.00	0.73590		-10.36	-10.4			
EQCN067	Label		E3			Action radius/m			3000.00				
	Group		7 m/s			Lw (Day (12h)) /dB(A)			108.91				
	Number of nodes		1			Lw (Night (8h)) /dB(A)			108.91				
	Length/ m		---			Lw (Evening (4h)) /dB(A)			108.91				
	Length/ m (2D)		---			Emission is			Sound power level (Lw)				
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 7 m/s										
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)	Emission	Reference: Nordex N175 7 m/s										
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Evening (4h)	Emission	Reference: Nordex N175 7 m/s										
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0	0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h		dLi /dB	Lwr /dB(A)			
	Day (12h)		12.00	Day	108.9	1.00	1.19450		-10.02	-10.0			
	Evening (4h)		4.00	Evening	108.9	1.00	0.39230		-10.08	-10.1			
	Night (8h)		8.00	Night	108.9	1.00	0.73590		-10.36	-10.4			
EQCN068	Label		E4			Action radius/m			3000.00				
	Group		7 m/s			Lw (Day (12h)) /dB(A)			108.91				
	Number of nodes		1			Lw (Night (8h)) /dB(A)			108.91				
	Length/ m		---			Lw (Evening (4h)) /dB(A)			108.91				
	Length/ m (2D)		---			Emission is			Sound power level (Lw)				
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 7 m/s										
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)	Emission	Reference: Nordex N175 7 m/s										
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Evening (4h)	Emission	Reference: Nordex N175 7 m/s										
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0	0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h		dLi /dB	Lwr /dB(A)			
	Day (12h)		12.00	Day	108.9	1.00	1.19450		-10.02	-10.0			
	Evening (4h)		4.00	Evening	108.9	1.00	0.39230		-10.08	-10.1			
	Night (8h)		8.00	Night	108.9	1.00	0.73590		-10.36	-10.4			
EQCN069	Label		E5			Action radius/m			3000.00				
	Group		7 m/s			Lw (Day (12h)) /dB(A)			108.91				
	Number of nodes		1			Lw (Night (8h)) /dB(A)			108.91				
	Length/ m		---			Lw (Evening (4h)) /dB(A)			108.91				
	Length/ m (2D)		---			Emission is			Sound power level (Lw)				
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 7 m/s										
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)	Emission	Reference: Nordex N175 7 m/s										
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Evening (4h)	Emission	Reference: Nordex N175 7 m/s										
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0	0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h		dLi /dB	Lwr /dB(A)			
	Day (12h)		12.00	Day	108.9	1.00	1.19450		-10.02	-10.0			
	Evening (4h)		4.00	Evening	108.9	1.00	0.39230		-10.08	-10.1			
	Night (8h)		8.00	Night	108.9	1.00	0.73590		-10.36	-10.4			
EQCN070	Label		E6			Action radius/m			3000.00				
	Group		7 m/s			Lw (Day (12h)) /dB(A)			108.91				
	Number of nodes		1			Lw (Night (8h)) /dB(A)			108.91				

Vides trokšņa ievades dati "PurpleGreen Solwin" E alternatīva

	Length/ m	---					Lw (Evening (4h)) /dB(A)				108.91			
	Length/ m (2D)	---					Emission is				Sound power level (Lw)			
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 7 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)	Emission	Reference: Nordex N175 7 m/s											
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Evening (4h)	Emission	Reference: Nordex N175 7 m/s											
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-	0.0		0.0		0.0				0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	108.9		1.00		1.19450		-10.02		-10.0		
	Evening (4h)	4.00	Evening	108.9		1.00		0.39230		-10.08		-10.1		
	Night (8h)	8.00	Night	108.9		1.00		0.73590		-10.36		-10.4		
EQCN071	Label	E7					Action radius/m				3000.00			
	Group	7 m/s					Lw (Day (12h)) /dB(A)				108.91			
	Number of nodes	1					Lw (Night (8h)) /dB(A)				108.91			
	Length/ m	---					Lw (Evening (4h)) /dB(A)				108.91			
	Length/ m (2D)	---					Emission is				Sound power level (Lw)			
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 7 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)	Emission	Reference: Nordex N175 7 m/s											
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Evening (4h)	Emission	Reference: Nordex N175 7 m/s											
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-	0.0		0.0		0.0				0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	108.9		1.00		1.19450		-10.02		-10.0		
	Evening (4h)	4.00	Evening	108.9		1.00		0.39230		-10.08		-10.1		
	Night (8h)	8.00	Night	108.9		1.00		0.73590		-10.36		-10.4		
EQCN072	Label	E8					Action radius/m				3000.00			
	Group	7 m/s					Lw (Day (12h)) /dB(A)				108.91			
	Number of nodes	1					Lw (Night (8h)) /dB(A)				108.91			
	Length/ m	---					Lw (Evening (4h)) /dB(A)				108.91			
	Length/ m (2D)	---					Emission is				Sound power level (Lw)			
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 7 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)	Emission	Reference: Nordex N175 7 m/s											
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Evening (4h)	Emission	Reference: Nordex N175 7 m/s											
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-	0.0		0.0		0.0				0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	108.9		1.00		1.19450		-10.02		-10.0		
	Evening (4h)	4.00	Evening	108.9		1.00		0.39230		-10.08		-10.1		
	Night (8h)	8.00	Night	108.9		1.00		0.73590		-10.36		-10.4		
EQCN073	Label	E9					Action radius/m				3000.00			
	Group	7 m/s					Lw (Day (12h)) /dB(A)				108.91			
	Number of nodes	1					Lw (Night (8h)) /dB(A)				108.91			
	Length/ m	---					Lw (Evening (4h)) /dB(A)				108.91			
	Length/ m (2D)	---					Emission is				Sound power level (Lw)			
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 7 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	

Vides trokšņa ievades dati "PurpleGreen Solwin" E alternatīva

	Night (8h)	Emission	Reference: Nordex N175 7 m/s											
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Evening (4h)	Emission	Reference: Nordex N175 7 m/s											
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden		-		0.0		0.0		0.0		-			
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	108.9	1.00		1.19450		-10.02		-10.0		
	Evening (4h)		4.00	Evening	108.9	1.00		0.39230		-10.08		-10.1		
	Night (8h)		8.00	Night	108.9	1.00		0.73590		-10.36		-10.4		
EQCN074	Label		E10				Action radius/m				3000.00			
	Group		7 m/s				Lw (Day (12h)) /dB(A)				108.91			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.91			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.91			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Reference: Nordex N175 7 m/s											
		Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
		Night (8h)	Emission	Reference: Nordex N175 7 m/s										
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Evening (4h)	Emission	Reference: Nordex N175 7 m/s											
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden		-		0.0		0.0		0.0		-			
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	108.9	1.00		1.19450		-10.02		-10.0		
	Evening (4h)		4.00	Evening	108.9	1.00		0.39230		-10.08		-10.1		
	Night (8h)		8.00	Night	108.9	1.00		0.73590		-10.36		-10.4		
EQCN075	Label		E11				Action radius/m				3000.00			
	Group		7 m/s				Lw (Day (12h)) /dB(A)				108.91			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.91			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.91			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Reference: Nordex N175 7 m/s											
		Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
		Night (8h)	Emission	Reference: Nordex N175 7 m/s										
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Evening (4h)	Emission	Reference: Nordex N175 7 m/s											
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden		-		0.0		0.0		0.0		-			
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	108.9	1.00		1.19450		-10.02		-10.0		
	Evening (4h)		4.00	Evening	108.9	1.00		0.39230		-10.08		-10.1		
	Night (8h)		8.00	Night	108.9	1.00		0.73590		-10.36		-10.4		
EQCN076	Label		E12				Action radius/m				3000.00			
	Group		7 m/s				Lw (Day (12h)) /dB(A)				108.91			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.91			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.91			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Reference: Nordex N175 7 m/s											
		Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
		Night (8h)	Emission	Reference: Nordex N175 7 m/s										
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Evening (4h)	Emission	Reference: Nordex N175 7 m/s											
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	

Vides trokšņa ievades dati "PurpleGreen Solwin" E alternatīva

Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB						
Lden				-	0.0	0.0		0.0						
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h		dLi /dB	Lwr /dB(A)					
Day (12h)		12.00	Day	108.9		1.00		1.19450	-10.02					
Evening (4h)		4.00	Evening	108.9		1.00		0.39230	-10.08					
Night (8h)		8.00	Night	108.9		1.00		0.73590	-10.36					
EQCN077	Label		E13			Action radius/m			3000.00					
	Group		7 m/s			Lw (Day (12h)) /dB(A)			108.91					
	Number of nodes		1			Lw (Night (8h)) /dB(A)			108.91					
	Length/ m		---			Lw (Evening (4h)) /dB(A)			108.91					
	Length/ m (2D)		---			Emission is			Sound power level (Lw)					
	Area /m²		---											
	Emiss. variant		Sum			16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz
Day (12h)		Emission		Reference: Nordex N175 7 m/s										
Day (12h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Night (8h)		Emission		Reference: Nordex N175 7 m/s										
Night (8h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Evening (4h)		Emission		Reference: Nordex N175 7 m/s										
Evening (4h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB						
Lden				-	0.0	0.0		0.0						
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h		dLi /dB	Lwr /dB(A)					
Day (12h)		12.00	Day	108.9		1.00		1.19450	-10.02					
Evening (4h)		4.00	Evening	108.9		1.00		0.39230	-10.08					
Night (8h)		8.00	Night	108.9		1.00		0.73590	-10.36					
EQCN078	Label		E14			Action radius/m			3000.00					
	Group		7 m/s			Lw (Day (12h)) /dB(A)			108.91					
	Number of nodes		1			Lw (Night (8h)) /dB(A)			108.91					
	Length/ m		---			Lw (Evening (4h)) /dB(A)			108.91					
	Length/ m (2D)		---			Emission is			Sound power level (Lw)					
	Area /m²		---											
	Emiss. variant		Sum			16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz
Day (12h)		Emission		Reference: Nordex N175 7 m/s										
Day (12h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Night (8h)		Emission		Reference: Nordex N175 7 m/s										
Night (8h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Evening (4h)		Emission		Reference: Nordex N175 7 m/s										
Evening (4h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB						
Lden				-	0.0	0.0		0.0						
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h		dLi /dB	Lwr /dB(A)					
Day (12h)		12.00	Day	108.9		1.00		1.19450	-10.02					
Evening (4h)		4.00	Evening	108.9		1.00		0.39230	-10.08					
Night (8h)		8.00	Night	108.9		1.00		0.73590	-10.36					
EQCN079	Label		E15			Action radius/m			3000.00					
	Group		7 m/s			Lw (Day (12h)) /dB(A)			108.91					
	Number of nodes		1			Lw (Night (8h)) /dB(A)			108.91					
	Length/ m		---			Lw (Evening (4h)) /dB(A)			108.91					
	Length/ m (2D)		---			Emission is			Sound power level (Lw)					
	Area /m²		---											
	Emiss. variant		Sum			16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz
Day (12h)		Emission		Reference: Nordex N175 7 m/s										
Day (12h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Night (8h)		Emission		Reference: Nordex N175 7 m/s										
Night (8h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Evening (4h)		Emission		Reference: Nordex N175 7 m/s										
Evening (4h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB						
Lden				-	0.0	0.0		0.0						
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h		dLi /dB	Lwr /dB(A)					
Day (12h)		12.00	Day	108.9		1.00		1.19450	-10.02					
Evening (4h)		4.00	Evening	108.9		1.00		0.39230	-10.08					
Night (8h)		8.00	Night	108.9		1.00		0.73590	-10.36					



*Vides trokšņa ievades dati “PurpleGreen Solwin” E alternatīva*

EQCN080	Label		E16				Action radius/m				3000.00				
	Group		7 m/s				Lw (Day (12h)) /dB(A)				108.91				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.91				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.91				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Nordex N175 7 m/s										
	Day (12h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)		Emission		Reference: Nordex N175 7 m/s										
Night (8h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Evening (4h)		Emission		Reference: Nordex N175 7 m/s											
Evening (4h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
Lden		-		0.0		0.0		0.0				-		0.0	
Rating period / Period		Duration /h		Emiss. variant		Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)		12.00		Day		108.9		1.00		1.19450		-10.02		-10.0	
Evening (4h)		4.00		Evening		108.9		1.00		0.39230		-10.08		-10.1	
Night (8h)		8.00		Night		108.9		1.00		0.73590		-10.36		-10.4	
EQCN081	Label		E1				Action radius/m				3000.00				
	Group		8 m/s				Lw (Day (12h)) /dB(A)				108.91				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.91				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.91				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Nordex N175 8 m/s										
	Day (12h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)		Emission		Reference: Nordex N175 8 m/s										
Night (8h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Evening (4h)		Emission		Reference: Nordex N175 8 m/s											
Evening (4h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
Lden		-		0.0		0.0		0.0				-		0.0	
Rating period / Period		Duration /h		Emiss. variant		Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)		12.00		Day		108.9		1.00		1.12410		-10.28		-10.3	
Evening (4h)		4.00		Evening		108.9		1.00		0.39950		-10.01		-10.0	
Night (8h)		8.00		Night		108.9		1.00		0.81450		-9.92		-9.9	
EQCN082	Label		E2				Action radius/m				3000.00				
	Group		8 m/s				Lw (Day (12h)) /dB(A)				108.91				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.91				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.91				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Nordex N175 8 m/s										
	Day (12h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)		Emission		Reference: Nordex N175 8 m/s										
Night (8h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Evening (4h)		Emission		Reference: Nordex N175 8 m/s											
Evening (4h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
Lden		-		0.0		0.0		0.0				-		0.0	
Rating period / Period		Duration /h		Emiss. variant		Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)		12.00		Day		108.9		1.00		1.12410		-10.28		-10.3	
Evening (4h)		4.00		Evening		108.9		1.00		0.39950		-10.01		-10.0	
Night (8h)		8.00		Night		108.9		1.00		0.81450		-9.92		-9.9	
EQCN082	Label		E2				Action radius/m				3000.00				
	Group		8 m/s				Lw (Day (12h)) /dB(A)				108.91				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.91				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.91				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Nordex N175 8 m/s										
	Day (12h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)		Emission		Reference: Nordex N175 8 m/s										
Night (8h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Evening (4h)		Emission		Reference: Nordex N175 8 m/s											
Evening (4h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
Lden		-		0.0		0.0		0.0				-		0.0	
Rating period / Period		Duration /h		Emiss. variant		Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)		12.00		Day		108.9		1.00		1.12410		-10.28		-10.3	
Evening (4h)		4.00		Evening		108.9		1.00		0.39950		-10.01		-10.0	
Night (8h)		8.00		Night		108.9		1.00		0.81450		-9.92		-9.9	
EQCN083	Label		E3				Action radius/m				3000.00				
	Group		8 m/s				Lw (Day (12h)) /dB(A)				108.91				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.91				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.91				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Nordex N175 8 m/s										
	Day (12h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)		Emission		Reference: Nordex N175 8 m/s										
Night (8h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Evening (4h)		Emission		Reference: Nordex N175 8 m/s											
Evening (4h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	

*Vides trokšņa ievades dati “PurpleGreen Solwin” E alternatīva*

	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)	Emission	Reference:	Nordex N175 8 m/s									
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Evening (4h)	Emission	Reference:	Nordex N175 8 m/s									
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
EQCN084	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden	-		0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	108.9		1.00		1.12410		-10.28		-10.3	
	Evening (4h)	4.00	Evening	108.9		1.00		0.39950		-10.01		-10.0	
	Night (8h)	8.00	Night	108.9		1.00		0.81450		-9.92		-9.9	
	Label	E4				Action radius/m						3000.00	
	Group	8 m/s				Lw (Day (12h)) /dB(A)						108.91	
	Number of nodes	1				Lw (Night (8h)) /dB(A)						108.91	
	Length/ m	---				Lw (Evening (4h)) /dB(A)						108.91	
Length/ m (2D)	---				Emission is						Sound power level (Lw)		
Area /m²	---												
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)	Emission	Reference:	Nordex N175 8 m/s										
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)	Emission	Reference:	Nordex N175 8 m/s									
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Evening (4h)	Emission	Reference:	Nordex N175 8 m/s									
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
EQCN085	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden	-		0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	108.9		1.00		1.12410		-10.28		-10.3	
	Evening (4h)	4.00	Evening	108.9		1.00		0.39950		-10.01		-10.0	
	Night (8h)	8.00	Night	108.9		1.00		0.81450		-9.92		-9.9	
	Label	E5				Action radius/m						3000.00	
	Group	8 m/s				Lw (Day (12h)) /dB(A)						108.91	
	Number of nodes	1				Lw (Night (8h)) /dB(A)						108.91	
	Length/ m	---				Lw (Evening (4h)) /dB(A)						108.91	
Length/ m (2D)	---				Emission is						Sound power level (Lw)		
Area /m²	---												
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)	Emission	Reference:	Nordex N175 8 m/s										
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)	Emission	Reference:	Nordex N175 8 m/s									
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Evening (4h)	Emission	Reference:	Nordex N175 8 m/s									
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
EQCN086	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden	-		0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	108.9		1.00		1.12410		-10.28		-10.3	
	Evening (4h)	4.00	Evening	108.9		1.00		0.39950		-10.01		-10.0	
	Night (8h)	8.00	Night	108.9		1.00		0.81450		-9.92		-9.9	
	Label	E6				Action radius/m						3000.00	
	Group	8 m/s				Lw (Day (12h)) /dB(A)						108.91	
	Number of nodes	1				Lw (Night (8h)) /dB(A)						108.91	
	Length/ m	---				Lw (Evening (4h)) /dB(A)						108.91	
Length/ m (2D)	---				Emission is						Sound power level (Lw)		
Area /m²	---												
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)	Emission	Reference:	Nordex N175 8 m/s										
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)	Emission	Reference:	Nordex N175 8 m/s									
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Evening (4h)	Emission	Reference:	Nordex N175 8 m/s									

Vides trokšņa ievades dati "PurpleGreen Solwin" E alternatīva

	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.9		1.00		1.12410		-10.28		-10.3	
	Evening (4h)		4.00	Evening	108.9		1.00		0.39950		-10.01		-10.0	
	Night (8h)		8.00	Night	108.9		1.00		0.81450		-9.92		-9.9	
EQCN087	Label		E7				Action radius/m				3000.00			
	Group		8 m/s				Lw (Day (12h)) /dB(A)				108.91			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.91			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.91			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission	Reference: Nordex N175 8 m/s										
	Day (12h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)		Emission	Reference: Nordex N175 8 m/s										
Night (8h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Evening (4h)		Emission	Reference: Nordex N175 8 m/s											
Evening (4h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.9		1.00		1.12410		-10.28		-10.3	
	Evening (4h)		4.00	Evening	108.9		1.00		0.39950		-10.01		-10.0	
	Night (8h)		8.00	Night	108.9		1.00		0.81450		-9.92		-9.9	
EQCN088	Label		E8				Action radius/m				3000.00			
	Group		8 m/s				Lw (Day (12h)) /dB(A)				108.91			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.91			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.91			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission	Reference: Nordex N175 8 m/s										
	Day (12h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)		Emission	Reference: Nordex N175 8 m/s										
Night (8h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Evening (4h)		Emission	Reference: Nordex N175 8 m/s											
Evening (4h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.9		1.00		1.12410		-10.28		-10.3	
	Evening (4h)		4.00	Evening	108.9		1.00		0.39950		-10.01		-10.0	
	Night (8h)		8.00	Night	108.9		1.00		0.81450		-9.92		-9.9	
EQCN089	Label		E9				Action radius/m				3000.00			
	Group		8 m/s				Lw (Day (12h)) /dB(A)				108.91			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.91			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.91			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission	Reference: Nordex N175 8 m/s										
	Day (12h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)		Emission	Reference: Nordex N175 8 m/s										
Night (8h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Evening (4h)		Emission	Reference: Nordex N175 8 m/s											
Evening (4h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	

Vides trokšņa ievades dati "PurpleGreen Solwin" E alternatīva

	Day (12h)		12.00	Day		108.9		1.00		1.12410		-10.28		-10.3
	Evening (4h)		4.00	Evening		108.9		1.00		0.39950		-10.01		-10.0
	Night (8h)		8.00	Night		108.9		1.00		0.81450		-9.92		-9.9
EQCN090	Label	E10				Action radius/m				3000.00				
	Group	8 m/s				Lw (Day (12h)) /dB(A)				108.91				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				108.91				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				108.91				
	Length/ m (2D)	---				Emission is				Sound power level (Lw)				
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 8 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)	Emission	Reference: Nordex N175 8 m/s											
Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
Evening (4h)	Emission	Reference: Nordex N175 8 m/s												
Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
Lden		-		0.0		0.0		0.0				0.0		
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
Day (12h)		12.00	Day	108.9		1.00		1.12410		-10.28		-10.3		
Evening (4h)		4.00	Evening	108.9		1.00		0.39950		-10.01		-10.0		
Night (8h)		8.00	Night	108.9		1.00		0.81450		-9.92		-9.9		
EQCN091	Label	E11				Action radius/m				3000.00				
	Group	8 m/s				Lw (Day (12h)) /dB(A)				108.91				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				108.91				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				108.91				
	Length/ m (2D)	---				Emission is				Sound power level (Lw)				
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 8 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)	Emission	Reference: Nordex N175 8 m/s											
Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
Evening (4h)	Emission	Reference: Nordex N175 8 m/s												
Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
Lden		-		0.0		0.0		0.0				0.0		
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
Day (12h)		12.00	Day	108.9		1.00		1.12410		-10.28		-10.3		
Evening (4h)		4.00	Evening	108.9		1.00		0.39950		-10.01		-10.0		
Night (8h)		8.00	Night	108.9		1.00		0.81450		-9.92		-9.9		
EQCN092	Label	E12				Action radius/m				3000.00				
	Group	8 m/s				Lw (Day (12h)) /dB(A)				108.91				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				108.91				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				108.91				
	Length/ m (2D)	---				Emission is				Sound power level (Lw)				
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 8 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)	Emission	Reference: Nordex N175 8 m/s											
Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
Evening (4h)	Emission	Reference: Nordex N175 8 m/s												
Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
Lden		-		0.0		0.0		0.0				0.0		
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
Day (12h)		12.00	Day	108.9		1.00		1.12410		-10.28		-10.3		
Evening (4h)		4.00	Evening	108.9		1.00		0.39950		-10.01		-10.0		
Night (8h)		8.00	Night	108.9		1.00		0.81450		-9.92		-9.9		
EQCN093	Label	E13				Action radius/m				3000.00				
	Group	8 m/s				Lw (Day (12h)) /dB(A)				108.91				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				108.91				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				108.91				
	Length/ m (2D)	---				Emission is				Sound power level (Lw)				
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 8 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)	Emission	Reference: Nordex N175 8 m/s											
Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		

Vides trokšņa ievades dati "PurpleGreen Solwin" E alternatīva

Area /m²		---		---		---		---		---		---	
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)	Emission	Reference: Nordex N175 8 m/s											
Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Night (8h)	Emission	Reference: Nordex N175 8 m/s											
Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Evening (4h)	Emission	Reference: Nordex N175 8 m/s											
Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
Lden		-		0.0		0.0		0.0		-		0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)		12.00	Day	108.9		1.00		1.12410		-10.28		-10.3	
Evening (4h)		4.00	Evening	108.9		1.00		0.39950		-10.01		-10.0	
Night (8h)		8.00	Night	108.9		1.00		0.81450		-9.92		-9.9	
EQCN094		Label		E14		Action radius/m						3000.00	
		Group		8 m/s		Lw (Day (12h)) /dB(A)						108.91	
		Number of nodes		1		Lw (Night (8h)) /dB(A)						108.91	
		Length/ m		---		Lw (Evening (4h)) /dB(A)						108.91	
		Length/ m (2D)		---		Emission is						Sound power level (Lw)	
		Area /m²		---									
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)	Emission	Reference: Nordex N175 8 m/s											
Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Night (8h)	Emission	Reference: Nordex N175 8 m/s											
Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Evening (4h)	Emission	Reference: Nordex N175 8 m/s											
Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
Lden		-		0.0		0.0		0.0		-		0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)		12.00	Day	108.9		1.00		1.12410		-10.28		-10.3	
Evening (4h)		4.00	Evening	108.9		1.00		0.39950		-10.01		-10.0	
Night (8h)		8.00	Night	108.9		1.00		0.81450		-9.92		-9.9	
EQCN095		Label		E15		Action radius/m						3000.00	
		Group		8 m/s		Lw (Day (12h)) /dB(A)						108.91	
		Number of nodes		1		Lw (Night (8h)) /dB(A)						108.91	
		Length/ m		---		Lw (Evening (4h)) /dB(A)						108.91	
		Length/ m (2D)		---		Emission is						Sound power level (Lw)	
		Area /m²		---									
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)	Emission	Reference: Nordex N175 8 m/s											
Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Night (8h)	Emission	Reference: Nordex N175 8 m/s											
Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Evening (4h)	Emission	Reference: Nordex N175 8 m/s											
Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
Lden		-		0.0		0.0		0.0		-		0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)		12.00	Day	108.9		1.00		1.12410		-10.28		-10.3	
Evening (4h)		4.00	Evening	108.9		1.00		0.39950		-10.01		-10.0	
Night (8h)		8.00	Night	108.9		1.00		0.81450		-9.92		-9.9	
EQCN096		Label		E16		Action radius/m						3000.00	
		Group		8 m/s		Lw (Day (12h)) /dB(A)						108.91	
		Number of nodes		1		Lw (Night (8h)) /dB(A)						108.91	
		Length/ m		---		Lw (Evening (4h)) /dB(A)						108.91	
		Length/ m (2D)		---		Emission is						Sound power level (Lw)	
		Area /m²		---									
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)	Emission	Reference: Nordex N175 8 m/s											
Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Night (8h)	Emission	Reference: Nordex N175 8 m/s											
Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	

Vides trokšņa ievades dati "PurpleGreen Solwin" E alternatīva

				68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5
	Evening (4h)	Emission	Reference: Nordex N175 8 m/s										
	Evening (4h)	Lw /dB (A)	108.9	63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6
				68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB				
	Lden	-	0.0	0.0	0.0				-	0.0			
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB				Lwr /dB(A)		
	Day (12h)	12.00	Day	108.9	1.00	1.12410	-10.28				-10.3		
	Evening (4h)	4.00	Evening	108.9	1.00	0.39950	-10.01				-10.0		
	Night (8h)	8.00	Night	108.9	1.00	0.81450	-9.92				-9.9		
EQCN097	Label	E1				Action radius/m	3000.00						
	Group	9 m/s				Lw (Day (12h)) /dB(A)	108.91						
	Number of nodes	1				Lw (Night (8h)) /dB(A)	108.91						
	Length/ m	---				Lw (Evening (4h)) /dB(A)	108.91						
	Length/ m (2D)	---				Emission is	Sound power level (Lw)						
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 9 m/s										
	Day (12h)	Lw /dB (A)	108.9	63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6
				68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5
	Night (8h)	Emission	Reference: Nordex N175 9 m/s										
	Night (8h)	Lw /dB (A)	108.9	63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6
			68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9	
			71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5	
	Evening (4h)	Emission	Reference: Nordex N175 9 m/s										
	Evening (4h)	Lw /dB (A)	108.9	63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6
			68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9	
			71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5	
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB				
	Lden	-	0.0	0.0	0.0				-	0.0			
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB				Lwr /dB(A)		
	Day (12h)	12.00	Day	108.9	1.00	0.97070	-10.92				-10.9		
	Evening (4h)	4.00	Evening	108.9	1.00	0.43480	-9.64				-9.6		
	Night (8h)	8.00	Night	108.9	1.00	0.89970	-9.49				-9.5		
EQCN098	Label	E2				Action radius/m	3000.00						
	Group	9 m/s				Lw (Day (12h)) /dB(A)	108.91						
	Number of nodes	1				Lw (Night (8h)) /dB(A)	108.91						
	Length/ m	---				Lw (Evening (4h)) /dB(A)	108.91						
	Length/ m (2D)	---				Emission is	Sound power level (Lw)						
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 9 m/s										
	Day (12h)	Lw /dB (A)	108.9	63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6
				68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5
	Night (8h)	Emission	Reference: Nordex N175 9 m/s										
	Night (8h)	Lw /dB (A)	108.9	63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6
			68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9	
			71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5	
	Evening (4h)	Emission	Reference: Nordex N175 9 m/s										
	Evening (4h)	Lw /dB (A)	108.9	63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6
			68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9	
			71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5	
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB				
	Lden	-	0.0	0.0	0.0				-	0.0			
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB				Lwr /dB(A)		
	Day (12h)	12.00	Day	108.9	1.00	0.97070	-10.92				-10.9		
	Evening (4h)	4.00	Evening	108.9	1.00	0.43480	-9.64				-9.6		
	Night (8h)	8.00	Night	108.9	1.00	0.89970	-9.49				-9.5		
EQCN099	Label	E3				Action radius/m	3000.00						
	Group	9 m/s				Lw (Day (12h)) /dB(A)	108.91						
	Number of nodes	1				Lw (Night (8h)) /dB(A)	108.91						
	Length/ m	---				Lw (Evening (4h)) /dB(A)	108.91						
	Length/ m (2D)	---				Emission is	Sound power level (Lw)						
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 9 m/s										
	Day (12h)	Lw /dB (A)	108.9	63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6
				68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5
	Night (8h)	Emission	Reference: Nordex N175 9 m/s										
	Night (8h)	Lw /dB (A)	108.9	63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6
			68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9	
			71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5	
	Evening (4h)	Emission	Reference: Nordex N175 9 m/s										
	Evening (4h)	Lw /dB (A)	108.9	63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6
			68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9	
			71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5	
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB				

Vides trokšņa ievades dati "PurpleGreen Solwin" E alternatīva

	Lden		-	0.0		0.0		0.0		-	0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.9	1.00		0.97070		-10.92		-10.9	
	Evening (4h)		4.00	Evening	108.9	1.00		0.43480		-9.64		-9.6	
	Night (8h)		8.00	Night	108.9	1.00		0.89970		-9.49		-9.5	
EQCN100	Label		E4		Action radius/m						3000.00		
	Group		9 m/s		Lw (Day (12h)) /dB(A)						108.91		
	Number of nodes		1		Lw (Night (8h)) /dB(A)						108.91		
	Length/ m		---		Lw (Evening (4h)) /dB(A)						108.91		
	Length/ m (2D)		---		Emission is						Sound power level (Lw)		
	Area /m²		---										
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz
	Day (12h)	Emission	Reference: Nordex N175 9 m/s										
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)	Emission	Reference: Nordex N175 9 m/s										
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Evening (4h)	Emission	Reference: Nordex N175 9 m/s										
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.9	1.00		0.97070		-10.92		-10.9	
	Evening (4h)		4.00	Evening	108.9	1.00		0.43480		-9.64		-9.6	
	Night (8h)		8.00	Night	108.9	1.00		0.89970		-9.49		-9.5	
EQCN101	Label		E5		Action radius/m						3000.00		
	Group		9 m/s		Lw (Day (12h)) /dB(A)						108.91		
	Number of nodes		1		Lw (Night (8h)) /dB(A)						108.91		
	Length/ m		---		Lw (Evening (4h)) /dB(A)						108.91		
	Length/ m (2D)		---		Emission is						Sound power level (Lw)		
	Area /m²		---										
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz
	Day (12h)	Emission	Reference: Nordex N175 9 m/s										
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)	Emission	Reference: Nordex N175 9 m/s										
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Evening (4h)	Emission	Reference: Nordex N175 9 m/s										
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.9	1.00		0.97070		-10.92		-10.9	
	Evening (4h)		4.00	Evening	108.9	1.00		0.43480		-9.64		-9.6	
	Night (8h)		8.00	Night	108.9	1.00		0.89970		-9.49		-9.5	
EQCN102	Label		E6		Action radius/m						3000.00		
	Group		9 m/s		Lw (Day (12h)) /dB(A)						108.91		
	Number of nodes		1		Lw (Night (8h)) /dB(A)						108.91		
	Length/ m		---		Lw (Evening (4h)) /dB(A)						108.91		
	Length/ m (2D)		---		Emission is						Sound power level (Lw)		
	Area /m²		---										
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz
	Day (12h)	Emission	Reference: Nordex N175 9 m/s										
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)	Emission	Reference: Nordex N175 9 m/s										
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Evening (4h)	Emission	Reference: Nordex N175 9 m/s										
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.9	1.00		0.97070		-10.92		-10.9	
	Evening (4h)		4.00	Evening	108.9	1.00		0.43480		-9.64		-9.6	
	Night (8h)		8.00	Night	108.9	1.00		0.89970		-9.49		-9.5	
EQCN103	Label		E7		Action radius/m						3000.00		
	Group		9 m/s		Lw (Day (12h)) /dB(A)						108.91		

*Vides trokšņa ievades dati “PurpleGreen Solwin” E alternatīva*

Number of nodes		1			Lw (Night (8h)) /dB(A)				108.91						
Length/ m		---			Lw (Evening (4h)) /dB(A)				108.91						
Length/ m (2D)		---			Emission is				Sound power level (Lw)						
Area /m²		---													
Emiss. variant		Sum			16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)		Emission			Reference: Nordex N175 9 m/s										
Day (12h)		Lw /dB (A)			108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
Night (8h)		Emission			Reference: Nordex N175 9 m/s										
Night (8h)		Lw /dB (A)			108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
Evening (4h)		Emission			Reference: Nordex N175 9 m/s										
Evening (4h)		Lw /dB (A)			108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
Lden		-		0.0		0.0		0.0				-		0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
Day (12h)		12.00	Day	108.9		1.00		0.97070				-10.92		-10.9	
Evening (4h)		4.00	Evening	108.9		1.00		0.43480				-9.64		-9.6	
Night (8h)		8.00	Night	108.9		1.00		0.89970				-9.49		-9.5	
EQCN104	Label		E8				Action radius/m				3000.00				
	Group		9 m/s				Lw (Day (12h)) /dB(A)				108.91				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.91				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.91				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
Emiss. variant		Sum			16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)		Emission			Reference: Nordex N175 9 m/s										
Day (12h)		Lw /dB (A)			108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
Night (8h)		Emission			Reference: Nordex N175 9 m/s										
Night (8h)		Lw /dB (A)			108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
Evening (4h)		Emission			Reference: Nordex N175 9 m/s										
Evening (4h)		Lw /dB (A)			108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
Lden		-		0.0		0.0		0.0				-		0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
Day (12h)		12.00	Day	108.9		1.00		0.97070				-10.92		-10.9	
Evening (4h)		4.00	Evening	108.9		1.00		0.43480				-9.64		-9.6	
Night (8h)		8.00	Night	108.9		1.00		0.89970				-9.49		-9.5	
EQCN105	Label		E9				Action radius/m				3000.00				
	Group		9 m/s				Lw (Day (12h)) /dB(A)				108.91				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.91				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.91				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
Emiss. variant		Sum			16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)		Emission			Reference: Nordex N175 9 m/s										
Day (12h)		Lw /dB (A)			108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
Night (8h)		Emission			Reference: Nordex N175 9 m/s										
Night (8h)		Lw /dB (A)			108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
Evening (4h)		Emission			Reference: Nordex N175 9 m/s										
Evening (4h)		Lw /dB (A)			108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
Lden		-		0.0		0.0		0.0				-		0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
Day (12h)		12.00	Day	108.9		1.00		0.97070				-10.92		-10.9	
Evening (4h)		4.00	Evening	108.9		1.00		0.43480				-9.64		-9.6	
Night (8h)		8.00	Night	108.9		1.00		0.89970				-9.49		-9.5	
EQCN106	Label		E10				Action radius/m				3000.00				
	Group		9 m/s				Lw (Day (12h)) /dB(A)				108.91				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.91				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.91				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
Emiss. variant		Sum			16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)		Emission			Reference: Nordex N175 9 m/s										
Day (12h)		Lw /dB (A)			108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5



Vides trokšņa ievades dati "PurpleGreen Solwin" E alternatīva

				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5		
	Night (8h)	Emission	Reference:	Nordex N175 9 m/s											
				63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6		
	Night (8h)	Lw /dB (A)	108.9	68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9		
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5		
	Evening (4h)	Emission	Reference:	Nordex N175 9 m/s											
				63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6		
	Evening (4h)	Lw /dB (A)	108.9	68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9		
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	108.9		1.00		0.97070		-10.92		-10.9		
	Evening (4h)		4.00	Evening	108.9		1.00		0.43480		-9.64		-9.6		
	Night (8h)		8.00	Night	108.9		1.00		0.89970		-9.49		-9.5		
EQCN107	Label		E11				Action radius/m						3000.00		
	Group		9 m/s				Lw (Day (12h)) /dB(A)						108.91		
	Number of nodes		1				Lw (Night (8h)) /dB(A)						108.91		
	Length/ m		---				Lw (Evening (4h)) /dB(A)						108.91		
	Length/ m (2D)		---				Emission is						Sound power level (Lw)		
	Area /m²		---												
	Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Nordex N175 9 m/s										
					63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6	
		Day (12h)	Lw /dB (A)	108.9	68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9	
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5		
	Night (8h)	Emission	Reference:	Nordex N175 9 m/s											
				63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6		
	Night (8h)	Lw /dB (A)	108.9	68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9		
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5		
	Evening (4h)	Emission	Reference:	Nordex N175 9 m/s											
				63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6		
	Evening (4h)	Lw /dB (A)	108.9	68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9		
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	108.9		1.00		0.97070		-10.92		-10.9		
	Evening (4h)		4.00	Evening	108.9		1.00		0.43480		-9.64		-9.6		
	Night (8h)		8.00	Night	108.9		1.00		0.89970		-9.49		-9.5		
EQCN108	Label		E12				Action radius/m						3000.00		
	Group		9 m/s				Lw (Day (12h)) /dB(A)						108.91		
	Number of nodes		1				Lw (Night (8h)) /dB(A)						108.91		
	Length/ m		---				Lw (Evening (4h)) /dB(A)						108.91		
	Length/ m (2D)		---				Emission is						Sound power level (Lw)		
	Area /m²		---												
	Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Nordex N175 9 m/s										
					63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6	
		Day (12h)	Lw /dB (A)	108.9	68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9	
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5		
	Night (8h)	Emission	Reference:	Nordex N175 9 m/s											
				63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6		
	Night (8h)	Lw /dB (A)	108.9	68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9		
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5		
	Evening (4h)	Emission	Reference:	Nordex N175 9 m/s											
				63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6		
	Evening (4h)	Lw /dB (A)	108.9	68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9		
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	108.9		1.00		0.97070		-10.92		-10.9		
	Evening (4h)		4.00	Evening	108.9		1.00		0.43480		-9.64		-9.6		
	Night (8h)		8.00	Night	108.9		1.00		0.89970		-9.49		-9.5		
EQCN109	Label		E13				Action radius/m						3000.00		
	Group		9 m/s				Lw (Day (12h)) /dB(A)						108.91		
	Number of nodes		1				Lw (Night (8h)) /dB(A)						108.91		
	Length/ m		---				Lw (Evening (4h)) /dB(A)						108.91		
	Length/ m (2D)		---				Emission is						Sound power level (Lw)		
	Area /m²		---												
	Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Nordex N175 9 m/s										
					63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6	
		Day (12h)	Lw /dB (A)	108.9	68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9	
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5		
	Night (8h)	Emission	Reference:	Nordex N175 9 m/s											
				63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6		
	Night (8h)	Lw /dB (A)	108.9	68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9		
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5		
	Evening (4h)	Emission	Reference:	Nordex N175 9 m/s											
				63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6		
	Evening (4h)	Lw /dB (A)	108.9	68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9		

Vides trokšņa ievades dati "PurpleGreen Solwin" E alternatīva

				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5
	<b>Rating method</b>	<b>Peak level</b>	<b>Corr. for impulsivity /dB</b>			<b>Corr. for tonality /dB</b>	<b>Corr. for inform. content/dB</b>					<b>Special correction /dB</b>	
	Lden	-	0.0			0.0	0.0					-	0.0
	<b>Rating period / Period</b>	<b>Duration /h</b>	<b>Emiss. variant</b>	<b>Lw /dB(A)</b>		<b>n times</b>	<b>Impact time /h</b>	<b>dLi /dB</b>				<b>Lwr /dB(A)</b>	
	Day (12h)	12.00	Day	108.9		1.00	0.97070				-10.92		-10.9
	Evening (4h)	4.00	Evening	108.9		1.00	0.43480				-9.64		-9.6
	Night (8h)	8.00	Night	108.9		1.00	0.89970				-9.49		-9.5
<b>EQCN110</b>	<b>Label</b>	E14				<b>Action radius/m</b>							3000.00
	<b>Group</b>	9 m/s				<b>Lw (Day (12h)) /dB(A)</b>							108.91
	<b>Number of nodes</b>	1				<b>Lw (Night (8h)) /dB(A)</b>							108.91
	<b>Length/ m</b>	---				<b>Lw (Evening (4h)) /dB(A)</b>							108.91
	<b>Length/ m (2D)</b>	---				<b>Emission is</b>							Sound power level (Lw)
	<b>Area /m²</b>	---											
	<b>Emiss. variant</b>		<b>Sum</b>	<b>16 Hz</b>	<b>31.5 Hz</b>	<b>63 Hz</b>	<b>125 Hz</b>	<b>250 Hz</b>	<b>500 Hz</b>	<b>1000 Hz</b>	<b>2000 Hz</b>	<b>4000 Hz</b>	<b>8000 Hz</b>
	Day (12h)	Emission	Reference: Nordex N175 9 m/s										
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)	Emission	Reference: Nordex N175 9 m/s										
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Evening (4h)	Emission	Reference: Nordex N175 9 m/s										
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	<b>Rating method</b>	<b>Peak level</b>	<b>Corr. for impulsivity /dB</b>			<b>Corr. for tonality /dB</b>	<b>Corr. for inform. content/dB</b>					<b>Special correction /dB</b>	
	Lden	-	0.0			0.0	0.0					-	0.0
	<b>Rating period / Period</b>	<b>Duration /h</b>	<b>Emiss. variant</b>	<b>Lw /dB(A)</b>		<b>n times</b>	<b>Impact time /h</b>	<b>dLi /dB</b>				<b>Lwr /dB(A)</b>	
	Day (12h)	12.00	Day	108.9		1.00	0.97070				-10.92		-10.9
	Evening (4h)	4.00	Evening	108.9		1.00	0.43480				-9.64		-9.6
	Night (8h)	8.00	Night	108.9		1.00	0.89970				-9.49		-9.5
<b>EQCN111</b>	<b>Label</b>	E15				<b>Action radius/m</b>							3000.00
	<b>Group</b>	9 m/s				<b>Lw (Day (12h)) /dB(A)</b>							108.91
	<b>Number of nodes</b>	1				<b>Lw (Night (8h)) /dB(A)</b>							108.91
	<b>Length/ m</b>	---				<b>Lw (Evening (4h)) /dB(A)</b>							108.91
	<b>Length/ m (2D)</b>	---				<b>Emission is</b>							Sound power level (Lw)
	<b>Area /m²</b>	---											
	<b>Emiss. variant</b>		<b>Sum</b>	<b>16 Hz</b>	<b>31.5 Hz</b>	<b>63 Hz</b>	<b>125 Hz</b>	<b>250 Hz</b>	<b>500 Hz</b>	<b>1000 Hz</b>	<b>2000 Hz</b>	<b>4000 Hz</b>	<b>8000 Hz</b>
	Day (12h)	Emission	Reference: Nordex N175 9 m/s										
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)	Emission	Reference: Nordex N175 9 m/s										
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Evening (4h)	Emission	Reference: Nordex N175 9 m/s										
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	<b>Rating method</b>	<b>Peak level</b>	<b>Corr. for impulsivity /dB</b>			<b>Corr. for tonality /dB</b>	<b>Corr. for inform. content/dB</b>					<b>Special correction /dB</b>	
	Lden	-	0.0			0.0	0.0					-	0.0
	<b>Rating period / Period</b>	<b>Duration /h</b>	<b>Emiss. variant</b>	<b>Lw /dB(A)</b>		<b>n times</b>	<b>Impact time /h</b>	<b>dLi /dB</b>				<b>Lwr /dB(A)</b>	
	Day (12h)	12.00	Day	108.9		1.00	0.97070				-10.92		-10.9
	Evening (4h)	4.00	Evening	108.9		1.00	0.43480				-9.64		-9.6
	Night (8h)	8.00	Night	108.9		1.00	0.89970				-9.49		-9.5
<b>EQCN112</b>	<b>Label</b>	E16				<b>Action radius/m</b>							3000.00
	<b>Group</b>	9 m/s				<b>Lw (Day (12h)) /dB(A)</b>							108.91
	<b>Number of nodes</b>	1				<b>Lw (Night (8h)) /dB(A)</b>							108.91
	<b>Length/ m</b>	---				<b>Lw (Evening (4h)) /dB(A)</b>							108.91
	<b>Length/ m (2D)</b>	---				<b>Emission is</b>							Sound power level (Lw)
	<b>Area /m²</b>	---											
	<b>Emiss. variant</b>		<b>Sum</b>	<b>16 Hz</b>	<b>31.5 Hz</b>	<b>63 Hz</b>	<b>125 Hz</b>	<b>250 Hz</b>	<b>500 Hz</b>	<b>1000 Hz</b>	<b>2000 Hz</b>	<b>4000 Hz</b>	<b>8000 Hz</b>
	Day (12h)	Emission	Reference: Nordex N175 9 m/s										
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)	Emission	Reference: Nordex N175 9 m/s										
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Evening (4h)	Emission	Reference: Nordex N175 9 m/s										
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	<b>Rating method</b>	<b>Peak level</b>	<b>Corr. for impulsivity /dB</b>			<b>Corr. for tonality /dB</b>	<b>Corr. for inform. content/dB</b>					<b>Special correction /dB</b>	
	Lden	-	0.0			0.0	0.0					-	0.0
	<b>Rating period / Period</b>	<b>Duration /h</b>	<b>Emiss. variant</b>	<b>Lw /dB(A)</b>		<b>n times</b>	<b>Impact time /h</b>	<b>dLi /dB</b>				<b>Lwr /dB(A)</b>	
	Day (12h)	12.00	Day	108.9		1.00	0.97070				-10.92		-10.9
	Evening (4h)	4.00	Evening	108.9		1.00	0.43480				-9.64		-9.6

Vides trokšņa ievades dati "PurpleGreen Solwin" E alternatīva

EQCN113	Night (8h)		8.00			Night	108.9		1.00		0.89970		-9.49		-9.5	
	Label		E1						Action radius/m		3000.00					
	Group		10 m/s						Lw (Day (12h)) /dB(A)		108.91					
	Number of nodes		1						Lw (Night (8h)) /dB(A)		108.91					
	Length/ m		---						Lw (Evening (4h)) /dB(A)		108.91					
	Length/ m (2D)		---						Emission is		Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant					Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Nordex N175 10 m/s											
	Day (12h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
Night (8h)		Emission		Reference: Nordex N175 10 m/s												
Night (8h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
Evening (4h)		Emission		Reference: Nordex N175 10 m/s												
Evening (4h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
Rating method		Peak level			Corr. for impulsivity /dB			Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB				
Lden		-			0.0			0.0		0.0		-			0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)			n times		Impact time /h		dLi /dB		Lwr /dB(A)			
Day (12h)		12.00	Day	108.9			1.00		0.88900		-11.30		-11.3			
Evening (4h)		4.00	Evening	108.9			1.00		0.40410		-9.96		-10.0			
Night (8h)		8.00	Night	108.9			1.00		0.86300		-9.67		-9.7			
EQCN114	Label		E2						Action radius/m		3000.00					
	Group		10 m/s						Lw (Day (12h)) /dB(A)		108.91					
	Number of nodes		1						Lw (Night (8h)) /dB(A)		108.91					
	Length/ m		---						Lw (Evening (4h)) /dB(A)		108.91					
	Length/ m (2D)		---						Emission is		Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant					Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Nordex N175 10 m/s											
	Day (12h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)		Emission		Reference: Nordex N175 10 m/s											
Night (8h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
Evening (4h)		Emission		Reference: Nordex N175 10 m/s												
Evening (4h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
Rating method		Peak level			Corr. for impulsivity /dB			Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB				
Lden		-			0.0			0.0		0.0		-			0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)			n times		Impact time /h		dLi /dB		Lwr /dB(A)			
Day (12h)		12.00	Day	108.9			1.00		0.88900		-11.30		-11.3			
Evening (4h)		4.00	Evening	108.9			1.00		0.40410		-9.96		-10.0			
Night (8h)		8.00	Night	108.9			1.00		0.86300		-9.67		-9.7			
EQCN115	Label		E3						Action radius/m		3000.00					
	Group		10 m/s						Lw (Day (12h)) /dB(A)		108.91					
	Number of nodes		1						Lw (Night (8h)) /dB(A)		108.91					
	Length/ m		---						Lw (Evening (4h)) /dB(A)		108.91					
	Length/ m (2D)		---						Emission is		Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant					Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Nordex N175 10 m/s											
	Day (12h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)		Emission		Reference: Nordex N175 10 m/s											
Night (8h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
Evening (4h)		Emission		Reference: Nordex N175 10 m/s												
Evening (4h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
Rating method		Peak level			Corr. for impulsivity /dB			Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB				
Lden		-			0.0			0.0		0.0		-			0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)			n times		Impact time /h		dLi /dB		Lwr /dB(A)			
Day (12h)		12.00	Day	108.9			1.00		0.88900		-11.30		-11.3			
Evening (4h)		4.00	Evening	108.9			1.00		0.40410		-9.96		-10.0			
Night (8h)		8.00	Night	108.9			1.00		0.86300		-9.67		-9.7			
EQCN116	Label		E4						Action radius/m		3000.00					
	Group		10 m/s						Lw (Day (12h)) /dB(A)		108.91					
	Number of nodes		1						Lw (Night (8h)) /dB(A)		108.91					
	Length/ m		---						Lw (Evening (4h)) /dB(A)		108.91					
	Length/ m (2D)		---						Emission is		Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant					Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz

Vides trokšņa ievades dati "PurpleGreen Solwin" E alternatīva

	Day (12h)	Emission	Reference: Nordex N175 10 m/s										
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)	Emission	Reference: Nordex N175 10 m/s										
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Evening (4h)	Emission	Reference: Nordex N175 10 m/s										
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	108.9		1.00		0.88900		-11.30		-11.3
	Evening (4h)		4.00	Evening	108.9		1.00		0.40410		-9.96		-10.0
	Night (8h)		8.00	Night	108.9		1.00		0.86300		-9.67		-9.7
EQCN117	Label		E5		Action radius/m								3000.00
	Group		10 m/s		Lw (Day (12h)) /dB(A)								108.91
	Number of nodes		1		Lw (Night (8h)) /dB(A)								108.91
	Length/ m		---		Lw (Evening (4h)) /dB(A)								108.91
	Length/ m (2D)		---		Emission is								Sound power level (Lw)
	Area /m²		---										
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz
	Day (12h)	Emission	Reference: Nordex N175 10 m/s										
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)	Emission	Reference: Nordex N175 10 m/s										
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Evening (4h)	Emission	Reference: Nordex N175 10 m/s										
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	108.9		1.00		0.88900		-11.30		-11.3
	Evening (4h)		4.00	Evening	108.9		1.00		0.40410		-9.96		-10.0
	Night (8h)		8.00	Night	108.9		1.00		0.86300		-9.67		-9.7
EQCN118	Label		E6		Action radius/m								3000.00
	Group		10 m/s		Lw (Day (12h)) /dB(A)								108.91
	Number of nodes		1		Lw (Night (8h)) /dB(A)								108.91
	Length/ m		---		Lw (Evening (4h)) /dB(A)								108.91
	Length/ m (2D)		---		Emission is								Sound power level (Lw)
	Area /m²		---										
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz
	Day (12h)	Emission	Reference: Nordex N175 10 m/s										
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)	Emission	Reference: Nordex N175 10 m/s										
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Evening (4h)	Emission	Reference: Nordex N175 10 m/s										
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	108.9		1.00		0.88900		-11.30		-11.3
	Evening (4h)		4.00	Evening	108.9		1.00		0.40410		-9.96		-10.0
	Night (8h)		8.00	Night	108.9		1.00		0.86300		-9.67		-9.7
EQCN119	Label		E7		Action radius/m								3000.00
	Group		10 m/s		Lw (Day (12h)) /dB(A)								108.91
	Number of nodes		1		Lw (Night (8h)) /dB(A)								108.91
	Length/ m		---		Lw (Evening (4h)) /dB(A)								108.91
	Length/ m (2D)		---		Emission is								Sound power level (Lw)
	Area /m²		---										
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz
	Day (12h)	Emission	Reference: Nordex N175 10 m/s										
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)	Emission	Reference: Nordex N175 10 m/s										
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5

Vides trokšņa ievades dati "PurpleGreen Solwin" E alternatīva

	Evening (4h)	Emission	Reference: Nordex N175 10 m/s											
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0				0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.9		1.00		0.88900		-11.30		-11.3	
	Evening (4h)		4.00	Evening	108.9		1.00		0.40410		-9.96		-10.0	
	Night (8h)		8.00	Night	108.9		1.00		0.86300		-9.67		-9.7	
EQCN120	Label		E8				Action radius/m				3000.00			
	Group		10 m/s				Lw (Day (12h)) /dB(A)				108.91			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.91			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.91			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 10 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)	Emission	Reference: Nordex N175 10 m/s											
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Evening (4h)	Emission	Reference: Nordex N175 10 m/s											
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0				0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.9		1.00		0.88900		-11.30		-11.3	
	Evening (4h)		4.00	Evening	108.9		1.00		0.40410		-9.96		-10.0	
	Night (8h)		8.00	Night	108.9		1.00		0.86300		-9.67		-9.7	
EQCN121	Label		E9				Action radius/m				3000.00			
	Group		10 m/s				Lw (Day (12h)) /dB(A)				108.91			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.91			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.91			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 10 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)	Emission	Reference: Nordex N175 10 m/s											
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Evening (4h)	Emission	Reference: Nordex N175 10 m/s											
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0				0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.9		1.00		0.88900		-11.30		-11.3	
	Evening (4h)		4.00	Evening	108.9		1.00		0.40410		-9.96		-10.0	
	Night (8h)		8.00	Night	108.9		1.00		0.86300		-9.67		-9.7	
EQCN122	Label		E10				Action radius/m				3000.00			
	Group		10 m/s				Lw (Day (12h)) /dB(A)				108.91			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.91			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.91			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 10 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)	Emission	Reference: Nordex N175 10 m/s											
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Evening (4h)	Emission	Reference: Nordex N175 10 m/s											
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0				0.0	

Vides trokšņa ievades dati "PurpleGreen Solwin" E alternatīva

Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
Day (12h)		12.00	Day	108.9	1.00	0.88900	-11.30	-11.3					
Evening (4h)		4.00	Evening	108.9	1.00	0.40410	-9.96	-10.0					
Night (8h)		8.00	Night	108.9	1.00	0.86300	-9.67	-9.7					
EQCN123	Label	E11			Action radius/m			3000.00					
Group		10 m/s			Lw (Day (12h)) /dB(A)			108.91					
Number of nodes		1			Lw (Night (8h)) /dB(A)			108.91					
Length/ m		---			Lw (Evening (4h)) /dB(A)			108.91					
Length/ m (2D)		---			Emission is			Sound power level (Lw)					
Area /m²		---											
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)		Emission	Reference: Nordex N175 10 m/s										
Day (12h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
Night (8h)		Emission	Reference: Nordex N175 10 m/s										
Night (8h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
Evening (4h)		Emission	Reference: Nordex N175 10 m/s										
Evening (4h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
Lden		-		0.0		0.0		0.0				0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)		12.00	Day	108.9		1.00		0.88900		-11.30		-11.3	
Evening (4h)		4.00	Evening	108.9		1.00		0.40410		-9.96		-10.0	
Night (8h)		8.00	Night	108.9		1.00		0.86300		-9.67		-9.7	
EQCN124	Label	E12			Action radius/m			3000.00					
Group		10 m/s			Lw (Day (12h)) /dB(A)			108.91					
Number of nodes		1			Lw (Night (8h)) /dB(A)			108.91					
Length/ m		---			Lw (Evening (4h)) /dB(A)			108.91					
Length/ m (2D)		---			Emission is			Sound power level (Lw)					
Area /m²		---											
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)		Emission	Reference: Nordex N175 10 m/s										
Day (12h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
Night (8h)		Emission	Reference: Nordex N175 10 m/s										
Night (8h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
Evening (4h)		Emission	Reference: Nordex N175 10 m/s										
Evening (4h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
Lden		-		0.0		0.0		0.0				0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)		12.00	Day	108.9		1.00		0.88900		-11.30		-11.3	
Evening (4h)		4.00	Evening	108.9		1.00		0.40410		-9.96		-10.0	
Night (8h)		8.00	Night	108.9		1.00		0.86300		-9.67		-9.7	
EQCN125	Label	E13			Action radius/m			3000.00					
Group		10 m/s			Lw (Day (12h)) /dB(A)			108.91					
Number of nodes		1			Lw (Night (8h)) /dB(A)			108.91					
Length/ m		---			Lw (Evening (4h)) /dB(A)			108.91					
Length/ m (2D)		---			Emission is			Sound power level (Lw)					
Area /m²		---											
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)		Emission	Reference: Nordex N175 10 m/s										
Day (12h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
Night (8h)		Emission	Reference: Nordex N175 10 m/s										
Night (8h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
Evening (4h)		Emission	Reference: Nordex N175 10 m/s										
Evening (4h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
Lden		-		0.0		0.0		0.0				0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)		12.00	Day	108.9		1.00		0.88900		-11.30		-11.3	
Evening (4h)		4.00	Evening	108.9		1.00		0.40410		-9.96		-10.0	
Night (8h)		8.00	Night	108.9		1.00		0.86300		-9.67		-9.7	
EQCN126	Label	E14			Action radius/m			3000.00					
Group		10 m/s			Lw (Day (12h)) /dB(A)			108.91					
Number of nodes		1			Lw (Night (8h)) /dB(A)			108.91					

Vides trokšņa ievades dati "PurpleGreen Solwin" E alternatīva

	Length/ m	---					Lw (Evening (4h)) /dB(A)				108.91			
	Length/ m (2D)	---					Emission is				Sound power level (Lw)			
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 10 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)	Emission	Reference: Nordex N175 10 m/s											
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Evening (4h)	Emission	Reference: Nordex N175 10 m/s											
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden			-		0.0		0.0		0.0		-		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	108.9		1.00		0.88900		-11.30		-11.3		
	Evening (4h)	4.00	Evening	108.9		1.00		0.40410		-9.96		-10.0		
	Night (8h)	8.00	Night	108.9		1.00		0.86300		-9.67		-9.7		
EQCN127	Label	E15					Action radius/m				3000.00			
	Group	10 m/s					Lw (Day (12h)) /dB(A)				108.91			
	Number of nodes	1					Lw (Night (8h)) /dB(A)				108.91			
	Length/ m	---					Lw (Evening (4h)) /dB(A)				108.91			
	Length/ m (2D)	---					Emission is				Sound power level (Lw)			
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 10 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)	Emission	Reference: Nordex N175 10 m/s											
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Evening (4h)	Emission	Reference: Nordex N175 10 m/s											
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden			-		0.0		0.0		0.0		-		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	108.9		1.00		0.88900		-11.30		-11.3		
	Evening (4h)	4.00	Evening	108.9		1.00		0.40410		-9.96		-10.0		
	Night (8h)	8.00	Night	108.9		1.00		0.86300		-9.67		-9.7		
EQCN128	Label	E16					Action radius/m				3000.00			
	Group	10 m/s					Lw (Day (12h)) /dB(A)				108.91			
	Number of nodes	1					Lw (Night (8h)) /dB(A)				108.91			
	Length/ m	---					Lw (Evening (4h)) /dB(A)				108.91			
	Length/ m (2D)	---					Emission is				Sound power level (Lw)			
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 10 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)	Emission	Reference: Nordex N175 10 m/s											
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Evening (4h)	Emission	Reference: Nordex N175 10 m/s											
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden			-		0.0		0.0		0.0		-		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	108.9		1.00		0.88900		-11.30		-11.3		
	Evening (4h)	4.00	Evening	108.9		1.00		0.40410		-9.96		-10.0		
	Night (8h)	8.00	Night	108.9		1.00		0.86300		-9.67		-9.7		
EQCN129	Label	E1					Action radius/m				3000.00			
	Group	11 m/s					Lw (Day (12h)) /dB(A)				108.91			
	Number of nodes	1					Lw (Night (8h)) /dB(A)				108.91			
	Length/ m	---					Lw (Evening (4h)) /dB(A)				108.91			
	Length/ m (2D)	---					Emission is				Sound power level (Lw)			
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 11 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	

Vides trokšņa ievades dati "PurpleGreen Solwin" E alternatīva

	Night (8h)	Emission	Reference: Nordex N175 11 m/s											
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Evening (4h)	Emission	Reference: Nordex N175 11 m/s											
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.9		1.00		0.78300		-11.85		-11.9	
	Evening (4h)		4.00	Evening	108.9		1.00		0.37340		-10.30		-10.3	
	Night (8h)		8.00	Night	108.9		1.00		0.79890		-10.01		-10.0	
EQCN130	Label		E2					Action radius/m					3000.00	
	Group		11 m/s					Lw (Day (12h)) /dB(A)					108.91	
	Number of nodes		1					Lw (Night (8h)) /dB(A)					108.91	
	Length/ m		---					Lw (Evening (4h)) /dB(A)					108.91	
	Length/ m (2D)		---					Emission is					Sound power level (Lw)	
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Emission	Reference: Nordex N175 11 m/s										
	Day (12h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
		Night (8h)	Emission	Reference: Nordex N175 11 m/s										
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Evening (4h)	Emission	Reference: Nordex N175 11 m/s											
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.9		1.00		0.78300		-11.85		-11.9	
	Evening (4h)		4.00	Evening	108.9		1.00		0.37340		-10.30		-10.3	
	Night (8h)		8.00	Night	108.9		1.00		0.79890		-10.01		-10.0	
EQCN131	Label		E3					Action radius/m					3000.00	
	Group		11 m/s					Lw (Day (12h)) /dB(A)					108.91	
	Number of nodes		1					Lw (Night (8h)) /dB(A)					108.91	
	Length/ m		---					Lw (Evening (4h)) /dB(A)					108.91	
	Length/ m (2D)		---					Emission is					Sound power level (Lw)	
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Emission	Reference: Nordex N175 11 m/s										
	Day (12h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
		Night (8h)	Emission	Reference: Nordex N175 11 m/s										
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Evening (4h)	Emission	Reference: Nordex N175 11 m/s											
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.9		1.00		0.78300		-11.85		-11.9	
	Evening (4h)		4.00	Evening	108.9		1.00		0.37340		-10.30		-10.3	
	Night (8h)		8.00	Night	108.9		1.00		0.79890		-10.01		-10.0	
EQCN132	Label		E4					Action radius/m					3000.00	
	Group		11 m/s					Lw (Day (12h)) /dB(A)					108.91	
	Number of nodes		1					Lw (Night (8h)) /dB(A)					108.91	
	Length/ m		---					Lw (Evening (4h)) /dB(A)					108.91	
	Length/ m (2D)		---					Emission is					Sound power level (Lw)	
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Emission	Reference: Nordex N175 11 m/s										
	Day (12h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
		Night (8h)	Emission	Reference: Nordex N175 11 m/s										
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Evening (4h)	Emission	Reference: Nordex N175 11 m/s											
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	



Vides trokšņa ievades dati "PurpleGreen Solwin" E alternatīva

Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB									
Lden				-	0.0	0.0	0.0									
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)								
Day (12h)		12.00	Day	108.9		1.00	0.78300			-11.85	-11.9					
Evening (4h)		4.00	Evening	108.9		1.00	0.37340			-10.30	-10.3					
Night (8h)		8.00	Night	108.9		1.00	0.79890			-10.01	-10.0					
EQCN133	Label		E5		Action radius/m						3000.00					
	Group		11 m/s		Lw (Day (12h)) /dB(A)						108.91					
	Number of nodes		1		Lw (Night (8h)) /dB(A)						108.91					
	Length/ m		---		Lw (Evening (4h)) /dB(A)						108.91					
	Length/ m (2D)		---		Emission is						Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)		Emission		Reference: Nordex N175 11 m/s											
	Day (12h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)		Emission		Reference: Nordex N175 11 m/s											
Night (8h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
Evening (4h)		Emission		Reference: Nordex N175 11 m/s												
Evening (4h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB									
Lden				-	0.0	0.0	0.0									
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)								
Day (12h)		12.00	Day	108.9		1.00	0.78300			-11.85	-11.9					
Evening (4h)		4.00	Evening	108.9		1.00	0.37340			-10.30	-10.3					
Night (8h)		8.00	Night	108.9		1.00	0.79890			-10.01	-10.0					
EQCN134	Label		E6		Action radius/m						3000.00					
	Group		11 m/s		Lw (Day (12h)) /dB(A)						108.91					
	Number of nodes		1		Lw (Night (8h)) /dB(A)						108.91					
	Length/ m		---		Lw (Evening (4h)) /dB(A)						108.91					
	Length/ m (2D)		---		Emission is						Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)		Emission		Reference: Nordex N175 11 m/s											
	Day (12h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)		Emission		Reference: Nordex N175 11 m/s											
Night (8h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
Evening (4h)		Emission		Reference: Nordex N175 11 m/s												
Evening (4h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB									
Lden				-	0.0	0.0	0.0									
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)								
Day (12h)		12.00	Day	108.9		1.00	0.78300			-11.85	-11.9					
Evening (4h)		4.00	Evening	108.9		1.00	0.37340			-10.30	-10.3					
Night (8h)		8.00	Night	108.9		1.00	0.79890			-10.01	-10.0					
EQCN135	Label		E7		Action radius/m						3000.00					
	Group		11 m/s		Lw (Day (12h)) /dB(A)						108.91					
	Number of nodes		1		Lw (Night (8h)) /dB(A)						108.91					
	Length/ m		---		Lw (Evening (4h)) /dB(A)						108.91					
	Length/ m (2D)		---		Emission is						Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)		Emission		Reference: Nordex N175 11 m/s											
	Day (12h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)		Emission		Reference: Nordex N175 11 m/s											
Night (8h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
Evening (4h)		Emission		Reference: Nordex N175 11 m/s												
Evening (4h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB									
Lden				-	0.0	0.0	0.0									
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)								
Day (12h)		12.00	Day	108.9		1.00	0.78300			-11.85	-11.9					
Evening (4h)		4.00	Evening	108.9		1.00	0.37340			-10.30	-10.3					
Night (8h)		8.00	Night	108.9		1.00	0.79890			-10.01	-10.0					

EQCN136	Label		E8				Action radius/m				3000.00					
	Group		11 m/s				Lw (Day (12h)) /dB(A)				108.91					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.91					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.91					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)		Emission		Reference: Nordex N175 11 m/s											
	Day (12h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)		Emission		Reference: Nordex N175 11 m/s											
Night (8h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
Evening (4h)		Emission		Reference: Nordex N175 11 m/s												
Evening (4h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB				
Lden		-		0.0		0.0		0.0				-		0.0		
Rating period / Period		Duration /h		Emiss. variant		Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
Day (12h)		12.00		Day		108.9		1.00		0.78300		-11.85		-11.9		
Evening (4h)		4.00		Evening		108.9		1.00		0.37340		-10.30		-10.3		
Night (8h)		8.00		Night		108.9		1.00		0.79890		-10.01		-10.0		
EQCN137	Label		E9				Action radius/m				3000.00					
	Group		11 m/s				Lw (Day (12h)) /dB(A)				108.91					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.91					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.91					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)		Emission		Reference: Nordex N175 11 m/s											
	Day (12h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)		Emission		Reference: Nordex N175 11 m/s											
Night (8h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
Evening (4h)		Emission		Reference: Nordex N175 11 m/s												
Evening (4h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB				
Lden		-		0.0		0.0		0.0				-		0.0		
Rating period / Period		Duration /h		Emiss. variant		Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
Day (12h)		12.00		Day		108.9		1.00		0.78300		-11.85		-11.9		
Evening (4h)		4.00		Evening		108.9		1.00		0.37340		-10.30		-10.3		
Night (8h)		8.00		Night		108.9		1.00		0.79890		-10.01		-10.0		
EQCN138	Label		E10				Action radius/m				3000.00					
	Group		11 m/s				Lw (Day (12h)) /dB(A)				108.91					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.91					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.91					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)		Emission		Reference: Nordex N175 11 m/s											
	Day (12h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)		Emission		Reference: Nordex N175 11 m/s											
Night (8h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
Evening (4h)		Emission		Reference: Nordex N175 11 m/s												
Evening (4h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB				
Lden		-		0.0		0.0		0.0				-		0.0		
Rating period / Period		Duration /h		Emiss. variant		Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
Day (12h)		12.00		Day		108.9		1.00		0.78300		-11.85		-11.9		
Evening (4h)		4.00		Evening		108.9		1.00		0.37340		-10.30		-10.3		
Night (8h)		8.00		Night		108.9		1.00		0.79890		-10.01		-10.0		
EQCN139	Label		E11				Action radius/m				3000.00					
	Group		11 m/s				Lw (Day (12h)) /dB(A)				108.91					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.91					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.91					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)		Emission		Reference: Nordex N175 11 m/s											
	Day (12h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)		Emission		Reference: Nordex N175 11 m/s											
Night (8h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
Evening (4h)		Emission		Reference: Nordex N175 11 m/s												
Evening (4h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		

	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5			
	Night (8h)	Emission	Reference: Nordex N175 11 m/s													
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5			
	Evening (4h)	Emission	Reference: Nordex N175 11 m/s													
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5			
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden		-		0.0		0.0		0.0		-		0.0			
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)				
	Day (12h)		12.00	Day	108.9	1.00		0.78300		-11.85		-11.9				
	Evening (4h)		4.00	Evening	108.9	1.00		0.37340		-10.30		-10.3				
	Night (8h)		8.00	Night	108.9	1.00		0.79890		-10.01		-10.0				
EQCN140	Label		E12					Action radius/m					3000.00			
	Group		11 m/s					Lw (Day (12h)) /dB(A)					108.91			
	Number of nodes		1					Lw (Night (8h)) /dB(A)					108.91			
	Length/ m		---					Lw (Evening (4h)) /dB(A)					108.91			
	Length/ m (2D)		---					Emission is					Sound power level (Lw)			
	Area /m²		---													
	Emiss. variant		Sum					16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz
	Day (12h)	Emission	Reference: Nordex N175 11 m/s													
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5			
	Night (8h)	Emission	Reference: Nordex N175 11 m/s													
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5			
	Evening (4h)	Emission	Reference: Nordex N175 11 m/s													
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5			
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden		-		0.0		0.0		0.0		-		0.0			
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)				
	Day (12h)		12.00	Day	108.9	1.00		0.78300		-11.85		-11.9				
	Evening (4h)		4.00	Evening	108.9	1.00		0.37340		-10.30		-10.3				
	Night (8h)		8.00	Night	108.9	1.00		0.79890		-10.01		-10.0				
EQCN141	Label		E13					Action radius/m					3000.00			
	Group		11 m/s					Lw (Day (12h)) /dB(A)					108.91			
	Number of nodes		1					Lw (Night (8h)) /dB(A)					108.91			
	Length/ m		---					Lw (Evening (4h)) /dB(A)					108.91			
	Length/ m (2D)		---					Emission is					Sound power level (Lw)			
	Area /m²		---													
	Emiss. variant		Sum					16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz
	Day (12h)	Emission	Reference: Nordex N175 11 m/s													
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5			
	Night (8h)	Emission	Reference: Nordex N175 11 m/s													
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5			
	Evening (4h)	Emission	Reference: Nordex N175 11 m/s													
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5			
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden		-		0.0		0.0		0.0		-		0.0			
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)				
	Day (12h)		12.00	Day	108.9	1.00		0.78300		-11.85		-11.9				
	Evening (4h)		4.00	Evening	108.9	1.00		0.37340		-10.30		-10.3				
	Night (8h)		8.00	Night	108.9	1.00		0.79890		-10.01		-10.0				
EQCN142	Label		E14					Action radius/m					3000.00			
	Group		11 m/s					Lw (Day (12h)) /dB(A)					108.91			
	Number of nodes		1					Lw (Night (8h)) /dB(A)					108.91			
	Length/ m		---					Lw (Evening (4h)) /dB(A)					108.91			
	Length/ m (2D)		---					Emission is					Sound power level (Lw)			
	Area /m²		---													
	Emiss. variant		Sum					16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz
	Day (12h)	Emission	Reference: Nordex N175 11 m/s													
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5			
	Night (8h)	Emission	Reference: Nordex N175 11 m/s													
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5			
	Evening (4h)	Emission	Reference: Nordex N175 11 m/s													

Vides trokšņa ievades dati "PurpleGreen Solwin" E alternatīva

	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5			
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden		-		0.0		0.0		0.0		-		0.0			
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)		12.00	Day	108.9		1.00		0.78300		-11.85		-11.9			
	Evening (4h)		4.00	Evening	108.9		1.00		0.37340		-10.30		-10.3			
	Night (8h)		8.00	Night	108.9		1.00		0.79890		-10.01		-10.0			
EQCN143	Label		E15				Action radius/m				3000.00					
	Group		11 m/s				Lw (Day (12h)) /dB(A)				108.91					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.91					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.91					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant		Sum				16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Nordex N175 11 m/s											
	Day (12h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
	Night (8h)		Emission		Reference: Nordex N175 11 m/s											
	Night (8h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
	Evening (4h)		Emission		Reference: Nordex N175 11 m/s											
	Evening (4h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden		-		0.0		0.0		0.0		-		0.0			
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)		12.00	Day	108.9		1.00		0.78300		-11.85		-11.9			
	Evening (4h)		4.00	Evening	108.9		1.00		0.37340		-10.30		-10.3			
	Night (8h)		8.00	Night	108.9		1.00		0.79890		-10.01		-10.0			
EQCN144	Label		E16				Action radius/m				3000.00					
	Group		11 m/s				Lw (Day (12h)) /dB(A)				108.91					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.91					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.91					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant		Sum				16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Nordex N175 11 m/s											
	Day (12h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
	Night (8h)		Emission		Reference: Nordex N175 11 m/s											
	Night (8h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
	Evening (4h)		Emission		Reference: Nordex N175 11 m/s											
	Evening (4h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden		-		0.0		0.0		0.0		-		0.0			
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)		12.00	Day	108.9		1.00		0.78300		-11.85		-11.9			
	Evening (4h)		4.00	Evening	108.9		1.00		0.37340		-10.30		-10.3			
	Night (8h)		8.00	Night	108.9		1.00		0.79890		-10.01		-10.0			
EQCN145	Label		E1				Action radius/m				3000.00					
	Group		>= 12 m/s				Lw (Day (12h)) /dB(A)				108.91					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.91					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.91					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant		Sum				16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Nordex N175 >= 12 m/s											
	Day (12h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
	Night (8h)		Emission		Reference: Nordex N175 >= 12 m/s											
	Night (8h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
	Evening (4h)		Emission		Reference: Nordex N175 >= 12 m/s											
	Evening (4h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden		-		0.0		0.0		0.0		-		0.0			
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			

Vides trokšņa ievades dati "PurpleGreen Solwin" E alternatīva

	Day (12h)		12.00	Day		108.9		1.00		1.39010		-9.36		-9.4	
	Evening (4h)		4.00	Evening		108.9		1.00		0.70330		-7.55		-7.5	
	Night (8h)		8.00	Night		108.9		1.00		1.44300		-7.44		-7.4	
EQCN146	Label	E2					Action radius/m					3000.00			
	Group	>= 12 m/s					Lw (Day (12h)) /dB(A)					108.91			
	Number of nodes	1					Lw (Night (8h)) /dB(A)					108.91			
	Length/ m	---					Lw (Evening (4h)) /dB(A)					108.91			
	Length/ m (2D)	---					Emission is					Sound power level (Lw)			
	Area /m²	---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Nordex N175 >= 12 m/s												
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5		
	Night (8h)	Emission	Reference: Nordex N175 >= 12 m/s												
Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5			
Evening (4h)	Emission	Reference: Nordex N175 >= 12 m/s													
Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5			
EQCN147	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden	-		0.0		0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)	12.00	Day	108.9		1.00		1.39010		-9.36		-9.4			
	Evening (4h)	4.00	Evening	108.9		1.00		0.70330		-7.55		-7.5			
	Night (8h)	8.00	Night	108.9		1.00		1.44300		-7.44		-7.4			
	Label	E3					Action radius/m					3000.00			
	Group	>= 12 m/s					Lw (Day (12h)) /dB(A)					108.91			
	Number of nodes	1					Lw (Night (8h)) /dB(A)					108.91			
	Length/ m	---					Lw (Evening (4h)) /dB(A)					108.91			
Length/ m (2D)	---					Emission is					Sound power level (Lw)				
Area /m²	---														
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
Day (12h)	Emission	Reference: Nordex N175 >= 12 m/s													
Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5			
Night (8h)	Emission	Reference: Nordex N175 >= 12 m/s													
Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5			
Evening (4h)	Emission	Reference: Nordex N175 >= 12 m/s													
Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5			
EQCN148	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden	-		0.0		0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)	12.00	Day	108.9		1.00		1.39010		-9.36		-9.4			
	Evening (4h)	4.00	Evening	108.9		1.00		0.70330		-7.55		-7.5			
	Night (8h)	8.00	Night	108.9		1.00		1.44300		-7.44		-7.4			
	Label	E4					Action radius/m					3000.00			
	Group	>= 12 m/s					Lw (Day (12h)) /dB(A)					108.91			
	Number of nodes	1					Lw (Night (8h)) /dB(A)					108.91			
	Length/ m	---					Lw (Evening (4h)) /dB(A)					108.91			
Length/ m (2D)	---					Emission is					Sound power level (Lw)				
Area /m²	---														
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
Day (12h)	Emission	Reference: Nordex N175 >= 12 m/s													
Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5			
Night (8h)	Emission	Reference: Nordex N175 >= 12 m/s													
Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5			
Evening (4h)	Emission	Reference: Nordex N175 >= 12 m/s													
Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5			
EQCN149	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden	-		0.0		0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)	12.00	Day	108.9		1.00		1.39010		-9.36		-9.4			
	Evening (4h)	4.00	Evening	108.9		1.00		0.70330		-7.55		-7.5			
	Night (8h)	8.00	Night	108.9		1.00		1.44300		-7.44		-7.4			
	Label	E5					Action radius/m					3000.00			
	Group	>= 12 m/s					Lw (Day (12h)) /dB(A)					108.91			
	Number of nodes	1					Lw (Night (8h)) /dB(A)					108.91			
	Length/ m	---					Lw (Evening (4h)) /dB(A)					108.91			
Length/ m (2D)	---					Emission is					Sound power level (Lw)				

Vides trokšņa ievades dati "PurpleGreen Solwin" E alternatīva

Area /m²		---		---		---		---		---		---		
Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)		Emission		Reference: Nordex N175 >= 12 m/s										
Day (12h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
Night (8h)		Emission		Reference: Nordex N175 >= 12 m/s										
Night (8h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
Evening (4h)		Emission		Reference: Nordex N175 >= 12 m/s										
Evening (4h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
Lden		-		0.0		0.0		0.0				-		0.0
Rating period / Period		Duration /h		Emiss. variant		Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
Day (12h)		12.00		Day		108.9		1.00		1.39010		-9.36		-9.4
Evening (4h)		4.00		Evening		108.9		1.00		0.70330		-7.55		-7.5
Night (8h)		8.00		Night		108.9		1.00		1.44300		-7.44		-7.4
EQCN150		Label		E6		Action radius/m								3000.00
Group		>= 12 m/s		Lw (Day (12h)) /dB(A)										108.91
Number of nodes		1		Lw (Night (8h)) /dB(A)										108.91
Length/ m		---		Lw (Evening (4h)) /dB(A)										108.91
Length/ m (2D)		---		Emission is										Sound power level (Lw)
Area /m²		---												
Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)		Emission		Reference: Nordex N175 >= 12 m/s										
Day (12h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
Night (8h)		Emission		Reference: Nordex N175 >= 12 m/s										
Night (8h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
Evening (4h)		Emission		Reference: Nordex N175 >= 12 m/s										
Evening (4h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
Lden		-		0.0		0.0		0.0				-		0.0
Rating period / Period		Duration /h		Emiss. variant		Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
Day (12h)		12.00		Day		108.9		1.00		1.39010		-9.36		-9.4
Evening (4h)		4.00		Evening		108.9		1.00		0.70330		-7.55		-7.5
Night (8h)		8.00		Night		108.9		1.00		1.44300		-7.44		-7.4
EQCN151		Label		E7		Action radius/m								3000.00
Group		>= 12 m/s		Lw (Day (12h)) /dB(A)										108.91
Number of nodes		1		Lw (Night (8h)) /dB(A)										108.91
Length/ m		---		Lw (Evening (4h)) /dB(A)										108.91
Length/ m (2D)		---		Emission is										Sound power level (Lw)
Area /m²		---												
Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)		Emission		Reference: Nordex N175 >= 12 m/s										
Day (12h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
Night (8h)		Emission		Reference: Nordex N175 >= 12 m/s										
Night (8h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
Evening (4h)		Emission		Reference: Nordex N175 >= 12 m/s										
Evening (4h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
Lden		-		0.0		0.0		0.0				-		0.0
Rating period / Period		Duration /h		Emiss. variant		Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
Day (12h)		12.00		Day		108.9		1.00		1.39010		-9.36		-9.4
Evening (4h)		4.00		Evening		108.9		1.00		0.70330		-7.55		-7.5
Night (8h)		8.00		Night		108.9		1.00		1.44300		-7.44		-7.4
EQCN152		Label		E8		Action radius/m								3000.00
Group		>= 12 m/s		Lw (Day (12h)) /dB(A)										108.91
Number of nodes		1		Lw (Night (8h)) /dB(A)										108.91
Length/ m		---		Lw (Evening (4h)) /dB(A)										108.91
Length/ m (2D)		---		Emission is										Sound power level (Lw)
Area /m²		---												
Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)		Emission		Reference: Nordex N175 >= 12 m/s										
Day (12h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
Night (8h)		Emission		Reference: Nordex N175 >= 12 m/s										
Night (8h)		Lw /dB (A)		108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5

Vides trokšņa ievades dati "PurpleGreen Solwin" E alternatīva

				68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9	
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5	
	Evening (4h)	Emission	Reference: Nordex N175 >= 12 m/s											
	Evening (4h)	Lw /dB (A)	108.9	63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6	
				68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9	
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5	
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB					
	Lden	-	0.0	0.0	0.0				-	0.0				
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB				Lwr /dB(A)			
	Day (12h)	12.00	Day	108.9	1.00	1.39010	-9.36				-9.4			
	Evening (4h)	4.00	Evening	108.9	1.00	0.70330	-7.55				-7.5			
	Night (8h)	8.00	Night	108.9	1.00	1.44300	-7.44				-7.4			
EQCN153	Label	E9	Action radius/m					3000.00						
	Group	>= 12 m/s			Lw (Day (12h)) /dB(A)			108.91						
	Number of nodes	1			Lw (Night (8h)) /dB(A)			108.91						
	Length/ m	---			Lw (Evening (4h)) /dB(A)			108.91						
	Length/ m (2D)	---			Emission is			Sound power level (Lw)						
	Area /m²	---												
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Nordex N175 >= 12 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6	
				68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9	
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5	
	Night (8h)	Emission	Reference: Nordex N175 >= 12 m/s											
	Night (8h)	Lw /dB (A)	108.9	63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6	
				68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9	
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5	
	Evening (4h)	Emission	Reference: Nordex N175 >= 12 m/s											
	Evening (4h)	Lw /dB (A)	108.9	63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6	
				68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9	
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5	
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB					
	Lden	-	0.0	0.0	0.0				-	0.0				
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB				Lwr /dB(A)			
	Day (12h)	12.00	Day	108.9	1.00	1.39010	-9.36				-9.4			
	Evening (4h)	4.00	Evening	108.9	1.00	0.70330	-7.55				-7.5			
	Night (8h)	8.00	Night	108.9	1.00	1.44300	-7.44				-7.4			
EQCN154	Label	E10	Action radius/m					3000.00						
	Group	>= 12 m/s			Lw (Day (12h)) /dB(A)			108.91						
	Number of nodes	1			Lw (Night (8h)) /dB(A)			108.91						
	Length/ m	---			Lw (Evening (4h)) /dB(A)			108.91						
	Length/ m (2D)	---			Emission is			Sound power level (Lw)						
	Area /m²	---												
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Nordex N175 >= 12 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6	
				68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9	
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5	
	Night (8h)	Emission	Reference: Nordex N175 >= 12 m/s											
	Night (8h)	Lw /dB (A)	108.9	63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6	
				68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9	
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5	
	Evening (4h)	Emission	Reference: Nordex N175 >= 12 m/s											
	Evening (4h)	Lw /dB (A)	108.9	63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6	
				68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9	
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5	
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB					
	Lden	-	0.0	0.0	0.0				-	0.0				
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB				Lwr /dB(A)			
	Day (12h)	12.00	Day	108.9	1.00	1.39010	-9.36				-9.4			
	Evening (4h)	4.00	Evening	108.9	1.00	0.70330	-7.55				-7.5			
	Night (8h)	8.00	Night	108.9	1.00	1.44300	-7.44				-7.4			
EQCN155	Label	E11	Action radius/m					3000.00						
	Group	>= 12 m/s			Lw (Day (12h)) /dB(A)			108.91						
	Number of nodes	1			Lw (Night (8h)) /dB(A)			108.91						
	Length/ m	---			Lw (Evening (4h)) /dB(A)			108.91						
	Length/ m (2D)	---			Emission is			Sound power level (Lw)						
	Area /m²	---												
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Nordex N175 >= 12 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6	
				68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9	
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5	
	Night (8h)	Emission	Reference: Nordex N175 >= 12 m/s											
	Night (8h)	Lw /dB (A)	108.9	63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6	
				68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9	
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5	
	Evening (4h)	Emission	Reference: Nordex N175 >= 12 m/s											
	Evening (4h)	Lw /dB (A)	108.9	63.9	75.2	80.3	88.9	94.8	97.0	99.0	99.5	89.6	72.6	
				68.5	77.1	84.6	91.5	95.8	97.1	99.2	97.4	84.6	64.9	
				71.8	78.3	87.3	93.5	96.9	98.2	99.7	93.9	79.7	55.5	
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB				Special correction /dB					

Vides trokšņa ievades dati "PurpleGreen Solwin" E alternatīva

	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.9		1.00		1.39010		-9.36		-9.4	
	Evening (4h)		4.00	Evening	108.9		1.00		0.70330		-7.55		-7.5	
	Night (8h)		8.00	Night	108.9		1.00		1.44300		-7.44		-7.4	
EQCN156	Label		E12				Action radius/m						3000.00	
	Group		>= 12 m/s				Lw (Day (12h)) /dB(A)						108.91	
	Number of nodes		1				Lw (Night (8h)) /dB(A)						108.91	
	Length/ m		---				Lw (Evening (4h)) /dB(A)						108.91	
	Length/ m (2D)		---				Emission is						Sound power level (Lw)	
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Nordex N175 >= 12 m/s									
	Day (12h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)		Emission		Reference: Nordex N175 >= 12 m/s									
	Night (8h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Evening (4h)		Emission		Reference: Nordex N175 >= 12 m/s									
	Evening (4h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.9		1.00		1.39010		-9.36		-9.4	
	Evening (4h)		4.00	Evening	108.9		1.00		0.70330		-7.55		-7.5	
	Night (8h)		8.00	Night	108.9		1.00		1.44300		-7.44		-7.4	
EQCN157	Label		E13				Action radius/m						3000.00	
	Group		>= 12 m/s				Lw (Day (12h)) /dB(A)						108.91	
	Number of nodes		1				Lw (Night (8h)) /dB(A)						108.91	
	Length/ m		---				Lw (Evening (4h)) /dB(A)						108.91	
	Length/ m (2D)		---				Emission is						Sound power level (Lw)	
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Nordex N175 >= 12 m/s									
	Day (12h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)		Emission		Reference: Nordex N175 >= 12 m/s									
	Night (8h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Evening (4h)		Emission		Reference: Nordex N175 >= 12 m/s									
	Evening (4h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.9		1.00		1.39010		-9.36		-9.4	
	Evening (4h)		4.00	Evening	108.9		1.00		0.70330		-7.55		-7.5	
	Night (8h)		8.00	Night	108.9		1.00		1.44300		-7.44		-7.4	
EQCN158	Label		E14				Action radius/m						3000.00	
	Group		>= 12 m/s				Lw (Day (12h)) /dB(A)						108.91	
	Number of nodes		1				Lw (Night (8h)) /dB(A)						108.91	
	Length/ m		---				Lw (Evening (4h)) /dB(A)						108.91	
	Length/ m (2D)		---				Emission is						Sound power level (Lw)	
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Nordex N175 >= 12 m/s									
	Day (12h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Night (8h)		Emission		Reference: Nordex N175 >= 12 m/s									
	Night (8h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Evening (4h)		Emission		Reference: Nordex N175 >= 12 m/s									
	Evening (4h)		Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.9		1.00		1.39010		-9.36		-9.4	
	Evening (4h)		4.00	Evening	108.9		1.00		0.70330		-7.55		-7.5	
	Night (8h)		8.00	Night	108.9		1.00		1.44300		-7.44		-7.4	
EQCN159	Label		E15				Action radius/m						3000.00	
	Group		>= 12 m/s				Lw (Day (12h)) /dB(A)						108.91	



Vides trokšņa ievades dati "PurpleGreen Solwin" E alternatīva

	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.91			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.91			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 >= 12 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)	Emission	Reference: Nordex N175 >= 12 m/s											
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Evening (4h)	Emission	Reference: Nordex N175 >= 12 m/s											
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.9		1.00		1.39010		-9.36		-9.4	
	Evening (4h)		4.00	Evening	108.9		1.00		0.70330		-7.55		-7.5	
	Night (8h)		8.00	Night	108.9		1.00		1.44300		-7.44		-7.4	
EQCN160	Label		E16				Action radius/m				3000.00			
	Group		>= 12 m/s				Lw (Day (12h)) /dB(A)				108.91			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.91			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.91			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 >= 12 m/s											
	Day (12h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Night (8h)	Emission	Reference: Nordex N175 >= 12 m/s											
	Night (8h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Evening (4h)	Emission	Reference: Nordex N175 >= 12 m/s											
	Evening (4h)	Lw /dB (A)	108.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.8 95.8 96.9	97.0 97.1 98.2	99.0 99.2 99.7	99.5 97.4 93.9	89.6 84.6 79.7	72.6 64.9 55.5	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.9		1.00		1.39010		-9.36		-9.4	
	Evening (4h)		4.00	Evening	108.9		1.00		0.70330		-7.55		-7.5	
	Night (8h)		8.00	Night	108.9		1.00		1.44300		-7.44		-7.4	