

Rating periods				
T1	Day (12h)			
T2	Evening (4h)			
T3	Night (8h)			
T4	DEN			

FONS

Road /XP S 31-133 (8)								Fons
R96_002	Label	Autoceļš V92		Action radius/m		1800.00		
	Group	Fons_esoša		Emi. variant		Emission		
	Number of nodes	27				dB(A)		
	Length/ m	850.96		Day (12h)		55.92		
	Length/ m (2D)	850.66		Night (8h)		48.18		
	Area /m²	---		Evening (4h)		53.68		
				Max gradient % (z-coord.)		-5.69		
				Driving direction		2 direct./driving on the right		
				Dist.:centreline lane - road /m		2.00		
				Road surface		Smooth texture paving stones		
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow		23.87	5.15	80.00	80.00	55.92
	Night (8h)	Continuous flow		2.79	1.03	80.00	80.00	48.18
	Evening (4h)	Continuous flow		15.81	2.87	80.00	80.00	53.68
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden	-		0.0	0.0	0.0	-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	75.9	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	73.7	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	68.2	1.00	8.00000	0.00	0.0
R96_004	Label	Autoceļš A3		Action radius/m		1800.00		
	Group	Fons_esoša		Emi. variant		Emission		
	Number of nodes	28				dB(A)		
	Length/ m	932.72		Day (12h)		68.57		
	Length/ m (2D)	932.55		Night (8h)		60.45		
	Area /m²	---		Evening (4h)		66.43		
				Max gradient % (z-coord.)		6.86		
				Driving direction		2 direct./driving on the right		
				Dist.:centreline lane - road /m		2.00		
				Road surface		Asphalt (obsolete)		
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow		487.03	112.71	90.00	90.00	68.57
	Night (8h)	Continuous flow		56.93	22.25	90.00	90.00	60.45

	Evening (4h)	Continuous flow		322.58	62.30	90.00	90.00	66.43
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden			0.0	0.0	0.0	-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	88.6	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	86.4	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	80.5	1.00	8.00000	0.00	0.0
R96_006	Label	Autoceļš V92			Action radius/m		1800.00	
	Group	Fons_esoša			Emi. variant		Emission	
	Number of nodes	16					dB(A)	
	Length/ m	145.42			Day (12h)		55.26	
	Length/ m (2D)	145.16			Night (8h)		47.21	
	Area /m²	---			Evening (4h)		53.23	
					Max gradient % (z-coord.)		-10.73	
					Driving direction		2 direct./driving on the right	
					Dist.:centreline lane - road /m		2.00	
					Road surface		Asphalt (obsolete)	
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow		23.87	4.95	90.00	90.00	55.26
	Night (8h)	Continuous flow		2.79	1.03	90.00	90.00	47.21
	Evening (4h)	Continuous flow		15.81	2.87	90.00	90.00	53.23
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden			0.0	0.0	0.0	-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	75.3	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	73.2	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	67.2	1.00	8.00000	0.00	0.0
R96_007	Label	Autoceļš V92*			Action radius/m		1800.00	
	Group	Fons_esoša			Emi. variant		Emission	
	Number of nodes	27					dB(A)	
	Length/ m	339.99			Day (12h)		55.26	
	Length/ m (2D)	339.77			Night (8h)		47.21	
	Area /m²	---			Evening (4h)		53.23	
					Max gradient % (z-coord.)		-6.77	
					Driving direction		2 direct./driving on the right	
					Dist.:centreline lane - road /m		2.00	
					Road surface		Asphalt (obsolete)	
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)

	Day (12h)	Continuous flow		23.87	4.95	90.00	90.00	55.29
	Night (8h)	Continuous flow		2.79	1.03	90.00	90.00	47.23
	Evening (4h)	Continuous flow		15.81	2.87	90.00	90.00	53.26
	Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB
	Lden		-		0.0	0.0	0.0	- 0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB Lw'r /dB(A)
	Day (12h)		12.00	Day	75.3	1.00	12.00000	0.00 0.0
	Evening (4h)		4.00	Evening	73.3	1.00	4.00000	0.00 0.0
	Night (8h)		8.00	Night	67.2	1.00	8.00000	0.00 0.0
R96_008	Label		Autoceļš V92*			Action radius/m		1800.00
	Group		Fons_esoša			Emi. variant		Emission
	Number of nodes		36					dB(A)
	Length/ m		520.51			Day (12h)		51.72
	Length/ m (2D)		520.28			Night (8h)		44.11
	Area /m²		---			Evening (4h)		49.58
						Max gradient % (z-coord.)		-9.63
						Driving direction		2 direct./driving on the right
						Dist.:centreline lane - road /m		2.00
						Road surface		Asphalt (obsolete)
	Emiss. variant	Traffic flow			Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h Leq /dB(A)
	Day (12h)	Continuous flow			23.87	4.95	50.00	50.00 51.72
	Night (8h)	Continuous flow			2.79	1.03	50.00	50.00 44.11
	Evening (4h)	Continuous flow			15.81	2.87	50.00	50.00 49.58
	Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB
	Lden		-		0.0	0.0	0.0	- 0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB Lw'r /dB(A)
	Day (12h)		12.00	Day	71.7	1.00	12.00000	0.00 0.0
	Evening (4h)		4.00	Evening	69.6	1.00	4.00000	0.00 0.0
	Night (8h)		8.00	Night	64.1	1.00	8.00000	0.00 0.0
R96_009	Label		Autoceļš V92*			Action radius/m		1800.00
	Group		Fons_esoša			Emi. variant		Emission
	Number of nodes		12					dB(A)
	Length/ m		165.00			Day (12h)		55.28
	Length/ m (2D)		164.93			Night (8h)		47.21
	Area /m²		---			Evening (4h)		53.23
						Max gradient % (z-coord.)		-5.51
						Driving direction		2 direct./driving on the right
						Dist.:centreline lane - road /m		2.00

					Road surface		Asphalt (obsolete)		
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
	Day (12h)	Continuous flow		23.87	5.00	90.00	90.00	55.28	
	Night (8h)	Continuous flow		2.79	1.03	90.00	90.00	47.21	
	Evening (4h)	Continuous flow		15.81	2.87	90.00	90.00	53.23	
	Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB	
	Lden				- 0.0	0.0	0.0	- 0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)		12.00	Day	75.3	1.00	12.00000	0.00	0.0
	Evening (4h)		4.00	Evening	73.2	1.00	4.00000	0.00	0.0
	Night (8h)		8.00	Night	67.2	1.00	8.00000	0.00	0.0
R96_010	Label		Autoceļš V92*			Action radius/m		1800.00	
	Group		Fons_esoša			Emi. variant		Emission	
	Number of nodes		13					dB(A)	
	Length/ m		262.82			Day (12h)		55.84	
	Length/ m (2D)		262.68			Night (8h)		48.18	
	Area /m²		---			Evening (4h)		53.68	
						Max gradient % (z-coord.)		-5.93	
						Driving direction		2 direct./driving on the right	
						Dist.:centreline lane - road /m		2.00	
						Road surface		Smooth texture paving stones	
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
	Day (12h)	Continuous flow		23.87	5.00	80.00	80.00	55.84	
	Night (8h)	Continuous flow		2.79	1.03	80.00	80.00	48.18	
	Evening (4h)	Continuous flow		15.81	2.87	80.00	80.00	53.68	
	Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB	
	Lden				- 0.0	0.0	0.0	- 0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)		12.00	Day	75.8	1.00	12.00000	0.00	0.0
	Evening (4h)		4.00	Evening	73.7	1.00	4.00000	0.00	0.0
	Night (8h)		8.00	Night	68.2	1.00	8.00000	0.00	0.0
R96_011	Label		Autoceļš A3*			Action radius/m		1800.00	
	Group		Fons_esoša			Emi. variant		Emission	
	Number of nodes		6					dB(A)	
	Length/ m		91.70			Day (12h)		68.57	
	Length/ m (2D)		91.65			Night (8h)		60.45	
	Area /m²		---			Evening (4h)		66.43	
						Max gradient % (z-coord.)		7.72	

				Driving direction		2 direct./driving on the right			
				Dist.:centreline lane - road /m		2.00			
				Road surface		Asphalt (obsolete)			
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
	Day (12h)	Continuous flow		487.03	112.52	90.00	90.00	68.59	
	Night (8h)	Continuous flow		56.93	22.25	90.00	90.00	60.47	
	Evening (4h)	Continuous flow		322.58	62.30	90.00	90.00	66.46	
	Rating method		Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
	Lden		-	0.0	0.0	0.0	-	0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)		12.00	Day	88.6	1.00	12.00000	0.00	0.0
	Evening (4h)		4.00	Evening	86.5	1.00	4.00000	0.00	0.0
	Night (8h)		8.00	Night	80.5	1.00	8.00000	0.00	0.0

Gradients and gradient correction DStg for roads										
Element	Name	Section	s /m	ds /m	Gradient /%	Gradient /%	Dstg /dB	Dstg /dB	Dstg /dB	Hint
			m	m	coord.	for calc.	Day (12h)	Night (8h)	Evening (4h)	
R96_002	Autoceļš V92	1	0.00	16.48	0.00	0.00	0.00	0.00	0.00	
		2	16.48	22.35	2.54	2.54	0.02	0.02	0.03	Max.
		3	38.83	64.06	0.67	0.67	0.00	0.00	0.00	
		4	102.89	30.38	0.00	0.00	0.00	0.00	0.00	
		5	133.27	8.50	0.00	0.00	0.00	0.00	0.00	
		6	141.76	77.01	-1.10	-1.10	0.00	0.00	0.00	
		7	218.78	28.66	-3.68	-3.68	0.00	0.00	0.00	
		8	247.43	65.43	-3.21	-3.21	0.00	0.00	0.00	
		9	312.87	86.46	3.51	3.51	0.02	0.02	0.03	
		10	399.33	17.36	5.56	5.56	0.02	0.02	0.03	
		11	416.69	21.07	4.65	4.65	0.02	0.02	0.03	
		12	437.76	20.88	4.88	4.88	0.02	0.02	0.03	
		13	458.64	37.58	2.95	2.95	0.02	0.02	0.03	
		14	496.22	14.33	2.07	2.07	0.02	0.02	0.03	
		15	510.54	39.91	1.49	1.49	0.00	0.00	0.00	
		16	550.45	32.58	0.00	0.00	0.00	0.00	0.00	
		17	583.03	3.94	0.00	0.00	0.00	0.00	0.00	
		18	586.97	4.76	0.00	0.00	0.00	0.00	0.00	
		19	591.73	2.14	0.00	0.00	0.00	0.00	0.00	
		20	593.87	24.87	0.00	0.00	0.00	0.00	0.00	
		21	618.74	26.32	-3.80	-3.80	0.00	0.00	0.00	

		22	645.06	55.60	-3.60	-3.60	0.00	0.00	0.00	
		23	700.66	41.60	-2.14	-2.14	0.00	0.00	0.00	
		24	742.25	39.54	0.58	0.58	0.00	0.00	0.00	
		25	781.80	61.41	-0.56	-0.56	0.00	0.00	0.00	
		26	843.21	7.45	-5.69	-5.69	0.00	0.00	0.00	
R96_004	Autoceļš A3	1	0.00	6.31	4.05	4.05	0.03	0.02	0.03	Max.
		2	6.31	69.52	1.64	1.64	0.00	0.00	0.00	
		3	75.82	81.36	0.00	0.00	0.00	0.00	0.00	
		4	157.18	60.97	0.98	0.98	0.00	0.00	0.00	
		5	218.15	40.50	1.00	1.00	0.00	0.00	0.00	
		6	258.65	40.34	0.00	0.00	0.00	0.00	0.00	
		7	298.99	1.93	0.00	0.00	0.00	0.00	0.00	
		8	300.92	60.13	1.66	1.66	0.00	0.00	0.00	
		9	361.04	86.67	2.31	2.31	0.03	0.02	0.03	
		10	447.72	7.95	0.00	0.00	0.00	0.00	0.00	
		11	455.66	50.83	1.97	1.97	0.00	0.00	0.00	
		12	506.49	37.13	2.69	2.69	0.03	0.02	0.03	
		13	543.62	72.38	2.17	2.17	0.03	0.02	0.03	
		14	616.00	9.08	4.75	4.75	0.03	0.02	0.03	
		15	625.08	32.61	1.16	1.16	0.00	0.00	0.00	
		16	657.69	18.20	3.42	3.42	0.03	0.02	0.03	
		17	675.89	14.48	0.95	0.95	0.00	0.00	0.00	
		18	690.37	41.94	2.06	2.06	0.03	0.02	0.03	
		19	732.32	23.73	0.00	0.00	0.00	0.00	0.00	
		20	756.05	14.57	6.86	6.86	0.03	0.02	0.03	
		21	770.62	4.75	-0.37	-0.37	0.00	0.00	0.00	
		22	775.37	21.50	0.08	0.08	0.00	0.00	0.00	
		23	796.87	23.19	0.00	0.00	0.00	0.00	0.00	
		24	820.06	33.43	0.00	0.00	0.00	0.00	0.00	
		25	853.49	31.27	1.51	1.51	0.00	0.00	0.00	
		26	884.75	26.93	1.96	1.96	0.00	0.00	0.00	
		27	911.69	20.87	0.00	0.00	0.00	0.00	0.00	
R96_006	Autoceļš V92	1	0.00	3.66	-6.64	-6.64	0.00	0.00	0.00	
		2	3.66	10.75	-7.04	-7.04	0.00	0.00	0.00	
		3	14.41	11.64	-8.59	-8.59	0.00	0.00	0.00	
		4	26.05	17.16	-6.67	-6.67	0.00	0.00	0.00	
		5	43.21	12.70	-6.74	-6.74	0.00	0.00	0.00	
		6	55.91	9.32	-10.73	-10.73	0.00	0.00	0.00	Max.

		7	65.22	16.27	-4.37	-4.37	0.00	0.00	0.00	
		8	81.49	7.98	-3.63	-3.63	0.00	0.00	0.00	
		9	89.47	6.37	0.00	0.00	0.00	0.00	0.00	
		10	95.84	1.69	0.00	0.00	0.00	0.00	0.00	
		11	97.53	3.46	-1.47	-1.47	0.00	0.00	0.00	
		12	100.99	11.90	-7.97	-7.97	0.00	0.00	0.00	
		13	112.90	9.35	0.00	0.00	0.00	0.00	0.00	
		14	122.25	13.83	0.00	0.00	0.00	0.00	0.00	
		15	136.08	9.07	-3.80	-3.80	0.00	0.00	0.00	
R96_007	Autoceļš V92*	1	0.00	5.08	3.62	3.62	0.03	0.02	0.03	Max.
		2	5.08	4.41	3.61	3.61	0.03	0.02	0.03	
		3	9.48	3.88	1.41	1.41	0.00	0.00	0.00	
		4	13.37	7.02	4.27	4.27	0.03	0.02	0.03	
		5	20.39	6.35	4.74	4.74	0.03	0.02	0.03	
		6	26.74	10.88	3.66	3.66	0.03	0.02	0.03	
		7	37.62	10.34	5.66	5.66	0.03	0.02	0.03	
		8	47.96	10.65	3.89	3.89	0.03	0.02	0.03	
		9	58.61	11.63	0.75	0.75	0.00	0.00	0.00	
		10	70.24	17.20	5.31	5.31	0.03	0.02	0.03	
		11	87.44	16.61	6.02	6.02	0.03	0.02	0.03	
		12	104.05	12.95	0.00	0.00	0.00	0.00	0.00	
		13	117.00	9.97	0.00	0.00	0.00	0.00	0.00	
		14	126.97	9.00	0.00	0.00	0.00	0.00	0.00	
		15	135.96	13.46	6.02	6.02	0.03	0.02	0.03	
		16	149.42	24.46	4.86	4.86	0.03	0.02	0.03	
		17	173.89	49.73	2.36	2.36	0.03	0.02	0.03	
		18	223.62	27.79	-0.14	-0.14	0.00	0.00	0.00	
		19	251.42	20.41	-0.66	-0.66	0.00	0.00	0.00	
		20	271.83	11.38	-6.77	-6.77	0.00	0.00	0.00	
		21	283.21	6.23	-3.67	-3.67	0.00	0.00	0.00	
		22	289.44	7.20	0.00	0.00	0.00	0.00	0.00	
		23	296.64	7.05	0.00	0.00	0.00	0.00	0.00	
		24	303.69	6.78	3.48	3.48	0.03	0.02	0.03	
		25	310.47	14.91	3.02	3.02	0.03	0.02	0.03	
		26	325.37	14.39	3.92	3.92	0.03	0.02	0.03	
R96_008	Autoceļš V92*	1	0.00	1.56	1.32	1.32	0.00	0.00	0.00	
		2	1.56	35.21	2.39	2.39	1.95	1.65	2.02	Max.
		3	36.77	27.60	1.85	1.85	0.00	0.00	0.00	

		4	64.37	15.89	2.39	2.39	1.95	1.65	2.02	
		5	80.26	17.22	0.77	0.77	0.00	0.00	0.00	
		6	97.48	11.29	6.01	6.01	1.95	1.65	2.02	
		7	108.77	6.59	4.19	4.19	1.95	1.65	2.02	
		8	115.37	7.18	3.12	3.12	1.95	1.65	2.02	
		9	122.54	5.52	2.14	2.14	1.95	1.65	2.02	
		10	128.07	4.98	2.24	2.24	1.95	1.65	2.02	
		11	133.04	6.09	2.67	2.67	1.95	1.65	2.02	
		12	139.14	9.20	3.22	3.22	1.95	1.65	2.02	
		13	148.33	19.37	0.00	0.00	0.00	0.00	0.00	
		14	167.70	17.11	0.00	0.00	0.00	0.00	0.00	
		15	184.81	9.55	0.00	0.00	0.00	0.00	0.00	
		16	194.37	13.86	0.00	0.00	0.00	0.00	0.00	
		17	208.23	15.21	0.00	0.00	0.00	0.00	0.00	
		18	223.44	17.14	0.00	0.00	0.00	0.00	0.00	
		19	240.58	10.03	0.00	0.00	0.00	0.00	0.00	
		20	250.61	7.21	0.00	0.00	0.00	0.00	0.00	
		21	257.82	5.61	0.00	0.00	0.00	0.00	0.00	
		22	263.43	18.97	0.00	0.00	0.00	0.00	0.00	
		23	282.40	31.39	-1.91	-1.91	0.00	0.00	0.00	
		24	313.79	58.21	-0.69	-0.69	0.00	0.00	0.00	
		25	372.00	14.83	0.00	0.00	0.00	0.00	0.00	
		26	386.83	13.90	-3.56	-3.56	0.00	0.00	0.00	
		27	400.73	22.67	-2.23	-2.23	0.00	0.00	0.00	
		28	423.40	27.63	-3.62	-3.62	0.00	0.00	0.00	
		29	451.03	20.88	-2.80	-2.80	0.00	0.00	0.00	
		30	471.90	15.60	-4.69	-4.69	0.00	0.00	0.00	
		31	487.51	3.20	-7.77	-7.77	0.00	0.00	0.00	
		32	490.70	4.76	-7.36	-7.36	0.00	0.00	0.00	
		33	495.46	4.91	-9.63	-9.63	0.00	0.00	0.00	
		34	500.37	13.24	-8.68	-8.68	0.00	0.00	0.00	
		35	513.61	6.66	-6.97	-6.97	0.00	0.00	0.00	
R96_009	Autoceļš V92*	1	0.00	2.49	-4.07	-4.07	0.00	0.00	0.00	
		2	2.49	32.08	-1.73	-1.73	0.00	0.00	0.00	
		3	34.57	10.59	-5.00	-5.00	0.00	0.00	0.00	
		4	45.16	19.82	-2.37	-2.37	0.00	0.00	0.00	
		5	64.99	38.28	-2.61	-2.61	0.00	0.00	0.00	
		6	103.27	11.26	-5.51	-5.51	0.00	0.00	0.00	Max.

		7	114.53	40.33	-1.42	-1.42	0.00	0.00	0.00	
		8	154.86	3.13	-3.62	-3.62	0.00	0.00	0.00	
		9	157.99	2.12	-4.08	-4.08	0.00	0.00	0.00	
		10	160.10	1.93	-4.83	-4.83	0.00	0.00	0.00	
		11	162.03	2.91	-5.19	-5.19	0.00	0.00	0.00	
R96_010	Autoceļš V92*	1	0.00	0.80	-5.93	-5.93	0.00	0.00	0.00	
		2	0.80	3.23	-5.93	-5.93	0.00	0.00	0.00	Max.
		3	4.03	3.16	-3.95	-3.95	0.00	0.00	0.00	
		4	7.19	23.23	-4.30	-4.30	0.00	0.00	0.00	
		5	30.42	17.84	-3.22	-3.22	0.00	0.00	0.00	
		6	48.26	27.92	-5.12	-5.12	0.00	0.00	0.00	
		7	76.18	22.49	-4.42	-4.42	0.00	0.00	0.00	
		8	98.67	25.97	-3.85	-3.85	0.00	0.00	0.00	
		9	124.64	21.76	-2.95	-2.95	0.00	0.00	0.00	
		10	146.39	18.94	-1.90	-1.90	0.00	0.00	0.00	
		11	165.33	48.54	-2.06	-2.06	0.00	0.00	0.00	
		12	213.87	48.81	0.00	0.00	0.00	0.00	0.00	
R96_011	Autoceļš A3*	1	0.00	22.92	0.00	0.00	0.00	0.00	0.00	
		2	22.92	12.96	7.72	7.72	0.03	0.02	0.03	Max.
		3	35.87	43.08	0.00	0.00	0.00	0.00	0.00	
		4	78.96	9.27	5.56	5.56	0.03	0.02	0.03	
		5	88.23	3.42	2.54	2.54	0.03	0.02	0.03	

*1): The gradient for the calculation has been entered directly.

Rating periods				
T1	Day (12h)			
T2	Evening (4h)			
T3	Night (8h)			
T4	DEN			

KOMPLEKSS ESOŠA DARBĪBA

Road /XP S 31-133 (10)					Rukas_komplekss_esosa		
R96_012	Label	Autoceļš V92**		Action radius/m	1800.00		
	Group	Ceļi_ferma_esoša		Emi. variant	Emission		
	Number of nodes	27			dB(A)		
	Length/ m	339.99		Day (12h)	38.52		
	Length/ m (2D)	339.77		Night (8h)	-99.00		
	Area /m²	---		Evening (4h)	-99.00		
				Max gradient % (z-coord.)	-6.77		
				Driving direction	2 direct./driving on the right		
				Dist.:centreline lane - road /m	2.00		
				Road surface	Asphalt (obsolete)		
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	Leq /dB(A)
	Day (12h)	Continuous flow		0.00	0.24	90.00	38.52
	Night (8h)	Continuous flow		0.00	0.00	90.00	-99.00
	Evening (4h)	Continuous flow		0.00	0.00	90.00	-99.00
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden		0.0	0.0	0.0		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	Lw'r /dB(A)
	Day (12h)	12.00	Day	58.5	1.00	12.00000	0.0
	Evening (4h)	4.00	Evening	-79.0	1.00	4.00000	0.0
	Night (8h)	8.00	Night	-79.0	1.00	8.00000	0.0
R96_013	Label	Autoceļš V92**		Action radius/m	1800.00		
	Group	Ceļi_ferma_esoša		Emi. variant	Emission		
	Number of nodes	36			dB(A)		
	Length/ m	520.51		Day (12h)	36.49		
	Length/ m (2D)	520.28		Night (8h)	-99.00		
	Area /m²	---		Evening (4h)	-99.00		
				Max gradient % (z-coord.)	-9.63		
				Driving direction	2 direct./driving on the right		
				Dist.:centreline lane - road /m	2.00		
				Road surface	Asphalt (obsolete)		
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	Leq /dB(A)
	Day (12h)	Continuous flow		0.00	0.24	50.00	36.49
	Night (8h)	Continuous flow		0.00	0.00	50.00	-99.00

	Evening (4h)	Continuous flow		0.00	0.00	50.00	50.00	-99.00
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden			0.0	0.0	0.0	-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	56.5	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	-79.0	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	-79.0	1.00	8.00000	0.00	0.0
R96_014	Label	Autoceļš V92**			Action radius/m		1800.00	
	Group	Ceļi_ferma_esoša			Emi. variant		Emission	
	Number of nodes	12					dB(A)	
	Length/ m	165.00			Day (12h)		37.72	
	Length/ m (2D)	164.93			Night (8h)		-99.00	
	Area /m²	---			Evening (4h)		-99.00	
					Max gradient % (z-coord.)		-5.51	
					Driving direction		2 direct./driving on the right	
					Dist.:centreline lane - road /m		2.00	
					Road surface		Asphalt (obsolete)	
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow		0.00	0.20	90.00	90.00	37.72
	Night (8h)	Continuous flow		0.00	0.00	90.00	90.00	-99.00
	Evening (4h)	Continuous flow		0.00	0.00	90.00	90.00	-99.00
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden			0.0	0.0	0.0	-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	57.7	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	-79.0	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	-79.0	1.00	8.00000	0.00	0.0
R96_015	Label	Autoceļš V92**			Action radius/m		1800.00	
	Group	Ceļi_ferma_esoša			Emi. variant		Emission	
	Number of nodes	14					dB(A)	
	Length/ m	262.82			Day (12h)		39.73	
	Length/ m (2D)	262.68			Night (8h)		-99.00	
	Area /m²	---			Evening (4h)		-99.00	
					Max gradient % (z-coord.)		-5.93	
					Driving direction		2 direct./driving on the right	
					Dist.:centreline lane - road /m		2.00	
					Road surface		Smooth texture paving stones	
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)

	Day (12h)	Continuous flow		0.00	0.20	80.00	80.00	39.73	
	Night (8h)	Continuous flow		0.00	0.00	80.00	80.00	-99.00	
	Evening (4h)	Continuous flow		0.00	0.00	80.00	80.00	-99.00	
	Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB	
	Lden		-		0.0	0.0	0.0	-	0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)		12.00	Day	59.7	1.00	12.00000	0.00	0.0
	Evening (4h)		4.00	Evening	-79.0	1.00	4.00000	0.00	0.0
	Night (8h)		8.00	Night	-79.0	1.00	8.00000	0.00	0.0
R96_016	Label		Autoceļš V92*			Action radius/m			1800.00
	Group		Ceļi_ferma_esoša			Emi. variant			Emission
	Number of nodes		27						dB(A)
	Length/ m		850.96			Day (12h)			33.71
	Length/ m (2D)		850.66			Night (8h)			-99.00
	Area /m²		---			Evening (4h)			-99.00
						Max gradient % (z-coord.)			-5.69
						Driving direction			2 direct./driving on the right
						Dist.:centreline lane - road /m			2.00
						Road surface			Smooth texture paving stones
	Emiss. variant	Traffic flow			Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow			0.00	0.05	80.00	80.00	33.71
	Night (8h)	Continuous flow			0.00	0.00	80.00	80.00	-99.00
	Evening (4h)	Continuous flow			0.00	0.00	80.00	80.00	-99.00
	Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden		-		0.0	0.0	0.0	-	0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)		12.00	Day	53.7	1.00	12.00000	0.00	0.0
	Evening (4h)		4.00	Evening	-79.0	1.00	4.00000	0.00	0.0
	Night (8h)		8.00	Night	-79.0	1.00	8.00000	0.00	0.0
R96_017	Label		Autoceļš V92*			Action radius/m			1800.00
	Group		Ceļi_ferma_esoša			Emi. variant			Emission
	Number of nodes		16						dB(A)
	Length/ m		145.42			Day (12h)			38.52
	Length/ m (2D)		145.16			Night (8h)			-99.00
	Area /m²		---			Evening (4h)			-99.00
						Max gradient % (z-coord.)			-10.73
						Driving direction			2 direct./driving on the right
						Dist.:centreline lane - road /m			2.00

						Road surface			Asphalt (obsolete)			
	Emiss. variant	Traffic flow		Q car /vehic/h		Q HGV /vehic/h		v car /km/h		v HGV /km/h		Leq /dB(A)
	Day (12h)	Continuous flow		0.00		0.24		90.00		90.00		38.52
	Night (8h)	Continuous flow		0.00		0.00		90.00		90.00		-99.00
	Evening (4h)	Continuous flow		0.00		0.00		90.00		90.00		-99.00
	Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB			Special correction /dB		
	Lden		-		0.0	0.0	0.0		-	0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB		Lw'r /dB(A)		
	Day (12h)		12.00	Day	58.5	1.00	12.00000	0.00		0.0		
	Evening (4h)		4.00	Evening	-79.0	1.00	4.00000	0.00		0.0		
	Night (8h)		8.00	Night	-79.0	1.00	8.00000	0.00		0.0		
R96_018	Label		Autoceļš A3**			Action radius/m			1800.00			
	Group		Ceļi_ferma_esoša			Emi. variant			Emission			
	Number of nodes		6						dB(A)			
	Length/ m		91.70			Day (12h)			38.14			
	Length/ m (2D)		91.65			Night (8h)			-99.00			
	Area /m²		---			Evening (4h)			-99.00			
						Max gradient % (z-coord.)			7.72			
						Driving direction			2 direct./driving on the right			
						Dist.:centreline lane - road /m			2.00			
						Road surface			Asphalt (obsolete)			
	Emiss. variant	Traffic flow		Q car /vehic/h		Q HGV /vehic/h		v car /km/h		v HGV /km/h		Leq /dB(A)
	Day (12h)	Continuous flow		0.00		0.22		90.00		90.00		38.14
	Night (8h)	Continuous flow		0.00		0.00		90.00		90.00		-99.00
	Evening (4h)	Continuous flow		0.00		0.00		90.00		90.00		-99.00
	Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB			Special correction /dB		
	Lden		-		0.0	0.0	0.0		-	0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB		Lw'r /dB(A)		
	Day (12h)		12.00	Day	58.1	1.00	12.00000	0.00		0.0		
	Evening (4h)		4.00	Evening	-79.0	1.00	4.00000	0.00		0.0		
	Night (8h)		8.00	Night	-79.0	1.00	8.00000	0.00		0.0		
R96_019	Label		Autoceļš A3*			Action radius/m			1800.00			
	Group		Ceļi_ferma_esoša			Emi. variant			Emission			
	Number of nodes		28						dB(A)			
	Length/ m		932.72			Day (12h)			27.72			
	Length/ m (2D)		932.55			Night (8h)			-99.00			
	Area /m²		---			Evening (4h)			-99.00			
						Max gradient % (z-coord.)			6.86			

				Driving direction			2 direct./driving on the right		
				Dist.:centreline lane - road /m			2.00		
				Road surface			Asphalt (obsolete)		
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
	Day (12h)	Continuous flow		0.00	0.02	90.00	90.00	27.72	
	Night (8h)	Continuous flow		0.00	0.00	90.00	90.00	-99.00	
	Evening (4h)	Continuous flow		0.00	0.00	90.00	90.00	-99.00	
	Rating method		Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
	Lden		-	0.0	0.0	0.0		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)		12.00	Day	47.7	1.00	12.00000	0.00	0.0
	Evening (4h)		4.00	Evening	-79.0	1.00	4.00000	0.00	0.0
	Night (8h)		8.00	Night	-79.0	1.00	8.00000	0.00	0.0
R96_028	Label		Ceļi_komplekss_esoša			Action radius/m		1800.00	
	Group		Ceļi_ferma_esoša			Emi. variant		Emission	
	Number of nodes		8					dB(A)	
	Length/ m		114.78			Day (12h)		35.15	
	Length/ m (2D)		114.75			Night (8h)		-99.00	
	Area /m²		---			Evening (4h)		-99.00	
						Max gradient % (z-coord.)		-3.98	
						Driving direction		2 direct./driving on the right	
						Dist.:centreline lane - road /m		1.00	
						Road surface		Asphalt (obsolete)	
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
	Day (12h)	Continuous flow		0.00	0.14	40.00	40.00	35.15	
	Night (8h)	Continuous flow		0.00	0.00	50.00	50.00	-99.00	
	Evening (4h)	Continuous flow		0.00	0.00	50.00	50.00	-99.00	
	Rating method		Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
	Lden		-	0.0	0.0	0.0		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)		12.00	Day	55.2	1.00	0.00083	-41.60	-41.6
	Evening (4h)		4.00	Evening	-79.0	1.00	0.00000	-99.00	-
	Night (8h)		8.00	Night	-79.0	1.00	0.00000	-99.00	-
R96_029	Label		Ceļi_komplekss_esoša			Action radius/m		1800.00	
	Group		Ceļi_ferma_esoša			Emi. variant		Emission	
	Number of nodes		11					dB(A)	
	Length/ m		184.49			Day (12h)		35.45	
	Length/ m (2D)		184.45			Night (8h)		-99.00	

	Area /m²		---		Evening (4h)		-99.00		
					Max gradient % (z-coord.)		4.08		
					Driving direction		2 direct./driving on the right		
					Dist.:centreline lane - road /m		1.00		
					Road surface		Asphalt (obsolete)		
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
	Day (12h)	Continuous flow		0.00	0.15	40.00	40.00	35.45	
	Night (8h)	Continuous flow		0.00	0.00	50.00	50.00	-99.00	
	Evening (4h)	Continuous flow		0.00	0.00	50.00	50.00	-99.00	
	Rating method		Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
	Lden		-	0.0	0.0	0.0	-	0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)		12.00	Day	55.5	1.00	0.00193	-37.94	-37.9
	Evening (4h)		4.00	Evening	-79.0	1.00	0.00000	-99.00	-
	Night (8h)		8.00	Night	-79.0	1.00	0.00000	-99.00	-

Line source /CNOSSOS (8)										Rukas_komplekss_esosa	
LQCN001	Label	Ceļi_komplekss_esoša			Action radius/m			1800.00			
	Group	Ceļi_ferma_esoša			Emission is			Sound power level (Lw)			
	Number of nodes	11			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw'	
	Length/ m	73.16				dB(A)	dB	dB	dB(A)	dB(A)	
	Length/ m (2D)	73.08			Day (12h)	103.80	-	-	103.80	85.16	
	Area /m²	---			Night (8h)	-99.00	-	-	-99.00		
					Evening (4h)	-99.00	-	-	-99.00		
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB		
	Lden	-		0.0	0.0		0.0		-		
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times		Impact time /h	dLi /dB	Lw'r /dB(A)		
	Day (12h)	12.00	Day	85.2	1.00		0.00193	-37.94	-37.9		
	Evening (4h)	4.00	Evening	-	1.00		0.00000	-99.00	-		
	Night (8h)	8.00	Night	-	1.00		0.00000	-99.00	-		
LQCN002	Label	Ceļi_komplekss_esoša			Action radius/m			1800.00			
	Group	Ceļi_ferma_esoša			Emission is			Sound power level (Lw)			
	Number of nodes	24			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw'	
	Length/ m	81.14				dB(A)	dB	dB	dB(A)	dB(A)	
	Length/ m (2D)	81.13			Day (12h)	103.80	-	-	103.80	84.71	
	Area /m²	---			Night (8h)	-99.00	-	-	-99.00		
					Evening (4h)	-99.00	-	-	-99.00		
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB		

	Lden			-	0.0	0.0	0.0	-	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)		
	Day (12h)	12.00	Day	84.7	1.00	0.00030	-46.02	-46.0		
	Evening (4h)	4.00	Evening	-	1.00	0.00000	-99.00	-		
	Night (8h)	8.00	Night	-	1.00	0.00000	-99.00	-		
LQCN003	Label	Ceļi_komplekss_esoša			Action radius/m			1800.00		
	Group	Ceļi_ferma_esoša			Emission is			Sound power level (Lw)		
	Number of nodes	14			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw'
	Length/ m	133.09				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	132.97			Day (12h)	103.80	-	-	103.80	82.56
	Area /m²	---			Night (8h)	-99.00	-	-	-99.00	
					Evening (4h)	-99.00	-	-	-99.00	
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB		
	Lden			-	0.0	0.0	0.0	-		
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)		
	Day (12h)	12.00	Day	82.6	1.00	0.00067	-42.53	-42.5		
	Evening (4h)	4.00	Evening	-	1.00	4.00000	0.00	0.0		
	Night (8h)	8.00	Night	-	1.00	8.00000	0.00	0.0		
LQCN004	Label	Ceļi_komplekss_esoša			Action radius/m			1800.00		
	Group	Ceļi_ferma_esoša			Emission is			Sound power level (Lw)		
	Number of nodes	3			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw'
	Length/ m	4.96				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	4.96			Day (12h)	103.80	-	-	103.80	96.85
	Area /m²	---			Night (8h)	-99.00	-	-	-99.00	
					Evening (4h)	-99.00	-	-	-99.00	
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB		
	Lden			-	0.0	0.0	0.0	-		
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)		
	Day (12h)	12.00	Day	96.8	1.00	0.00083	-41.60	-41.6		
	Evening (4h)	4.00	Evening	-	1.00	0.00000	-99.00	-		
	Night (8h)	8.00	Night	-	1.00	0.00000	-99.00	-		
LQCN005	Label	Ceļi_komplekss_esoša			Action radius/m			1800.00		
	Group	Ceļi_ferma_esoša			Emission is			Sound power level (Lw)		
	Number of nodes	21			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw'
	Length/ m	191.50				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	191.49			Day (12h)	103.80	-	-	103.80	80.98
	Area /m²	---			Night (8h)	-99.00	-	-	-99.00	
					Evening (4h)	-99.00	-	-	-99.00	

	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB			Special correction /dB	
	Lden	-		0.0	0.0	0.0		-	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h		dLi /dB	Lw'r /dB(A)	
	Day (12h)	12.00	Day	81.0	1.00	0.00113		-40.26	-40.3	
	Evening (4h)	4.00	Evening	-	1.00	4.00000		0.00	0.0	
	Night (8h)	8.00	Night	-	1.00	8.00000		0.00	0.0	
LQCN006	Label	Ceļi_komplekss_esoša			Action radius/m			1800.00		
	Group	Ceļi_ferma_esoša			Emission is			Sound power level (Lw)		
	Number of nodes	10			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw'
	Length/ m	51.70				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	51.65			Day (12h)	103.80	-	-	103.80	86.66
	Area /m²	---			Night (8h)	-99.00	-	-	-99.00	
					Evening (4h)	-99.00	-	-	-99.00	
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB			Special correction /dB	
	Lden	-		0.0	0.0	0.0		-	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h		dLi /dB	Lw'r /dB(A)	
	Day (12h)	12.00	Day	86.7	1.00	0.00026		-46.64	-46.6	
	Evening (4h)	4.00	Evening	-	1.00	4.00000		0.00	0.0	
	Night (8h)	8.00	Night	-	1.00	8.00000		0.00	0.0	
LQCN007	Label	Ceļi_komplekss_esoša			Action radius/m			1800.00		
	Group	Ceļi_ferma_esoša			Emission is			Sound power level (Lw)		
	Number of nodes	4			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw'
	Length/ m	38.19				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	38.19			Day (12h)	103.80	-	-	103.80	87.98
	Area /m²	---			Night (8h)	-99.00	-	-	-99.00	
					Evening (4h)	-99.00	-	-	-99.00	
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB			Special correction /dB	
	Lden	-		0.0	0.0	0.0		-	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h		dLi /dB	Lw'r /dB(A)	
	Day (12h)	12.00	Day	88.0	1.00	0.00003		-56.02	-56.0	
	Evening (4h)	4.00	Evening	-	1.00	4.00000		0.00	0.0	
	Night (8h)	8.00	Night	-	1.00	8.00000		0.00	0.0	
LQCN008	Label	Ceļi_komplekss_esoša			Action radius/m			1800.00		
	Group	Ceļi_ferma_esoša			Emission is			Sound power level (Lw)		
	Number of nodes	22			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw'
	Length/ m	175.91				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	175.67			Day (12h)	103.80	-	-	103.80	81.35
	Area /m²	---			Night (8h)	-99.00	-	-	-99.00	

				Evening (4h)	-99.00	-	-	-99.00	
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB			Special correction /dB	
	Lden	-	0.0	0.0	0.0	-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h	dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	81.3	1.00	0.00018	-48.24	-48.2	
	Evening (4h)	4.00	Evening	-	1.00	4.00000	0.00	0.0	
	Night (8h)	8.00	Night	-	1.00	8.00000	0.00	0.0	

Area source /CNOSSOS (8)										Rukas_komplekss_esosa			
FQCN001	Label		A4 (8 vienības)			Action radius/m			1800.00				
	Group		Mītņu ventilācija			Emission is			Sound power level (Lw)				
	Number of nodes		7			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"		
	Length/ m		340.65				dB(A)	dB	dB	dB(A)	dB(A)		
	Length/ m (2D)		340.65			Day (12h)	87.40	-	-	87.40	52.70		
	Area /m²		2951.65			Night (8h)	87.40	-	-	87.40	52.70		
						Evening (4h)	87.40	-	-	87.40	52.70		
	Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden				- 0.0	0.0		0.0		-	0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw" /dB(A)	n times		Impact time /h		dLi /dB	Lw"r /dB(A)		
	Day (12h)		12.00	Day	52.7	1.00		12.00000		0.00	0.0		
	Evening (4h)		4.00	Evening	52.7	1.00		4.00000		0.00	0.0		
	Night (8h)		8.00	Night	52.7	1.00		8.00000		0.00	0.0		
FQCN002	Label		A9 (7 vienības)			Action radius/m			1800.00				
	Group		Mītņu ventilācija			Emission is			Sound power level (Lw)				
	Number of nodes		5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"		
	Length/ m		221.22				dB(A)	dB	dB	dB(A)	dB(A)		
	Length/ m (2D)		221.22			Day (12h)	86.90	-	-	86.90	54.27		
	Area /m²		1832.10			Night (8h)	86.90	-	-	86.90	54.27		
						Evening (4h)	86.90	-	-	86.90	54.27		
	Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden				- 0.0	0.0		0.0		-	0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw" /dB(A)	n times		Impact time /h		dLi /dB	Lw"r /dB(A)		
	Day (12h)		12.00	Day	54.3	1.00		12.00000		0.00	0.0		
	Evening (4h)		4.00	Evening	54.3	1.00		4.00000		0.00	0.0		
	Night (8h)		8.00	Night	54.3	1.00		8.00000		0.00	0.0		
FQCN003	Label		A11 (5 vienības)			Action radius/m			1800.00				
	Group		Mītņu ventilācija			Emission is			Sound power level (Lw)				
	Number of nodes		5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"		

	Length/ m	183.38			dB(A)	dB	dB	dB(A)	dB(A)	
	Length/ m (2D)	183.37		Day (12h)	85.40	-	-	85.40	53.84	
	Area /m²	1433.72		Night (8h)	85.40	-	-	85.40	53.84	
				Evening (4h)	85.40	-	-	85.40	53.84	
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB		
	Lden	-		0.0	0.0	0.0		-		
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h	dLi /dB	Lw"r /dB(A)		
	Day (12h)	12.00	Day	53.8	1.00	12.00000	0.00	0.0		
	Evening (4h)	4.00	Evening	53.8	1.00	4.00000	0.00	0.0		
	Night (8h)	8.00	Night	53.8	1.00	8.00000	0.00	0.0		
FQCN004	Label	A8 (8 vienības)			Action radius/m			1800.00		
	Group	Mītņu ventilācija			Emission is			Sound power level (Lw)		
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	208.63				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	208.61			Day (12h)	87.40	-	-	87.40	54.99
	Area /m²	1742.05			Night (8h)	87.40	-	-	87.40	54.99
					Evening (4h)	87.40	-	-	87.40	54.99
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB		
	Lden	-		0.0	0.0	0.0		-		
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h	dLi /dB	Lw"r /dB(A)		
	Day (12h)	12.00	Day	55.0	1.00	12.00000	0.00	0.0		
	Evening (4h)	4.00	Evening	55.0	1.00	4.00000	0.00	0.0		
	Night (8h)	8.00	Night	55.0	1.00	8.00000	0.00	0.0		
FQCN005	Label	A7 (14 vienības)			Action radius/m			1800.00		
	Group	Mītņu ventilācija			Emission is			Sound power level (Lw)		
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	211.38				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	211.38			Day (12h)	89.90	-	-	89.90	57.52
	Area /m²	1728.64			Night (8h)	89.90	-	-	89.90	57.52
					Evening (4h)	89.90	-	-	89.90	57.52
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB		
	Lden	-		0.0	0.0	0.0		-		
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h	dLi /dB	Lw"r /dB(A)		
	Day (12h)	12.00	Day	57.5	1.00	12.00000	0.00	0.0		
	Evening (4h)	4.00	Evening	57.5	1.00	4.00000	0.00	0.0		
	Night (8h)	8.00	Night	57.5	1.00	8.00000	0.00	0.0		
FQCN006	Label	A6 (8 vienības)			Action radius/m			1800.00		
	Group	Mītņu ventilācija			Emission is			Sound power level (Lw)		

	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	210.92				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	210.92			Day (12h)	87.40	-	-	87.40	54.82
	Area /m²	1811.87			Night (8h)	87.40	-	-	87.40	54.82
					Evening (4h)	87.40	-	-	87.40	54.82
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB			Special correction /dB	
	Lden	-		0.0	0.0	0.0		-	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h		dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	54.8	1.00	12.00000		0.00	0.0	
	Evening (4h)	4.00	Evening	54.8	1.00	4.00000		0.00	0.0	
	Night (8h)	8.00	Night	54.8	1.00	8.00000		0.00	0.0	
FQCN007	Label	A5 (1 vienība)			Action radius/m			1800.00		
	Group	Mītnu ventilācija			Emission is			Sound power level (Lw)		
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	105.77				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	105.77			Day (12h)	78.40	-	-	78.40	51.44
	Area /m²	496.49			Night (8h)	78.40	-	-	78.40	51.44
					Evening (4h)	78.40	-	-	78.40	51.44
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB			Special correction /dB	
	Lden	-		0.0	0.0	0.0		-	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h		dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	51.4	1.00	12.00000		0.00	0.0	
	Evening (4h)	4.00	Evening	51.4	1.00	4.00000		0.00	0.0	
	Night (8h)	8.00	Night	51.4	1.00	8.00000		0.00	0.0	
FQCN008	Label	Traktora darba laukums			Action radius/m			1800.00		
	Group	traktortehnika			Emission is			Sound power level (Lw)		
	Number of nodes	32			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	939.76				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	938.91			Day (12h)	107.00	-	-	107.00	59.81
	Area /m²	52377.96			Night (8h)	-99.00	-	-	-99.00	
					Evening (4h)	0.00	-	-	0.00	-47.19
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB			Special correction /dB	
	Lden	-		0.0	0.0	0.0		-	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h		dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	59.8	1.00	1.00000		-10.79	-10.8	
	Evening (4h)	4.00	Evening	-47.2	1.00	0.00000		-99.00	-	
	Night (8h)	8.00	Night	-	1.00	0.00000		-99.00	-	

Gradients and gradient correction DStg for roads										
Element	Name	Section	s /m	ds /m	Gradient /%	Gradient /%	Dstg /dB	Dstg /dB	Dstg /dB	Hint
			m	m	coord.	for calc.	Day (12h)	Night (8h)	Evening (4h)	
R96_012	Autoceļš V92**	1	0.00	5.08	3.62	3.62	0.00	0.00	0.00	
		2	5.08	4.41	3.61	3.61	0.00	0.00	0.00	
		3	9.48	3.88	1.41	1.41	0.00	0.00	0.00	
		4	13.37	7.02	4.27	4.27	0.00	0.00	0.00	
		5	20.39	6.35	4.74	4.74	0.00	0.00	0.00	
		6	26.74	10.88	3.66	3.66	0.00	0.00	0.00	
		7	37.62	10.34	5.66	5.66	0.00	0.00	0.00	
		8	47.96	10.65	3.89	3.89	0.00	0.00	0.00	
		9	58.61	11.63	0.75	0.75	0.00	0.00	0.00	
		10	70.24	17.20	5.31	5.31	0.00	0.00	0.00	
		11	87.44	16.61	6.02	6.02	0.00	0.00	0.00	
		12	104.05	12.95	0.00	0.00	0.00	0.00	0.00	
		13	117.00	9.97	0.00	0.00	0.00	0.00	0.00	
		14	126.97	9.00	0.00	0.00	0.00	0.00	0.00	
		15	135.96	13.46	6.02	6.02	0.00	0.00	0.00	
		16	149.42	24.46	4.86	4.86	0.00	0.00	0.00	
		17	173.89	49.73	2.36	2.36	0.00	0.00	0.00	
		18	223.62	27.79	-0.14	-0.14	0.00	0.00	0.00	
		19	251.42	20.41	-0.66	-0.66	0.00	0.00	0.00	
		20	271.83	11.38	-6.77	-6.77	0.00	0.00	0.00	Max.
		21	283.21	6.23	-3.67	-3.67	0.00	0.00	0.00	
		22	289.44	7.20	0.00	0.00	0.00	0.00	0.00	
		23	296.64	7.05	0.00	0.00	0.00	0.00	0.00	
		24	303.69	6.78	3.48	3.48	0.00	0.00	0.00	
		25	310.47	14.91	3.02	3.02	0.00	0.00	0.00	
		26	325.37	14.39	3.92	3.92	0.00	0.00	0.00	
R96_013	Autoceļš V92**	1	0.00	1.56	1.32	1.32	0.00	0.00	0.00	
		2	1.56	35.21	2.39	2.39	0.96	0.00	0.00	Max.
		3	36.77	27.60	1.85	1.85	0.00	0.00	0.00	
		4	64.37	15.89	2.39	2.39	0.96	0.00	0.00	
		5	80.26	17.22	0.77	0.77	0.00	0.00	0.00	
		6	97.48	11.29	6.01	6.01	0.96	0.00	0.00	
		7	108.77	6.59	4.19	4.19	0.96	0.00	0.00	
		8	115.37	7.18	3.12	3.12	0.96	0.00	0.00	
		9	122.54	5.52	2.14	2.14	0.96	0.00	0.00	

		10	128.07	4.98	2.24	2.24	0.96	0.00	0.00	
		11	133.04	6.09	2.67	2.67	0.96	0.00	0.00	
		12	139.14	9.20	3.22	3.22	0.96	0.00	0.00	
		13	148.33	19.37	0.00	0.00	0.00	0.00	0.00	
		14	167.70	17.11	0.00	0.00	0.00	0.00	0.00	
		15	184.81	9.55	0.00	0.00	0.00	0.00	0.00	
		16	194.37	13.86	0.00	0.00	0.00	0.00	0.00	
		17	208.23	15.21	0.00	0.00	0.00	0.00	0.00	
		18	223.44	17.14	0.00	0.00	0.00	0.00	0.00	
		19	240.58	10.03	0.00	0.00	0.00	0.00	0.00	
		20	250.61	7.21	0.00	0.00	0.00	0.00	0.00	
		21	257.82	5.61	0.00	0.00	0.00	0.00	0.00	
		22	263.43	18.97	0.00	0.00	0.00	0.00	0.00	
		23	282.40	31.39	-1.91	-1.91	0.00	0.00	0.00	
		24	313.79	58.21	-0.69	-0.69	0.00	0.00	0.00	
		25	372.00	14.83	0.00	0.00	0.00	0.00	0.00	
		26	386.83	13.90	-3.56	-3.56	0.00	0.00	0.00	
		27	400.73	22.67	-2.23	-2.23	0.00	0.00	0.00	
		28	423.40	27.63	-3.62	-3.62	0.00	0.00	0.00	
		29	451.03	20.88	-2.80	-2.80	0.00	0.00	0.00	
		30	471.90	15.60	-4.69	-4.69	0.00	0.00	0.00	
		31	487.51	3.20	-7.77	-7.77	0.00	0.00	0.00	
		32	490.70	4.76	-7.36	-7.36	0.00	0.00	0.00	
		33	495.46	4.91	-9.63	-9.63	0.00	0.00	0.00	
		34	500.37	13.24	-8.68	-8.68	0.00	0.00	0.00	
		35	513.61	6.66	-6.97	-6.97	0.00	0.00	0.00	
R96_014	Autoceļš V92**	1	0.00	2.49	-4.07	-4.07	0.00	0.00	0.00	
		2	2.49	32.08	-1.73	-1.73	0.00	0.00	0.00	
		3	34.57	10.59	-5.00	-5.00	0.00	0.00	0.00	
		4	45.16	19.82	-2.37	-2.37	0.00	0.00	0.00	
		5	64.99	38.28	-2.61	-2.61	0.00	0.00	0.00	
		6	103.27	11.26	-5.51	-5.51	0.00	0.00	0.00	Max.
		7	114.53	40.33	-1.42	-1.42	0.00	0.00	0.00	
		8	154.86	3.13	-3.62	-3.62	0.00	0.00	0.00	
		9	157.99	3.82	-4.39	-4.39	0.00	0.00	0.00	
		10	161.81	2.55	-5.19	-5.19	0.00	0.00	0.00	
		11	164.36	0.57	-5.19	-5.19	0.00	0.00	0.00	
R96_015	Autoceļš V92**	1	0.00	0.21	-5.93	-5.93	0.00	0.00	0.00	Max.

		2	0.21	1.36	-5.93	-5.93	0.00	0.00	0.00	
		3	1.57	2.95	-5.93	-5.93	0.00	0.00	0.00	
		4	4.52	2.67	-3.59	-3.59	0.00	0.00	0.00	
		5	7.19	23.23	-4.30	-4.30	0.00	0.00	0.00	
		6	30.42	17.84	-3.22	-3.22	0.00	0.00	0.00	
		7	48.26	27.92	-5.12	-5.12	0.00	0.00	0.00	
		8	76.18	22.49	-4.42	-4.42	0.00	0.00	0.00	
		9	98.67	25.97	-3.85	-3.85	0.00	0.00	0.00	
		10	124.64	21.76	-2.95	-2.95	0.00	0.00	0.00	
		11	146.39	18.94	-1.90	-1.90	0.00	0.00	0.00	
		12	165.33	48.54	-2.06	-2.06	0.00	0.00	0.00	
		13	213.87	48.81	0.00	0.00	0.00	0.00	0.00	
R96_016	Autoceļš V92*	1	0.00	16.48	0.00	0.00	0.00	0.00	0.00	
		2	16.48	22.35	2.54	2.54	0.00	0.00	0.00	
		3	38.83	64.06	0.67	0.67	0.00	0.00	0.00	
		4	102.89	30.38	0.00	0.00	0.00	0.00	0.00	
		5	133.27	8.50	0.00	0.00	0.00	0.00	0.00	
		6	141.76	77.01	-1.10	-1.10	0.00	0.00	0.00	
		7	218.78	28.66	-3.68	-3.68	0.00	0.00	0.00	
		8	247.43	65.43	-3.21	-3.21	0.00	0.00	0.00	
		9	312.87	86.46	3.51	3.51	0.00	0.00	0.00	
		10	399.33	17.36	5.56	5.56	0.00	0.00	0.00	
		11	416.69	21.07	4.65	4.65	0.00	0.00	0.00	
		12	437.76	20.88	4.88	4.88	0.00	0.00	0.00	
		13	458.64	37.58	2.95	2.95	0.00	0.00	0.00	
		14	496.22	14.33	2.07	2.07	0.00	0.00	0.00	
		15	510.54	39.91	1.49	1.49	0.00	0.00	0.00	
		16	550.45	32.58	0.00	0.00	0.00	0.00	0.00	
		17	583.03	3.94	0.00	0.00	0.00	0.00	0.00	
		18	586.97	4.76	0.00	0.00	0.00	0.00	0.00	
		19	591.73	2.14	0.00	0.00	0.00	0.00	0.00	
		20	593.87	24.87	0.00	0.00	0.00	0.00	0.00	
		21	618.74	26.32	-3.80	-3.80	0.00	0.00	0.00	
		22	645.06	55.60	-3.60	-3.60	0.00	0.00	0.00	
		23	700.66	41.60	-2.14	-2.14	0.00	0.00	0.00	
		24	742.25	39.54	0.58	0.58	0.00	0.00	0.00	
		25	781.80	61.41	-0.56	-0.56	0.00	0.00	0.00	
		26	843.21	7.45	-5.69	-5.69	0.00	0.00	0.00	Max.

R96_017	Autoceļš V92*	1	0.00	3.66	-6.64	-6.64	0.00	0.00	0.00	
		2	3.66	10.75	-7.04	-7.04	0.00	0.00	0.00	
		3	14.41	11.64	-8.59	-8.59	0.00	0.00	0.00	
		4	26.05	17.16	-6.67	-6.67	0.00	0.00	0.00	
		5	43.21	12.70	-6.74	-6.74	0.00	0.00	0.00	
		6	55.91	9.32	-10.73	-10.73	0.00	0.00	0.00	Max.
		7	65.22	16.27	-4.37	-4.37	0.00	0.00	0.00	
		8	81.49	7.98	-3.63	-3.63	0.00	0.00	0.00	
		9	89.47	6.37	0.00	0.00	0.00	0.00	0.00	
		10	95.84	1.69	0.00	0.00	0.00	0.00	0.00	
		11	97.53	3.46	-1.47	-1.47	0.00	0.00	0.00	
		12	100.99	11.90	-7.97	-7.97	0.00	0.00	0.00	
		13	112.90	9.35	0.00	0.00	0.00	0.00	0.00	
		14	122.25	13.83	0.00	0.00	0.00	0.00	0.00	
		15	136.08	9.07	-3.80	-3.80	0.00	0.00	0.00	
R96_018	Autoceļš A3**	1	0.00	22.92	0.00	0.00	0.00	0.00	0.00	
		2	22.92	12.96	7.72	7.72	0.00	0.00	0.00	Max.
		3	35.87	43.08	0.00	0.00	0.00	0.00	0.00	
		4	78.96	9.27	5.56	5.56	0.00	0.00	0.00	
		5	88.23	3.42	2.54	2.54	0.00	0.00	0.00	
R96_019	Autoceļš A3*	1	0.00	6.31	4.05	4.05	0.00	0.00	0.00	
		2	6.31	69.52	1.64	1.64	0.00	0.00	0.00	
		3	75.82	81.36	0.00	0.00	0.00	0.00	0.00	
		4	157.18	60.97	0.98	0.98	0.00	0.00	0.00	
		5	218.15	40.50	1.00	1.00	0.00	0.00	0.00	
		6	258.65	40.34	0.00	0.00	0.00	0.00	0.00	
		7	298.99	1.93	0.00	0.00	0.00	0.00	0.00	
		8	300.92	60.13	1.66	1.66	0.00	0.00	0.00	
		9	361.04	86.67	2.31	2.31	0.00	0.00	0.00	
		10	447.72	7.95	0.00	0.00	0.00	0.00	0.00	
		11	455.66	50.83	1.97	1.97	0.00	0.00	0.00	
		12	506.49	37.13	2.69	2.69	0.00	0.00	0.00	
		13	543.62	72.38	2.17	2.17	0.00	0.00	0.00	
		14	616.00	9.08	4.75	4.75	0.00	0.00	0.00	
		15	625.08	32.61	1.16	1.16	0.00	0.00	0.00	
		16	657.69	18.20	3.42	3.42	0.00	0.00	0.00	
		17	675.89	14.48	0.95	0.95	0.00	0.00	0.00	
		18	690.37	41.94	2.06	2.06	0.00	0.00	0.00	

		19	732.32	23.73	0.00	0.00	0.00	0.00	0.00	
		20	756.05	14.57	6.86	6.86	0.00	0.00	0.00	Max.
		21	770.62	4.75	-0.37	-0.37	0.00	0.00	0.00	
		22	775.37	21.50	0.08	0.08	0.00	0.00	0.00	
		23	796.87	23.19	0.00	0.00	0.00	0.00	0.00	
		24	820.06	33.43	0.00	0.00	0.00	0.00	0.00	
		25	853.49	31.27	1.51	1.51	0.00	0.00	0.00	
		26	884.75	26.93	1.96	1.96	0.00	0.00	0.00	
		27	911.69	20.87	0.00	0.00	0.00	0.00	0.00	
R96_028	Celji_komplekss_esoša	1	0.00	16.45	-3.98	-3.98	0.00	0.00	0.00	Max.
		2	16.45	11.81	0.00	0.00	0.00	0.00	0.00	
		3	28.26	9.60	-2.35	-2.35	0.00	0.00	0.00	
		4	37.86	28.89	-2.33	-2.33	0.00	0.00	0.00	
		5	66.75	9.88	-1.03	-1.03	0.00	0.00	0.00	
		6	76.63	23.20	-1.66	-1.66	0.00	0.00	0.00	
		7	99.83	14.92	1.72	1.72	0.00	0.00	0.00	
R96_029	Celji_komplekss_esoša	1	0.00	8.14	0.00	0.00	0.00	0.00	0.00	
		2	8.14	21.36	0.00	0.00	0.00	0.00	0.00	
		3	29.50	14.65	0.00	0.00	0.00	0.00	0.00	
		4	44.15	37.73	0.71	0.71	0.00	0.00	0.00	
		5	81.89	18.19	3.04	3.04	0.97	0.00	0.00	Max.
		6	100.08	20.56	0.88	0.88	0.00	0.00	0.00	
		7	120.64	25.35	3.94	3.94	0.97	0.00	0.00	
		8	146.00	24.98	0.88	0.88	0.00	0.00	0.00	
		9	170.98	11.81	3.67	3.67	0.97	0.00	0.00	
		10	182.79	1.66	4.08	4.08	0.97	0.00	0.00	

*1): The gradient for the calculation has been entered directly.

Rating periods				
T1	Day (12h)			
T2	Evening (4h)			
T3	Night (8h)			
T4	DEN			

KOMPLEKSS PLĀNOTA DARBĪBA

Road /XP S 31-133 (10)					Rukas_komplekss_plānota		
R96_020	Label	Autoceļš V92***		Action radius/m	1800.00		
	Group	Ceļi_ferma_plānota		Emi. variant	Emission		
	Number of nodes	27			dB(A)		
	Length/ m	339.99		Day (12h)	38.69		
	Length/ m (2D)	339.77		Night (8h)	-99.00		
	Area /m²	---		Evening (4h)	-99.00		
				Max gradient % (z-coord.)	-6.77		
				Driving direction	2 direct./driving on the right		
				Dist.:centreline lane - road /m	2.00		
				Road surface	Asphalt (obsolete)		
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	Leq /dB(A)
	Day (12h)	Continuous flow		0.00	0.25	90.00	38.69
	Night (8h)	Continuous flow		0.00	0.00	90.00	-99.00
	Evening (4h)	Continuous flow		0.00	0.00	90.00	-99.00
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden		-	0.0	0.0	0.0	-
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	Lw'r /dB(A)
	Day (12h)	12.00	Day	58.7	1.00	12.00000	0.0
	Evening (4h)	4.00	Evening	-79.0	1.00	4.00000	0.0
	Night (8h)	8.00	Night	-79.0	1.00	8.00000	0.0
R96_021	Label	Autoceļš V92***		Action radius/m	1800.00		
	Group	Ceļi_ferma_plānota		Emi. variant	Emission		
	Number of nodes	36			dB(A)		
	Length/ m	520.51		Day (12h)	36.67		
	Length/ m (2D)	520.28		Night (8h)	-99.00		
	Area /m²	---		Evening (4h)	-99.00		
				Max gradient % (z-coord.)	-9.63		
				Driving direction	2 direct./driving on the right		
				Dist.:centreline lane - road /m	2.00		
				Road surface	Asphalt (obsolete)		
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	Leq /dB(A)
	Day (12h)	Continuous flow		0.00	0.25	50.00	36.67
	Night (8h)	Continuous flow		0.00	0.00	50.00	-99.00

	Evening (4h)	Continuous flow		0.00	0.00	50.00	50.00	-99.00
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden			0.0	0.0	0.0	-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	56.7	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	-79.0	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	-79.0	1.00	8.00000	0.00	0.0
R96_022	Label	Autoceļš V92***			Action radius/m		1800.00	
	Group	Ceļi_ferma_plānota			Emi. variant		Emission	
	Number of nodes	12					dB(A)	
	Length/ m	165.00			Day (12h)		37.27	
	Length/ m (2D)	164.93			Night (8h)		-99.00	
	Area /m²	---			Evening (4h)		-99.00	
					Max gradient % (z-coord.)		-5.51	
					Driving direction		2 direct./driving on the right	
					Dist.:centreline lane - road /m		2.00	
					Road surface		Asphalt (obsolete)	
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow		0.00	0.18	90.00	90.00	37.27
	Night (8h)	Continuous flow		0.00	0.00	90.00	90.00	-99.00
	Evening (4h)	Continuous flow		0.00	0.00	90.00	90.00	-99.00
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden			0.0	0.0	0.0	-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	57.3	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	-79.0	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	-79.0	1.00	8.00000	0.00	0.0
R96_023	Label	Autoceļš V92***			Action radius/m		1800.00	
	Group	Ceļi_ferma_plānota			Emi. variant		Emission	
	Number of nodes	14					dB(A)	
	Length/ m	262.82			Day (12h)		39.28	
	Length/ m (2D)	262.68			Night (8h)		-99.00	
	Area /m²	---			Evening (4h)		-99.00	
					Max gradient % (z-coord.)		-5.93	
					Driving direction		2 direct./driving on the right	
					Dist.:centreline lane - road /m		2.00	
					Road surface		Smooth texture paving stones	
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)

	Day (12h)	Continuous flow			0.00	0.18	80.00	80.00	39.28
	Night (8h)	Continuous flow			0.00	0.00	80.00	80.00	-99.00
	Evening (4h)	Continuous flow			0.00	0.00	80.00	80.00	-99.00
	Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden				- 0.0	0.0	0.0	-	0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)		12.00	Day	59.3	1.00	12.00000	0.00	0.0
	Evening (4h)		4.00	Evening	-79.0	1.00	4.00000	0.00	0.0
	Night (8h)		8.00	Night	-79.0	1.00	8.00000	0.00	0.0
R96_024	Label		Autoceļš V92**			Action radius/m		1800.00	
	Group		Ceļi_ferma_plānota			Emi. variant		Emission	
	Number of nodes		27					dB(A)	
	Length/ m		850.96			Day (12h)		33.71	
	Length/ m (2D)		850.66			Night (8h)		-99.00	
	Area /m²		---			Evening (4h)		-99.00	
						Max gradient % (z-coord.)		-5.69	
						Driving direction		2 direct./driving on the right	
						Dist.:centreline lane - road /m		2.00	
						Road surface		Smooth texture paving stones	
	Emiss. variant	Traffic flow			Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow			0.00	0.05	80.00	80.00	33.71
	Night (8h)	Continuous flow			0.00	0.00	80.00	80.00	-99.00
	Evening (4h)	Continuous flow			0.00	0.00	80.00	80.00	-99.00
	Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden				- 0.0	0.0	0.0	-	0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)		12.00	Day	53.7	1.00	12.00000	0.00	0.0
	Evening (4h)		4.00	Evening	-79.0	1.00	4.00000	0.00	0.0
	Night (8h)		8.00	Night	-79.0	1.00	8.00000	0.00	0.0
R96_025	Label		Autoceļš V92**			Action radius/m		1800.00	
	Group		Ceļi_ferma_plānota			Emi. variant		Emission	
	Number of nodes		16					dB(A)	
	Length/ m		145.42			Day (12h)		38.69	
	Length/ m (2D)		145.16			Night (8h)		-99.00	
	Area /m²		---			Evening (4h)		-99.00	
						Max gradient % (z-coord.)		-10.73	
						Driving direction		2 direct./driving on the right	
						Dist.:centreline lane - road /m		2.00	

					Road surface			Asphalt (obsolete)	
	Emiss. variant	Traffic flow		Q car /vehic/h		Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow		0.00		0.25	90.00	90.00	38.69
	Night (8h)	Continuous flow		0.00		0.00	90.00	90.00	-99.00
	Evening (4h)	Continuous flow		0.00		0.00	90.00	90.00	-99.00
	Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden				- 0.0	0.0	0.0	-	0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)		12.00	Day	58.7	1.00	12.00000	0.00	0.0
	Evening (4h)		4.00	Evening	-79.0	1.00	4.00000	0.00	0.0
	Night (8h)		8.00	Night	-79.0	1.00	8.00000	0.00	0.0
R96_026	Label		Autoceļš A3***			Action radius/m			1800.00
	Group		Ceļi_ferma_plānota			Emi. variant			Emission
	Number of nodes		6						dB(A)
	Length/ m		91.70			Day (12h)			38.14
	Length/ m (2D)		91.65			Night (8h)			-99.00
	Area /m²		---			Evening (4h)			-99.00
						Max gradient % (z-coord.)			7.72
						Driving direction			2 direct./driving on the right
						Dist.:centreline lane - road /m			2.00
						Road surface			Asphalt (obsolete)
	Emiss. variant	Traffic flow		Q car /vehic/h		Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow		0.00		0.22	90.00	90.00	38.14
	Night (8h)	Continuous flow		0.00		0.00	90.00	90.00	-99.00
	Evening (4h)	Continuous flow		0.00		0.00	90.00	90.00	-99.00
	Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden				- 0.0	0.0	0.0	-	0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)		12.00	Day	58.1	1.00	12.00000	0.00	0.0
	Evening (4h)		4.00	Evening	-79.0	1.00	4.00000	0.00	0.0
	Night (8h)		8.00	Night	-79.0	1.00	8.00000	0.00	0.0
R96_027	Label		Autoceļš A3**			Action radius/m			1800.00
	Group		Ceļi_ferma_plānota			Emi. variant			Emission
	Number of nodes		28						dB(A)
	Length/ m		932.72			Day (12h)			27.72
	Length/ m (2D)		932.55			Night (8h)			-99.00
	Area /m²		---			Evening (4h)			-99.00
						Max gradient % (z-coord.)			6.86

				Driving direction			2 direct./driving on the right		
				Dist.:centreline lane - road /m			2.00		
				Road surface			Asphalt (obsolete)		
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
	Day (12h)	Continuous flow		0.00	0.02	90.00	90.00	27.72	
	Night (8h)	Continuous flow		0.00	0.00	90.00	90.00	-99.00	
	Evening (4h)	Continuous flow		0.00	0.00	90.00	90.00	-99.00	
	Rating method		Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
	Lden		-	0.0	0.0	0.0	-	0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)		12.00	Day	47.7	1.00	12.00000	0.00	0.0
	Evening (4h)		4.00	Evening	-79.0	1.00	4.00000	0.00	0.0
	Night (8h)		8.00	Night	-79.0	1.00	8.00000	0.00	0.0
R96_030	Label		Ceļi_komplekss_plānota			Action radius/m		1800.00	
	Group		Ceļi_ferma_plānota			Emi. variant		Emission	
	Number of nodes		8					dB(A)	
	Length/ m		114.82			Day (12h)		35.73	
	Length/ m (2D)		114.79			Night (8h)		-99.00	
	Area /m²		---			Evening (4h)		-99.00	
						Max gradient % (z-coord.)		-3.98	
						Driving direction		2 direct./driving on the right	
						Dist.:centreline lane - road /m		1.00	
						Road surface		Asphalt (obsolete)	
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
	Day (12h)	Continuous flow		0.00	0.16	40.00	40.00	35.73	
	Night (8h)	Continuous flow		0.00	0.00	50.00	50.00	-99.00	
	Evening (4h)	Continuous flow		0.00	0.00	50.00	50.00	-99.00	
	Rating method		Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
	Lden		-	0.0	0.0	0.0	-	0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)		12.00	Day	55.7	1.00	0.00098	-40.88	-40.9
	Evening (4h)		4.00	Evening	-79.0	1.00	0.00000	-99.00	-
	Night (8h)		8.00	Night	-79.0	1.00	0.00000	-99.00	-
R96_031	Label		Ceļi_komplekss_plānota			Action radius/m		1800.00	
	Group		Ceļi_ferma_plānota			Emi. variant		Emission	
	Number of nodes		11					dB(A)	
	Length/ m		184.35			Day (12h)		34.83	
	Length/ m (2D)		184.31			Night (8h)		-99.00	

	Area /m²		---		Evening (4h)		-99.00		
					Max gradient % (z-coord.)		4.08		
					Driving direction		2 direct./driving on the right		
					Dist.:centreline lane - road /m		1.00		
					Road surface		Asphalt (obsolete)		
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v car /km/h	v HGV /km/h	Leq /dB(A)	
	Day (12h)	Continuous flow		0.00	0.13	40.00	40.00	34.83	
	Night (8h)	Continuous flow		0.00	0.00	50.00	50.00	-99.00	
	Evening (4h)	Continuous flow		0.00	0.00	50.00	50.00	-99.00	
	Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB	
	Lden		-		0.0	0.0	0.0	0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)		12.00	Day	54.8	1.00	0.00169	-38.51	-38.5
	Evening (4h)		4.00	Evening	-79.0	1.00	0.00000	-99.00	-
	Night (8h)		8.00	Night	-79.0	1.00	0.00000	-99.00	-

Line source /CNOSSOS (8)										Rukas_komplekss_plānota	
LQCN009	Label	Ceļi_komplekss_plānota			Action radius/m			1800.00			
	Group	Ceļi_ferma_plānota			Emission is			Sound power level (Lw)			
	Number of nodes	11			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw'	
	Length/ m	73.29				dB(A)	dB	dB	dB(A)	dB(A)	
	Length/ m (2D)	73.21			Day (12h)	103.80	-	-	103.80	85.15	
	Area /m²	---			Night (8h)	-99.00	-	-	-99.00		
					Evening (4h)	-99.00	-	-	-99.00		
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB		
	Lden	-		0.0	0.0		0.0		-		
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times		Impact time /h	dLi /dB	Lw'r /dB(A)		
	Day (12h)	12.00	Day	85.1	1.00		0.00169	-38.51	-38.5		
	Evening (4h)	4.00	Evening	-	1.00		0.00000	-99.00	-		
	Night (8h)	8.00	Night	-	1.00		0.00000	-99.00	-		
LQCN010	Label	Ceļi_komplekss_plānota			Action radius/m			1800.00			
	Group	Ceļi_ferma_plānota			Emission is			Sound power level (Lw)			
	Number of nodes	24			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw'	
	Length/ m	81.14				dB(A)	dB	dB	dB(A)	dB(A)	
	Length/ m (2D)	81.13			Day (12h)	103.80	-	-	103.80	84.71	
	Area /m²	---			Night (8h)	-99.00	-	-	-99.00		
					Evening (4h)	-99.00	-	-	-99.00		
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB		

	Lden	-		0.0	0.0	0.0	-	0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)		
	Day (12h)	12.00	Day	84.7	1.00	0.00027	-46.48	-46.5		
	Evening (4h)	4.00	Evening	-	1.00	0.00000	-99.00	-		
	Night (8h)	8.00	Night	-	1.00	0.00000	-99.00	-		
LQCN011	Label	Ceļi_komplekss_plānota			Action radius/m			1800.00		
	Group	Ceļi_ferma_plānota			Emission is			Sound power level (Lw)		
	Number of nodes	14			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw'
	Length/ m	133.09				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	132.97			Day (12h)	103.80	-	-	103.80	82.56
	Area /m²	---			Night (8h)	-99.00	-	-	-99.00	
					Evening (4h)	-99.00	-	-	-99.00	
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB		
	Lden	-		0.0	0.0	0.0		0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)		
	Day (12h)	12.00	Day	82.6	1.00	0.00078	-41.87	-41.9		
	Evening (4h)	4.00	Evening	-	1.00	4.00000	0.00	0.0		
	Night (8h)	8.00	Night	-	1.00	8.00000	0.00	0.0		
LQCN012	Label	Ceļi_komplekss_plānota			Action radius/m			1800.00		
	Group	Ceļi_ferma_plānota			Emission is			Sound power level (Lw)		
	Number of nodes	3			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw'
	Length/ m	4.92				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	4.91			Day (12h)	103.80	-	-	103.80	96.88
	Area /m²	---			Night (8h)	-99.00	-	-	-99.00	
					Evening (4h)	-99.00	-	-	-99.00	
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB		
	Lden	-		0.0	0.0	0.0		0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)		
	Day (12h)	12.00	Day	96.9	1.00	0.00098	-40.88	-40.9		
	Evening (4h)	4.00	Evening	-	1.00	0.00000	-99.00	-		
	Night (8h)	8.00	Night	-	1.00	0.00000	-99.00	-		
LQCN013	Label	Ceļi_komplekss_plānota			Action radius/m			1800.00		
	Group	Ceļi_ferma_plānota			Emission is			Sound power level (Lw)		
	Number of nodes	21			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw'
	Length/ m	191.50				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	191.49			Day (12h)	103.80	-	-	103.80	80.98
	Area /m²	---			Night (8h)	-99.00	-	-	-99.00	
					Evening (4h)	-99.00	-	-	-99.00	

	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB		
	Lden	-		0.0	0.0	0.0	-	0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)		
	Day (12h)	12.00	Day	81.0	1.00	0.00133	-39.55	-39.6		
	Evening (4h)	4.00	Evening	-	1.00	4.00000	0.00	0.0		
	Night (8h)	8.00	Night	-	1.00	8.00000	0.00	0.0		
LQCN014	Label	Ceļi_komplekss_plānota			Action radius/m		1800.0			
	Group	Ceļi_ferma_plānota			Emission is		Sound power level (Lw)			
	Number of nodes	10			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw'
	Length/ m	51.70				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	51.65			Day (12h)	103.80	-	-	103.80	86.66
	Area /m²	---			Night (8h)	-99.00	-	-	-99.00	
					Evening (4h)	-99.00	-	-	-99.00	
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB		
	Lden	-		0.0	0.0	0.0	-	0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)		
	Day (12h)	12.00	Day	86.7	1.00	0.00030	-46.02	-46.0		
	Evening (4h)	4.00	Evening	-	1.00	4.00000	0.00	0.0		
	Night (8h)	8.00	Night	-	1.00	8.00000	0.00	0.0		
LQCN015	Label	Ceļi_komplekss_plānota			Action radius/m		1800.00			
	Group	Ceļi_ferma_plānota			Emission is		Sound power level (Lw)			
	Number of nodes	4			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw'
	Length/ m	38.19				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	38.19			Day (12h)	103.80	-	-	103.80	87.98
	Area /m²	---			Night (8h)	-99.00	-	-	-99.00	
					Evening (4h)	-99.00	-	-	-99.00	
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB		
	Lden	-		0.0	0.0	0.0	-	0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)		
	Day (12h)	12.00	Day	88.0	1.00	0.00004	-54.77	-54.8		
	Evening (4h)	4.00	Evening	-	1.00	4.00000	0.00	0.0		
	Night (8h)	8.00	Night	-	1.00	8.00000	0.00	0.0		
LQCN016	Label	Ceļi_komplekss_plānota			Action radius/m		1800.00			
	Group	Ceļi_ferma_plānota			Emission is		Sound power level (Lw)			
	Number of nodes	22			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw'
	Length/ m	175.91				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	175.67			Day (12h)	103.80	-	-	103.80	81.35
	Area /m²	---			Night (8h)	-99.00	-	-	-99.00	

				Evening (4h)	-99.00	-	-	-99.00	
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB			Special correction /dB	
	Lden	-	0.0	0.0	0.0	-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)	
	Day (12h)	12.00	Day	81.3	1.00	0.00022	-47.37	-47.4	
	Evening (4h)	4.00	Evening	-	1.00	4.00000	0.00	0.0	
	Night (8h)	8.00	Night	-	1.00	8.00000	0.00	0.0	

Area source /CNOSSOS (8)										Rukas_komplekss_planota		
FQCN001	Label		A4 (8 vienības)			Action radius/m			1800.00			
	Group		Mītņu ventilācija			Emission is			Sound power level (Lw)			
	Number of nodes		7			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"	
	Length/ m		340.65				dB(A)	dB	dB	dB(A)	dB(A)	
	Length/ m (2D)		340.65			Day (12h)	87.40	-	-	87.40	52.70	
	Area /m²		2951.65			Night (8h)	87.40	-	-	87.40	52.70	
						Evening (4h)	87.40	-	-	87.40	52.70	
	Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB		
	Lden				- 0.0	0.0		0.0		-	0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw" /dB(A)	n times		Impact time /h		dLi /dB	Lw"r /dB(A)	
	Day (12h)		12.00	Day	52.7	1.00		12.00000		0.00	0.0	
	Evening (4h)		4.00	Evening	52.7	1.00		4.00000		0.00	0.0	
	Night (8h)		8.00	Night	52.7	1.00		8.00000		0.00	0.0	
FQCN002	Label		A9 (7 vienības)			Action radius/m			1800.00			
	Group		Mītņu ventilācija			Emission is			Sound power level (Lw)			
	Number of nodes		5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"	
	Length/ m		221.22				dB(A)	dB	dB	dB(A)	dB(A)	
	Length/ m (2D)		221.22			Day (12h)	86.90	-	-	86.90	54.27	
	Area /m²		1832.10			Night (8h)	86.90	-	-	86.90	54.27	
						Evening (4h)	86.90	-	-	86.90	54.27	
	Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB		
	Lden				- 0.0	0.0		0.0		-	0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw" /dB(A)	n times		Impact time /h		dLi /dB	Lw"r /dB(A)	
	Day (12h)		12.00	Day	54.3	1.00		12.00000		0.00	0.0	
	Evening (4h)		4.00	Evening	54.3	1.00		4.00000		0.00	0.0	
	Night (8h)		8.00	Night	54.3	1.00		8.00000		0.00	0.0	
FQCN003	Label		A11 (5 vienības)			Action radius/m			1800.00			
	Group		Mītņu ventilācija			Emission is			Sound power level (Lw)			
	Number of nodes		5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"	

	Length/ m	183.38				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	183.37			Day (12h)	85.40	-	-	85.40	53.84
	Area /m²	1433.72			Night (8h)	85.40	-	-	85.40	53.84
					Evening (4h)	85.40	-	-	85.40	53.84
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB			Special correction /dB	
	Lden	-		0.0	0.0	0.0		-	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h		dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	53.8	1.00	12.00000		0.00	0.0	
	Evening (4h)	4.00	Evening	53.8	1.00	4.00000		0.00	0.0	
	Night (8h)	8.00	Night	53.8	1.00	8.00000		0.00	0.0	
FQCN004	Label	A8 (8 vienības)			Action radius/m			1800.00		
	Group	Mītņu ventilācija			Emission is			Sound power level (Lw)		
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	208.63				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	208.61			Day (12h)	87.40	-	-	87.40	54.99
	Area /m²	1742.05			Night (8h)	87.40	-	-	87.40	54.99
					Evening (4h)	87.40	-	-	87.40	54.99
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB			Special correction /dB	
	Lden	-		0.0	0.0	0.0		-	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h		dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	55.0	1.00	12.00000		0.00	0.0	
	Evening (4h)	4.00	Evening	55.0	1.00	4.00000		0.00	0.0	
	Night (8h)	8.00	Night	55.0	1.00	8.00000		0.00	0.0	
FQCN005	Label	A7 (14 vienības)			Action radius/m			1800.00		
	Group	Mītņu ventilācija			Emission is			Sound power level (Lw)		
	Number of nodes	5			Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	211.38				dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	211.38			Day (12h)	89.90	-	-	89.90	57.52
	Area /m²	1728.64			Night (8h)	89.90	-	-	89.90	57.52
					Evening (4h)	89.90	-	-	89.90	57.52
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB			Special correction /dB	
	Lden	-		0.0	0.0	0.0		-	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h		dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	57.5	1.00	12.00000		0.00	0.0	
	Evening (4h)	4.00	Evening	57.5	1.00	4.00000		0.00	0.0	
	Night (8h)	8.00	Night	57.5	1.00	8.00000		0.00	0.0	
FQCN006	Label	A6 (8 vienības)			Action radius/m			1800.00		
	Group	Mītņu ventilācija			Emission is			Sound power level (Lw)		

	Number of nodes	5		Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	210.92			dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	210.92		Day (12h)	87.40	-	-	87.40	54.82
	Area /m²	1811.87		Night (8h)	87.40	-	-	87.40	54.82
				Evening (4h)	87.40	-	-	87.40	54.82
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
	Lden	-		0.0	0.0	0.0		-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h	dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	54.8	1.00	12.00000	0.00	0.0	
	Evening (4h)	4.00	Evening	54.8	1.00	4.00000	0.00	0.0	
	Night (8h)	8.00	Night	54.8	1.00	8.00000	0.00	0.0	
FQCN007	Label	A5 (1 vienība)			Action radius/m			1800.00	
	Group	Mītņu ventilācija			Emission is			Sound power level (Lw)	
	Number of nodes	5		Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	105.77			dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	105.77		Day (12h)	78.40	-	-	78.40	51.44
	Area /m²	496.49		Night (8h)	78.40	-	-	78.40	51.44
				Evening (4h)	78.40	-	-	78.40	51.44
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
	Lden	-		0.0	0.0	0.0		-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h	dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	51.4	1.00	12.00000	0.00	0.0	
	Evening (4h)	4.00	Evening	51.4	1.00	4.00000	0.00	0.0	
	Night (8h)	8.00	Night	51.4	1.00	8.00000	0.00	0.0	
FQCN008	Label	Traktora darba laukums			Action radius/m			1800.00	
	Group	traktortehnika			Emission is			Sound power level (Lw)	
	Number of nodes	32		Emi. variant	Emission	Sound insul.	Correction	Lw	Lw"
	Length/ m	939.76			dB(A)	dB	dB	dB(A)	dB(A)
	Length/ m (2D)	938.91		Day (12h)	107.00	-	-	107.00	59.81
	Area /m²	52377.96		Night (8h)	-99.00	-	-	-99.00	
				Evening (4h)	0.00	-	-	0.00	-47.19
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
	Lden	-		0.0	0.0	0.0		-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw" /dB(A)	n times	Impact time /h	dLi /dB	Lw"r /dB(A)	
	Day (12h)	12.00	Day	59.8	1.00	1.00000	-10.79	-10.8	
	Evening (4h)	4.00	Evening	-47.2	1.00	0.00000	-99.00	-	
	Night (8h)	8.00	Night	-	1.00	0.00000	-99.00	-	

Gradients and gradient correction DStg for roads										
Element	Name	Section	s /m	ds /m	Gradient /%	Gradient /%	Dstg /dB	Dstg /dB	Dstg /dB	Hint
			m	m	coord.	for calc.	Day (12h)	Night (8h)	Evening (4h)	
R96_020	Autoceļš V92***	1	0.00	5.08	3.62	3.62	0.00	0.00	0.00	
		2	5.08	4.41	3.61	3.61	0.00	0.00	0.00	
		3	9.48	3.88	1.41	1.41	0.00	0.00	0.00	
		4	13.37	7.02	4.27	4.27	0.00	0.00	0.00	
		5	20.39	6.35	4.74	4.74	0.00	0.00	0.00	
		6	26.74	10.88	3.66	3.66	0.00	0.00	0.00	
		7	37.62	10.34	5.66	5.66	0.00	0.00	0.00	
		8	47.96	10.65	3.89	3.89	0.00	0.00	0.00	
		9	58.61	11.63	0.75	0.75	0.00	0.00	0.00	
		10	70.24	17.20	5.31	5.31	0.00	0.00	0.00	
		11	87.44	16.61	6.02	6.02	0.00	0.00	0.00	
		12	104.05	12.95	0.00	0.00	0.00	0.00	0.00	
		13	117.00	9.97	0.00	0.00	0.00	0.00	0.00	
		14	126.97	9.00	0.00	0.00	0.00	0.00	0.00	
		15	135.96	13.46	6.02	6.02	0.00	0.00	0.00	
		16	149.42	24.46	4.86	4.86	0.00	0.00	0.00	
		17	173.89	49.73	2.36	2.36	0.00	0.00	0.00	
		18	223.62	27.79	-0.14	-0.14	0.00	0.00	0.00	
		19	251.42	20.41	-0.66	-0.66	0.00	0.00	0.00	
		20	271.83	11.38	-6.77	-6.77	0.00	0.00	0.00	Max.
		21	283.21	6.23	-3.67	-3.67	0.00	0.00	0.00	
		22	289.44	7.20	0.00	0.00	0.00	0.00	0.00	
		23	296.64	7.05	0.00	0.00	0.00	0.00	0.00	
		24	303.69	6.78	3.48	3.48	0.00	0.00	0.00	
		25	310.47	14.91	3.02	3.02	0.00	0.00	0.00	
		26	325.37	14.39	3.92	3.92	0.00	0.00	0.00	
R96_021	Autoceļš V92***	1	0.00	1.56	1.32	1.32	0.00	0.00	0.00	
		2	1.56	35.21	2.39	2.39	0.96	0.00	0.00	Max.
		3	36.77	27.60	1.85	1.85	0.00	0.00	0.00	
		4	64.37	15.89	2.39	2.39	0.96	0.00	0.00	
		5	80.26	17.22	0.77	0.77	0.00	0.00	0.00	
		6	97.48	11.29	6.01	6.01	0.96	0.00	0.00	
		7	108.77	6.59	4.19	4.19	0.96	0.00	0.00	
		8	115.37	7.18	3.12	3.12	0.96	0.00	0.00	
		9	122.54	5.52	2.14	2.14	0.96	0.00	0.00	

		10	128.07	4.98	2.24	2.24	0.96	0.00	0.00	
		11	133.04	6.09	2.67	2.67	0.96	0.00	0.00	
		12	139.14	9.20	3.22	3.22	0.96	0.00	0.00	
		13	148.33	19.37	0.00	0.00	0.00	0.00	0.00	
		14	167.70	17.11	0.00	0.00	0.00	0.00	0.00	
		15	184.81	9.55	0.00	0.00	0.00	0.00	0.00	
		16	194.37	13.86	0.00	0.00	0.00	0.00	0.00	
		17	208.23	15.21	0.00	0.00	0.00	0.00	0.00	
		18	223.44	17.14	0.00	0.00	0.00	0.00	0.00	
		19	240.58	10.03	0.00	0.00	0.00	0.00	0.00	
		20	250.61	7.21	0.00	0.00	0.00	0.00	0.00	
		21	257.82	5.61	0.00	0.00	0.00	0.00	0.00	
		22	263.43	18.97	0.00	0.00	0.00	0.00	0.00	
		23	282.40	31.39	-1.91	-1.91	0.00	0.00	0.00	
		24	313.79	58.21	-0.69	-0.69	0.00	0.00	0.00	
		25	372.00	14.83	0.00	0.00	0.00	0.00	0.00	
		26	386.83	13.90	-3.56	-3.56	0.00	0.00	0.00	
		27	400.73	22.67	-2.23	-2.23	0.00	0.00	0.00	
		28	423.40	27.63	-3.62	-3.62	0.00	0.00	0.00	
		29	451.03	20.88	-2.80	-2.80	0.00	0.00	0.00	
		30	471.90	15.60	-4.69	-4.69	0.00	0.00	0.00	
		31	487.51	3.20	-7.77	-7.77	0.00	0.00	0.00	
		32	490.70	4.76	-7.36	-7.36	0.00	0.00	0.00	
		33	495.46	4.91	-9.63	-9.63	0.00	0.00	0.00	
		34	500.37	13.24	-8.68	-8.68	0.00	0.00	0.00	
		35	513.61	6.66	-6.97	-6.97	0.00	0.00	0.00	
R96_022	Autoceļš V92***	1	0.00	2.49	-4.07	-4.07	0.00	0.00	0.00	
		2	2.49	32.08	-1.73	-1.73	0.00	0.00	0.00	
		3	34.57	10.59	-5.00	-5.00	0.00	0.00	0.00	
		4	45.16	19.82	-2.37	-2.37	0.00	0.00	0.00	
		5	64.99	38.28	-2.61	-2.61	0.00	0.00	0.00	
		6	103.27	11.26	-5.51	-5.51	0.00	0.00	0.00	Max.
		7	114.53	40.33	-1.42	-1.42	0.00	0.00	0.00	
		8	154.86	3.13	-3.62	-3.62	0.00	0.00	0.00	
		9	157.99	2.87	-4.13	-4.13	0.00	0.00	0.00	
		10	160.85	3.22	-5.19	-5.19	0.00	0.00	0.00	
		11	164.07	0.86	-5.19	-5.19	0.00	0.00	0.00	
R96_023	Autoceļš V92***	1	0.00	0.37	-5.93	-5.93	0.00	0.00	0.00	

		2	0.37	1.92	-5.93	-5.93	0.00	0.00	0.00	
		3	2.29	2.18	-5.93	-5.93	0.00	0.00	0.00	Max.
		4	4.48	2.72	-3.62	-3.62	0.00	0.00	0.00	
		5	7.19	23.23	-4.30	-4.30	0.00	0.00	0.00	
		6	30.42	17.84	-3.22	-3.22	0.00	0.00	0.00	
		7	48.26	27.92	-5.12	-5.12	0.00	0.00	0.00	
		8	76.18	22.49	-4.42	-4.42	0.00	0.00	0.00	
		9	98.67	25.97	-3.85	-3.85	0.00	0.00	0.00	
		10	124.64	21.76	-2.95	-2.95	0.00	0.00	0.00	
		11	146.39	18.94	-1.90	-1.90	0.00	0.00	0.00	
		12	165.33	48.54	-2.06	-2.06	0.00	0.00	0.00	
		13	213.87	48.81	0.00	0.00	0.00	0.00	0.00	
R96_024	Autoceļš V92**	1	0.00	16.48	0.00	0.00	0.00	0.00	0.00	
		2	16.48	22.35	2.54	2.54	0.00	0.00	0.00	
		3	38.83	64.06	0.67	0.67	0.00	0.00	0.00	
		4	102.89	30.38	0.00	0.00	0.00	0.00	0.00	
		5	133.27	8.50	0.00	0.00	0.00	0.00	0.00	
		6	141.76	77.01	-1.10	-1.10	0.00	0.00	0.00	
		7	218.78	28.66	-3.68	-3.68	0.00	0.00	0.00	
		8	247.43	65.43	-3.21	-3.21	0.00	0.00	0.00	
		9	312.87	86.46	3.51	3.51	0.00	0.00	0.00	
		10	399.33	17.36	5.56	5.56	0.00	0.00	0.00	
		11	416.69	21.07	4.65	4.65	0.00	0.00	0.00	
		12	437.76	20.88	4.88	4.88	0.00	0.00	0.00	
		13	458.64	37.58	2.95	2.95	0.00	0.00	0.00	
		14	496.22	14.33	2.07	2.07	0.00	0.00	0.00	
		15	510.54	39.91	1.49	1.49	0.00	0.00	0.00	
		16	550.45	32.58	0.00	0.00	0.00	0.00	0.00	
		17	583.03	3.94	0.00	0.00	0.00	0.00	0.00	
		18	586.97	4.76	0.00	0.00	0.00	0.00	0.00	
		19	591.73	2.14	0.00	0.00	0.00	0.00	0.00	
		20	593.87	24.87	0.00	0.00	0.00	0.00	0.00	
		21	618.74	26.32	-3.80	-3.80	0.00	0.00	0.00	
		22	645.06	55.60	-3.60	-3.60	0.00	0.00	0.00	
		23	700.66	41.60	-2.14	-2.14	0.00	0.00	0.00	
		24	742.25	39.54	0.58	0.58	0.00	0.00	0.00	
		25	781.80	61.41	-0.56	-0.56	0.00	0.00	0.00	
		26	843.21	7.45	-5.69	-5.69	0.00	0.00	0.00	Max.

R96_025	Autoceļš V92**	1	0.00	3.66	-6.64	-6.64	0.00	0.00	0.00	
		2	3.66	10.75	-7.04	-7.04	0.00	0.00	0.00	
		3	14.41	11.64	-8.59	-8.59	0.00	0.00	0.00	
		4	26.05	17.16	-6.67	-6.67	0.00	0.00	0.00	
		5	43.21	12.70	-6.74	-6.74	0.00	0.00	0.00	
		6	55.91	9.32	-10.73	-10.73	0.00	0.00	0.00	Max.
		7	65.22	16.27	-4.37	-4.37	0.00	0.00	0.00	
		8	81.49	7.98	-3.63	-3.63	0.00	0.00	0.00	
		9	89.47	6.37	0.00	0.00	0.00	0.00	0.00	
		10	95.84	1.69	0.00	0.00	0.00	0.00	0.00	
		11	97.53	3.46	-1.47	-1.47	0.00	0.00	0.00	
		12	100.99	11.90	-7.97	-7.97	0.00	0.00	0.00	
		13	112.90	9.35	0.00	0.00	0.00	0.00	0.00	
		14	122.25	13.83	0.00	0.00	0.00	0.00	0.00	
		15	136.08	9.07	-3.80	-3.80	0.00	0.00	0.00	
R96_026	Autoceļš A3***	1	0.00	22.92	0.00	0.00	0.00	0.00	0.00	
		2	22.92	12.96	7.72	7.72	0.00	0.00	0.00	Max.
		3	35.87	43.08	0.00	0.00	0.00	0.00	0.00	
		4	78.96	9.27	5.56	5.56	0.00	0.00	0.00	
		5	88.23	3.42	2.54	2.54	0.00	0.00	0.00	
R96_027	Autoceļš A3**	1	0.00	6.31	4.05	4.05	0.00	0.00	0.00	
		2	6.31	69.52	1.64	1.64	0.00	0.00	0.00	
		3	75.82	81.36	0.00	0.00	0.00	0.00	0.00	
		4	157.18	60.97	0.98	0.98	0.00	0.00	0.00	
		5	218.15	40.50	1.00	1.00	0.00	0.00	0.00	
		6	258.65	40.34	0.00	0.00	0.00	0.00	0.00	
		7	298.99	1.93	0.00	0.00	0.00	0.00	0.00	
		8	300.92	60.13	1.66	1.66	0.00	0.00	0.00	
		9	361.04	86.67	2.31	2.31	0.00	0.00	0.00	
		10	447.72	7.95	0.00	0.00	0.00	0.00	0.00	
		11	455.66	50.83	1.97	1.97	0.00	0.00	0.00	
		12	506.49	37.13	2.69	2.69	0.00	0.00	0.00	
		13	543.62	72.38	2.17	2.17	0.00	0.00	0.00	
		14	616.00	9.08	4.75	4.75	0.00	0.00	0.00	
		15	625.08	32.61	1.16	1.16	0.00	0.00	0.00	
		16	657.69	18.20	3.42	3.42	0.00	0.00	0.00	
		17	675.89	14.48	0.95	0.95	0.00	0.00	0.00	
		18	690.37	41.94	2.06	2.06	0.00	0.00	0.00	

		19	732.32	23.73	0.00	0.00	0.00	0.00	0.00	
		20	756.05	14.57	6.86	6.86	0.00	0.00	0.00	Max.
		21	770.62	4.75	-0.37	-0.37	0.00	0.00	0.00	
		22	775.37	21.50	0.08	0.08	0.00	0.00	0.00	
		23	796.87	23.19	0.00	0.00	0.00	0.00	0.00	
		24	820.06	33.43	0.00	0.00	0.00	0.00	0.00	
		25	853.49	31.27	1.51	1.51	0.00	0.00	0.00	
		26	884.75	26.93	1.96	1.96	0.00	0.00	0.00	
		27	911.69	20.87	0.00	0.00	0.00	0.00	0.00	
R96_030	Celji_komplekss_plānota	1	0.00	16.45	-3.98	-3.98	0.00	0.00	0.00	Max.
		2	16.45	11.81	0.00	0.00	0.00	0.00	0.00	
		3	28.26	9.60	-2.35	-2.35	0.00	0.00	0.00	
		4	37.86	28.89	-2.33	-2.33	0.00	0.00	0.00	
		5	66.75	9.88	-1.03	-1.03	0.00	0.00	0.00	
		6	76.63	23.20	-1.66	-1.66	0.00	0.00	0.00	
		7	99.83	14.96	1.72	1.72	0.00	0.00	0.00	
R96_031	Celji_komplekss_plānota	1	0.00	8.14	0.00	0.00	0.00	0.00	0.00	
		2	8.14	21.36	0.00	0.00	0.00	0.00	0.00	
		3	29.50	14.65	0.00	0.00	0.00	0.00	0.00	
		4	44.15	37.73	0.71	0.71	0.00	0.00	0.00	
		5	81.89	18.19	3.04	3.04	0.97	0.00	0.00	Max.
		6	100.08	20.56	0.88	0.88	0.00	0.00	0.00	
		7	120.64	25.35	3.94	3.94	0.97	0.00	0.00	
		8	146.00	24.98	0.88	0.88	0.00	0.00	0.00	
		9	170.98	11.81	3.67	3.67	0.97	0.00	0.00	
		10	182.79	1.52	4.08	4.08	0.97	0.00	0.00	

*1): The gradient for the calculation has been entered directly.