

Point source /CNOSSO (182)														VES VALKA	
EQCN001	Label		6				Action radius/m				3000.00				
	Group		3 m/s				Lw (Day (12h)) /dB(A)				100.80				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				100.80				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				100.80				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Emission	Reference: Vestas 172-7.2 ST 3 m/s											
	Day (12h)		Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6	
	Night (8h)		Emission	Reference: Vestas 172-7.2 ST 3 m/s											
	Night (8h)		Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6	
	Evening (4h)		Emission	Reference: Vestas 172-7.2 ST 3 m/s											
	Evening (4h)		Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6	
	Rating method			Peak level			Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB		
Lden			-			0.0		0.0		0.0		-			
Rating period / Period			Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
Day (12h)			12.00	Day	100.8		1.00		0.91070		-11.20		-11.2		
Evening (4h)			4.00	Evening	100.8		1.00		0.18380		-13.38		-13.4		
Night (8h)			8.00	Night	100.8		1.00		0.36490		-13.41		-13.4		
Geometry						Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		618114.71		401289.03		227.08		166.00	
EQCN002	Label		9				Action radius/m				3000.00				
	Group		3 m/s				Lw (Day (12h)) /dB(A)				100.80				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				100.80				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				100.80				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Emission	Reference: Vestas 172-7.2 ST 3 m/s											
	Day (12h)		Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6	
	Night (8h)		Emission	Reference: Vestas 172-7.2 ST 3 m/s											
	Night (8h)		Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6	
	Evening (4h)		Emission	Reference: Vestas 172-7.2 ST 3 m/s											
	Evening (4h)		Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6	
	Rating method			Peak level			Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB		
Lden			-			0.0		0.0		0.0		-			
Rating period / Period			Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
Day (12h)			12.00	Day	100.8		1.00		0.91070		-11.20		-11.2		
Evening (4h)			4.00	Evening	100.8		1.00		0.18380		-13.38		-13.4		
Night (8h)			8.00	Night	100.8		1.00		0.36490		-13.41		-13.4		
Geometry						Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		618827.26		401498.97		219.05		166.00	
EQCN003	Label		5				Action radius/m				3000.00				
	Group		3 m/s				Lw (Day (12h)) /dB(A)				100.80				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				100.80				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				100.80				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Emission	Reference: Vestas 172-7.2 ST 3 m/s											
	Day (12h)		Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6	
	Night (8h)		Emission	Reference: Vestas 172-7.2 ST 3 m/s											
	Night (8h)		Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6	
	Evening (4h)		Emission	Reference: Vestas 172-7.2 ST 3 m/s											
	Evening (4h)		Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6	
	Rating method			Peak level			Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB		
Lden			-			0.0		0.0		0.0		-			
Rating period / Period			Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
Day (12h)			12.00	Day	100.8		1.00		0.91070		-11.20		-11.2		
Evening (4h)			4.00	Evening	100.8		1.00		0.18380		-13.38		-13.4		
Night (8h)			8.00	Night	100.8		1.00		0.36490		-13.41		-13.4		
Geometry						Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		618568.70		401868.47		219.00		166.00	
EQCN004	Label		10				Action radius/m				3000.00				

	Group	3 m/s					Lw (Day (12h)) /dB(A)					100.80				
	Number of nodes	1					Lw (Night (8h)) /dB(A)					100.80				
	Length/ m	---					Lw (Evening (4h)) /dB(A)					100.80				
	Length/ m (2D)	---					Emission is					Sound power level (Lw)				
	Area /m²	---														
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s													
	Day (12h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6			
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s													
	Night (8h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6			
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s													
	Evening (4h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6			
	Rating method	Peak level		Corr. for impulsivity /dB			Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden			-			0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)			n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)	12.00	Day	100.8			1.00		0.91070		-11.20		-11.2			
	Evening (4h)	4.00	Evening	100.8			1.00		0.18380		-13.38		-13.4			
	Night (8h)	8.00	Night	100.8			1.00		0.36490		-13.41		-13.4			
	Geometry						Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
							Geometry:	619233.69		400696.45		224.15		166.00		
EQCN005	Label	3					Action radius/m					3000.00				
	Group	3 m/s					Lw (Day (12h)) /dB(A)					100.80				
	Number of nodes	1					Lw (Night (8h)) /dB(A)					100.80				
	Length/ m	---					Lw (Evening (4h)) /dB(A)					100.80				
	Length/ m (2D)	---					Emission is					Sound power level (Lw)				
	Area /m²	---														
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s													
	Day (12h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6			
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s													
	Night (8h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6			
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s													
	Evening (4h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6			
	Rating method	Peak level		Corr. for impulsivity /dB			Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden			-			0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)			n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)	12.00	Day	100.8			1.00		0.91070		-11.20		-11.2			
	Evening (4h)	4.00	Evening	100.8			1.00		0.18380		-13.38		-13.4			
	Night (8h)	8.00	Night	100.8			1.00		0.36490		-13.41		-13.4			
	Geometry						Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
							Geometry:	619534.88		401335.18		218.68		166.00		
EQCN006	Label	13					Action radius/m					3000.00				
	Group	3 m/s					Lw (Day (12h)) /dB(A)					100.80				
	Number of nodes	1					Lw (Night (8h)) /dB(A)					100.80				
	Length/ m	---					Lw (Evening (4h)) /dB(A)					100.80				
	Length/ m (2D)	---					Emission is					Sound power level (Lw)				
	Area /m²	---														
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s													
	Day (12h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6			
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s													
	Night (8h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6			
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s													
	Evening (4h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6			
	Rating method	Peak level		Corr. for impulsivity /dB			Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden			-			0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)			n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)	12.00	Day	100.8			1.00		0.91070		-11.20		-11.2			
	Evening (4h)	4.00	Evening	100.8			1.00		0.18380		-13.38		-13.4			
	Night (8h)	8.00	Night	100.8			1.00		0.36490		-13.41		-13.4			
	Geometry						Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
							Geometry:	619800.72		400366.70		218.78		166.00		
EQCN007	Label	14					Action radius/m					3000.00				
	Group	3 m/s					Lw (Day (12h)) /dB(A)					100.80				
	Number of nodes	1					Lw (Night (8h)) /dB(A)					100.80				

	Length/ m	---						Lw (Evening (4h)) /dB(A)					100.80			
	Length/ m (2D)	---						Emission is					Sound power level (Lw)			
	Area /m²	---														
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s													
	Day (12h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6			
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s													
	Night (8h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6			
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s													
	Evening (4h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6			
	Rating method	Peak level		Corr. for impulsivity /dB			Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden			-			0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)			n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)	12.00	Day	100.8			1.00		0.91070		-11.20		-11.2			
	Evening (4h)	4.00	Evening	100.8			1.00		0.18380		-13.38		-13.4			
	Night (8h)	8.00	Night	100.8			1.00		0.36490		-13.41		-13.4			
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m			
					Geometry:		619943.68		400840.93		218.00		166.00			
EQCN008	Label	2		Action radius/m									3000.00			
	Group	3 m/s		Lw (Day (12h)) /dB(A)									100.80			
	Number of nodes	1		Lw (Night (8h)) /dB(A)									100.80			
	Length/ m	---		Lw (Evening (4h)) /dB(A)									100.80			
	Length/ m (2D)	---		Emission is									Sound power level (Lw)			
	Area /m²	---														
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s													
	Day (12h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6			
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s													
	Night (8h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6			
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s													
	Evening (4h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6			
	Rating method	Peak level		Corr. for impulsivity /dB			Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden			-			0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)			n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)	12.00	Day	100.8			1.00		0.91070		-11.20		-11.2			
	Evening (4h)	4.00	Evening	100.8			1.00		0.18380		-13.38		-13.4			
	Night (8h)	8.00	Night	100.8			1.00		0.36490		-13.41		-13.4			
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m			
					Geometry:		620314.85		401595.67		223.09		166.00			
EQCN009	Label	1		Action radius/m									3000.00			
	Group	3 m/s		Lw (Day (12h)) /dB(A)									100.80			
	Number of nodes	1		Lw (Night (8h)) /dB(A)									100.80			
	Length/ m	---		Lw (Evening (4h)) /dB(A)									100.80			
	Length/ m (2D)	---		Emission is									Sound power level (Lw)			
	Area /m²	---														
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s													
	Day (12h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6			
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s													
	Night (8h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6			
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s													
	Evening (4h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6			
	Rating method	Peak level		Corr. for impulsivity /dB			Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden			-			0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)			n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)	12.00	Day	100.8			1.00		0.91070		-11.20		-11.2			
	Evening (4h)	4.00	Evening	100.8			1.00		0.18380		-13.38		-13.4			
	Night (8h)	8.00	Night	100.8			1.00		0.36490		-13.41		-13.4			
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m			
					Geometry:		619193.64		402093.47		217.60		166.00			
EQCN010	Label	8		Action radius/m									3000.00			
	Group	3 m/s		Lw (Day (12h)) /dB(A)									100.80			
	Number of nodes	1		Lw (Night (8h)) /dB(A)									100.80			
	Length/ m	---		Lw (Evening (4h)) /dB(A)									100.80			
	Length/ m (2D)	---		Emission is									Sound power level (Lw)			

Area /m²		---										
Emiss. variant		Sum 16 Hz 31.5 Hz 63 Hz 125 Hz 250 Hz 500 Hz 1000 Hz 2000 Hz 4000 Hz 8000 Hz										
Day (12h)		Emission Reference: Vestas 172-7.2 ST 3 m/s										
Day (12h)	Lw /dB (A)	100.8	45.7	62.2	78.8	86.6	89.4	89.4	88.6	87.4	84.8	77.3
			50.9	67.4	84.5	87.7	91.0	87.8	89.0	86.6	84.0	74.0
			56.2	71.5	85.5	87.1	90.6	88.2	88.2	85.7	80.6	70.6
Night (8h)		Emission Reference: Vestas 172-7.2 ST 3 m/s										
Night (8h)	Lw /dB (A)	100.8	45.7	62.2	78.8	86.6	89.4	89.4	88.6	87.4	84.8	77.3
			50.9	67.4	84.5	87.7	91.0	87.8	89.0	86.6	84.0	74.0
			56.2	71.5	85.5	87.1	90.6	88.2	88.2	85.7	80.6	70.6
Evening (4h)		Emission Reference: Vestas 172-7.2 ST 3 m/s										
Evening (4h)	Lw /dB (A)	100.8	45.7	62.2	78.8	86.6	89.4	89.4	88.6	87.4	84.8	77.3
			50.9	67.4	84.5	87.7	91.0	87.8	89.0	86.6	84.0	74.0
			56.2	71.5	85.5	87.1	90.6	88.2	88.2	85.7	80.6	70.6
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB		
Lden		-		0.0		0.0		0.0		-		
Rating period / Period		Duration /h Emiss. variant		Lw /dB(A)		n times		Impact time /h		dLi /dB Lwr /dB(A)		
Day (12h)		12.00 Day		100.8		1.00		0.91070		-11.20 -11.2		
Evening (4h)		4.00 Evening		100.8		1.00		0.18380		-13.38 -13.4		
Night (8h)		8.00 Night		100.8		1.00		0.36490		-13.41 -13.4		
Geometry		Nr		x/m y/m		z(abs) /m		! z(rel) /m				
		Geometry:		618505.85 400992.54		227.35		166.00				
EQCN011		Label		11		Action radius/m		3000.00				
		Group		3 m/s		Lw (Day (12h)) /dB(A)		100.80				
		Number of nodes		1		Lw (Night (8h)) /dB(A)		100.80				
		Length/ m		---		Lw (Evening (4h)) /dB(A)		100.80				
		Length/ m (2D)		---		Emission is		Sound power level (Lw)				
		Area /m²		---								
Emiss. variant		Sum 16 Hz 31.5 Hz 63 Hz 125 Hz 250 Hz 500 Hz 1000 Hz 2000 Hz 4000 Hz 8000 Hz										
Day (12h)		Emission Reference: Vestas 172-7.2 ST 3 m/s										
Day (12h)	Lw /dB (A)	100.8	45.7	62.2	78.8	86.6	89.4	89.4	88.6	87.4	84.8	77.3
			50.9	67.4	84.5	87.7	91.0	87.8	89.0	86.6	84.0	74.0
			56.2	71.5	85.5	87.1	90.6	88.2	88.2	85.7	80.6	70.6
Night (8h)		Emission Reference: Vestas 172-7.2 ST 3 m/s										
Night (8h)	Lw /dB (A)	100.8	45.7	62.2	78.8	86.6	89.4	89.4	88.6	87.4	84.8	77.3
			50.9	67.4	84.5	87.7	91.0	87.8	89.0	86.6	84.0	74.0
			56.2	71.5	85.5	87.1	90.6	88.2	88.2	85.7	80.6	70.6
Evening (4h)		Emission Reference: Vestas 172-7.2 ST 3 m/s										
Evening (4h)	Lw /dB (A)	100.8	45.7	62.2	78.8	86.6	89.4	89.4	88.6	87.4	84.8	77.3
			50.9	67.4	84.5	87.7	91.0	87.8	89.0	86.6	84.0	74.0
			56.2	71.5	85.5	87.1	90.6	88.2	88.2	85.7	80.6	70.6
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB		
Lden		-		0.0		0.0		0.0		-		
Rating period / Period		Duration /h Emiss. variant		Lw /dB(A)		n times		Impact time /h		dLi /dB Lwr /dB(A)		
Day (12h)		12.00 Day		100.8		1.00		0.91070		-11.20 -11.2		
Evening (4h)		4.00 Evening		100.8		1.00		0.18380		-13.38 -13.4		
Night (8h)		8.00 Night		100.8		1.00		0.36490		-13.41 -13.4		
Geometry		Nr		x/m y/m		z(abs) /m		! z(rel) /m				
		Geometry:		620755.93 400138.87		221.00		166.00				
EQCN012		Label		7		Action radius/m		3000.00				
		Group		3 m/s		Lw (Day (12h)) /dB(A)		100.80				
		Number of nodes		1		Lw (Night (8h)) /dB(A)		100.80				
		Length/ m		---		Lw (Evening (4h)) /dB(A)		100.80				
		Length/ m (2D)		---		Emission is		Sound power level (Lw)				
		Area /m²		---								
Emiss. variant		Sum 16 Hz 31.5 Hz 63 Hz 125 Hz 250 Hz 500 Hz 1000 Hz 2000 Hz 4000 Hz 8000 Hz										
Day (12h)		Emission Reference: Vestas 172-7.2 ST 3 m/s										
Day (12h)	Lw /dB (A)	100.8	45.7	62.2	78.8	86.6	89.4	89.4	88.6	87.4	84.8	77.3
			50.9	67.4	84.5	87.7	91.0	87.8	89.0	86.6	84.0	74.0
			56.2	71.5	85.5	87.1	90.6	88.2	88.2	85.7	80.6	70.6
Night (8h)		Emission Reference: Vestas 172-7.2 ST 3 m/s										
Night (8h)	Lw /dB (A)	100.8	45.7	62.2	78.8	86.6	89.4	89.4	88.6	87.4	84.8	77.3
			50.9	67.4	84.5	87.7	91.0	87.8	89.0	86.6	84.0	74.0
			56.2	71.5	85.5	87.1	90.6	88.2	88.2	85.7	80.6	70.6
Evening (4h)		Emission Reference: Vestas 172-7.2 ST 3 m/s										
Evening (4h)	Lw /dB (A)	100.8	45.7	62.2	78.8	86.6	89.4	89.4	88.6	87.4	84.8	77.3
			50.9	67.4	84.5	87.7	91.0	87.8	89.0	86.6	84.0	74.0
			56.2	71.5	85.5	87.1	90.6	88.2	88.2	85.7	80.6	70.6
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB		
Lden		-		0.0		0.0		0.0		-		
Rating period / Period		Duration /h Emiss. variant		Lw /dB(A)		n times		Impact time /h		dLi /dB Lwr /dB(A)		
Day (12h)		12.00 Day		100.8		1.00		0.91070		-11.20 -11.2		
Evening (4h)		4.00 Evening		100.8		1.00		0.18380		-13.38 -13.4		
Night (8h)		8.00 Night		100.8		1.00		0.36490		-13.41 -13.4		
Geometry		Nr		x/m y/m		z(abs) /m		! z(rel) /m				
		Geometry:		617919.08 400631.52		229.75		166.00				
EQCN013		Label		4		Action radius/m		3000.00				
		Group		3 m/s		Lw (Day (12h)) /dB(A)		100.80				
		Number of nodes		1		Lw (Night (8h)) /dB(A)		100.80				
		Length/ m		---		Lw (Evening (4h)) /dB(A)		100.80				
		Length/ m (2D)		---		Emission is		Sound power level (Lw)				
		Area /m²		---								
Emiss. variant		Sum 16 Hz 31.5 Hz 63 Hz 125 Hz 250 Hz 500 Hz 1000 Hz 2000 Hz 4000 Hz 8000 Hz										

	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s											
	Day (12h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s											
	Night (8h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s											
	Evening (4h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden		-		0.0		0.0		0.0		-			
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	100.8		1.00		0.91070		-11.20		-11.2	
	Evening (4h)		4.00	Evening	100.8		1.00		0.18380		-13.38		-13.4	
	Night (8h)		8.00	Night	100.8		1.00		0.36490		-13.41		-13.4	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		620584.71		400915.71		226.47		166.00	
EQCN014	Label		12				Action radius/m				3000.00			
	Group		3 m/s				Lw (Day (12h)) /dB(A)				100.80			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				100.80			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				100.80			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s											
	Day (12h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s											
	Night (8h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s											
	Evening (4h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden		-		0.0		0.0		0.0		-			
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	100.8		1.00		0.91070		-11.20		-11.2	
	Evening (4h)		4.00	Evening	100.8		1.00		0.18380		-13.38		-13.4	
	Night (8h)		8.00	Night	100.8		1.00		0.36490		-13.41		-13.4	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		620303.15		400415.28		219.97		166.00	
EQCN015	Label		6*				Action radius/m				3000.00			
	Group		4 m/s				Lw (Day (12h)) /dB(A)				100.81			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				100.81			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				100.81			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s											
	Day (12h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s											
	Night (8h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s											
	Evening (4h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden		-		0.0		0.0		0.0		-			
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	100.8		1.00		1.14610		-10.20		-10.2	
	Evening (4h)		4.00	Evening	100.8		1.00		0.26820		-11.74		-11.7	
	Night (8h)		8.00	Night	100.8		1.00		0.50660		-11.98		-12.0	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		618114.71		401289.03		227.08		166.00	
EQCN016	Label		9*				Action radius/m				3000.00			
	Group		4 m/s				Lw (Day (12h)) /dB(A)				100.81			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				100.81			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				100.81			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s											
	Day (12h)	Lw /dB (A)	100.8	44.6	61.9	79.2	86.9	90.3	89.7	87.9	85.8	84.4	77.4	

				50.0 55.5	67.3 71.4	84.8 85.8	87.9 87.8	91.9 91.2	87.9 87.9	87.9 86.9	84.7 84.6	84.2 80.8	74.0 70.6
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s										
	Night (8h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s										
	Evening (4h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	100.8		1.00		1.14610		-10.20		-10.2
	Evening (4h)		4.00	Evening	100.8		1.00		0.26820		-11.74		-11.7
	Night (8h)		8.00	Night	100.8		1.00		0.50660		-11.98		-12.0
	Geometry						Nr	x/m	y/m	z(abs) /m		! z(rel) /m	
							Geometry:		618827.26	401498.97		219.05	
EQCN017	Label	5*						Action radius/m		3000.00			
	Group	4 m/s						Lw (Day (12h)) /dB(A)		100.81			
	Number of nodes	1						Lw (Night (8h)) /dB(A)		100.81			
	Length/ m	---						Lw (Evening (4h)) /dB(A)		100.81			
	Length/ m (2D)	---						Emission is		Sound power level (Lw)			
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s										
	Day (12h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s										
	Night (8h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s										
	Evening (4h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	100.8		1.00		1.14610		-10.20		-10.2
	Evening (4h)		4.00	Evening	100.8		1.00		0.26820		-11.74		-11.7
	Night (8h)		8.00	Night	100.8		1.00		0.50660		-11.98		-12.0
	Geometry						Nr	x/m	y/m	z(abs) /m		! z(rel) /m	
							Geometry:		618568.70	401868.47		219.00	
EQCN018	Label	10*						Action radius/m		3000.00			
	Group	4 m/s						Lw (Day (12h)) /dB(A)		100.81			
	Number of nodes	1						Lw (Night (8h)) /dB(A)		100.81			
	Length/ m	---						Lw (Evening (4h)) /dB(A)		100.81			
	Length/ m (2D)	---						Emission is		Sound power level (Lw)			
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s										
	Day (12h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s										
	Night (8h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s										
	Evening (4h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	100.8		1.00		1.14610		-10.20		-10.2
	Evening (4h)		4.00	Evening	100.8		1.00		0.26820		-11.74		-11.7
	Night (8h)		8.00	Night	100.8		1.00		0.50660		-11.98		-12.0
	Geometry						Nr	x/m	y/m	z(abs) /m		! z(rel) /m	
							Geometry:		619233.69	400696.45		224.15	
EQCN019	Label	3*						Action radius/m		3000.00			
	Group	4 m/s						Lw (Day (12h)) /dB(A)		100.81			
	Number of nodes	1						Lw (Night (8h)) /dB(A)		100.81			
	Length/ m	---						Lw (Evening (4h)) /dB(A)		100.81			
	Length/ m (2D)	---						Emission is		Sound power level (Lw)			
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s										
	Day (12h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6

	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s										
	Night (8h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s										
	Evening (4h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6
Rating method			Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB		
Lden			-		0.0		0.0		0.0		-		
Rating period / Period			Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB	Lwr /dB(A)	
Day (12h)			12.00	Day	100.8		1.00		1.14610		-10.20	-10.2	
Evening (4h)			4.00	Evening	100.8		1.00		0.26820		-11.74	-11.7	
Night (8h)			8.00	Night	100.8		1.00		0.50660		-11.98	-12.0	
Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m
					Geometry:		619534.88		401335.18		218.68		166.00
EQCN020			Label		13*		Action radius/m				3000.00		
			Group		4 m/s		Lw (Day (12h)) /dB(A)				100.81		
			Number of nodes		1		Lw (Night (8h)) /dB(A)				100.81		
			Length/ m		---		Lw (Evening (4h)) /dB(A)				100.81		
			Length/ m (2D)		---		Emission is				Sound power level (Lw)		
			Area /m²		---								
Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
Day (12h)			Reference: Vestas 172-7.2 ST 4 m/s										
Day (12h)			100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6
Night (8h)			Reference: Vestas 172-7.2 ST 4 m/s										
Night (8h)			100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6
Evening (4h)			Reference: Vestas 172-7.2 ST 4 m/s										
Evening (4h)			100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6
Rating method			Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB		
Lden			-		0.0		0.0		0.0		-		
Rating period / Period			Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB	Lwr /dB(A)	
Day (12h)			12.00	Day	100.8		1.00		1.14610		-10.20	-10.2	
Evening (4h)			4.00	Evening	100.8		1.00		0.26820		-11.74	-11.7	
Night (8h)			8.00	Night	100.8		1.00		0.50660		-11.98	-12.0	
Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m
					Geometry:		619800.72		400366.70		218.78		166.00
EQCN021			Label		14*		Action radius/m				3000.00		
			Group		4 m/s		Lw (Day (12h)) /dB(A)				100.81		
			Number of nodes		1		Lw (Night (8h)) /dB(A)				100.81		
			Length/ m		---		Lw (Evening (4h)) /dB(A)				100.81		
			Length/ m (2D)		---		Emission is				Sound power level (Lw)		
			Area /m²		---								
Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
Day (12h)			Reference: Vestas 172-7.2 ST 4 m/s										
Day (12h)			100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6
Night (8h)			Reference: Vestas 172-7.2 ST 4 m/s										
Night (8h)			100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6
Evening (4h)			Reference: Vestas 172-7.2 ST 4 m/s										
Evening (4h)			100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6
Rating method			Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB		
Lden			-		0.0		0.0		0.0		-		
Rating period / Period			Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB	Lwr /dB(A)	
Day (12h)			12.00	Day	100.8		1.00		1.14610		-10.20	-10.2	
Evening (4h)			4.00	Evening	100.8		1.00		0.26820		-11.74	-11.7	
Night (8h)			8.00	Night	100.8		1.00		0.50660		-11.98	-12.0	
Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m
					Geometry:		619943.68		400840.93		218.00		166.00
EQCN022			Label		2*		Action radius/m				3000.00		
			Group		4 m/s		Lw (Day (12h)) /dB(A)				100.81		
			Number of nodes		1		Lw (Night (8h)) /dB(A)				100.81		
			Length/ m		---		Lw (Evening (4h)) /dB(A)				100.81		
			Length/ m (2D)		---		Emission is				Sound power level (Lw)		
			Area /m²		---								
Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
Day (12h)			Reference: Vestas 172-7.2 ST 4 m/s										
Day (12h)			100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6
Night (8h)			Reference: Vestas 172-7.2 ST 4 m/s										
Night (8h)			100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6

				50.0 55.5	67.3 71.4	84.8 85.8	87.9 87.8	91.9 91.2	87.9 87.9	87.9 86.9	84.7 84.6	84.2 80.8	74.0 70.6
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s										
	Evening (4h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	100.8		1.00		1.14610		-10.20		-10.2
	Evening (4h)		4.00	Evening	100.8		1.00		0.26820		-11.74		-11.7
	Night (8h)		8.00	Night	100.8		1.00		0.50660		-11.98		-12.0
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
					Geometry:		620314.85		401595.67		223.09		166.00
EQCN023	Label	1*				Action radius/m						3000.00	
	Group	4 m/s				Lw (Day (12h)) /dB(A)						100.81	
	Number of nodes	1				Lw (Night (8h)) /dB(A)						100.81	
	Length/ m	---				Lw (Evening (4h)) /dB(A)						100.81	
	Length/ m (2D)	---				Emission is						Sound power level (Lw)	
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s										
	Day (12h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s										
	Night (8h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s										
	Evening (4h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	100.8		1.00		1.14610		-10.20		-10.2
	Evening (4h)		4.00	Evening	100.8		1.00		0.26820		-11.74		-11.7
	Night (8h)		8.00	Night	100.8		1.00		0.50660		-11.98		-12.0
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
					Geometry:		619193.64		402093.47		217.60		166.00
EQCN024	Label	8*				Action radius/m						3000.00	
	Group	4 m/s				Lw (Day (12h)) /dB(A)						100.81	
	Number of nodes	1				Lw (Night (8h)) /dB(A)						100.81	
	Length/ m	---				Lw (Evening (4h)) /dB(A)						100.81	
	Length/ m (2D)	---				Emission is						Sound power level (Lw)	
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s										
	Day (12h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s										
	Night (8h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s										
	Evening (4h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	100.8		1.00		1.14610		-10.20		-10.2
	Evening (4h)		4.00	Evening	100.8		1.00		0.26820		-11.74		-11.7
	Night (8h)		8.00	Night	100.8		1.00		0.50660		-11.98		-12.0
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
					Geometry:		618505.85		400992.54		227.35		166.00
EQCN025	Label	11*				Action radius/m						3000.00	
	Group	4 m/s				Lw (Day (12h)) /dB(A)						100.81	
	Number of nodes	1				Lw (Night (8h)) /dB(A)						100.81	
	Length/ m	---				Lw (Evening (4h)) /dB(A)						100.81	
	Length/ m (2D)	---				Emission is						Sound power level (Lw)	
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s										
	Day (12h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s										
	Night (8h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6

	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s											
	Evening (4h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	100.8		1.00		1.14610		-10.20		-10.2	
	Evening (4h)		4.00	Evening	100.8		1.00		0.26820		-11.74		-11.7	
	Night (8h)		8.00	Night	100.8		1.00		0.50660		-11.98		-12.0	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		620755.93		400138.87		221.00		166.00	
EQCN026	Label	7*				Action radius/m						3000.00		
	Group	4 m/s				Lw (Day (12h)) /dB(A)						100.81		
	Number of nodes	1				Lw (Night (8h)) /dB(A)						100.81		
	Length/ m	---				Lw (Evening (4h)) /dB(A)						100.81		
	Length/ m (2D)	---				Emission is						Sound power level (Lw)		
	Area /m²	---												
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s											
	Day (12h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s											
	Night (8h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s											
	Evening (4h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	100.8		1.00		1.14610		-10.20		-10.2	
	Evening (4h)		4.00	Evening	100.8		1.00		0.26820		-11.74		-11.7	
	Night (8h)		8.00	Night	100.8		1.00		0.50660		-11.98		-12.0	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		617919.08		400631.52		229.75		166.00	
EQCN027	Label	4*				Action radius/m						3000.00		
	Group	4 m/s				Lw (Day (12h)) /dB(A)						100.81		
	Number of nodes	1				Lw (Night (8h)) /dB(A)						100.81		
	Length/ m	---				Lw (Evening (4h)) /dB(A)						100.81		
	Length/ m (2D)	---				Emission is						Sound power level (Lw)		
	Area /m²	---												
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s											
	Day (12h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s											
	Night (8h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s											
	Evening (4h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	100.8		1.00		1.14610		-10.20		-10.2	
	Evening (4h)		4.00	Evening	100.8		1.00		0.26820		-11.74		-11.7	
	Night (8h)		8.00	Night	100.8		1.00		0.50660		-11.98		-12.0	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		620584.71		400915.71		226.47		166.00	
EQCN028	Label	12*				Action radius/m						3000.00		
	Group	4 m/s				Lw (Day (12h)) /dB(A)						100.81		
	Number of nodes	1				Lw (Night (8h)) /dB(A)						100.81		
	Length/ m	---				Lw (Evening (4h)) /dB(A)						100.81		
	Length/ m (2D)	---				Emission is						Sound power level (Lw)		
	Area /m²	---												
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s											
	Day (12h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s											
	Night (8h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s											
	Evening (4h)	Lw /dB (A)	100.8	44.6	61.9	79.2	86.9	90.3	89.7	87.9	85.8	84.4	77.4	

					50.0	67.3	84.8	87.9	91.9	87.9	87.9	84.7	84.2	74.0	
					55.5	71.4	85.8	87.8	91.2	87.9	86.9	84.6	80.8	70.6	
	Rating method			Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden			-		0.0		0.0		0.0		-			0.0
	Rating period / Period			Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)			12.00	Day	100.8		1.00		1.14610		-10.20		-10.2	
	Evening (4h)			4.00	Evening	100.8		1.00		0.26820		-11.74		-11.7	
	Night (8h)			8.00	Night	100.8		1.00		0.50660		-11.98		-12.0	
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		620303.15		400415.28		219.97		166.00	
EQCN029	Label			6**		Action radius/m								3000.00	
	Group			5 m/s		Lw (Day (12h)) /dB(A)								100.89	
	Number of nodes			1		Lw (Night (8h)) /dB(A)								100.89	
	Length/ m			---		Lw (Evening (4h)) /dB(A)								100.89	
	Length/ m (2D)			---		Emission is								Sound power level (Lw)	
	Area /m²			---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Emission	Reference: Vestas 172-7.2 ST 5 m/s											
				45.6	62.9	79.7	87.4	90.3	89.8	88.1	86.2	84.3	75.8		
	Day (12h)		Lw /dB (A)	100.9	51.0	68.3	85.3	88.4	91.8	87.5	88.1	85.3	83.5	72.6	
				56.5	72.4	86.3	88.0	91.2	87.5	87.3	84.6	80.3	69.3		
	Night (8h)		Emission	Reference: Vestas 172-7.2 ST 5 m/s											
				45.6	62.9	79.7	87.4	90.3	89.8	88.1	86.2	84.3	75.8		
	Night (8h)		Lw /dB (A)	100.9	51.0	68.3	85.3	88.4	91.8	87.5	88.1	85.3	83.5	72.6	
				56.5	72.4	86.3	88.0	91.2	87.5	87.3	84.6	80.3	69.3		
	Evening (4h)		Emission	Reference: Vestas 172-7.2 ST 5 m/s											
				45.6	62.9	79.7	87.4	90.3	89.8	88.1	86.2	84.3	75.8		
	Evening (4h)		Lw /dB (A)	100.9	51.0	68.3	85.3	88.4	91.8	87.5	88.1	85.3	83.5	72.6	
				56.5	72.4	86.3	88.0	91.2	87.5	87.3	84.6	80.3	69.3		
	Rating method			Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden			-		0.0		0.0		0.0		-			0.0
	Rating period / Period			Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)			12.00	Day	100.9		1.00		1.31990		-9.59		-9.6	
	Evening (4h)			4.00	Evening	100.9		1.00		0.34880		-10.59		-10.6	
	Night (8h)			8.00	Night	100.9		1.00		0.68330		-10.68		-10.7	
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		618114.71		401289.03		227.08		166.00	
EQCN030	Label			9**		Action radius/m								3000.00	
	Group			5 m/s		Lw (Day (12h)) /dB(A)								100.89	
	Number of nodes			1		Lw (Night (8h)) /dB(A)								100.89	
	Length/ m			---		Lw (Evening (4h)) /dB(A)								100.89	
	Length/ m (2D)			---		Emission is								Sound power level (Lw)	
	Area /m²			---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Emission	Reference: Vestas 172-7.2 ST 5 m/s											
				45.6	62.9	79.7	87.4	90.3	89.8	88.1	86.2	84.3	75.8		
	Day (12h)		Lw /dB (A)	100.9	51.0	68.3	85.3	88.4	91.8	87.5	88.1	85.3	83.5	72.6	
				56.5	72.4	86.3	88.0	91.2	87.5	87.3	84.6	80.3	69.3		
	Night (8h)		Emission	Reference: Vestas 172-7.2 ST 5 m/s											
				45.6	62.9	79.7	87.4	90.3	89.8	88.1	86.2	84.3	75.8		
	Night (8h)		Lw /dB (A)	100.9	51.0	68.3	85.3	88.4	91.8	87.5	88.1	85.3	83.5	72.6	
				56.5	72.4	86.3	88.0	91.2	87.5	87.3	84.6	80.3	69.3		
	Evening (4h)		Emission	Reference: Vestas 172-7.2 ST 5 m/s											
				45.6	62.9	79.7	87.4	90.3	89.8	88.1	86.2	84.3	75.8		
	Evening (4h)		Lw /dB (A)	100.9	51.0	68.3	85.3	88.4	91.8	87.5	88.1	85.3	83.5	72.6	
				56.5	72.4	86.3	88.0	91.2	87.5	87.3	84.6	80.3	69.3		
	Rating method			Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden			-		0.0		0.0		0.0		-			0.0
	Rating period / Period			Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)			12.00	Day	100.9		1.00		1.31990		-9.59		-9.6	
	Evening (4h)			4.00	Evening	100.9		1.00		0.34880		-10.59		-10.6	
	Night (8h)			8.00	Night	100.9		1.00		0.68330		-10.68		-10.7	
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		618827.26		401498.97		219.05		166.00	
EQCN031	Label			5**		Action radius/m								3000.00	
	Group			5 m/s		Lw (Day (12h)) /dB(A)								100.89	
	Number of nodes			1		Lw (Night (8h)) /dB(A)								100.89	
	Length/ m			---		Lw (Evening (4h)) /dB(A)								100.89	
	Length/ m (2D)			---		Emission is								Sound power level (Lw)	
	Area /m²			---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Emission	Reference: Vestas 172-7.2 ST 5 m/s											
				45.6	62.9	79.7	87.4	90.3	89.8	88.1	86.2	84.3	75.8		
	Day (12h)		Lw /dB (A)	100.9	51.0	68.3	85.3	88.4	91.8	87.5	88.1	85.3	83.5	72.6	
				56.5	72.4	86.3	88.0	91.2	87.5	87.3	84.6	80.3	69.3		
	Night (8h)		Emission	Reference: Vestas 172-7.2 ST 5 m/s											
				45.6	62.9	79.7	87.4	90.3	89.8	88.1	86.2	84.3	75.8		
	Night (8h)		Lw /dB (A)	100.9	51.0	68.3	85.3	88.4	91.8	87.5	88.1	85.3	83.5	72.6	
				56.5	72.4	86.3	88.0	91.2	87.5	87.3	84.6	80.3	69.3		
	Evening (4h)		Emission	Reference: Vestas 172-7.2 ST 5 m/s											
				45.6	62.9	79.7	87.4	90.3	89.8	88.1	86.2	84.3	75.8		
	Evening (4h)		Lw /dB (A)	100.9	51.0	68.3	85.3	88.4	91.8	87.5	88.1	85.3	83.5	72.6	
				56.5	72.4	86.3	88.0	91.2	87.5	87.3	84.6	80.3	69.3		

	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	100.9		1.00		1.31990		-9.59		-9.6		
	Evening (4h)		4.00	Evening	100.9		1.00		0.34880		-10.59		-10.6		
	Night (8h)		8.00	Night	100.9		1.00		0.68330		-10.68		-10.7		
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
					Geometry:		618568.70		401868.47		219.00		166.00		
EQCN032	Label		10**				Action radius/m						3000.00		
	Group		5 m/s				Lw (Day (12h)) /dB(A)						100.89		
	Number of nodes		1				Lw (Night (8h)) /dB(A)						100.89		
	Length/ m		---				Lw (Evening (4h)) /dB(A)						100.89		
	Length/ m (2D)		---				Emission is						Sound power level (Lw)		
	Area /m²		---												
	Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Vestas 172-7.2 ST 5 m/s										
	Day (12h)		Lw /dB (A)		100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3
	Night (8h)		Emission		Reference: Vestas 172-7.2 ST 5 m/s										
	Night (8h)		Lw /dB (A)		100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3
	Evening (4h)		Emission		Reference: Vestas 172-7.2 ST 5 m/s										
	Evening (4h)		Lw /dB (A)		100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	100.9		1.00		1.31990		-9.59		-9.6		
	Evening (4h)		4.00	Evening	100.9		1.00		0.34880		-10.59		-10.6		
	Night (8h)		8.00	Night	100.9		1.00		0.68330		-10.68		-10.7		
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
					Geometry:		619233.69		400696.45		224.15		166.00		
EQCN033	Label		3**				Action radius/m						3000.00		
	Group		5 m/s				Lw (Day (12h)) /dB(A)						100.89		
	Number of nodes		1				Lw (Night (8h)) /dB(A)						100.89		
	Length/ m		---				Lw (Evening (4h)) /dB(A)						100.89		
	Length/ m (2D)		---				Emission is						Sound power level (Lw)		
	Area /m²		---												
	Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Vestas 172-7.2 ST 5 m/s										
	Day (12h)		Lw /dB (A)		100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3
	Night (8h)		Emission		Reference: Vestas 172-7.2 ST 5 m/s										
	Night (8h)		Lw /dB (A)		100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3
	Evening (4h)		Emission		Reference: Vestas 172-7.2 ST 5 m/s										
	Evening (4h)		Lw /dB (A)		100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	100.9		1.00		1.31990		-9.59		-9.6		
	Evening (4h)		4.00	Evening	100.9		1.00		0.34880		-10.59		-10.6		
	Night (8h)		8.00	Night	100.9		1.00		0.68330		-10.68		-10.7		
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
					Geometry:		619534.88		401335.18		218.68		166.00		
EQCN034	Label		13**				Action radius/m						3000.00		
	Group		5 m/s				Lw (Day (12h)) /dB(A)						100.89		
	Number of nodes		1				Lw (Night (8h)) /dB(A)						100.89		
	Length/ m		---				Lw (Evening (4h)) /dB(A)						100.89		
	Length/ m (2D)		---				Emission is						Sound power level (Lw)		
	Area /m²		---												
	Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Vestas 172-7.2 ST 5 m/s										
	Day (12h)		Lw /dB (A)		100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3
	Night (8h)		Emission		Reference: Vestas 172-7.2 ST 5 m/s										
	Night (8h)		Lw /dB (A)		100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3
	Evening (4h)		Emission		Reference: Vestas 172-7.2 ST 5 m/s										
	Evening (4h)		Lw /dB (A)		100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		

	Lden		-	0.0	0.0	0.0	-	0.0					
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	100.9	1.00	1.31990	-9.59	-9.6					
	Evening (4h)	4.00	Evening	100.9	1.00	0.34880	-10.59	-10.6					
	Night (8h)	8.00	Night	100.9	1.00	0.68330	-10.68	-10.7					
	Geometry		Nr	x/m	y/m	z(abs) /m	! z(rel) /m						
			Geometry:	619800.72	400366.70	218.78		166.00					
EQCN035	Label	14**			Action radius/m			3000.00					
	Group	5 m/s			Lw (Day (12h)) /dB(A)			100.89					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			100.89					
	Length/ m	----			Lw (Evening (4h)) /dB(A)			100.89					
	Length/ m (2D)	----			Emission is			Sound power level (Lw)					
	Area /m²	----											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference:	Vestas 172-7.2 ST 5 m/s									
	Day (12h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3
	Night (8h)	Emission	Reference:	Vestas 172-7.2 ST 5 m/s									
	Night (8h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3
	Evening (4h)	Emission	Reference:	Vestas 172-7.2 ST 5 m/s									
	Evening (4h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB			Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	100.9	1.00	1.31990	-9.59	-9.6					
	Evening (4h)	4.00	Evening	100.9	1.00	0.34880	-10.59	-10.6					
	Night (8h)	8.00	Night	100.9	1.00	0.68330	-10.68	-10.7					
	Geometry		Nr	x/m	y/m	z(abs) /m	! z(rel) /m						
			Geometry:	619943.68	400840.93	218.00		166.00					
EQCN036	Label	2**			Action radius/m			3000.00					
	Group	5 m/s			Lw (Day (12h)) /dB(A)			100.89					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			100.89					
	Length/ m	----			Lw (Evening (4h)) /dB(A)			100.89					
	Length/ m (2D)	----			Emission is			Sound power level (Lw)					
	Area /m²	----											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference:	Vestas 172-7.2 ST 5 m/s									
	Day (12h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3
	Night (8h)	Emission	Reference:	Vestas 172-7.2 ST 5 m/s									
	Night (8h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3
	Evening (4h)	Emission	Reference:	Vestas 172-7.2 ST 5 m/s									
	Evening (4h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB			Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	100.9	1.00	1.31990	-9.59	-9.6					
	Evening (4h)	4.00	Evening	100.9	1.00	0.34880	-10.59	-10.6					
	Night (8h)	8.00	Night	100.9	1.00	0.68330	-10.68	-10.7					
	Geometry		Nr	x/m	y/m	z(abs) /m	! z(rel) /m						
			Geometry:	620314.85	401595.67	223.09		166.00					
EQCN037	Label	1**			Action radius/m			3000.00					
	Group	5 m/s			Lw (Day (12h)) /dB(A)			100.89					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			100.89					
	Length/ m	----			Lw (Evening (4h)) /dB(A)			100.89					
	Length/ m (2D)	----			Emission is			Sound power level (Lw)					
	Area /m²	----											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference:	Vestas 172-7.2 ST 5 m/s									
	Day (12h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3
	Night (8h)	Emission	Reference:	Vestas 172-7.2 ST 5 m/s									
	Night (8h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3
	Evening (4h)	Emission	Reference:	Vestas 172-7.2 ST 5 m/s									
	Evening (4h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB			Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period	Duration	Emiss.	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					

[illegible]

	Evening (4h)	4.00	Evening	100.9	1.00	0.34880	-10.59	-10.6						
	Night (8h)	8.00	Night	100.9	1.00	0.68330	-10.68	-10.7						
	Geometry		Nr	x/m	y/m	z(abs) /m	! z(rel) /m							
			Geometry:	617919.08	400631.52	229.75	166.00							
EQCN041	Label	4**		Action radius/m				3000.00						
	Group	5 m/s		Lw (Day (12h)) /dB(A)				100.89						
	Number of nodes	1		Lw (Night (8h)) /dB(A)				100.89						
	Length/ m	---		Lw (Evening (4h)) /dB(A)				100.89						
	Length/ m (2D)	---		Emission is				Sound power level (Lw)						
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 5 m/s											
	Day (12h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 5 m/s											
	Night (8h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 5 m/s											
	Evening (4h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3	
	Rating method		Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-	0.0		0.0		0.0				-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	100.9	1.00		1.31990		-9.59		-9.6		
	Evening (4h)		4.00	Evening	100.9	1.00		0.34880		-10.59		-10.6		
	Night (8h)		8.00	Night	100.9	1.00		0.68330		-10.68		-10.7		
	Geometry			Nr	x/m	y/m	z(abs) /m	! z(rel) /m						
				Geometry:	620584.71	400915.71	226.47	166.00						
EQCN042	Label	12**		Action radius/m										3000.00
	Group	5 m/s		Lw (Day (12h)) /dB(A)										100.89
	Number of nodes	1		Lw (Night (8h)) /dB(A)										100.89
	Length/ m	---		Lw (Evening (4h)) /dB(A)										100.89
	Length/ m (2D)	---		Emission is										Sound power level (Lw)
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 5 m/s											
	Day (12h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 5 m/s											
	Night (8h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 5 m/s											
	Evening (4h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3	
	Rating method		Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-	0.0		0.0		0.0				-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	100.9	1.00		1.31990		-9.59		-9.6		
	Evening (4h)		4.00	Evening	100.9	1.00		0.34880		-10.59		-10.6		
	Night (8h)		8.00	Night	100.9	1.00		0.68330		-10.68		-10.7		
	Geometry			Nr	x/m	y/m	z(abs) /m	! z(rel) /m						
				Geometry:	620303.15	400415.28	219.97	166.00						
EQCN043	Label	6***		Action radius/m										3000.00
	Group	6 m/s		Lw (Day (12h)) /dB(A)										102.70
	Number of nodes	1		Lw (Night (8h)) /dB(A)										102.70
	Length/ m	---		Lw (Evening (4h)) /dB(A)										102.70
	Length/ m (2D)	---		Emission is										Sound power level (Lw)
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s											
	Day (12h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s											
	Night (8h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s											
	Evening (4h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0	
	Rating method		Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-	0.0		0.0		0.0				-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	102.7	1.00		1.38260		-9.38		-9.4		
	Evening (4h)		4.00	Evening	102.7	1.00		0.41150		-9.88		-9.9		
	Night (8h)		8.00	Night	102.7	1.00		0.76190		-10.21		-10.2		

Geometry			Nr				x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:				618114.71		401289.03		227.08		166.00	
EQCN044	Label		9***				Action radius/m				3000.00			
	Group		6 m/s				Lw (Day (12h)) /dB(A)				102.70			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				102.70			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				102.70			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s											
	Day (12h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s											
	Night (8h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s											
	Evening (4h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	102.7		1.00		1.38260		-9.38		-9.4	
	Evening (4h)		4.00	Evening	102.7		1.00		0.41150		-9.88		-9.9	
	Night (8h)		8.00	Night	102.7		1.00		0.76190		-10.21		-10.2	
	Geometry		Nr				x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:				618827.26		401498.97		219.05		166.00	
EQCN045	Label		5***				Action radius/m				3000.00			
	Group		6 m/s				Lw (Day (12h)) /dB(A)				102.70			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				102.70			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				102.70			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s											
	Day (12h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s											
	Night (8h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s											
	Evening (4h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	102.7		1.00		1.38260		-9.38		-9.4	
	Evening (4h)		4.00	Evening	102.7		1.00		0.41150		-9.88		-9.9	
	Night (8h)		8.00	Night	102.7		1.00		0.76190		-10.21		-10.2	
	Geometry		Nr				x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:				618568.70		401868.47		219.00		166.00	
EQCN046	Label		10***				Action radius/m				3000.00			
	Group		6 m/s				Lw (Day (12h)) /dB(A)				102.70			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				102.70			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				102.70			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s											
	Day (12h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s											
	Night (8h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s											
	Evening (4h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	102.7		1.00		1.38260		-9.38		-9.4	
	Evening (4h)		4.00	Evening	102.7		1.00		0.41150		-9.88		-9.9	
	Night (8h)		8.00	Night	102.7		1.00		0.76190		-10.21		-10.2	
	Geometry		Nr				x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:				619233.69		400696.45		224.15		166.00	

EQCN047	Label		3***				Action radius/m				3000.00			
	Group		6 m/s				Lw (Day (12h)) /dB(A)				102.70			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				102.70			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				102.70			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Vestas 172-7.2 ST 6 m/s									
	Day (12h)		Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0
	Night (8h)		Emission		Reference: Vestas 172-7.2 ST 6 m/s									
	Night (8h)		Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0
	Evening (4h)		Emission		Reference: Vestas 172-7.2 ST 6 m/s									
	Evening (4h)		Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
Lden				-		0.0		0.0		0.0		-		
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
Day (12h)		12.00	Day	102.7				1.00		1.38260		-9.38		
Evening (4h)		4.00	Evening	102.7				1.00		0.41150		-9.88		
Night (8h)		8.00	Night	102.7				1.00		0.76190		-10.21		
Geometry						Nr		x/m		y/m		z(abs) /m		
						Geometry:		619534.88		401335.18		218.68		
EQCN048	Label		13***				Action radius/m				3000.00			
	Group		6 m/s				Lw (Day (12h)) /dB(A)				102.70			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				102.70			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				102.70			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Vestas 172-7.2 ST 6 m/s									
	Day (12h)		Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0
	Night (8h)		Emission		Reference: Vestas 172-7.2 ST 6 m/s									
	Night (8h)		Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0
	Evening (4h)		Emission		Reference: Vestas 172-7.2 ST 6 m/s									
	Evening (4h)		Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
Lden				-		0.0		0.0		0.0		-		
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
Day (12h)		12.00	Day	102.7				1.00		1.38260		-9.38		
Evening (4h)		4.00	Evening	102.7				1.00		0.41150		-9.88		
Night (8h)		8.00	Night	102.7				1.00		0.76190		-10.21		
Geometry						Nr		x/m		y/m		z(abs) /m		
						Geometry:		619800.72		400366.70		218.78		
EQCN049	Label		14***				Action radius/m				3000.00			
	Group		6 m/s				Lw (Day (12h)) /dB(A)				102.70			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				102.70			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				102.70			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Vestas 172-7.2 ST 6 m/s									
	Day (12h)		Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0
	Night (8h)		Emission		Reference: Vestas 172-7.2 ST 6 m/s									
	Night (8h)		Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0
	Evening (4h)		Emission		Reference: Vestas 172-7.2 ST 6 m/s									
	Evening (4h)		Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
Lden				-		0.0		0.0		0.0		-		
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
Day (12h)		12.00	Day	102.7				1.00		1.38260		-9.38		
Evening (4h)		4.00	Evening	102.7				1.00		0.41150		-9.88		
Night (8h)		8.00	Night	102.7				1.00		0.76190		-10.21		
Geometry						Nr		x/m		y/m		z(abs) /m		
						Geometry:		619943.68		400840.93		218.00		
EQCN050	Label		2***				Action radius/m				3000.00			
	Group		6 m/s				Lw (Day (12h)) /dB(A)				102.70			

	Number of nodes		1				Lw (Night (8h)) /dB(A)				102.70			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				102.70			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s											
	Day (12h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s											
	Night (8h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s											
	Evening (4h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	102.7		1.00		1.38260		-9.38		-9.4	
	Evening (4h)		4.00	Evening	102.7		1.00		0.41150		-9.88		-9.9	
	Night (8h)		8.00	Night	102.7		1.00		0.76190		-10.21		-10.2	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		620314.85		401595.67		223.09		166.00	
EQCN051	Label	1***				Action radius/m						3000.00		
	Group	6 m/s				Lw (Day (12h)) /dB(A)						102.70		
	Number of nodes	1				Lw (Night (8h)) /dB(A)						102.70		
	Length/ m	---				Lw (Evening (4h)) /dB(A)						102.70		
	Length/ m (2D)	---				Emission is						Sound power level (Lw)		
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s											
	Day (12h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s											
	Night (8h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s											
	Evening (4h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	102.7		1.00		1.38260		-9.38		-9.4	
	Evening (4h)		4.00	Evening	102.7		1.00		0.41150		-9.88		-9.9	
	Night (8h)		8.00	Night	102.7		1.00		0.76190		-10.21		-10.2	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		619193.64		402093.47		217.60		166.00	
EQCN052	Label	8***				Action radius/m						3000.00		
	Group	6 m/s				Lw (Day (12h)) /dB(A)						102.70		
	Number of nodes	1				Lw (Night (8h)) /dB(A)						102.70		
	Length/ m	---				Lw (Evening (4h)) /dB(A)						102.70		
	Length/ m (2D)	---				Emission is						Sound power level (Lw)		
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s											
	Day (12h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s											
	Night (8h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s											
	Evening (4h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	102.7		1.00		1.38260		-9.38		-9.4	
	Evening (4h)		4.00	Evening	102.7		1.00		0.41150		-9.88		-9.9	
	Night (8h)		8.00	Night	102.7		1.00		0.76190		-10.21		-10.2	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		618505.85		400992.54		227.35		166.00	
EQCN053	Label	11***				Action radius/m						3000.00		
	Group	6 m/s				Lw (Day (12h)) /dB(A)						102.70		
	Number of nodes	1				Lw (Night (8h)) /dB(A)						102.70		
	Length/ m	---				Lw (Evening (4h)) /dB(A)						102.70		

Length/ m (2D)			---				Emission is				Sound power level (Lw)			
Area /m²			---											
Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)		Emission	Reference: Vestas 172-7.2 ST 6 m/s											
Day (12h)		Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0	
Night (8h)		Emission	Reference: Vestas 172-7.2 ST 6 m/s											
Night (8h)		Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0	
Evening (4h)		Emission	Reference: Vestas 172-7.2 ST 6 m/s											
Evening (4h)		Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0	
Rating method			Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
Lden			-		0.0		0.0		0.0		-		0.0	
Rating period / Period			Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)			12.00	Day	102.7		1.00		1.38260		-9.38		-9.4	
Evening (4h)			4.00	Evening	102.7		1.00		0.41150		-9.88		-9.9	
Night (8h)			8.00	Night	102.7		1.00		0.76190		-10.21		-10.2	
Geometry							Nr		x/m		y/m		z(abs) /m	! z(rel) /m
							Geometry:		620755.93		400138.87		221.00	166.00
EQCN054	Label		7***				Action radius/m				3000.00			
	Group		6 m/s				Lw (Day (12h)) /dB(A)				102.70			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				102.70			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				102.70			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)		Emission	Reference: Vestas 172-7.2 ST 6 m/s											
Day (12h)		Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0	
Night (8h)		Emission	Reference: Vestas 172-7.2 ST 6 m/s											
Night (8h)		Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0	
Evening (4h)		Emission	Reference: Vestas 172-7.2 ST 6 m/s											
Evening (4h)		Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0	
Rating method			Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
Lden			-		0.0		0.0		0.0		-		0.0	
Rating period / Period			Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)			12.00	Day	102.7		1.00		1.38260		-9.38		-9.4	
Evening (4h)			4.00	Evening	102.7		1.00		0.41150		-9.88		-9.9	
Night (8h)			8.00	Night	102.7		1.00		0.76190		-10.21		-10.2	
Geometry							Nr		x/m		y/m		z(abs) /m	! z(rel) /m
							Geometry:		617919.08		400631.52		229.75	166.00
EQCN055	Label		4***				Action radius/m				3000.00			
	Group		6 m/s				Lw (Day (12h)) /dB(A)				102.70			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				102.70			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				102.70			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)		Emission	Reference: Vestas 172-7.2 ST 6 m/s											
Day (12h)		Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0	
Night (8h)		Emission	Reference: Vestas 172-7.2 ST 6 m/s											
Night (8h)		Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0	
Evening (4h)		Emission	Reference: Vestas 172-7.2 ST 6 m/s											
Evening (4h)		Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0	
Rating method			Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
Lden			-		0.0		0.0		0.0		-		0.0	
Rating period / Period			Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)			12.00	Day	102.7		1.00		1.38260		-9.38		-9.4	
Evening (4h)			4.00	Evening	102.7		1.00		0.41150		-9.88		-9.9	
Night (8h)			8.00	Night	102.7		1.00		0.76190		-10.21		-10.2	
Geometry							Nr		x/m		y/m		z(abs) /m	! z(rel) /m
							Geometry:		620584.71		400915.71		226.47	166.00
EQCN056	Label		12***				Action radius/m				3000.00			
	Group		6 m/s				Lw (Day (12h)) /dB(A)				102.70			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				102.70			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				102.70			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											

	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s										
	Day (12h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s										
	Night (8h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s										
	Evening (4h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB		
	Lden		-		0.0		0.0		0.0		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB	Lwr /dB(A)	
	Day (12h)		12.00	Day	102.7		1.00		1.38260		-9.38	-9.4	
	Evening (4h)		4.00	Evening	102.7		1.00		0.41150		-9.88	-9.9	
	Night (8h)		8.00	Night	102.7		1.00		0.76190		-10.21	-10.2	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
					Geometry:		620303.15		400415.28		219.97		166.00
EQCN057	Label		6****				Action radius/m				3000.00		
	Group		7 m/s				Lw (Day (12h)) /dB(A)				105.40		
	Number of nodes		1				Lw (Night (8h)) /dB(A)				105.40		
	Length/ m		---				Lw (Evening (4h)) /dB(A)				105.40		
	Length/ m (2D)		---				Emission is				Sound power level (Lw)		
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s										
	Day (12h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s										
	Night (8h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s										
	Evening (4h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB		
	Lden		-		0.0		0.0		0.0		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB	Lwr /dB(A)	
	Day (12h)		12.00	Day	105.4		1.00		1.30780		-9.63	-9.6	
	Evening (4h)		4.00	Evening	105.4		1.00		0.50300		-9.00	-9.0	
	Night (8h)		8.00	Night	105.4		1.00		0.90440		-9.47	-9.5	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
					Geometry:		618114.71		401289.03		227.08		166.00
EQCN058	Label		9****				Action radius/m				3000.00		
	Group		7 m/s				Lw (Day (12h)) /dB(A)				105.40		
	Number of nodes		1				Lw (Night (8h)) /dB(A)				105.40		
	Length/ m		---				Lw (Evening (4h)) /dB(A)				105.40		
	Length/ m (2D)		---				Emission is				Sound power level (Lw)		
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s										
	Day (12h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s										
	Night (8h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s										
	Evening (4h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB		
	Lden		-		0.0		0.0		0.0		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB	Lwr /dB(A)	
	Day (12h)		12.00	Day	105.4		1.00		1.30780		-9.63	-9.6	
	Evening (4h)		4.00	Evening	105.4		1.00		0.50300		-9.00	-9.0	
	Night (8h)		8.00	Night	105.4		1.00		0.90440		-9.47	-9.5	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
					Geometry:		618827.26		401498.97		219.05		166.00
EQCN059	Label		5****				Action radius/m				3000.00		
	Group		7 m/s				Lw (Day (12h)) /dB(A)				105.40		
	Number of nodes		1				Lw (Night (8h)) /dB(A)				105.40		
	Length/ m		---				Lw (Evening (4h)) /dB(A)				105.40		
	Length/ m (2D)		---				Emission is				Sound power level (Lw)		
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s										

	Day (12h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Night (8h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Evening (4h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	105.4		1.00		1.30780		-9.63		-9.6	
	Evening (4h)		4.00	Evening	105.4		1.00		0.50300		-9.00		-9.0	
	Night (8h)		8.00	Night	105.4		1.00		0.90440		-9.47		-9.5	
	Geometry						Nr	x/m		y/m		z(abs) /m	! z(rel) /m	
							Geometry:		618568.70		401868.47		219.00	166.00
EQCN060	Label		10****				Action radius/m		3000.00					
	Group		7 m/s				Lw (Day (12h)) /dB(A)		105.40					
	Number of nodes		1				Lw (Night (8h)) /dB(A)		105.40					
	Length/ m		---				Lw (Evening (4h)) /dB(A)		105.40					
	Length/ m (2D)		---				Emission is		Sound power level (Lw)					
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Day (12h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Night (8h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Evening (4h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	105.4		1.00		1.30780		-9.63		-9.6	
	Evening (4h)		4.00	Evening	105.4		1.00		0.50300		-9.00		-9.0	
	Night (8h)		8.00	Night	105.4		1.00		0.90440		-9.47		-9.5	
	Geometry						Nr	x/m		y/m		z(abs) /m	! z(rel) /m	
							Geometry:		619233.69		400696.45		224.15	166.00
EQCN061	Label		3****				Action radius/m		3000.00					
	Group		7 m/s				Lw (Day (12h)) /dB(A)		105.40					
	Number of nodes		1				Lw (Night (8h)) /dB(A)		105.40					
	Length/ m		---				Lw (Evening (4h)) /dB(A)		105.40					
	Length/ m (2D)		---				Emission is		Sound power level (Lw)					
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Day (12h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Night (8h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Evening (4h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	105.4		1.00		1.30780		-9.63		-9.6	
	Evening (4h)		4.00	Evening	105.4		1.00		0.50300		-9.00		-9.0	
	Night (8h)		8.00	Night	105.4		1.00		0.90440		-9.47		-9.5	
	Geometry						Nr	x/m		y/m		z(abs) /m	! z(rel) /m	
							Geometry:		619534.88		401335.18		218.68	166.00
EQCN062	Label		13****				Action radius/m		3000.00					
	Group		7 m/s				Lw (Day (12h)) /dB(A)		105.40					
	Number of nodes		1				Lw (Night (8h)) /dB(A)		105.40					
	Length/ m		---				Lw (Evening (4h)) /dB(A)		105.40					
	Length/ m (2D)		---				Emission is		Sound power level (Lw)					
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Day (12h)	Lw /dB (A)	105.4	51.6 56.6	67.4 72.4	82.3 87.5	90.2 91.6	94.5 95.8	95.2 93.3	94.0 94.1	91.2 89.9	85.7 83.6	77.5 74.6	

				61.6	76.1	88.7	92.9	95.7	93.4	92.8	87.9	80.8	71.8
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s										
				51.6	67.4	82.3	90.2	94.5	95.2	94.0	91.2	85.7	77.5
	Night (8h)	Lw /dB (A)	105.4	56.6	72.4	87.5	91.6	95.8	93.3	94.1	89.9	83.6	74.6
				61.6	76.1	88.7	92.9	95.7	93.4	92.8	87.9	80.8	71.8
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s										
				51.6	67.4	82.3	90.2	94.5	95.2	94.0	91.2	85.7	77.5
	Evening (4h)	Lw /dB (A)	105.4	56.6	72.4	87.5	91.6	95.8	93.3	94.1	89.9	83.6	74.6
				61.6	76.1	88.7	92.9	95.7	93.4	92.8	87.9	80.8	71.8
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB							Special correction /dB	
	Lden	-	0.0	0.0	0.0							-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB					Lwr /dB(A)	
	Day (12h)	12.00	Day	105.4	1.00	1.30780	-9.63					-9.6	
	Evening (4h)	4.00	Evening	105.4	1.00	0.50300	-9.00					-9.0	
	Night (8h)	8.00	Night	105.4	1.00	0.90440	-9.47					-9.5	
	Geometry		Nr	x/m	y/m	z(abs) /m	! z(rel) /m						
			Geometry:	619800.72	400366.70	218.78	166.00						
EQCN063	Label	14****		Action radius/m			3000.00						
	Group	7 m/s		Lw (Day (12h)) /dB(A)			105.40						
	Number of nodes	1		Lw (Night (8h)) /dB(A)			105.40						
	Length/ m	---		Lw (Evening (4h)) /dB(A)			105.40						
	Length/ m (2D)	---		Emission is			Sound power level (Lw)						
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s										
				51.6	67.4	82.3	90.2	94.5	95.2	94.0	91.2	85.7	77.5
	Day (12h)	Lw /dB (A)	105.4	56.6	72.4	87.5	91.6	95.8	93.3	94.1	89.9	83.6	74.6
				61.6	76.1	88.7	92.9	95.7	93.4	92.8	87.9	80.8	71.8
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s										
				51.6	67.4	82.3	90.2	94.5	95.2	94.0	91.2	85.7	77.5
	Night (8h)	Lw /dB (A)	105.4	56.6	72.4	87.5	91.6	95.8	93.3	94.1	89.9	83.6	74.6
				61.6	76.1	88.7	92.9	95.7	93.4	92.8	87.9	80.8	71.8
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s										
				51.6	67.4	82.3	90.2	94.5	95.2	94.0	91.2	85.7	77.5
	Evening (4h)	Lw /dB (A)	105.4	56.6	72.4	87.5	91.6	95.8	93.3	94.1	89.9	83.6	74.6
				61.6	76.1	88.7	92.9	95.7	93.4	92.8	87.9	80.8	71.8
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB							Special correction /dB	
	Lden	-	0.0	0.0	0.0							-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB					Lwr /dB(A)	
	Day (12h)	12.00	Day	105.4	1.00	1.30780	-9.63					-9.6	
	Evening (4h)	4.00	Evening	105.4	1.00	0.50300	-9.00					-9.0	
	Night (8h)	8.00	Night	105.4	1.00	0.90440	-9.47					-9.5	
	Geometry		Nr	x/m	y/m	z(abs) /m	! z(rel) /m						
			Geometry:	619943.68	400840.93	218.00	166.00						
EQCN064	Label	2****		Action radius/m			3000.00						
	Group	7 m/s		Lw (Day (12h)) /dB(A)			105.40						
	Number of nodes	1		Lw (Night (8h)) /dB(A)			105.40						
	Length/ m	---		Lw (Evening (4h)) /dB(A)			105.40						
	Length/ m (2D)	---		Emission is			Sound power level (Lw)						
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s										
				51.6	67.4	82.3	90.2	94.5	95.2	94.0	91.2	85.7	77.5
	Day (12h)	Lw /dB (A)	105.4	56.6	72.4	87.5	91.6	95.8	93.3	94.1	89.9	83.6	74.6
				61.6	76.1	88.7	92.9	95.7	93.4	92.8	87.9	80.8	71.8
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s										
				51.6	67.4	82.3	90.2	94.5	95.2	94.0	91.2	85.7	77.5
	Night (8h)	Lw /dB (A)	105.4	56.6	72.4	87.5	91.6	95.8	93.3	94.1	89.9	83.6	74.6
				61.6	76.1	88.7	92.9	95.7	93.4	92.8	87.9	80.8	71.8
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s										
				51.6	67.4	82.3	90.2	94.5	95.2	94.0	91.2	85.7	77.5
	Evening (4h)	Lw /dB (A)	105.4	56.6	72.4	87.5	91.6	95.8	93.3	94.1	89.9	83.6	74.6
				61.6	76.1	88.7	92.9	95.7	93.4	92.8	87.9	80.8	71.8
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB							Special correction /dB	
	Lden	-	0.0	0.0	0.0							-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB					Lwr /dB(A)	
	Day (12h)	12.00	Day	105.4	1.00	1.30780	-9.63					-9.6	
	Evening (4h)	4.00	Evening	105.4	1.00	0.50300	-9.00					-9.0	
	Night (8h)	8.00	Night	105.4	1.00	0.90440	-9.47					-9.5	
	Geometry		Nr	x/m	y/m	z(abs) /m	! z(rel) /m						
			Geometry:	620314.85	401595.67	223.09	166.00						
EQCN065	Label	1****		Action radius/m			3000.00						
	Group	7 m/s		Lw (Day (12h)) /dB(A)			105.40						
	Number of nodes	1		Lw (Night (8h)) /dB(A)			105.40						
	Length/ m	---		Lw (Evening (4h)) /dB(A)			105.40						
	Length/ m (2D)	---		Emission is			Sound power level (Lw)						
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s										
				51.6	67.4	82.3	90.2	94.5	95.2	94.0	91.2	85.7	77.5
	Day (12h)	Lw /dB (A)	105.4	56.6	72.4	87.5	91.6	95.8	93.3	94.1	89.9	83.6	74.6
				61.6	76.1	88.7	92.9	95.7	93.4	92.8	87.9	80.8	71.8
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s										

	Night (8h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Evening (4h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	105.4		1.00		1.30780		-9.63		-9.6	
	Evening (4h)		4.00	Evening	105.4		1.00		0.50300		-9.00		-9.0	
	Night (8h)		8.00	Night	105.4		1.00		0.90440		-9.47		-9.5	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		619193.64		402093.47		217.60		166.00	
EQCN066	Label		8****		Action radius/m								3000.00	
	Group		7 m/s		Lw (Day (12h)) /dB(A)								105.40	
	Number of nodes		1		Lw (Night (8h)) /dB(A)								105.40	
	Length/ m		---		Lw (Evening (4h)) /dB(A)								105.40	
	Length/ m (2D)		---		Emission is								Sound power level (Lw)	
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Vestas 172-7.2 ST 7 m/s									
	Day (12h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Night (8h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Evening (4h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	105.4		1.00		1.30780		-9.63		-9.6	
	Evening (4h)		4.00	Evening	105.4		1.00		0.50300		-9.00		-9.0	
	Night (8h)		8.00	Night	105.4		1.00		0.90440		-9.47		-9.5	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		618505.85		400992.54		227.35		166.00	
EQCN067	Label		11****		Action radius/m								3000.00	
	Group		7 m/s		Lw (Day (12h)) /dB(A)								105.40	
	Number of nodes		1		Lw (Night (8h)) /dB(A)								105.40	
	Length/ m		---		Lw (Evening (4h)) /dB(A)								105.40	
	Length/ m (2D)		---		Emission is								Sound power level (Lw)	
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Vestas 172-7.2 ST 7 m/s									
	Day (12h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Night (8h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Evening (4h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	105.4		1.00		1.30780		-9.63		-9.6	
	Evening (4h)		4.00	Evening	105.4		1.00		0.50300		-9.00		-9.0	
	Night (8h)		8.00	Night	105.4		1.00		0.90440		-9.47		-9.5	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		618505.85		400992.54		227.35		166.00	
EQCN068	Label		7****		Action radius/m								3000.00	
	Group		7 m/s		Lw (Day (12h)) /dB(A)								105.40	
	Number of nodes		1		Lw (Night (8h)) /dB(A)								105.40	
	Length/ m		---		Lw (Evening (4h)) /dB(A)								105.40	
	Length/ m (2D)		---		Emission is								Sound power level (Lw)	
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Vestas 172-7.2 ST 7 m/s									
	Day (12h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Night (8h)	Lw /dB (A)	105.4	51.6 56.6	67.4 72.4	82.3 87.5	90.2 91.6	94.5 95.8	95.2 93.3	94.0 94.1	91.2 89.9	85.7 83.6	77.5 74.6	

				61.6	76.1	88.7	92.9	95.7	93.4	92.8	87.9	80.8	71.8	
	Evening (4h)	Emission	Reference:	Vestas 172-7.2 ST 7 m/s										
	Evening (4h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	105.4		1.00		1.30780		-9.63		-9.6	
	Evening (4h)		4.00	Evening	105.4		1.00		0.50300		-9.00		-9.0	
	Night (8h)		8.00	Night	105.4		1.00		0.90440		-9.47		-9.5	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		617919.08		400631.52		229.75		166.00	
EQCN069	Label		4****		Action radius/m								3000.00	
	Group		7 m/s		Lw (Day (12h)) /dB(A)								105.40	
	Number of nodes		1		Lw (Night (8h)) /dB(A)								105.40	
	Length/ m		----		Lw (Evening (4h)) /dB(A)								105.40	
	Length/ m (2D)		----		Emission is								Sound power level (Lw)	
	Area /m²		----											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission	Reference:	Vestas 172-7.2 ST 7 m/s									
	Day (12h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Night (8h)		Emission	Reference:	Vestas 172-7.2 ST 7 m/s									
	Night (8h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Evening (4h)		Emission	Reference:	Vestas 172-7.2 ST 7 m/s									
	Evening (4h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	105.4		1.00		1.30780		-9.63		-9.6	
	Evening (4h)		4.00	Evening	105.4		1.00		0.50300		-9.00		-9.0	
	Night (8h)		8.00	Night	105.4		1.00		0.90440		-9.47		-9.5	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		620584.71		400915.71		226.47		166.00	
EQCN070	Label		12****		Action radius/m								3000.00	
	Group		7 m/s		Lw (Day (12h)) /dB(A)								105.40	
	Number of nodes		1		Lw (Night (8h)) /dB(A)								105.40	
	Length/ m		----		Lw (Evening (4h)) /dB(A)								105.40	
	Length/ m (2D)		----		Emission is								Sound power level (Lw)	
	Area /m²		----											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission	Reference:	Vestas 172-7.2 ST 7 m/s									
	Day (12h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Night (8h)		Emission	Reference:	Vestas 172-7.2 ST 7 m/s									
	Night (8h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Evening (4h)		Emission	Reference:	Vestas 172-7.2 ST 7 m/s									
	Evening (4h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	105.4		1.00		1.30780		-9.63		-9.6	
	Evening (4h)		4.00	Evening	105.4		1.00		0.50300		-9.00		-9.0	
	Night (8h)		8.00	Night	105.4		1.00		0.90440		-9.47		-9.5	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		620303.15		400415.28		219.97		166.00	
EQCN071	Label		6****		Action radius/m								3000.00	
	Group		8 m/s		Lw (Day (12h)) /dB(A)								108.20	
	Number of nodes		1		Lw (Night (8h)) /dB(A)								108.20	
	Length/ m		----		Lw (Evening (4h)) /dB(A)								108.20	
	Length/ m (2D)		----		Emission is								Sound power level (Lw)	
	Area /m²		----											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission	Reference:	Vestas 172-7.2 ST 8 m/s									
	Day (12h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7	
	Night (8h)		Emission	Reference:	Vestas 172-7.2 ST 8 m/s									
	Night (8h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7	
	Evening (4h)		Emission	Reference:	Vestas 172-7.2 ST 8 m/s									

	Evening (4h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.2		1.00		1.16680		-10.12		-10.1	
	Evening (4h)		4.00	Evening	108.2		1.00		0.48550		-9.16		-9.2	
	Night (8h)		8.00	Night	108.2		1.00		1.00880		-8.99		-9.0	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		618114.71		401289.03		227.08		166.00	
EQCN072	Label		9*****				Action radius/m						3000.00	
	Group		8 m/s				Lw (Day (12h)) /dB(A)						108.20	
	Number of nodes		1				Lw (Night (8h)) /dB(A)						108.20	
	Length/ m		---				Lw (Evening (4h)) /dB(A)						108.20	
	Length/ m (2D)		---				Emission is						Sound power level (Lw)	
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Vestas 172-7.2 ST 8 m/s									
	Day (12h)		Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7
	Night (8h)		Emission		Reference: Vestas 172-7.2 ST 8 m/s									
	Night (8h)		Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7
	Evening (4h)		Emission		Reference: Vestas 172-7.2 ST 8 m/s									
	Evening (4h)		Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.2		1.00		1.16680		-10.12		-10.1	
	Evening (4h)		4.00	Evening	108.2		1.00		0.48550		-9.16		-9.2	
	Night (8h)		8.00	Night	108.2		1.00		1.00880		-8.99		-9.0	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		618827.26		401498.97		219.05		166.00	
EQCN073	Label		5*****				Action radius/m						3000.00	
	Group		8 m/s				Lw (Day (12h)) /dB(A)						108.20	
	Number of nodes		1				Lw (Night (8h)) /dB(A)						108.20	
	Length/ m		---				Lw (Evening (4h)) /dB(A)						108.20	
	Length/ m (2D)		---				Emission is						Sound power level (Lw)	
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Vestas 172-7.2 ST 8 m/s									
	Day (12h)		Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7
	Night (8h)		Emission		Reference: Vestas 172-7.2 ST 8 m/s									
	Night (8h)		Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7
	Evening (4h)		Emission		Reference: Vestas 172-7.2 ST 8 m/s									
	Evening (4h)		Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.2		1.00		1.16680		-10.12		-10.1	
	Evening (4h)		4.00	Evening	108.2		1.00		0.48550		-9.16		-9.2	
	Night (8h)		8.00	Night	108.2		1.00		1.00880		-8.99		-9.0	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		618568.70		401868.47		219.00		166.00	
EQCN074	Label		10*****				Action radius/m						3000.00	
	Group		8 m/s				Lw (Day (12h)) /dB(A)						108.20	
	Number of nodes		1				Lw (Night (8h)) /dB(A)						108.20	
	Length/ m		---				Lw (Evening (4h)) /dB(A)						108.20	
	Length/ m (2D)		---				Emission is						Sound power level (Lw)	
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Vestas 172-7.2 ST 8 m/s									
	Day (12h)		Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7
	Night (8h)		Emission		Reference: Vestas 172-7.2 ST 8 m/s									
	Night (8h)		Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7
	Evening (4h)		Emission		Reference: Vestas 172-7.2 ST 8 m/s									
	Evening (4h)		Lw /dB (A)	108.2	55.2 60.0	70.0 74.8	83.9 88.7	91.9 93.9	97.1 98.5	98.3 96.2	97.1 97.3	94.3 93.1	88.4 86.1	78.6 75.1

				64.7	78.8	89.9	95.3	98.6	96.4	96.0	90.8	82.7	71.7
	Rating method	Peak level	Corr. for impulsivity /dB			Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden	-	0.0			0.0		0.0			-	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	108.2		1.00		1.16680		-10.12		-10.1	
	Evening (4h)	4.00	Evening	108.2		1.00		0.48550		-9.16		-9.2	
	Night (8h)	8.00	Night	108.2		1.00		1.00880		-8.99		-9.0	
	Geometry		Nr	x/m		y/m		z(abs) /m		! z(rel) /m			
			Geometry:	619233.69		400696.45		224.15		166.00			
EQCN075	Label	3*****		Action radius/m				3000.00					
	Group	8 m/s		Lw (Day (12h)) /dB(A)				108.20					
	Number of nodes	1		Lw (Night (8h)) /dB(A)				108.20					
	Length/ m	---		Lw (Evening (4h)) /dB(A)				108.20					
	Length/ m (2D)	---		Emission is				Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s										
	Day (12h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s										
	Night (8h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s										
	Evening (4h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7
	Rating method	Peak level	Corr. for impulsivity /dB			Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden	-	0.0			0.0		0.0			-	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	108.2		1.00		1.16680		-10.12		-10.1	
	Evening (4h)	4.00	Evening	108.2		1.00		0.48550		-9.16		-9.2	
	Night (8h)	8.00	Night	108.2		1.00		1.00880		-8.99		-9.0	
	Geometry		Nr	x/m		y/m		z(abs) /m		! z(rel) /m			
			Geometry:	619534.88		401335.18		218.68		166.00			
EQCN076	Label	13*****		Action radius/m				3000.00					
	Group	8 m/s		Lw (Day (12h)) /dB(A)				108.20					
	Number of nodes	1		Lw (Night (8h)) /dB(A)				108.20					
	Length/ m	---		Lw (Evening (4h)) /dB(A)				108.20					
	Length/ m (2D)	---		Emission is				Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s										
	Day (12h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s										
	Night (8h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s										
	Evening (4h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7
	Rating method	Peak level	Corr. for impulsivity /dB			Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden	-	0.0			0.0		0.0			-	0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	108.2		1.00		1.16680		-10.12		-10.1	
	Evening (4h)	4.00	Evening	108.2		1.00		0.48550		-9.16		-9.2	
	Night (8h)	8.00	Night	108.2		1.00		1.00880		-8.99		-9.0	
	Geometry		Nr	x/m		y/m		z(abs) /m		! z(rel) /m			
			Geometry:	619800.72		400366.70		218.78		166.00			
EQCN077	Label	14*****		Action radius/m				3000.00					
	Group	8 m/s		Lw (Day (12h)) /dB(A)				108.20					
	Number of nodes	1		Lw (Night (8h)) /dB(A)				108.20					
	Length/ m	---		Lw (Evening (4h)) /dB(A)				108.20					
	Length/ m (2D)	---		Emission is				Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s										
	Day (12h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s										
	Night (8h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s										
	Evening (4h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7
	Rating method	Peak level	Corr. for			Corr. for tonality		Corr. for inform.				Special correction	

	Lden		-		impulsivity /dB		0.0		/dB		0.0		content/dB		-		/dB		0.0							
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)													
	Day (12h)		12.00	Day	108.2		1.00		1.16680		-10.12		-10.1													
	Evening (4h)		4.00	Evening	108.2		1.00		0.48550		-9.16		-9.2													
	Night (8h)		8.00	Night	108.2		1.00		1.00880		-8.99		-9.0													
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m													
					Geometry:		619943.68		400840.93		218.00		166.00													
EQCN078	Label		2****				Action radius/m						3000.00													
	Group		8 m/s				Lw (Day (12h)) /dB(A)						108.20													
	Number of nodes		1				Lw (Night (8h)) /dB(A)						108.20													
	Length/ m		---				Lw (Evening (4h)) /dB(A)						108.20													
	Length/ m (2D)		---				Emission is						Sound power level (Lw)													
	Area /m²		---																							
	Emiss. variant		Sum		16 Hz		31.5 Hz		63 Hz		125 Hz		250 Hz		500 Hz		1000 Hz		2000 Hz		4000 Hz		8000 Hz			
	Day (12h)		Emission		Reference: Vestas 172-7.2 ST 8 m/s																					
	Day (12h)		Lw /dB (A)		108.2		55.2 60.0 64.7		70.0 74.8 78.8		83.9 88.7 89.9		91.9 93.9 95.3		97.1 98.5 98.6		98.3 96.2 96.4		97.1 97.3 96.0		94.3 93.1 90.8		88.4 86.1 82.7		78.6 75.1 71.7	
	Night (8h)		Emission		Reference: Vestas 172-7.2 ST 8 m/s																					
	Night (8h)		Lw /dB (A)		108.2		55.2 60.0 64.7		70.0 74.8 78.8		83.9 88.7 89.9		91.9 93.9 95.3		97.1 98.5 98.6		98.3 96.2 96.4		97.1 97.3 96.0		94.3 93.1 90.8		88.4 86.1 82.7		78.6 75.1 71.7	
	Evening (4h)		Emission		Reference: Vestas 172-7.2 ST 8 m/s																					
	Evening (4h)		Lw /dB (A)		108.2		55.2 60.0 64.7		70.0 74.8 78.8		83.9 88.7 89.9		91.9 93.9 95.3		97.1 98.5 98.6		98.3 96.2 96.4		97.1 97.3 96.0		94.3 93.1 90.8		88.4 86.1 82.7		78.6 75.1 71.7	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB													
	Lden		-		0.0		0.0		0.0				0.0													
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)													
	Day (12h)		12.00	Day	108.2		1.00		1.16680		-10.12		-10.1													
	Evening (4h)		4.00	Evening	108.2		1.00		0.48550		-9.16		-9.2													
	Night (8h)		8.00	Night	108.2		1.00		1.00880		-8.99		-9.0													
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m													
					Geometry:		620314.85		401595.67		223.09		166.00													
EQCN079	Label		1*****				Action radius/m						3000.00													
	Group		8 m/s				Lw (Day (12h)) /dB(A)						108.20													
	Number of nodes		1				Lw (Night (8h)) /dB(A)						108.20													

	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)		12.00	Day	108.2		1.00		1.16680		-10.12 -10.1			
	Evening (4h)		4.00	Evening	108.2		1.00		0.48550		-9.16 -9.2			
	Night (8h)		8.00	Night	108.2		1.00		1.00880		-8.99 -9.0			
	Geometry				Nr	x/m	y/m		z(abs) /m		! z(rel) /m			
					Geometry:		618505.85 400992.54		227.35		166.00			
EQCN081	Label		11*****			Action radius/m		3000.00						
	Group		8 m/s			Lw (Day (12h)) /dB(A)		108.20						
	Number of nodes		1			Lw (Night (8h)) /dB(A)		108.20						
	Length/ m		---			Lw (Evening (4h)) /dB(A)		108.20						
	Length/ m (2D)		---			Emission is		Sound power level (Lw)						
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s											
	Day (12h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s											
	Night (8h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s											
	Evening (4h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden				-		0.0		0.0		-			0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)		12.00	Day	108.2		1.00		1.16680		-10.12		-10.1	
	Evening (4h)		4.00	Evening	108.2		1.00		0.48550		-9.16		-9.2	
	Night (8h)		8.00	Night	108.2		1.00		1.00880		-8.99		-9.0	
	Geometry				Nr	x/m	y/m		z(abs) /m		! z(rel) /m			
					Geometry:		620755.93 400138.87		221.00		166.00			
EQCN082	Label		7*****			Action radius/m		3000.00						
	Group		8 m/s			Lw (Day (12h)) /dB(A)		108.20						
	Number of nodes		1			Lw (Night (8h)) /dB(A)		108.20						
	Length/ m		---			Lw (Evening (4h)) /dB(A)		108.20						
	Length/ m (2D)		---			Emission is		Sound power level (Lw)						
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s											
	Day (12h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s											
	Night (8h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s											
	Evening (4h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden				-		0.0		0.0		-			0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)		12.00	Day	108.2		1.00		1.16680		-10.12		-10.1	
	Evening (4h)		4.00	Evening	108.2		1.00		0.48550		-9.16		-9.2	
	Night (8h)		8.00	Night	108.2		1.00		1.00880		-8.99		-9.0	
	Geometry				Nr	x/m	y/m		z(abs) /m		! z(rel) /m			
					Geometry:		617919.08 400631.52		229.75		166.00			
EQCN083	Label		4*****			Action radius/m		3000.00						
	Group		8 m/s			Lw (Day (12h)) /dB(A)		108.20						
	Number of nodes		1			Lw (Night (8h)) /dB(A)		108.20						
	Length/ m		---			Lw (Evening (4h)) /dB(A)		108.20						
	Length/ m (2D)		---			Emission is		Sound power level (Lw)						
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s											
	Day (12h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s											
	Night (8h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s											
	Evening (4h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden				-		0.0		0.0		-			0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h		dLi /dB		Lwr /dB(A)			

	Day (12h)	12.00	Day	108.2	1.00	1.16680	-10.12	-10.1						
	Evening (4h)	4.00	Evening	108.2	1.00	0.48550	-9.16	-9.2						
	Night (8h)	8.00	Night	108.2	1.00	1.00880	-8.99	-9.0						
	Geometry		Nr	x/m	y/m	z(abs) /m	! z(rel) /m							
			Geometry:	620584.71	400915.71	226.47	166.00							
EQCN084	Label	12*****		Action radius/m				3000.00						
	Group	8 m/s		Lw (Day (12h)) /dB(A)				108.20						
	Number of nodes	1		Lw (Night (8h)) /dB(A)				108.20						
	Length/ m	---		Lw (Evening (4h)) /dB(A)				108.20						
	Length/ m (2D)	---		Emission is				Sound power level (Lw)						
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s											
	Day (12h)	Lw /dB (A)	108.2	55.2	70.0	83.9	91.9	97.1	98.3	97.1	94.3	88.4	78.6	
				60.0	74.8	88.7	93.9	98.5	96.2	97.3	93.1	86.1	75.1	
				64.7	78.8	89.9	95.3	98.6	96.4	96.0	90.8	82.7	71.7	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s											
	Night (8h)	Lw /dB (A)	108.2	55.2	70.0	83.9	91.9	97.1	98.3	97.1	94.3	88.4	78.6	
				60.0	74.8	88.7	93.9	98.5	96.2	97.3	93.1	86.1	75.1	
				64.7	78.8	89.9	95.3	98.6	96.4	96.0	90.8	82.7	71.7	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s											
	Evening (4h)	Lw /dB (A)	108.2	55.2	70.0	83.9	91.9	97.1	98.3	97.1	94.3	88.4	78.6	
				60.0	74.8	88.7	93.9	98.5	96.2	97.3	93.1	86.1	75.1	
				64.7	78.8	89.9	95.3	98.6	96.4	96.0	90.8	82.7	71.7	
	Rating method		Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB							Special correction /dB	
	Lden		-	0.0	0.0	0.0							-	0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB					Lwr /dB(A)	
	Day (12h)		12.00	Day	108.2		1.00	1.16680					-10.12	-10.1
	Evening (4h)		4.00	Evening	108.2		1.00	0.48550					-9.16	-9.2
	Night (8h)		8.00	Night	108.2		1.00	1.00880					-8.99	-9.0
	Geometry			Nr	x/m	y/m	z(abs) /m	! z(rel) /m						
				Geometry:	620303.15	400415.28	219.97	166.00						
EQCN085	Label	6*****		Action radius/m										3000.00
	Group	9 m/s		Lw (Day (12h)) /dB(A)										110.31
	Number of nodes	1		Lw (Night (8h)) /dB(A)										110.31
	Length/ m	---		Lw (Evening (4h)) /dB(A)										110.31
	Length/ m (2D)	---		Emission is										Sound power level (Lw)
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s											
	Day (12h)	Lw /dB (A)	110.3	55.8	70.8	85.4	93.4	98.4	100.4	99.9	97.0	90.3	79.0	
				60.7	75.6	89.6	95.3	99.8	98.8	100.2	95.7	87.8	75.1	
				65.5	79.8	91.5	96.7	100.2	99.1	98.8	93.2	83.9	71.2	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s											
	Night (8h)	Lw /dB (A)	110.3	55.8	70.8	85.4	93.4	98.4	100.4	99.9	97.0	90.3	79.0	
				60.7	75.6	89.6	95.3	99.8	98.8	100.2	95.7	87.8	75.1	
				65.5	79.8	91.5	96.7	100.2	99.1	98.8	93.2	83.9	71.2	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s											
	Evening (4h)	Lw /dB (A)	110.3	55.8	70.8	85.4	93.4	98.4	100.4	99.9	97.0	90.3	79.0	
				60.7	75.6	89.6	95.3	99.8	98.8	100.2	95.7	87.8	75.1	
				65.5	79.8	91.5	96.7	100.2	99.1	98.8	93.2	83.9	71.2	
	Rating method		Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB							Special correction /dB	
	Lden		-	0.0	0.0	0.0							-	0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB					Lwr /dB(A)	
	Day (12h)		12.00	Day	110.3		1.00	1.05450					-10.56	-10.6
	Evening (4h)		4.00	Evening	110.3		1.00	0.45780					-9.41	-9.4
	Night (8h)		8.00	Night	110.3		1.00	1.02440					-8.93	-8.9
	Geometry			Nr	x/m	y/m	z(abs) /m	! z(rel) /m						
				Geometry:	618114.71	401289.03	227.08	166.00						
EQCN086	Label	9*****		Action radius/m										3000.00
	Group	9 m/s		Lw (Day (12h)) /dB(A)										110.31
	Number of nodes	1		Lw (Night (8h)) /dB(A)										110.31
	Length/ m	---		Lw (Evening (4h)) /dB(A)										110.31
	Length/ m (2D)	---		Emission is										Sound power level (Lw)
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s											
	Day (12h)	Lw /dB (A)	110.3	55.8	70.8	85.4	93.4	98.4	100.4	99.9	97.0	90.3	79.0	
				60.7	75.6	89.6	95.3	99.8	98.8	100.2	95.7	87.8	75.1	
				65.5	79.8	91.5	96.7	100.2	99.1	98.8	93.2	83.9	71.2	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s											
	Night (8h)	Lw /dB (A)	110.3	55.8	70.8	85.4	93.4	98.4	100.4	99.9	97.0	90.3	79.0	
				60.7	75.6	89.6	95.3	99.8	98.8	100.2	95.7	87.8	75.1	
				65.5	79.8	91.5	96.7	100.2	99.1	98.8	93.2	83.9	71.2	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s											
	Evening (4h)	Lw /dB (A)	110.3	55.8	70.8	85.4	93.4	98.4	100.4	99.9	97.0	90.3	79.0	
				60.7	75.6	89.6	95.3	99.8	98.8	100.2	95.7	87.8	75.1	
				65.5	79.8	91.5	96.7	100.2	99.1	98.8	93.2	83.9	71.2	
	Rating method		Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB							Special correction /dB	
	Lden		-	0.0	0.0	0.0							-	0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB					Lwr /dB(A)	
	Day (12h)		12.00	Day	110.3		1.00	1.05450					-10.56	-10.6
	Evening (4h)		4.00	Evening	110.3		1.00	0.45780					-9.41	-9.4

	Night (8h)		8.00	Night			110.3		1.00		1.02440		-8.93		-8.9
	Geometry					Nr		x/m		y/m			z(abs) /m		! z(rel) /m
						Geometry:		618827.26		401498.97			219.05		166.00
EQCN087	Label		5*****					Action radius/m							3000.00
	Group		9 m/s					Lw (Day (12h)) /dB(A)							110.31
	Number of nodes		1					Lw (Night (8h)) /dB(A)							110.31
	Length/ m		---					Lw (Evening (4h)) /dB(A)							110.31
	Length/ m (2D)		---					Emission is							Sound power level (Lw)
	Area /m²		---												
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission		Reference: Vestas 172-7.2 ST 9 m/s											
	Day (12h)	Lw /dB (A)		110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 99.8 99.1	99.9 98.8 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2	
	Night (8h)	Emission		Reference: Vestas 172-7.2 ST 9 m/s											
	Night (8h)	Lw /dB (A)		110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 99.8 99.1	99.9 98.8 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2	
	Evening (4h)	Emission		Reference: Vestas 172-7.2 ST 9 m/s											
	Evening (4h)	Lw /dB (A)		110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 99.8 99.1	99.9 98.8 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2	
	Rating method			Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB			Special correction /dB		
	Lden			-		0.0		0.0		0.0			-		0.0
	Rating period / Period			Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)			12.00	Day	110.3		1.00		1.05450		-10.56		-10.6	
	Evening (4h)			4.00	Evening	110.3		1.00		0.45780		-9.41		-9.4	
	Night (8h)			8.00	Night	110.3		1.00		1.02440		-8.93		-8.9	
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		618568.70		401868.47		219.00		166.00	
EQCN088	Label		10*****					Action radius/m							3000.00
	Group		9 m/s					Lw (Day (12h)) /dB(A)							110.31
	Number of nodes		1					Lw (Night (8h)) /dB(A)							110.31
	Length/ m		---					Lw (Evening (4h)) /dB(A)							110.31
	Length/ m (2D)		---					Emission is							Sound power level (Lw)
	Area /m²		---												
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission		Reference: Vestas 172-7.2 ST 9 m/s											
	Day (12h)	Lw /dB (A)		110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 99.8 99.1	99.9 98.8 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2	
	Night (8h)	Emission		Reference: Vestas 172-7.2 ST 9 m/s											
	Night (8h)	Lw /dB (A)		110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 99.8 99.1	99.9 98.8 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2	
	Evening (4h)	Emission		Reference: Vestas 172-7.2 ST 9 m/s											
	Evening (4h)	Lw /dB (A)		110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 99.8 99.1	99.9 98.8 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2	
	Rating method			Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB			Special correction /dB		
	Lden			-		0.0		0.0		0.0			-		0.0
	Rating period / Period			Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)			12.00	Day	110.3		1.00		1.05450		-10.56		-10.6	
	Evening (4h)			4.00	Evening	110.3		1.00		0.45780		-9.41		-9.4	
	Night (8h)			8.00	Night	110.3		1.00		1.02440		-8.93		-8.9	
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		619233.69		400696.45		224.15		166.00	
EQCN089	Label		3*****					Action radius/m							3000.00
	Group		9 m/s					Lw (Day (12h)) /dB(A)							110.31
	Number of nodes		1					Lw (Night (8h)) /dB(A)							110.31
	Length/ m		---					Lw (Evening (4h)) /dB(A)							110.31
	Length/ m (2D)		---					Emission is							Sound power level (Lw)
	Area /m²		---												
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission		Reference: Vestas 172-7.2 ST 9 m/s											
	Day (12h)	Lw /dB (A)		110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 99.8 99.1	99.9 98.8 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2	
	Night (8h)	Emission		Reference: Vestas 172-7.2 ST 9 m/s											
	Night (8h)	Lw /dB (A)		110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 99.8 99.1	99.9 98.8 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2	
	Evening (4h)	Emission		Reference: Vestas 172-7.2 ST 9 m/s											
	Evening (4h)	Lw /dB (A)		110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 99.8 99.1	99.9 98.8 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2	
	Rating method			Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB			Special correction /dB		
	Lden			-		0.0		0.0		0.0			-		0.0
	Rating period / Period			Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)			12.00	Day	110.3		1.00		1.05450		-10.56		-10.6	
	Evening (4h)			4.00	Evening	110.3		1.00		0.45780		-9.41		-9.4	
	Night (8h)			8.00	Night	110.3		1.00		1.02440		-8.93		-8.9	
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	

		Geometry:				619534.88	401335.18	218.68	166.00				
EQCN090	Label	13*****				Action radius/m			3000.00				
	Group	9 m/s				Lw (Day (12h)) /dB(A)			110.31				
	Number of nodes	1				Lw (Night (8h)) /dB(A)			110.31				
	Length/ m	---				Lw (Evening (4h)) /dB(A)			110.31				
	Length/ m (2D)	---				Emission is			Sound power level (Lw)				
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s										
	Day (12h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s										
	Night (8h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s										
	Evening (4h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden	-		0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	110.3		1.00		1.05450		-10.56		-10.6	
	Evening (4h)	4.00	Evening	110.3		1.00		0.45780		-9.41		-9.4	
	Night (8h)	8.00	Night	110.3		1.00		1.02440		-8.93		-8.9	
	Geometry					Nr	x/m	y/m	z(abs) /m		! z(rel) /m		
						Geometry:	619800.72	400366.70	218.78		166.00		
EQCN091	Label	14*****				Action radius/m			3000.00				
	Group	9 m/s				Lw (Day (12h)) /dB(A)			110.31				
	Number of nodes	1				Lw (Night (8h)) /dB(A)			110.31				
	Length/ m	---				Lw (Evening (4h)) /dB(A)			110.31				
	Length/ m (2D)	---				Emission is			Sound power level (Lw)				
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s										
	Day (12h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s										
	Night (8h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s										
	Evening (4h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden	-		0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	110.3		1.00		1.05450		-10.56		-10.6	
	Evening (4h)	4.00	Evening	110.3		1.00		0.45780		-9.41		-9.4	
	Night (8h)	8.00	Night	110.3		1.00		1.02440		-8.93		-8.9	
	Geometry					Nr	x/m	y/m	z(abs) /m		! z(rel) /m		
						Geometry:	619943.68	400840.93	218.00		166.00		
EQCN092	Label	2*****				Action radius/m			3000.00				
	Group	9 m/s				Lw (Day (12h)) /dB(A)			110.31				
	Number of nodes	1				Lw (Night (8h)) /dB(A)			110.31				
	Length/ m	---				Lw (Evening (4h)) /dB(A)			110.31				
	Length/ m (2D)	---				Emission is			Sound power level (Lw)				
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s										
	Day (12h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s										
	Night (8h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s										
	Evening (4h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden	-		0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	110.3		1.00		1.05450		-10.56		-10.6	
	Evening (4h)	4.00	Evening	110.3		1.00		0.45780		-9.41		-9.4	
	Night (8h)	8.00	Night	110.3		1.00		1.02440		-8.93		-8.9	
	Geometry					Nr	x/m	y/m	z(abs) /m		! z(rel) /m		
						Geometry:	620314.85	401595.67	223.09		166.00		
EQCN093	Label	1*****				Action radius/m			3000.00				

Group		9 m/s			Lw (Day (12h)) /dB(A)							110.31		
Number of nodes		1			Lw (Night (8h)) /dB(A)							110.31		
Length/ m		---			Lw (Evening (4h)) /dB(A)							110.31		
Length/ m (2D)		---			Emission is							Sound power level (Lw)		
Area /m²		---												
Emiss. variant		Sum			16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
Day (12h)		Emission		Reference: Vestas 172-7.2 ST 9 m/s										
Day (12h)		Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2	
Night (8h)		Emission		Reference: Vestas 172-7.2 ST 9 m/s										
Night (8h)		Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2	
Evening (4h)		Emission		Reference: Vestas 172-7.2 ST 9 m/s										
Evening (4h)		Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2	
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
Lden				-		0.0		0.0		0.0		-		
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
Day (12h)		12.00	Day	110.3		1.00		1.05450		-10.56		-10.6		
Evening (4h)		4.00	Evening	110.3		1.00		0.45780		-9.41		-9.4		
Night (8h)		8.00	Night	110.3		1.00		1.02440		-8.93		-8.9		
Geometry						Nr		x/m		y/m		z(abs) /m		
						Geometry:		619193.64		402093.47		217.60		
EQCN094		Label		8*****		Action radius/m						3000.00		
		Group		9 m/s		Lw (Day (12h)) /dB(A)						110.31		
		Number of nodes		1		Lw (Night (8h)) /dB(A)						110.31		
		Length/ m		---		Lw (Evening (4h)) /dB(A)						110.31		
		Length/ m (2D)		---		Emission is						Sound power level (Lw)		
		Area /m²		---										
Emiss. variant		Sum			16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
Day (12h)		Emission		Reference: Vestas 172-7.2 ST 9 m/s										
Day (12h)		Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2	
Night (8h)		Emission		Reference: Vestas 172-7.2 ST 9 m/s										
Night (8h)		Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2	
Evening (4h)		Emission		Reference: Vestas 172-7.2 ST 9 m/s										
Evening (4h)		Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2	
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
Lden				-		0.0		0.0		0.0		-		
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
Day (12h)		12.00	Day	110.3		1.00		1.05450		-10.56		-10.6		
Evening (4h)		4.00	Evening	110.3		1.00		0.45780		-9.41		-9.4		
Night (8h)		8.00	Night	110.3		1.00		1.02440		-8.93		-8.9		
Geometry						Nr		x/m		y/m		z(abs) /m		
						Geometry:		618505.85		400992.54		227.35		
EQCN095		Label		11*****		Action radius/m						3000.00		
		Group		9 m/s		Lw (Day (12h)) /dB(A)						110.31		
		Number of nodes		1		Lw (Night (8h)) /dB(A)						110.31		
		Length/ m		---		Lw (Evening (4h)) /dB(A)						110.31		
		Length/ m (2D)		---		Emission is						Sound power level (Lw)		
		Area /m²		---										
Emiss. variant		Sum			16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
Day (12h)		Emission		Reference: Vestas 172-7.2 ST 9 m/s										
Day (12h)		Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2	
Night (8h)		Emission		Reference: Vestas 172-7.2 ST 9 m/s										
Night (8h)		Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2	
Evening (4h)		Emission		Reference: Vestas 172-7.2 ST 9 m/s										
Evening (4h)		Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2	
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
Lden				-		0.0		0.0		0.0		-		
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
Day (12h)		12.00	Day	110.3		1.00		1.05450		-10.56		-10.6		
Evening (4h)		4.00	Evening	110.3		1.00		0.45780		-9.41		-9.4		
Night (8h)		8.00	Night	110.3		1.00		1.02440		-8.93		-8.9		
Geometry						Nr		x/m		y/m		z(abs) /m		
						Geometry:		620755.93		400138.87		221.00		
EQCN096		Label		7*****		Action radius/m						3000.00		
		Group		9 m/s		Lw (Day (12h)) /dB(A)						110.31		
		Number of nodes		1		Lw (Night (8h)) /dB(A)						110.31		

	Length/ m	---					Lw (Evening (4h)) /dB(A)							110.31
	Length/ m (2D)	---					Emission is							Sound power level (Lw)
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s											
	Day (12h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s											
	Night (8h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s											
	Evening (4h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden			-		0.0		0.0				0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	110.3		1.00		1.05450		-10.56		-10.6		
	Evening (4h)	4.00	Evening	110.3		1.00		0.45780		-9.41		-9.4		
	Night (8h)	8.00	Night	110.3		1.00		1.02440		-8.93		-8.9		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m
						Geometry:		617919.08		400631.52		229.75		166.00
EQCN097	Label	4*****				Action radius/m				3000.00				
	Group	9 m/s				Lw (Day (12h)) /dB(A)				110.31				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				110.31				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				110.31				
	Length/ m (2D)	---				Emission is				Sound power level (Lw)				
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s											
	Day (12h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s											
	Night (8h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s											
	Evening (4h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden			-		0.0		0.0				0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	110.3		1.00		1.05450		-10.56		-10.6		
	Evening (4h)	4.00	Evening	110.3		1.00		0.45780		-9.41		-9.4		
	Night (8h)	8.00	Night	110.3		1.00		1.02440		-8.93		-8.9		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m
						Geometry:		620584.71		400915.71		226.47		166.00
EQCN098	Label	12*****				Action radius/m				3000.00				
	Group	9 m/s				Lw (Day (12h)) /dB(A)				110.31				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				110.31				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				110.31				
	Length/ m (2D)	---				Emission is				Sound power level (Lw)				
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s											
	Day (12h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s											
	Night (8h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s											
	Evening (4h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden			-		0.0		0.0				0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	110.3		1.00		1.05450		-10.56		-10.6		
	Evening (4h)	4.00	Evening	110.3		1.00		0.45780		-9.41		-9.4		
	Night (8h)	8.00	Night	110.3		1.00		1.02440		-8.93		-8.9		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m
						Geometry:		620303.15		400415.28		219.97		166.00
EQCN099	Label	6*****				Action radius/m				3000.00				
	Group	10 m/s				Lw (Day (12h)) /dB(A)				111.09				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				111.09				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				111.09				
	Length/ m (2D)	---				Emission is				Sound power level (Lw)				

Area /m²		---		---				---				---			
Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
Day (12h)		Emission		Reference: Vestas 172-7.2 ST 10 m/s											
Day (12h)		Lw /dB (A)		111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
Night (8h)		Emission		Reference: Vestas 172-7.2 ST 10 m/s											
Night (8h)		Lw /dB (A)		111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
Evening (4h)		Emission		Reference: Vestas 172-7.2 ST 10 m/s											
Evening (4h)		Lw /dB (A)		111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
Lden		-		0.0		0.0		0.0				-		0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
Day (12h)		12.00	Day	111.1		1.00		0.88920		-11.30		-11.3			
Evening (4h)		4.00	Evening	111.1		1.00		0.40990		-9.89		-9.9			
Night (8h)		8.00	Night	111.1		1.00		0.94580		-9.27		-9.3			
Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m			
				Geometry:		618114.71		401289.03		227.08		166.00			
EQCN100		Label		9*****		Action radius/m						3000.00			
Group		10 m/s		Lw (Day (12h)) /dB(A)								111.09			
Number of nodes		1		Lw (Night (8h)) /dB(A)								111.09			
Length/ m		---		Lw (Evening (4h)) /dB(A)								111.09			
Length/ m (2D)		---		Emission is								Sound power level (Lw)			
Area /m²		---													
Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
Day (12h)		Emission		Reference: Vestas 172-7.2 ST 10 m/s											
Day (12h)		Lw /dB (A)		111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
Night (8h)		Emission		Reference: Vestas 172-7.2 ST 10 m/s											
Night (8h)		Lw /dB (A)		111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
Evening (4h)		Emission		Reference: Vestas 172-7.2 ST 10 m/s											
Evening (4h)		Lw /dB (A)		111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
Lden		-		0.0		0.0		0.0				-		0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
Day (12h)		12.00	Day	111.1		1.00		0.88920		-11.30		-11.3			
Evening (4h)		4.00	Evening	111.1		1.00		0.40990		-9.89		-9.9			
Night (8h)		8.00	Night	111.1		1.00		0.94580		-9.27		-9.3			
Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m			
				Geometry:		618827.26		401498.97		219.05		166.00			
EQCN101		Label		5*****		Action radius/m						3000.00			
Group		10 m/s		Lw (Day (12h)) /dB(A)								111.09			
Number of nodes		1		Lw (Night (8h)) /dB(A)								111.09			
Length/ m		---		Lw (Evening (4h)) /dB(A)								111.09			
Length/ m (2D)		---		Emission is								Sound power level (Lw)			
Area /m²		---													
Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
Day (12h)		Emission		Reference: Vestas 172-7.2 ST 10 m/s											
Day (12h)		Lw /dB (A)		111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
Night (8h)		Emission		Reference: Vestas 172-7.2 ST 10 m/s											
Night (8h)		Lw /dB (A)		111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
Evening (4h)		Emission		Reference: Vestas 172-7.2 ST 10 m/s											
Evening (4h)		Lw /dB (A)		111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
Lden		-		0.0		0.0		0.0				-		0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
Day (12h)		12.00	Day	111.1		1.00		0.88920		-11.30		-11.3			
Evening (4h)		4.00	Evening	111.1		1.00		0.40990		-9.89		-9.9			
Night (8h)		8.00	Night	111.1		1.00		0.94580		-9.27		-9.3			
Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m			
				Geometry:		618568.70		401868.47		219.00		166.00			
EQCN102		Label		10*****		Action radius/m						3000.00			
Group		10 m/s		Lw (Day (12h)) /dB(A)								111.09			
Number of nodes		1		Lw (Night (8h)) /dB(A)								111.09			
Length/ m		---		Lw (Evening (4h)) /dB(A)								111.09			
Length/ m (2D)		---		Emission is								Sound power level (Lw)			
Area /m²		---													
Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		

	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s											
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s											
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s											
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.88920		-11.30		-11.3	
	Evening (4h)		4.00	Evening	111.1		1.00		0.40990		-9.89		-9.9	
	Night (8h)		8.00	Night	111.1		1.00		0.94580		-9.27		-9.3	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		619233.69		400696.45		224.15		166.00	
EQCN103	Label		3*****				Action radius/m						3000.00	
	Group		10 m/s				Lw (Day (12h)) /dB(A)						111.09	
	Number of nodes		1				Lw (Night (8h)) /dB(A)						111.09	
	Length/ m		---				Lw (Evening (4h)) /dB(A)						111.09	
	Length/ m (2D)		---				Emission is						Sound power level (Lw)	
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s											
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s											
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s											
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.88920		-11.30		-11.3	
	Evening (4h)		4.00	Evening	111.1		1.00		0.40990		-9.89		-9.9	
	Night (8h)		8.00	Night	111.1		1.00		0.94580		-9.27		-9.3	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		619534.88		401335.18		218.68		166.00	
EQCN104	Label		13*****				Action radius/m						3000.00	
	Group		10 m/s				Lw (Day (12h)) /dB(A)						111.09	
	Number of nodes		1				Lw (Night (8h)) /dB(A)						111.09	
	Length/ m		---				Lw (Evening (4h)) /dB(A)						111.09	
	Length/ m (2D)		---				Emission is						Sound power level (Lw)	
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s											
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s											
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s											
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.88920		-11.30		-11.3	
	Evening (4h)		4.00	Evening	111.1		1.00		0.40990		-9.89		-9.9	
	Night (8h)		8.00	Night	111.1		1.00		0.94580		-9.27		-9.3	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		619800.72		400366.70		218.78		166.00	
EQCN105	Label		14*****				Action radius/m						3000.00	
	Group		10 m/s				Lw (Day (12h)) /dB(A)						111.09	
	Number of nodes		1				Lw (Night (8h)) /dB(A)						111.09	
	Length/ m		---				Lw (Evening (4h)) /dB(A)						111.09	
	Length/ m (2D)		---				Emission is						Sound power level (Lw)	
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s											
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	

				62.1 66.9	77.0 80.9	90.2 91.9	95.1 96.6	99.7 100.2	99.1 99.8	101.8 100.6	97.8 95.2	89.7 85.1	74.7 70.1
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s										
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s										
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	111.1		1.00		0.88920		-11.30		-11.3
	Evening (4h)		4.00	Evening	111.1		1.00		0.40990		-9.89		-9.9
	Night (8h)		8.00	Night	111.1		1.00		0.94580		-9.27		-9.3
	Geometry		Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
			Geometry:		619943.68		400840.93		218.00		166.00		
EQCN106	Label	2*****		Action radius/m				3000.00					
	Group	10 m/s		Lw (Day (12h)) /dB(A)				111.09					
	Number of nodes	1		Lw (Night (8h)) /dB(A)				111.09					
	Length/ m	---		Lw (Evening (4h)) /dB(A)				111.09					
	Length/ m (2D)	---		Emission is				Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant	Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission		Reference: Vestas 172-7.2 ST 10 m/s									
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s										
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s										
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	111.1		1.00		0.88920		-11.30		-11.3
	Evening (4h)		4.00	Evening	111.1		1.00		0.40990		-9.89		-9.9
	Night (8h)		8.00	Night	111.1		1.00		0.94580		-9.27		-9.3
	Geometry		Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
			Geometry:		620314.85		401595.67		223.09		166.00		
EQCN107	Label	1*****		Action radius/m				3000.00					
	Group	10 m/s		Lw (Day (12h)) /dB(A)				111.09					
	Number of nodes	1		Lw (Night (8h)) /dB(A)				111.09					
	Length/ m	---		Lw (Evening (4h)) /dB(A)				111.09					
	Length/ m (2D)	---		Emission is				Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant	Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission		Reference: Vestas 172-7.2 ST 10 m/s									
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s										
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s										
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	111.1		1.00		0.88920		-11.30		-11.3
	Evening (4h)		4.00	Evening	111.1		1.00		0.40990		-9.89		-9.9
	Night (8h)		8.00	Night	111.1		1.00		0.94580		-9.27		-9.3
	Geometry		Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
			Geometry:		619193.64		402093.47		217.60		166.00		
EQCN108	Label	8*****		Action radius/m				3000.00					
	Group	10 m/s		Lw (Day (12h)) /dB(A)				111.09					
	Number of nodes	1		Lw (Night (8h)) /dB(A)				111.09					
	Length/ m	---		Lw (Evening (4h)) /dB(A)				111.09					
	Length/ m (2D)	---		Emission is				Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant	Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission		Reference: Vestas 172-7.2 ST 10 m/s									
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1

	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s											
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s											
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.88920		-11.30		-11.3	
	Evening (4h)		4.00	Evening	111.1		1.00		0.40990		-9.89		-9.9	
	Night (8h)		8.00	Night	111.1		1.00		0.94580		-9.27		-9.3	
	Geometry						Nr	x/m		y/m		z(abs) /m		! z(rel) /m
							Geometry:	618505.85		400992.54		227.35		166.00
EQCN109	Label		11*****					Action radius/m					3000.00	
	Group		10 m/s					Lw (Day (12h)) /dB(A)					111.09	
	Number of nodes		1					Lw (Night (8h)) /dB(A)					111.09	
	Length/ m		---					Lw (Evening (4h)) /dB(A)					111.09	
	Length/ m (2D)		---					Emission is					Sound power level (Lw)	
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Reference: Vestas 172-7.2 ST 10 m/s											
	Day (12h)		Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Night (8h)		Emission	Reference: Vestas 172-7.2 ST 10 m/s										
Night (8h)		Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
Evening (4h)		Emission	Reference: Vestas 172-7.2 ST 10 m/s											
Evening (4h)		Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.88920		-11.30		-11.3	
	Evening (4h)		4.00	Evening	111.1		1.00		0.40990		-9.89		-9.9	
	Night (8h)		8.00	Night	111.1		1.00		0.94580		-9.27		-9.3	
	Geometry						Nr	x/m		y/m		z(abs) /m		! z(rel) /m
							Geometry:	620755.93		400138.87		221.00		166.00
EQCN110	Label		7*****					Action radius/m					3000.00	
	Group		10 m/s					Lw (Day (12h)) /dB(A)					111.09	
	Number of nodes		1					Lw (Night (8h)) /dB(A)					111.09	
	Length/ m		---					Lw (Evening (4h)) /dB(A)					111.09	
	Length/ m (2D)		---					Emission is					Sound power level (Lw)	
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Reference: Vestas 172-7.2 ST 10 m/s											
	Day (12h)		Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Night (8h)		Emission	Reference: Vestas 172-7.2 ST 10 m/s										
Night (8h)		Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
Evening (4h)		Emission	Reference: Vestas 172-7.2 ST 10 m/s											
Evening (4h)		Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.88920		-11.30		-11.3	
	Evening (4h)		4.00	Evening	111.1		1.00		0.40990		-9.89		-9.9	
	Night (8h)		8.00	Night	111.1		1.00		0.94580		-9.27		-9.3	
	Geometry						Nr	x/m		y/m		z(abs) /m		! z(rel) /m
							Geometry:	617919.08		400631.52		229.75		166.00
EQCN111	Label		4*****					Action radius/m					3000.00	
	Group		10 m/s					Lw (Day (12h)) /dB(A)					111.09	
	Number of nodes		1					Lw (Night (8h)) /dB(A)					111.09	
	Length/ m		---					Lw (Evening (4h)) /dB(A)					111.09	
	Length/ m (2D)		---					Emission is					Sound power level (Lw)	
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Reference: Vestas 172-7.2 ST 10 m/s											
	Day (12h)		Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Night (8h)		Emission	Reference: Vestas 172-7.2 ST 10 m/s										
Night (8h)		Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	

				62.1 66.9	77.0 80.9	90.2 91.9	95.1 96.6	99.7 100.2	99.1 99.8	101.8 100.6	97.8 95.2	89.7 85.1	74.7 70.1
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s										
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1	1.00		0.88920		-11.30		-11.3	
	Evening (4h)		4.00	Evening	111.1	1.00		0.40990		-9.89		-9.9	
	Night (8h)		8.00	Night	111.1	1.00		0.94580		-9.27		-9.3	
	Geometry				Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:	620584.71		400915.71		226.47		166.00	
EQCN112	Label	12*****		Action radius/m								3000.00	
	Group	10 m/s		Lw (Day (12h)) /dB(A)								111.09	
	Number of nodes	1		Lw (Night (8h)) /dB(A)								111.09	
	Length/ m	---		Lw (Evening (4h)) /dB(A)								111.09	
	Length/ m (2D)	---		Emission is								Sound power level (Lw)	
	Area /m²	---											
	Emiss. variant	Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s										
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s										
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s										
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1	1.00		0.88920		-11.30		-11.3	
	Evening (4h)		4.00	Evening	111.1	1.00		0.40990		-9.89		-9.9	
	Night (8h)		8.00	Night	111.1	1.00		0.94580		-9.27		-9.3	
	Geometry				Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:	620303.15		400415.28		219.97		166.00	
EQCN113	Label	6*****		Action radius/m								3000.00	
	Group	11 m/s		Lw (Day (12h)) /dB(A)								111.09	
	Number of nodes	1		Lw (Night (8h)) /dB(A)								111.09	
	Length/ m	---		Lw (Evening (4h)) /dB(A)								111.09	
	Length/ m (2D)	---		Emission is								Sound power level (Lw)	
	Area /m²	---											
	Emiss. variant	Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 11 m/s										
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 11 m/s										
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 11 m/s										
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1	1.00		0.70990		-12.28		-12.3	
	Evening (4h)		4.00	Evening	111.1	1.00		0.31510		-11.04		-11.0	
	Night (8h)		8.00	Night	111.1	1.00		0.63640		-10.99		-11.0	
	Geometry				Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:	618114.71		401289.03		227.08		166.00	
EQCN114	Label	9*****		Action radius/m								3000.00	
	Group	11 m/s		Lw (Day (12h)) /dB(A)								111.09	
	Number of nodes	1		Lw (Night (8h)) /dB(A)								111.09	
	Length/ m	---		Lw (Evening (4h)) /dB(A)								111.09	
	Length/ m (2D)	---		Emission is								Sound power level (Lw)	
	Area /m²	---											
	Emiss. variant	Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 11 m/s										
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 11 m/s										
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1

	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 11 m/s										
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Rating method		Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden		-	0.0		0.0		0.0		0.0		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1	1.00		0.70990		-12.28		-12.3	
	Evening (4h)		4.00	Evening	111.1	1.00		0.31510		-11.04		-11.0	
	Night (8h)		8.00	Night	111.1	1.00		0.63640		-10.99		-11.0	
	Geometry		Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
			Geometry:		618827.26		401498.97		219.05		166.00		
EQCN115	Label		5*****		Action radius/m				3000.00				
	Group		11 m/s		Lw (Day (12h)) /dB(A)				111.09				
	Number of nodes		1		Lw (Night (8h)) /dB(A)				111.09				
	Length/ m		---		Lw (Evening (4h)) /dB(A)				111.09				
	Length/ m (2D)		---		Emission is				Sound power level (Lw)				
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 11 m/s										
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 11 m/s										
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 11 m/s										
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Rating method		Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden		-	0.0		0.0		0.0		0.0		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1	1.00		0.70990		-12.28		-12.3	
	Evening (4h)		4.00	Evening	111.1	1.00		0.31510		-11.04		-11.0	
	Night (8h)		8.00	Night	111.1	1.00		0.63640		-10.99		-11.0	
	Geometry		Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
			Geometry:		618568.70		401868.47		219.00		166.00		
EQCN116	Label		10*****		Action radius/m				3000.00				
	Group		11 m/s		Lw (Day (12h)) /dB(A)				111.09				
	Number of nodes		1		Lw (Night (8h)) /dB(A)				111.09				
	Length/ m		---		Lw (Evening (4h)) /dB(A)				111.09				
	Length/ m (2D)		---		Emission is				Sound power level (Lw)				
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 11 m/s										
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 11 m/s										
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 11 m/s										
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Rating method		Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden		-	0.0		0.0		0.0		0.0		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1	1.00		0.70990		-12.28		-12.3	
	Evening (4h)		4.00	Evening	111.1	1.00		0.31510		-11.04		-11.0	
	Night (8h)		8.00	Night	111.1	1.00		0.63640		-10.99		-11.0	
	Geometry		Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
			Geometry:		619233.69		400696.45		224.15		166.00		
EQCN117	Label		3*****		Action radius/m				3000.00				
	Group		11 m/s		Lw (Day (12h)) /dB(A)				111.09				
	Number of nodes		1		Lw (Night (8h)) /dB(A)				111.09				
	Length/ m		---		Lw (Evening (4h)) /dB(A)				111.09				
	Length/ m (2D)		---		Emission is				Sound power level (Lw)				
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 11 m/s										
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 11 m/s										
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 11 m/s										
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1

					62.1	77.0	90.2	95.1	99.7	99.1	101.8	97.8	89.7	74.7	
					66.9	80.9	91.9	96.6	100.2	99.8	100.6	95.2	85.1	70.1	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0				0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	111.1		1.00		0.70990		-12.28		-12.3		
	Evening (4h)		4.00	Evening	111.1		1.00		0.31510		-11.04		-11.0		
	Night (8h)		8.00	Night	111.1		1.00		0.63640		-10.99		-11.0		
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
					Geometry:		619534.88		401335.18		218.68		166.00		
EQCN118	Label		13*****		Action radius/m								3000.00		
	Group		11 m/s		Lw (Day (12h)) /dB(A)								111.09		
	Number of nodes		1		Lw (Night (8h)) /dB(A)								111.09		
	Length/ m		---		Lw (Evening (4h)) /dB(A)								111.09		
	Length/ m (2D)		---		Emission is								Sound power level (Lw)		
	Area /m²		---												
	Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Vestas 172-7.2 ST 11 m/s										
					57.4	72.2	86.2	93.4	98.3	100.5	101.1	99.0	92.2	79.3	
	Day (12h)		Lw /dB (A)		111.1	62.1 66.9	77.0 80.9	90.2 91.9	95.1 96.6	99.7 100.2	99.1 99.8	101.8 100.6	97.8 95.2	89.7 85.1	74.7 70.1
	Night (8h)		Emission		Reference: Vestas 172-7.2 ST 11 m/s										
					57.4	72.2	86.2	93.4	98.3	100.5	101.1	99.0	92.2	79.3	
	Night (8h)		Lw /dB (A)		111.1	62.1 66.9	77.0 80.9	90.2 91.9	95.1 96.6	99.7 100.2	99.1 99.8	101.8 100.6	97.8 95.2	89.7 85.1	74.7 70.1
	Evening (4h)		Emission		Reference: Vestas 172-7.2 ST 11 m/s										
					57.4	72.2	86.2	93.4	98.3	100.5	101.1	99.0	92.2	79.3	
	Evening (4h)		Lw /dB (A)		111.1	62.1 66.9	77.0 80.9	90.2 91.9	95.1 96.6	99.7 100.2	99.1 99.8	101.8 100.6	97.8 95.2	89.7 85.1	74.7 70.1
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0				0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	111.1		1.00		0.70990		-12.28		-12.3		
	Evening (4h)		4.00	Evening	111.1		1.00		0.31510		-11.04		-11.0		
	Night (8h)		8.00	Night	111.1		1.00		0.63640		-10.99		-11.0		
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
					Geometry:		619800.72		400366.70		218.78		166.00		
EQCN119	Label		14*****		Action radius/m								3000.00		
	Group		11 m/s		Lw (Day (12h)) /dB(A)								111.09		
	Number of nodes		1		Lw (Night (8h)) /dB(A)								111.09		
	Length/ m		---		Lw (Evening (4h)) /dB(A)								111.09		
	Length/ m (2D)		---		Emission is								Sound power level (Lw)		
	Area /m²		---												
	Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Vestas 172-7.2 ST 11 m/s										
					57.4	72.2	86.2	93.4	98.3	100.5	101.1	99.0	92.2	79.3	
	Day (12h)		Lw /dB (A)		111.1	62.1 66.9	77.0 80.9	90.2 91.9	95.1 96.6	99.7 100.2	99.1 99.8	101.8 100.6	97.8 95.2	89.7 85.1	74.7 70.1
	Night (8h)		Emission		Reference: Vestas 172-7.2 ST 11 m/s										
					57.4	72.2	86.2	93.4	98.3	100.5	101.1	99.0	92.2	79.3	
	Night (8h)		Lw /dB (A)		111.1	62.1 66.9	77.0 80.9	90.2 91.9	95.1 96.6	99.7 100.2	99.1 99.8	101.8 100.6	97.8 95.2	89.7 85.1	74.7 70.1
	Evening (4h)		Emission		Reference: Vestas 172-7.2 ST 11 m/s										
					57.4	72.2	86.2	93.4	98.3	100.5	101.1	99.0	92.2	79.3	
	Evening (4h)		Lw /dB (A)		111.1	62.1 66.9	77.0 80.9	90.2 91.9	95.1 96.6	99.7 100.2	99.1 99.8	101.8 100.6	97.8 95.2	89.7 85.1	74.7 70.1
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0				0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	111.1		1.00		0.70990		-12.28		-12.3		
	Evening (4h)		4.00	Evening	111.1		1.00		0.31510		-11.04		-11.0		
	Night (8h)		8.00	Night	111.1		1.00		0.63640		-10.99		-11.0		
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
					Geometry:		619943.68		400840.93		218.00		166.00		
EQCN120	Label		2*****		Action radius/m								3000.00		
	Group		11 m/s		Lw (Day (12h)) /dB(A)								111.09		
	Number of nodes		1		Lw (Night (8h)) /dB(A)								111.09		
	Length/ m		---		Lw (Evening (4h)) /dB(A)								111.09		
	Length/ m (2D)		---		Emission is								Sound power level (Lw)		
	Area /m²		---												
	Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Vestas 172-7.2 ST 11 m/s										
					57.4	72.2	86.2	93.4	98.3	100.5	101.1	99.0	92.2	79.3	
	Day (12h)		Lw /dB (A)		111.1	62.1 66.9	77.0 80.9	90.2 91.9	95.1 96.6	99.7 100.2	99.1 99.8	101.8 100.6	97.8 95.2	89.7 85.1	74.7 70.1
	Night (8h)		Emission		Reference: Vestas 172-7.2 ST 11 m/s										
					57.4	72.2	86.2	93.4	98.3	100.5	101.1	99.0	92.2	79.3	
	Night (8h)		Lw /dB (A)		111.1	62.1 66.9	77.0 80.9	90.2 91.9	95.1 96.6	99.7 100.2	99.1 99.8	101.8 100.6	97.8 95.2	89.7 85.1	74.7 70.1
	Evening (4h)		Emission		Reference: Vestas 172-7.2 ST 11 m/s										
					57.4	72.2	86.2	93.4	98.3	100.5	101.1	99.0	92.2	79.3	
	Evening (4h)		Lw /dB (A)		111.1	62.1 66.9	77.0 80.9	90.2 91.9	95.1 96.6	99.7 100.2	99.1 99.8	101.8 100.6	97.8 95.2	89.7 85.1	74.7 70.1

	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	111.1		1.00		0.70990		-12.28		-12.3		
	Evening (4h)		4.00	Evening	111.1		1.00		0.31510		-11.04		-11.0		
	Night (8h)		8.00	Night	111.1		1.00		0.63640		-10.99		-11.0		
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
					Geometry:		620314.85		401595.67		223.09		166.00		
EQCN121	Label		1*****				Action radius/m						3000.00		
	Group		11 m/s				Lw (Day (12h)) /dB(A)						111.09		
	Number of nodes		1				Lw (Night (8h)) /dB(A)						111.09		
	Length/ m		---				Lw (Evening (4h)) /dB(A)						111.09		
	Length/ m (2D)		---				Emission is						Sound power level (Lw)		
	Area /m²		---												
	Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Vestas 172-7.2 ST 11 m/s										
	Day (12h)		Lw /dB (A)		111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Night (8h)		Emission		Reference: Vestas 172-7.2 ST 11 m/s										
	Night (8h)		Lw /dB (A)		111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Evening (4h)		Emission		Reference: Vestas 172-7.2 ST 11 m/s										
	Evening (4h)		Lw /dB (A)		111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	111.1		1.00		0.70990		-12.28		-12.3		
	Evening (4h)		4.00	Evening	111.1		1.00		0.31510		-11.04		-11.0		
	Night (8h)		8.00	Night	111.1		1.00		0.63640		-10.99		-11.0		
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
					Geometry:		619193.64		402093.47		217.60		166.00		
EQCN122	Label		8*****				Action radius/m						3000.00		
	Group		11 m/s				Lw (Day (12h)) /dB(A)						111.09		
	Number of nodes		1				Lw (Night (8h)) /dB(A)						111.09		
	Length/ m		---				Lw (Evening (4h)) /dB(A)						111.09		
	Length/ m (2D)		---				Emission is						Sound power level (Lw)		
	Area /m²		---												
	Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Vestas 172-7.2 ST 11 m/s										
	Day (12h)		Lw /dB (A)		111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Night (8h)		Emission		Reference: Vestas 172-7.2 ST 11 m/s										
	Night (8h)		Lw /dB (A)		111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Evening (4h)		Emission		Reference: Vestas 172-7.2 ST 11 m/s										
	Evening (4h)		Lw /dB (A)		111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	111.1		1.00		0.70990		-12.28		-12.3		
	Evening (4h)		4.00	Evening	111.1		1.00		0.31510		-11.04		-11.0		
	Night (8h)		8.00	Night	111.1		1.00		0.63640		-10.99		-11.0		
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
					Geometry:		618505.85		400992.54		227.35		166.00		
EQCN123	Label		11*****				Action radius/m						3000.00		
	Group		11 m/s				Lw (Day (12h)) /dB(A)						111.09		
	Number of nodes		1				Lw (Night (8h)) /dB(A)						111.09		
	Length/ m		---				Lw (Evening (4h)) /dB(A)						111.09		
	Length/ m (2D)		---				Emission is						Sound power level (Lw)		
	Area /m²		---												
	Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Vestas 172-7.2 ST 11 m/s										
	Day (12h)		Lw /dB (A)		111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Night (8h)		Emission		Reference: Vestas 172-7.2 ST 11 m/s										
	Night (8h)		Lw /dB (A)		111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Evening (4h)		Emission		Reference: Vestas 172-7.2 ST 11 m/s										
	Evening (4h)		Lw /dB (A)		111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		

	Lden		-	0.0	0.0	0.0	-	0.0					
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	111.1	1.00	0.70990	-12.28	-12.3					
	Evening (4h)	4.00	Evening	111.1	1.00	0.31510	-11.04	-11.0					
	Night (8h)	8.00	Night	111.1	1.00	0.63640	-10.99	-11.0					
	Geometry		Nr	x/m	y/m	z(abs) /m	! z(rel) /m						
			Geometry:	620755.93	400138.87	221.00		166.00					
EQCN124	Label	7*****			Action radius/m			3000.00					
	Group	11 m/s			Lw (Day (12h)) /dB(A)			111.09					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			111.09					
	Length/ m	----			Lw (Evening (4h)) /dB(A)			111.09					
	Length/ m (2D)	----			Emission is			Sound power level (Lw)					
	Area /m²	----											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference:	Vestas 172-7.2 ST 11 m/s									
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Night (8h)	Emission	Reference:	Vestas 172-7.2 ST 11 m/s									
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Evening (4h)	Emission	Reference:	Vestas 172-7.2 ST 11 m/s									
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB			Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	111.1	1.00	0.70990	-12.28	-12.3					
	Evening (4h)	4.00	Evening	111.1	1.00	0.31510	-11.04	-11.0					
	Night (8h)	8.00	Night	111.1	1.00	0.63640	-10.99	-11.0					
	Geometry		Nr	x/m	y/m	z(abs) /m	! z(rel) /m						
			Geometry:	617919.08	400631.52	229.75		166.00					
EQCN125	Label	4*****			Action radius/m			3000.00					
	Group	11 m/s			Lw (Day (12h)) /dB(A)			111.09					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			111.09					
	Length/ m	----			Lw (Evening (4h)) /dB(A)			111.09					
	Length/ m (2D)	----			Emission is			Sound power level (Lw)					
	Area /m²	----											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference:	Vestas 172-7.2 ST 11 m/s									
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Night (8h)	Emission	Reference:	Vestas 172-7.2 ST 11 m/s									
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Evening (4h)	Emission	Reference:	Vestas 172-7.2 ST 11 m/s									
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB			Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	111.1	1.00	0.70990	-12.28	-12.3					
	Evening (4h)	4.00	Evening	111.1	1.00	0.31510	-11.04	-11.0					
	Night (8h)	8.00	Night	111.1	1.00	0.63640	-10.99	-11.0					
	Geometry		Nr	x/m	y/m	z(abs) /m	! z(rel) /m						
			Geometry:	620584.71	400915.71	226.47		166.00					
EQCN126	Label	12*****			Action radius/m			3000.00					
	Group	11 m/s			Lw (Day (12h)) /dB(A)			111.09					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			111.09					
	Length/ m	----			Lw (Evening (4h)) /dB(A)			111.09					
	Length/ m (2D)	----			Emission is			Sound power level (Lw)					
	Area /m²	----											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference:	Vestas 172-7.2 ST 11 m/s									
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Night (8h)	Emission	Reference:	Vestas 172-7.2 ST 11 m/s									
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Evening (4h)	Emission	Reference:	Vestas 172-7.2 ST 11 m/s									
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB			Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period	Duration	Emiss.	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					

		/h	variant													
	Day (12h)	12.00	Day	111.1	1.00	0.70990			-12.28	-12.3						
	Evening (4h)	4.00	Evening	111.1	1.00	0.31510			-11.04	-11.0						
	Night (8h)	8.00	Night	111.1	1.00	0.63640			-10.99	-11.0						
	Geometry	Nr			x/m	y/m	z(abs) /m			! z(rel) /m						
		Geometry:			620303.15	400415.28			219.97	166.00						
EQCN127	Label	6*****			Action radius/m						3000.00					
	Group	12 m/s			Lw (Day (12h)) /dB(A)						111.09					
	Number of nodes	1			Lw (Night (8h)) /dB(A)						111.09					
	Length/ m	---			Lw (Evening (4h)) /dB(A)						111.09					
	Length/ m (2D)	---			Emission is						Sound power level (Lw)					
	Area /m²	---														
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz				
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s													
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1			
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s													
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1			
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s													
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1			
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB				
	Lden	-		0.0		0.0		0.0		-		0.0				
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)				
	Day (12h)	12.00	Day	111.1		1.00		0.48400		-13.94		-13.9				
	Evening (4h)	4.00	Evening	111.1		1.00		0.19260		-13.17		-13.2				
	Night (8h)	8.00	Night	111.1		1.00		0.39920		-13.02		-13.0				
	Geometry	Nr			x/m	y/m	z(abs) /m			! z(rel) /m						
		Geometry:			618114.71	401289.03			227.08	166.00						
EQCN128	Label	9*****			Action radius/m						3000.00					
	Group	12 m/s			Lw (Day (12h)) /dB(A)						111.09					
	Number of nodes	1			Lw (Night (8h)) /dB(A)						111.09					
	Length/ m	---			Lw (Evening (4h)) /dB(A)						111.09					
	Length/ m (2D)	---			Emission is						Sound power level (Lw)					
	Area /m²	---														
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz				
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s													
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1			
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s													
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1			
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s													
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1			
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB				
	Lden	-		0.0		0.0		0.0		-		0.0				
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)				
	Day (12h)	12.00	Day	111.1		1.00		0.48400		-13.94		-13.9				
	Evening (4h)	4.00	Evening	111.1		1.00		0.19260		-13.17		-13.2				
	Night (8h)	8.00	Night	111.1		1.00		0.39920		-13.02		-13.0				
	Geometry	Nr			x/m	y/m	z(abs) /m			! z(rel) /m						
		Geometry:			618827.26	401498.97			219.05	166.00						
EQCN129	Label	5*****			Action radius/m						3000.00					
	Group	12 m/s			Lw (Day (12h)) /dB(A)						111.09					
	Number of nodes	1			Lw (Night (8h)) /dB(A)						111.09					
	Length/ m	---			Lw (Evening (4h)) /dB(A)						111.09					
	Length/ m (2D)	---			Emission is						Sound power level (Lw)					
	Area /m²	---														
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz				
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s													
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1			
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s													
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1			
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s													
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1			
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB				
	Lden	-		0.0		0.0		0.0		-		0.0				
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)				
	Day (12h)	12.00	Day	111.1		1.00		0.48400		-13.94		-13.9				

	Evening (4h)	4.00	Evening	111.1	1.00	0.19260	-13.17	-13.2						
	Night (8h)	8.00	Night	111.1	1.00	0.39920	-13.02	-13.0						
	Geometry		Nr	x/m	y/m	z(abs) /m	! z(rel) /m							
			Geometry:	618568.70	401868.47	219.00	166.00							
EQCN130	Label	10	*****	Action radius/m			3000.00							
	Group	12	m/s	Lw (Day (12h)) /dB(A)			111.09							
	Number of nodes	1		Lw (Night (8h)) /dB(A)			111.09							
	Length/ m	---		Lw (Evening (4h)) /dB(A)			111.09							
	Length/ m (2D)	---		Emission is			Sound power level (Lw)							
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s											
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s											
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s											
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden			-		0.0		0.0		0.0		-		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	111.1		1.00		0.48400		-13.94		-13.9		
	Evening (4h)	4.00	Evening	111.1		1.00		0.19260		-13.17		-13.2		
	Night (8h)	8.00	Night	111.1		1.00		0.39920		-13.02		-13.0		
	Geometry		Nr	x/m		y/m		z(abs) /m		! z(rel) /m				
			Geometry:	619233.69		400696.45		224.15		166.00				
EQCN131	Label	3	*****	Action radius/m								3000.00		
	Group	12	m/s	Lw (Day (12h)) /dB(A)								111.09		
	Number of nodes	1		Lw (Night (8h)) /dB(A)								111.09		
	Length/ m	---		Lw (Evening (4h)) /dB(A)								111.09		
	Length/ m (2D)	---		Emission is								Sound power level (Lw)		
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s											
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s											
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s											
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden			-		0.0		0.0		0.0		-		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	111.1		1.00		0.48400		-13.94		-13.9		
	Evening (4h)	4.00	Evening	111.1		1.00		0.19260		-13.17		-13.2		
	Night (8h)	8.00	Night	111.1		1.00		0.39920		-13.02		-13.0		
	Geometry		Nr	x/m		y/m		z(abs) /m		! z(rel) /m				
			Geometry:	619534.88		401335.18		218.68		166.00				
EQCN132	Label	13	*****	Action radius/m								3000.00		
	Group	12	m/s	Lw (Day (12h)) /dB(A)								111.09		
	Number of nodes	1		Lw (Night (8h)) /dB(A)								111.09		
	Length/ m	---		Lw (Evening (4h)) /dB(A)								111.09		
	Length/ m (2D)	---		Emission is								Sound power level (Lw)		
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s											
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s											
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s											
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden			-		0.0		0.0		0.0		-		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	111.1		1.00		0.48400		-13.94		-13.9		
	Evening (4h)	4.00	Evening	111.1		1.00		0.19260		-13.17		-13.2		
	Night (8h)	8.00	Night	111.1		1.00		0.39920		-13.02		-13.0		

	Geometry		Nr			x/m		y/m		z(abs) /m		! z(rel) /m		
			Geometry:			619800.72		400366.70		218.78		166.00		
EQCN133	Label	14*****			Action radius/m			3000.00						
	Group	12 m/s			Lw (Day (12h)) /dB(A)			111.09						
	Number of nodes	1			Lw (Night (8h)) /dB(A)			111.09						
	Length/ m	---			Lw (Evening (4h)) /dB(A)			111.09						
	Length/ m (2D)	---			Emission is			Sound power level (Lw)						
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s											
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s											
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s											
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden			-		0.0		0.0				-		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	111.1		1.00		0.48400		-13.94		-13.9		
	Evening (4h)	4.00	Evening	111.1		1.00		0.19260		-13.17		-13.2		
	Night (8h)	8.00	Night	111.1		1.00		0.39920		-13.02		-13.0		
	Geometry				Nr	x/m	y/m	z(abs) /m		! z(rel) /m				
					Geometry:	619943.68	400840.93	218.00		166.00				
EQCN134	Label	2*****			Action radius/m			3000.00						
	Group	12 m/s			Lw (Day (12h)) /dB(A)			111.09						
	Number of nodes	1			Lw (Night (8h)) /dB(A)			111.09						
	Length/ m	---			Lw (Evening (4h)) /dB(A)			111.09						
	Length/ m (2D)	---			Emission is			Sound power level (Lw)						
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s											
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s											
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s											
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden			-		0.0		0.0				-		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	111.1		1.00		0.48400		-13.94		-13.9		
	Evening (4h)	4.00	Evening	111.1		1.00		0.19260		-13.17		-13.2		
	Night (8h)	8.00	Night	111.1		1.00		0.39920		-13.02		-13.0		
	Geometry				Nr	x/m	y/m	z(abs) /m		! z(rel) /m				
					Geometry:	620314.85	401595.67	223.09		166.00				
EQCN135	Label	1*****			Action radius/m			3000.00						
	Group	12 m/s			Lw (Day (12h)) /dB(A)			111.09						
	Number of nodes	1			Lw (Night (8h)) /dB(A)			111.09						
	Length/ m	---			Lw (Evening (4h)) /dB(A)			111.09						
	Length/ m (2D)	---			Emission is			Sound power level (Lw)						
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s											
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s											
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s											
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden			-		0.0		0.0				-		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	111.1		1.00		0.48400		-13.94		-13.9		
	Evening (4h)	4.00	Evening	111.1		1.00		0.19260		-13.17		-13.2		
	Night (8h)	8.00	Night	111.1		1.00		0.39920		-13.02		-13.0		
	Geometry				Nr	x/m	y/m	z(abs) /m		! z(rel) /m				
					Geometry:	619193.64	402093.47	217.60		166.00				

EQCN136	Label		8*****				Action radius/m				3000.00			
	Group		12 m/s				Lw (Day (12h)) /dB(A)				111.09			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.09			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.09			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Vestas 172-7.2 ST 12 m/s									
	Day (12h)		Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Night (8h)		Emission		Reference: Vestas 172-7.2 ST 12 m/s									
	Night (8h)		Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Evening (4h)		Emission		Reference: Vestas 172-7.2 ST 12 m/s									
	Evening (4h)		Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
Lden				-		0.0		0.0		0.0		-		0.0
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
Day (12h)		12.00	Day	111.1		1.00		0.48400		-13.94		-13.9		
Evening (4h)		4.00	Evening	111.1		1.00		0.19260		-13.17		-13.2		
Night (8h)		8.00	Night	111.1		1.00		0.39920		-13.02		-13.0		
Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
				Geometry:		618505.85		400992.54		227.35		166.00		
EQCN137	Label		11*****				Action radius/m				3000.00			
	Group		12 m/s				Lw (Day (12h)) /dB(A)				111.09			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.09			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.09			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Vestas 172-7.2 ST 12 m/s									
	Day (12h)		Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Night (8h)		Emission		Reference: Vestas 172-7.2 ST 12 m/s									
	Night (8h)		Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Evening (4h)		Emission		Reference: Vestas 172-7.2 ST 12 m/s									
	Evening (4h)		Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
Lden				-		0.0		0.0		0.0		-		0.0
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
Day (12h)		12.00	Day	111.1		1.00		0.48400		-13.94		-13.9		
Evening (4h)		4.00	Evening	111.1		1.00		0.19260		-13.17		-13.2		
Night (8h)		8.00	Night	111.1		1.00		0.39920		-13.02		-13.0		
Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
				Geometry:		620755.93		400138.87		221.00		166.00		
EQCN138	Label		7*****				Action radius/m				3000.00			
	Group		12 m/s				Lw (Day (12h)) /dB(A)				111.09			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.09			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.09			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Vestas 172-7.2 ST 12 m/s									
	Day (12h)		Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Night (8h)		Emission		Reference: Vestas 172-7.2 ST 12 m/s									
	Night (8h)		Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Evening (4h)		Emission		Reference: Vestas 172-7.2 ST 12 m/s									
	Evening (4h)		Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
Lden				-		0.0		0.0		0.0		-		0.0
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
Day (12h)		12.00	Day	111.1		1.00		0.48400		-13.94		-13.9		
Evening (4h)		4.00	Evening	111.1		1.00		0.19260		-13.17		-13.2		
Night (8h)		8.00	Night	111.1		1.00		0.39920		-13.02		-13.0		
Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
				Geometry:		617919.08		400631.52		229.75		166.00		
EQCN139	Label		4*****				Action radius/m				3000.00			
	Group		12 m/s				Lw (Day (12h)) /dB(A)				111.09			

	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.09			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.09			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s											
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s											
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s											
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.48400		-13.94		-13.9	
	Evening (4h)		4.00	Evening	111.1		1.00		0.19260		-13.17		-13.2	
	Night (8h)		8.00	Night	111.1		1.00		0.39920		-13.02		-13.0	
	Geometry						Nr	x/m	y/m	z(abs) /m		! z(rel) /m		
					Geometry:				620584.71	400915.71	226.47	166.00		
EQCN140	Label		12*****				Action radius/m				3000.00			
	Group		12 m/s				Lw (Day (12h)) /dB(A)				111.09			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.09			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.09			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s											
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s											
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s											
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.48400		-13.94		-13.9	
	Evening (4h)		4.00	Evening	111.1		1.00		0.19260		-13.17		-13.2	
	Night (8h)		8.00	Night	111.1		1.00		0.39920		-13.02		-13.0	
	Geometry						Nr	x/m	y/m	z(abs) /m		! z(rel) /m		
					Geometry:				620303.15	400415.28	219.97	166.00		
EQCN141	Label		6*****				Action radius/m				3000.00			
	Group		13 m/s				Lw (Day (12h)) /dB(A)				111.10			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.10			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.10			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s											
	Day (12h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s											
	Night (8h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s											
	Evening (4h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.29890		-16.04		-16.0	
	Evening (4h)		4.00	Evening	111.1		1.00		0.10930		-15.63		-15.6	
	Night (8h)		8.00	Night	111.1		1.00		0.17450		-16.61		-16.6	
	Geometry						Nr	x/m	y/m	z(abs) /m		! z(rel) /m		
					Geometry:				618114.71	401289.03	227.08	166.00		
EQCN142	Label		9*****				Action radius/m				3000.00			
	Group		13 m/s				Lw (Day (12h)) /dB(A)				111.10			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.10			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.10			

Length/ m (2D)			---				Emission is				Sound power level (Lw)			
Area /m²			---											
Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)		Emission	Reference: Vestas 172-7.2 ST 13 m/s											
Day (12h)		Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3	
Night (8h)		Emission	Reference: Vestas 172-7.2 ST 13 m/s											
Night (8h)		Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3	
Evening (4h)		Emission	Reference: Vestas 172-7.2 ST 13 m/s											
Evening (4h)		Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3	
Rating method			Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
Lden			-		0.0		0.0		0.0				0.0	
Rating period / Period			Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)			12.00	Day	111.1		1.00		0.29890		-16.04		-16.0	
Evening (4h)			4.00	Evening	111.1		1.00		0.10930		-15.63		-15.6	
Night (8h)			8.00	Night	111.1		1.00		0.17450		-16.61		-16.6	
Geometry							Nr	x/m		y/m		z(abs) /m	! z(rel) /m	
							Geometry:		618827.26		401498.97		219.05	166.00
EQCN143	Label		5*****				Action radius/m				3000.00			
	Group		13 m/s				Lw (Day (12h)) /dB(A)				111.10			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.10			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.10			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)		Emission	Reference: Vestas 172-7.2 ST 13 m/s											
Day (12h)		Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3	
Night (8h)		Emission	Reference: Vestas 172-7.2 ST 13 m/s											
Night (8h)		Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3	
Evening (4h)		Emission	Reference: Vestas 172-7.2 ST 13 m/s											
Evening (4h)		Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3	
Rating method			Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
Lden			-		0.0		0.0		0.0				0.0	
Rating period / Period			Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)			12.00	Day	111.1		1.00		0.29890		-16.04		-16.0	
Evening (4h)			4.00	Evening	111.1		1.00		0.10930		-15.63		-15.6	
Night (8h)			8.00	Night	111.1		1.00		0.17450		-16.61		-16.6	
Geometry							Nr	x/m		y/m		z(abs) /m	! z(rel) /m	
							Geometry:		618568.70		401868.47		219.00	166.00
EQCN144	Label		10*****				Action radius/m				3000.00			
	Group		13 m/s				Lw (Day (12h)) /dB(A)				111.10			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.10			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.10			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)		Emission	Reference: Vestas 172-7.2 ST 13 m/s											
Day (12h)		Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3	
Night (8h)		Emission	Reference: Vestas 172-7.2 ST 13 m/s											
Night (8h)		Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3	
Evening (4h)		Emission	Reference: Vestas 172-7.2 ST 13 m/s											
Evening (4h)		Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3	
Rating method			Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
Lden			-		0.0		0.0		0.0				0.0	
Rating period / Period			Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)			12.00	Day	111.1		1.00		0.29890		-16.04		-16.0	
Evening (4h)			4.00	Evening	111.1		1.00		0.10930		-15.63		-15.6	
Night (8h)			8.00	Night	111.1		1.00		0.17450		-16.61		-16.6	
Geometry							Nr	x/m		y/m		z(abs) /m	! z(rel) /m	
							Geometry:		619233.69		400696.45		224.15	166.00
EQCN145	Label		3*****				Action radius/m				3000.00			
	Group		13 m/s				Lw (Day (12h)) /dB(A)				111.10			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.10			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.10			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											

Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
Day (12h)		Emission		Reference: Vestas 172-7.2 ST 13 m/s									
Day (12h)		Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3
Night (8h)		Emission		Reference: Vestas 172-7.2 ST 13 m/s									
Night (8h)		Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3
Evening (4h)		Emission		Reference: Vestas 172-7.2 ST 13 m/s									
Evening (4h)		Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3
Rating method			Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB
Lden			-		0.0		0.0		0.0		-		0.0
Rating period / Period			Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
Day (12h)			12.00	Day	111.1		1.00		0.29890		-16.04		-16.0
Evening (4h)			4.00	Evening	111.1		1.00		0.10930		-15.63		-15.6
Night (8h)			8.00	Night	111.1		1.00		0.17450		-16.61		-16.6
Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m
					Geometry:		619534.88		401335.18		218.68		166.00
EQCN146			Label		13*****		Action radius/m						3000.00
			Group		13 m/s		Lw (Day (12h)) /dB(A)						111.10
			Number of nodes		1		Lw (Night (8h)) /dB(A)						111.10
			Length/ m		---		Lw (Evening (4h)) /dB(A)						111.10
			Length/ m (2D)		---		Emission is						Sound power level (Lw)
			Area /m²		---								
Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
Day (12h)		Emission	Reference: Vestas 172-7.2 ST 13 m/s										
Day (12h)		Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3
Night (8h)		Emission	Reference: Vestas 172-7.2 ST 13 m/s										
Night (8h)		Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3
Evening (4h)		Emission	Reference: Vestas 172-7.2 ST 13 m/s										
Evening (4h)		Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3
Rating method			Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB
Lden			-		0.0		0.0		0.0		-		0.0
Rating period / Period			Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
Day (12h)			12.00	Day	111.1		1.00		0.29890		-16.04		-16.0
Evening (4h)			4.00	Evening	111.1		1.00		0.10930		-15.63		-15.6
Night (8h)			8.00	Night	111.1		1.00		0.17450		-16.61		-16.6
Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m
					Geometry:		619800.72		400366.70		218.78		166.00
EQCN147			Label		14*****		Action radius/m						3000.00
			Group		13 m/s		Lw (Day (12h)) /dB(A)						111.10
			Number of nodes		1		Lw (Night (8h)) /dB(A)						111.10
			Length/ m		---		Lw (Evening (4h)) /dB(A)						111.10
			Length/ m (2D)		---		Emission is						Sound power level (Lw)
			Area /m²		---								
Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
Day (12h)		Emission	Reference: Vestas 172-7.2 ST 13 m/s										
Day (12h)		Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3
Night (8h)		Emission	Reference: Vestas 172-7.2 ST 13 m/s										
Night (8h)		Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3
Evening (4h)		Emission	Reference: Vestas 172-7.2 ST 13 m/s										
Evening (4h)		Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3
Rating method			Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB
Lden			-		0.0		0.0		0.0		-		0.0
Rating period / Period			Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
Day (12h)			12.00	Day	111.1		1.00		0.29890		-16.04		-16.0
Evening (4h)			4.00	Evening	111.1		1.00		0.10930		-15.63		-15.6
Night (8h)			8.00	Night	111.1		1.00		0.17450		-16.61		-16.6
Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m
					Geometry:		619800.72		400366.70		218.78		166.00
EQCN148			Label		2*****		Action radius/m						3000.00
			Group		13 m/s		Lw (Day (12h)) /dB(A)						111.10
			Number of nodes		1		Lw (Night (8h)) /dB(A)						111.10
			Length/ m		---		Lw (Evening (4h)) /dB(A)						111.10
			Length/ m (2D)		---		Emission is						Sound power level (Lw)
			Area /m²		---								
Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
Day (12h)		Emission	Reference: Vestas 172-7.2 ST 13 m/s										

	Day (12h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s											
	Night (8h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s											
	Evening (4h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden		-		0.0		0.0		0.0		-			
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.29890		-16.04		-16.0	
	Evening (4h)		4.00	Evening	111.1		1.00		0.10930		-15.63		-15.6	
	Night (8h)		8.00	Night	111.1		1.00		0.17450		-16.61		-16.6	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		620314.85		401595.67		223.09		166.00	
EQCN149	Label		1*****		Action radius/m		3000.00							
	Group		13 m/s		Lw (Day (12h)) /dB(A)		111.10							
	Number of nodes		1		Lw (Night (8h)) /dB(A)		111.10							
	Length/ m		---		Lw (Evening (4h)) /dB(A)		111.10							
	Length/ m (2D)		---		Emission is		Sound power level (Lw)							
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Reference: Vestas 172-7.2 ST 13 m/s											
	Day (12h)		Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3
	Night (8h)		Emission	Reference: Vestas 172-7.2 ST 13 m/s										
	Night (8h)		Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3
	Evening (4h)		Emission	Reference: Vestas 172-7.2 ST 13 m/s										
	Evening (4h)		Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden		-		0.0		0.0		0.0		-			
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.29890		-16.04		-16.0	
	Evening (4h)		4.00	Evening	111.1		1.00		0.10930		-15.63		-15.6	
	Night (8h)		8.00	Night	111.1		1.00		0.17450		-16.61		-16.6	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		619193.64		402093.47		217.60		166.00	
EQCN150	Label		8*****		Action radius/m		3000.00							
	Group		13 m/s		Lw (Day (12h)) /dB(A)		111.10							
	Number of nodes		1		Lw (Night (8h)) /dB(A)		111.10							
	Length/ m		---		Lw (Evening (4h)) /dB(A)		111.10							
	Length/ m (2D)		---		Emission is		Sound power level (Lw)							
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Reference: Vestas 172-7.2 ST 13 m/s											
	Day (12h)		Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3
	Night (8h)		Emission	Reference: Vestas 172-7.2 ST 13 m/s										
	Night (8h)		Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3
	Evening (4h)		Emission	Reference: Vestas 172-7.2 ST 13 m/s										
	Evening (4h)		Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden		-		0.0		0.0		0.0		-			
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.29890		-16.04		-16.0	
	Evening (4h)		4.00	Evening	111.1		1.00		0.10930		-15.63		-15.6	
	Night (8h)		8.00	Night	111.1		1.00		0.17450		-16.61		-16.6	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		618505.85		400992.54		227.35		166.00	
EQCN151	Label		11*****		Action radius/m		3000.00							
	Group		13 m/s		Lw (Day (12h)) /dB(A)		111.10							
	Number of nodes		1		Lw (Night (8h)) /dB(A)		111.10							
	Length/ m		---		Lw (Evening (4h)) /dB(A)		111.10							
	Length/ m (2D)		---		Emission is		Sound power level (Lw)							
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Reference: Vestas 172-7.2 ST 13 m/s											
	Day (12h)		Lw /dB (A)	111.1	59.2 64.0	74.2 78.9	87.6 91.4	94.6 96.2	98.7 99.9	100.2 98.7	100.9 101.6	98.8 97.6	92.4 89.9	80.6 76.4

				68.8	82.7	93.1	97.4	100.2	99.4	100.4	95.2	85.8	72.3
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s										
				59.2	74.2	87.6	94.6	98.7	100.2	100.9	98.8	92.4	80.6
	Night (8h)	Lw /dB (A)	111.1	64.0	78.9	91.4	96.2	99.9	98.7	101.6	97.6	89.9	76.4
				68.8	82.7	93.1	97.4	100.2	99.4	100.4	95.2	85.8	72.3
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s										
				59.2	74.2	87.6	94.6	98.7	100.2	100.9	98.8	92.4	80.6
	Evening (4h)	Lw /dB (A)	111.1	64.0	78.9	91.4	96.2	99.9	98.7	101.6	97.6	89.9	76.4
				68.8	82.7	93.1	97.4	100.2	99.4	100.4	95.2	85.8	72.3
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB							Special correction /dB	
	Lden	-	0.0	0.0	0.0							-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB					Lwr /dB(A)	
	Day (12h)	12.00	Day	111.1	1.00	0.29890	-16.04					-16.0	
	Evening (4h)	4.00	Evening	111.1	1.00	0.10930	-15.63					-15.6	
	Night (8h)	8.00	Night	111.1	1.00	0.17450	-16.61					-16.6	
	Geometry		Nr	x/m	y/m	z(abs) /m	! z(rel) /m						
			Geometry:	620755.93	400138.87	221.00	166.00						
EQCN152	Label	7*****		Action radius/m			3000.00						
	Group	13 m/s		Lw (Day (12h)) /dB(A)			111.10						
	Number of nodes	1		Lw (Night (8h)) /dB(A)			111.10						
	Length/ m	---		Lw (Evening (4h)) /dB(A)			111.10						
	Length/ m (2D)	---		Emission is			Sound power level (Lw)						
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s										
				59.2	74.2	87.6	94.6	98.7	100.2	100.9	98.8	92.4	80.6
	Day (12h)	Lw /dB (A)	111.1	64.0	78.9	91.4	96.2	99.9	98.7	101.6	97.6	89.9	76.4
				68.8	82.7	93.1	97.4	100.2	99.4	100.4	95.2	85.8	72.3
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s										
				59.2	74.2	87.6	94.6	98.7	100.2	100.9	98.8	92.4	80.6
	Night (8h)	Lw /dB (A)	111.1	64.0	78.9	91.4	96.2	99.9	98.7	101.6	97.6	89.9	76.4
				68.8	82.7	93.1	97.4	100.2	99.4	100.4	95.2	85.8	72.3
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s										
				59.2	74.2	87.6	94.6	98.7	100.2	100.9	98.8	92.4	80.6
	Evening (4h)	Lw /dB (A)	111.1	64.0	78.9	91.4	96.2	99.9	98.7	101.6	97.6	89.9	76.4
				68.8	82.7	93.1	97.4	100.2	99.4	100.4	95.2	85.8	72.3
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB							Special correction /dB	
	Lden	-	0.0	0.0	0.0							-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB					Lwr /dB(A)	
	Day (12h)	12.00	Day	111.1	1.00	0.29890	-16.04					-16.0	
	Evening (4h)	4.00	Evening	111.1	1.00	0.10930	-15.63					-15.6	
	Night (8h)	8.00	Night	111.1	1.00	0.17450	-16.61					-16.6	
	Geometry		Nr	x/m	y/m	z(abs) /m	! z(rel) /m						
			Geometry:	617919.08	400631.52	229.75	166.00						
EQCN153	Label	4*****		Action radius/m			3000.00						
	Group	13 m/s		Lw (Day (12h)) /dB(A)			111.10						
	Number of nodes	1		Lw (Night (8h)) /dB(A)			111.10						
	Length/ m	---		Lw (Evening (4h)) /dB(A)			111.10						
	Length/ m (2D)	---		Emission is			Sound power level (Lw)						
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s										
				59.2	74.2	87.6	94.6	98.7	100.2	100.9	98.8	92.4	80.6
	Day (12h)	Lw /dB (A)	111.1	64.0	78.9	91.4	96.2	99.9	98.7	101.6	97.6	89.9	76.4
				68.8	82.7	93.1	97.4	100.2	99.4	100.4	95.2	85.8	72.3
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s										
				59.2	74.2	87.6	94.6	98.7	100.2	100.9	98.8	92.4	80.6
	Night (8h)	Lw /dB (A)	111.1	64.0	78.9	91.4	96.2	99.9	98.7	101.6	97.6	89.9	76.4
				68.8	82.7	93.1	97.4	100.2	99.4	100.4	95.2	85.8	72.3
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s										
				59.2	74.2	87.6	94.6	98.7	100.2	100.9	98.8	92.4	80.6
	Evening (4h)	Lw /dB (A)	111.1	64.0	78.9	91.4	96.2	99.9	98.7	101.6	97.6	89.9	76.4
				68.8	82.7	93.1	97.4	100.2	99.4	100.4	95.2	85.8	72.3
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB							Special correction /dB	
	Lden	-	0.0	0.0	0.0							-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB					Lwr /dB(A)	
	Day (12h)	12.00	Day	111.1	1.00	0.29890	-16.04					-16.0	
	Evening (4h)	4.00	Evening	111.1	1.00	0.10930	-15.63					-15.6	
	Night (8h)	8.00	Night	111.1	1.00	0.17450	-16.61					-16.6	
	Geometry		Nr	x/m	y/m	z(abs) /m	! z(rel) /m						
			Geometry:	620584.71	400915.71	226.47	166.00						
EQCN154	Label	12*****		Action radius/m			3000.00						
	Group	13 m/s		Lw (Day (12h)) /dB(A)			111.10						
	Number of nodes	1		Lw (Night (8h)) /dB(A)			111.10						
	Length/ m	---		Lw (Evening (4h)) /dB(A)			111.10						
	Length/ m (2D)	---		Emission is			Sound power level (Lw)						
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s										
				59.2	74.2	87.6	94.6	98.7	100.2	100.9	98.8	92.4	80.6
	Day (12h)	Lw /dB (A)	111.1	64.0	78.9	91.4	96.2	99.9	98.7	101.6	97.6	89.9	76.4
				68.8	82.7	93.1	97.4	100.2	99.4	100.4	95.2	85.8	72.3
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s										

	Night (8h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s											
	Evening (4h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.29890		-16.04		-16.0	
	Evening (4h)		4.00	Evening	111.1		1.00		0.10930		-15.63		-15.6	
	Night (8h)		8.00	Night	111.1		1.00		0.17450		-16.61		-16.6	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		620303.15		400415.28		219.97		166.00	
EQCN155	Label		6*****		Action radius/m								3000.00	
	Group		14 m/s		Lw (Day (12h)) /dB(A)								111.10	
	Number of nodes		1		Lw (Night (8h)) /dB(A)								111.10	
	Length/ m		---		Lw (Evening (4h)) /dB(A)								111.10	
	Length/ m (2D)		---		Emission is								Sound power level (Lw)	
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Vestas 172-7.2 ST 14 m/s									
	Day (12h)		Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6
	Night (8h)		Emission		Reference: Vestas 172-7.2 ST 14 m/s									
	Night (8h)		Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6
	Evening (4h)		Emission		Reference: Vestas 172-7.2 ST 14 m/s									
	Evening (4h)		Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.16070		-18.73		-18.7	
	Evening (4h)		4.00	Evening	111.1		1.00		0.06140		-18.14		-18.1	
	Night (8h)		8.00	Night	111.1		1.00		0.09810		-19.11		-19.1	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		618114.71		401289.03		227.08		166.00	
EQCN156	Label		9*****		Action radius/m								3000.00	
	Group		14 m/s		Lw (Day (12h)) /dB(A)								111.10	
	Number of nodes		1		Lw (Night (8h)) /dB(A)								111.10	
	Length/ m		---		Lw (Evening (4h)) /dB(A)								111.10	
	Length/ m (2D)		---		Emission is								Sound power level (Lw)	
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Vestas 172-7.2 ST 14 m/s									
	Day (12h)		Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6
	Night (8h)		Emission		Reference: Vestas 172-7.2 ST 14 m/s									
	Night (8h)		Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6
	Evening (4h)		Emission		Reference: Vestas 172-7.2 ST 14 m/s									
	Evening (4h)		Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.16070		-18.73		-18.7	
	Evening (4h)		4.00	Evening	111.1		1.00		0.06140		-18.14		-18.1	
	Night (8h)		8.00	Night	111.1		1.00		0.09810		-19.11		-19.1	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		618827.26		401498.97		219.05		166.00	
EQCN157	Label		5*****		Action radius/m								3000.00	
	Group		14 m/s		Lw (Day (12h)) /dB(A)								111.10	
	Number of nodes		1		Lw (Night (8h)) /dB(A)								111.10	
	Length/ m		---		Lw (Evening (4h)) /dB(A)								111.10	
	Length/ m (2D)		---		Emission is								Sound power level (Lw)	
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Vestas 172-7.2 ST 14 m/s									
	Day (12h)		Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6
	Night (8h)		Emission		Reference: Vestas 172-7.2 ST 14 m/s									
	Night (8h)		Lw /dB (A)	111.1	58.7 63.6	74.3 79.3	87.7 91.4	95.0 96.8	99.3 100.4	100.1 98.4	100.6 101.3	98.7 97.5	91.9 89.3	79.4 75.0

				68.6	83.0	93.2	97.9	100.5	99.1	100.2	94.9	84.9	70.6
	Evening (4h)	Emission	Reference:	Vestas 172-7.2 ST 14 m/s									
	Evening (4h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB
	Lden				-		0.0		0.0				0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	111.1		1.00		0.16070		-18.73		-18.7
	Evening (4h)		4.00	Evening	111.1		1.00		0.06140		-18.14		-18.1
	Night (8h)		8.00	Night	111.1		1.00		0.09810		-19.11		-19.1
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
					Geometry:		618568.70		401868.47		219.00		166.00
EQCN158	Label	10*****				Action radius/m						3000.00	
	Group	14 m/s				Lw (Day (12h)) /dB(A)						111.10	
	Number of nodes	1				Lw (Night (8h)) /dB(A)						111.10	
	Length/ m	----				Lw (Evening (4h)) /dB(A)						111.10	
	Length/ m (2D)	----				Emission is						Sound power level (Lw)	
	Area /m²	----											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference:	Vestas 172-7.2 ST 14 m/s									
	Day (12h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6
	Night (8h)	Emission	Reference:	Vestas 172-7.2 ST 14 m/s									
	Night (8h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6
	Evening (4h)	Emission	Reference:	Vestas 172-7.2 ST 14 m/s									
	Evening (4h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB
	Lden				-		0.0		0.0				0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	111.1		1.00		0.16070		-18.73		-18.7
	Evening (4h)		4.00	Evening	111.1		1.00		0.06140		-18.14		-18.1
	Night (8h)		8.00	Night	111.1		1.00		0.09810		-19.11		-19.1
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
					Geometry:		619233.69		400696.45		224.15		166.00
EQCN159	Label	3*****				Action radius/m						3000.00	
	Group	14 m/s				Lw (Day (12h)) /dB(A)						111.10	
	Number of nodes	1				Lw (Night (8h)) /dB(A)						111.10	
	Length/ m	----				Lw (Evening (4h)) /dB(A)						111.10	
	Length/ m (2D)	----				Emission is						Sound power level (Lw)	
	Area /m²	----											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference:	Vestas 172-7.2 ST 14 m/s									
	Day (12h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6
	Night (8h)	Emission	Reference:	Vestas 172-7.2 ST 14 m/s									
	Night (8h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6
	Evening (4h)	Emission	Reference:	Vestas 172-7.2 ST 14 m/s									
	Evening (4h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB
	Lden				-		0.0		0.0				0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	111.1		1.00		0.16070		-18.73		-18.7
	Evening (4h)		4.00	Evening	111.1		1.00		0.06140		-18.14		-18.1
	Night (8h)		8.00	Night	111.1		1.00		0.09810		-19.11		-19.1
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
					Geometry:		619534.88		401335.18		218.68		166.00
EQCN160	Label	13*****				Action radius/m						3000.00	
	Group	14 m/s				Lw (Day (12h)) /dB(A)						111.10	
	Number of nodes	1				Lw (Night (8h)) /dB(A)						111.10	
	Length/ m	----				Lw (Evening (4h)) /dB(A)						111.10	
	Length/ m (2D)	----				Emission is						Sound power level (Lw)	
	Area /m²	----											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference:	Vestas 172-7.2 ST 14 m/s									
	Day (12h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6
	Night (8h)	Emission	Reference:	Vestas 172-7.2 ST 14 m/s									
	Night (8h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6
	Evening (4h)	Emission	Reference:	Vestas 172-7.2 ST 14 m/s									

	Evening (4h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	111.1		1.00		0.16070		-18.73		-18.7
	Evening (4h)		4.00	Evening	111.1		1.00		0.06140		-18.14		-18.1
	Night (8h)		8.00	Night	111.1		1.00		0.09810		-19.11		-19.1
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
					Geometry:		619800.72		400366.70		218.78		166.00
EQCN161	Label		14*****				Action radius/m						3000.00
	Group		14 m/s				Lw (Day (12h)) /dB(A)						111.10
	Number of nodes		1				Lw (Night (8h)) /dB(A)						111.10
	Length/ m		---				Lw (Evening (4h)) /dB(A)						111.10
	Length/ m (2D)		---				Emission is						Sound power level (Lw)
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s										
	Day (12h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s										
	Night (8h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s										
	Evening (4h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	111.1		1.00		0.16070		-18.73		-18.7
	Evening (4h)		4.00	Evening	111.1		1.00		0.06140		-18.14		-18.1
	Night (8h)		8.00	Night	111.1		1.00		0.09810		-19.11		-19.1
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
					Geometry:		619943.68		400840.93		218.00		166.00
EQCN162	Label		2*****				Action radius/m						3000.00
	Group		14 m/s				Lw (Day (12h)) /dB(A)						111.10
	Number of nodes		1				Lw (Night (8h)) /dB(A)						111.10
	Length/ m		---				Lw (Evening (4h)) /dB(A)						111.10
	Length/ m (2D)		---				Emission is						Sound power level (Lw)
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s										
	Day (12h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s										
	Night (8h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s										
	Evening (4h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	111.1		1.00		0.16070		-18.73		-18.7
	Evening (4h)		4.00	Evening	111.1		1.00		0.06140		-18.14		-18.1
	Night (8h)		8.00	Night	111.1		1.00		0.09810		-19.11		-19.1
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
					Geometry:		620314.85		401595.67		223.09		166.00
EQCN163	Label		1*****				Action radius/m						3000.00
	Group		14 m/s				Lw (Day (12h)) /dB(A)						111.10
	Number of nodes		1				Lw (Night (8h)) /dB(A)						111.10
	Length/ m		---				Lw (Evening (4h)) /dB(A)						111.10
	Length/ m (2D)		---				Emission is						Sound power level (Lw)
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s										
	Day (12h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s										
	Night (8h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s										
	Evening (4h)	Lw /dB (A)	111.1	58.7 63.6	74.3 79.3	87.7 91.4	95.0 96.8	99.3 100.4	100.1 98.4	100.6 101.3	98.7 97.5	91.9 89.3	79.4 75.0

				68.6	83.0	93.2	97.9	100.5	99.1	100.2	94.9	84.9	70.6
	Rating method	Peak level	Corr. for impulsivity /dB			Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden	-	0.0			0.0		0.0				-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	111.1		1.00		0.16070		-18.73		-18.7	
	Evening (4h)	4.00	Evening	111.1		1.00		0.06140		-18.14		-18.1	
	Night (8h)	8.00	Night	111.1		1.00		0.09810		-19.11		-19.1	
	Geometry		Nr		x/m		y/m			z(abs) /m		! z(rel) /m	
			Geometry:	619193.64		402093.47				217.60		166.00	
EQCN164	Label	8*****		Action radius/m								3000.00	
	Group	14 m/s		Lw (Day (12h)) /dB(A)								111.10	
	Number of nodes	1		Lw (Night (8h)) /dB(A)								111.10	
	Length/ m	---		Lw (Evening (4h)) /dB(A)								111.10	
	Length/ m (2D)	---		Emission is								Sound power level (Lw)	
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s										
	Day (12h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s										
	Night (8h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s										
	Evening (4h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6
	Rating method	Peak level	Corr. for impulsivity /dB			Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden	-	0.0			0.0		0.0				-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	111.1		1.00		0.16070		-18.73		-18.7	
	Evening (4h)	4.00	Evening	111.1		1.00		0.06140		-18.14		-18.1	
	Night (8h)	8.00	Night	111.1		1.00		0.09810		-19.11		-19.1	
	Geometry		Nr		x/m		y/m			z(abs) /m		! z(rel) /m	
			Geometry:	618505.85		400992.54				227.35		166.00	
EQCN165	Label	11*****		Action radius/m								3000.00	
	Group	14 m/s		Lw (Day (12h)) /dB(A)								111.10	
	Number of nodes	1		Lw (Night (8h)) /dB(A)								111.10	
	Length/ m	---		Lw (Evening (4h)) /dB(A)								111.10	
	Length/ m (2D)	---		Emission is								Sound power level (Lw)	
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s										
	Day (12h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s										
	Night (8h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s										
	Evening (4h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6
	Rating method	Peak level	Corr. for impulsivity /dB			Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden	-	0.0			0.0		0.0				-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	111.1		1.00		0.16070		-18.73		-18.7	
	Evening (4h)	4.00	Evening	111.1		1.00		0.06140		-18.14		-18.1	
	Night (8h)	8.00	Night	111.1		1.00		0.09810		-19.11		-19.1	
	Geometry		Nr		x/m		y/m			z(abs) /m		! z(rel) /m	
			Geometry:	620755.93		400138.87				221.00		166.00	
EQCN166	Label	7*****		Action radius/m								3000.00	
	Group	14 m/s		Lw (Day (12h)) /dB(A)								111.10	
	Number of nodes	1		Lw (Night (8h)) /dB(A)								111.10	
	Length/ m	---		Lw (Evening (4h)) /dB(A)								111.10	
	Length/ m (2D)	---		Emission is								Sound power level (Lw)	
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s										
	Day (12h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s										
	Night (8h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s										
	Evening (4h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6
	Rating method	Peak level	Corr. for			Corr. for tonality		Corr. for inform.				Special correction	

	Lden		-		impulsivity /dB		0.0		/dB		0.0		content/dB		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)					
	Day (12h)		12.00	Day	111.1		1.00		0.16070		-18.73		-18.7					
	Evening (4h)		4.00	Evening	111.1		1.00		0.06140		-18.14		-18.1					
	Night (8h)		8.00	Night	111.1		1.00		0.09810		-19.11		-19.1					
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m					
					Geometry:		617919.08		400631.52		229.75		166.00					
EQCN167	Label		4*****		Action radius/m								3000.00					
	Group		14 m/s		Lw (Day (12h)) /dB(A)								111.10					
	Number of nodes		1		Lw (Night (8h)) /dB(A)								111.10					
	Length/ m		---		Lw (Evening (4h)) /dB(A)								111.10					
	Length/ m (2D)		---		Emission is								Sound power level (Lw)					
	Area /m²		---															
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz					
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s															
	Day (12h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6					
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s															
	Night (8h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6					
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s															
	Evening (4h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6					
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB					
	Lden		-		0.0		0.0		0.0		-		0.0					
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)					
	Day (12h)		12.00	Day	111.1		1.00		0.16070		-18.73		-18.7					
	Evening (4h)		4.00	Evening	111.1		1.00		0.06140		-18.14		-18.1					
	Night (8h)		8.00	Night	111.1		1.00		0.09810		-19.11		-19.1					
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m					
					Geometry:		620584.71		400915.71		226.47		166.00					
EQCN168	Label		12*****		Action radius/m								3000.00					
	Group		14 m/s		Lw (Day (12h)) /dB(A)								111.10					
	Number of nodes		1		Lw (Night (8h)) /dB(A)								111.10					
	Length/ m		---		Lw (Evening (4h)) /dB(A)								111.10					
	Length/ m (2D)		---		Emission is								Sound power level (Lw)					
	Area /m²		---															
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz					
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s															
	Day (12h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6					
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s															
	Night (8h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6					
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s															
	Evening (4h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6					
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB					
	Lden		-		0.0		0.0		0.0		-		0.0					
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)					
	Day (12h)		12.00	Day	111.1		1.00		0.16070		-18.73		-18.7					
	Evening (4h)		4.00	Evening	111.1		1.00		0.06140		-18.14		-18.1					
	Night (8h)		8.00	Night	111.1		1.00		0.09810		-19.11		-19.1					
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m					
					Geometry:		620303.15		400415.28		219.97		166.00					
EQCN169	Label		6*****		Action radius/m								3000.00					
	Group		>=15 m/s		Lw (Day (12h)) /dB(A)								111.11					
	Number of nodes		1		Lw (Night (8h)) /dB(A)								111.11					
	Length/ m		---		Lw (Evening (4h)) /dB(A)								111.11					
	Length/ m (2D)		---		Emission is								Sound power level (Lw)					
	Area /m²		---															
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz					
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s															
	Day (12h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4					
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s															
	Night (8h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4					
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s															
	Evening (4h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4					
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB					
	Lden		-		0.0		0.0		0.0		-		0.0					

	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h			dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00			0.22280		-17.31 -17.3	
	Evening (4h)		4.00	Evening	111.1		1.00			0.06470		-17.91 -17.9	
	Night (8h)		8.00	Night	111.1		1.00			0.10520		-18.81 -18.8	
	Geometry				Nr	x/m	y/m			z(abs) /m		! z(rel) /m	
					Geometry:		618114.71 401289.03			227.08		166.00	
EQCN170	Label		9*****			Action radius/m			3000.00				
	Group		>=15 m/s			Lw (Day (12h)) /dB(A)			111.11				
	Number of nodes		1			Lw (Night (8h)) /dB(A)			111.11				
	Length/ m		---			Lw (Evening (4h)) /dB(A)			111.11				
	Length/ m (2D)		---			Emission is			Sound power level (Lw)				
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s										
	Day (12h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s										
	Night (8h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s										
	Evening (4h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB
	Lden				- 0.0		0.0		0.0				- 0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h			dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00			0.22280		-17.31 -17.3	
	Evening (4h)		4.00	Evening	111.1		1.00			0.06470		-17.91 -17.9	
	Night (8h)		8.00	Night	111.1		1.00			0.10520		-18.81 -18.8	
	Geometry				Nr	x/m	y/m			z(abs) /m		! z(rel) /m	
					Geometry:		618827.26 401498.97			219.05		166.00	
EQCN171	Label		5*****			Action radius/m			3000.00				
	Group		>=15 m/s			Lw (Day (12h)) /dB(A)			111.11				
	Number of nodes		1			Lw (Night (8h)) /dB(A)			111.11				
	Length/ m		---			Lw (Evening (4h)) /dB(A)			111.11				
	Length/ m (2D)		---			Emission is			Sound power level (Lw)				
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s										
	Day (12h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s										
	Night (8h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s										
	Evening (4h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB
	Lden				- 0.0		0.0		0.0				- 0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h			dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00			0.22280		-17.31 -17.3	
	Evening (4h)		4.00	Evening	111.1		1.00			0.06470		-17.91 -17.9	
	Night (8h)		8.00	Night	111.1		1.00			0.10520		-18.81 -18.8	
	Geometry				Nr	x/m	y/m			z(abs) /m		! z(rel) /m	
					Geometry:		618568.70 401868.47			219.00		166.00	
EQCN172	Label		10*****			Action radius/m			3000.00				
	Group		>=15 m/s			Lw (Day (12h)) /dB(A)			111.11				
	Number of nodes		1			Lw (Night (8h)) /dB(A)			111.11				
	Length/ m		---			Lw (Evening (4h)) /dB(A)			111.11				
	Length/ m (2D)		---			Emission is			Sound power level (Lw)				
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s										
	Day (12h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s										
	Night (8h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s										
	Evening (4h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB
	Lden				- 0.0		0.0		0.0				- 0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h			dLi /dB		Lwr /dB(A)	

	Day (12h)	12.00	Day	111.1	1.00	0.22280	-17.31	-17.3					
	Evening (4h)	4.00	Evening	111.1	1.00	0.06470	-17.91	-17.9					
	Night (8h)	8.00	Night	111.1	1.00	0.10520	-18.81	-18.8					
	Geometry			Nr	x/m	y/m	z(abs) /m	! z(rel) /m					
				Geometry:	619233.69	400696.45	224.15	166.00					
EQCN173	Label	3*****			Action radius/m			3000.00					
	Group	>=15 m/s			Lw (Day (12h)) /dB(A)			111.11					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			111.11					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			111.11					
	Length/ m (2D)	---			Emission is			Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s										
	Day (12h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s										
	Night (8h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s										
	Evening (4h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB			Special correction /dB	
	Lden		-		0.0		0.0		0.0			-	0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	111.1			1.00	0.22280		-17.31		-17.3
	Evening (4h)		4.00	Evening	111.1			1.00	0.06470		-17.91		-17.9
	Night (8h)		8.00	Night	111.1			1.00	0.10520		-18.81		-18.8
	Geometry				Nr	x/m	y/m	z(abs) /m	! z(rel) /m				
					Geometry:	619534.88	401335.18	218.68	166.00				
EQCN174	Label	13*****			Action radius/m								3000.00
	Group	>=15 m/s			Lw (Day (12h)) /dB(A)								111.11
	Number of nodes	1			Lw (Night (8h)) /dB(A)								111.11
	Length/ m	---			Lw (Evening (4h)) /dB(A)								111.11
	Length/ m (2D)	---			Emission is								Sound power level (Lw)
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s										
	Day (12h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s										
	Night (8h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s										
	Evening (4h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB			Special correction /dB	
	Lden		-		0.0		0.0		0.0			-	0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	111.1			1.00	0.22280		-17.31		-17.3
	Evening (4h)		4.00	Evening	111.1			1.00	0.06470		-17.91		-17.9
	Night (8h)		8.00	Night	111.1			1.00	0.10520		-18.81		-18.8
	Geometry				Nr	x/m	y/m	z(abs) /m	! z(rel) /m				
					Geometry:	619800.72	400366.70	218.78	166.00				
EQCN175	Label	14*****			Action radius/m								3000.00
	Group	>=15 m/s			Lw (Day (12h)) /dB(A)								111.11
	Number of nodes	1			Lw (Night (8h)) /dB(A)								111.11
	Length/ m	---			Lw (Evening (4h)) /dB(A)								111.11
	Length/ m (2D)	---			Emission is								Sound power level (Lw)
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s										
	Day (12h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s										
	Night (8h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s										
	Evening (4h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB			Special correction /dB	
	Lden		-		0.0		0.0		0.0			-	0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	111.1			1.00	0.22280		-17.31		-17.3
	Evening (4h)		4.00	Evening	111.1			1.00	0.06470		-17.91		-17.9

	Night (8h)		8.00	Night		111.1		1.00		0.10520		-18.81		-18.8
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		619943.68		400840.93		218.00		166.00	
EQCN176	Label	2*****					Action radius/m						3000.00	
	Group	>=15 m/s					Lw (Day (12h)) /dB(A)						111.11	
	Number of nodes	1					Lw (Night (8h)) /dB(A)						111.11	
	Length/ m	---					Lw (Evening (4h)) /dB(A)						111.11	
	Length/ m (2D)	---					Emission is						Sound power level (Lw)	
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference:	Vestas 172-7.2 ST 15 m/s										
	Day (12h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Night (8h)	Emission	Reference:	Vestas 172-7.2 ST 15 m/s										
	Night (8h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Evening (4h)	Emission	Reference:	Vestas 172-7.2 ST 15 m/s										
	Evening (4h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.22280		-17.31		-17.3	
	Evening (4h)		4.00	Evening	111.1		1.00		0.06470		-17.91		-17.9	
	Night (8h)		8.00	Night	111.1		1.00		0.10520		-18.81		-18.8	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		620314.85		401595.67		223.09		166.00	
EQCN177	Label	1*****					Action radius/m						3000.00	
	Group	>=15 m/s					Lw (Day (12h)) /dB(A)						111.11	
	Number of nodes	1					Lw (Night (8h)) /dB(A)						111.11	
	Length/ m	---					Lw (Evening (4h)) /dB(A)						111.11	
	Length/ m (2D)	---					Emission is						Sound power level (Lw)	
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference:	Vestas 172-7.2 ST 15 m/s										
	Day (12h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Night (8h)	Emission	Reference:	Vestas 172-7.2 ST 15 m/s										
	Night (8h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Evening (4h)	Emission	Reference:	Vestas 172-7.2 ST 15 m/s										
	Evening (4h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.22280		-17.31		-17.3	
	Evening (4h)		4.00	Evening	111.1		1.00		0.06470		-17.91		-17.9	
	Night (8h)		8.00	Night	111.1		1.00		0.10520		-18.81		-18.8	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		619193.64		402093.47		217.60		166.00	
EQCN178	Label	8*****					Action radius/m						3000.00	
	Group	>=15 m/s					Lw (Day (12h)) /dB(A)						111.11	
	Number of nodes	1					Lw (Night (8h)) /dB(A)						111.11	
	Length/ m	---					Lw (Evening (4h)) /dB(A)						111.11	
	Length/ m (2D)	---					Emission is						Sound power level (Lw)	
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference:	Vestas 172-7.2 ST 15 m/s										
	Day (12h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Night (8h)	Emission	Reference:	Vestas 172-7.2 ST 15 m/s										
	Night (8h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Evening (4h)	Emission	Reference:	Vestas 172-7.2 ST 15 m/s										
	Evening (4h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.22280		-17.31		-17.3	
	Evening (4h)		4.00	Evening	111.1		1.00		0.06470		-17.91		-17.9	
	Night (8h)		8.00	Night	111.1		1.00		0.10520		-18.81		-18.8	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	

			Geometry:				618505.85	400992.54				227.35	166.00	
EQCN179	Label	11*****				Action radius/m				3000.00				
	Group	>=15 m/s				Lw (Day (12h)) /dB(A)				111.11				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				111.11				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				111.11				
	Length/ m (2D)	---				Emission is				Sound power level (Lw)				
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Day (12h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Night (8h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Evening (4h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden			-		0.0		0.0		0.0		-		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	111.1		1.00		0.22280		-17.31		-17.3		
	Evening (4h)	4.00	Evening	111.1		1.00		0.06470		-17.91		-17.9		
	Night (8h)	8.00	Night	111.1		1.00		0.10520		-18.81		-18.8		
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		620755.93		400138.87		221.00		166.00
EQCN180	Label	7*****				Action radius/m				3000.00				
	Group	>=15 m/s				Lw (Day (12h)) /dB(A)				111.11				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				111.11				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				111.11				
	Length/ m (2D)	---				Emission is				Sound power level (Lw)				
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Day (12h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Night (8h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Evening (4h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden			-		0.0		0.0		0.0		-		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	111.1		1.00		0.22280		-17.31		-17.3		
	Evening (4h)	4.00	Evening	111.1		1.00		0.06470		-17.91		-17.9		
	Night (8h)	8.00	Night	111.1		1.00		0.10520		-18.81		-18.8		
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		617919.08		400631.52		229.75		166.00
EQCN181	Label	4*****				Action radius/m				3000.00				
	Group	>=15 m/s				Lw (Day (12h)) /dB(A)				111.11				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				111.11				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				111.11				
	Length/ m (2D)	---				Emission is				Sound power level (Lw)				
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Day (12h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Night (8h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Evening (4h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden			-		0.0		0.0		0.0		-		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	111.1		1.00		0.22280		-17.31		-17.3		
	Evening (4h)	4.00	Evening	111.1		1.00		0.06470		-17.91		-17.9		
	Night (8h)	8.00	Night	111.1		1.00		0.10520		-18.81		-18.8		
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		620584.71		400915.71		226.47		166.00
EQCN182	Label	12*****				Action radius/m				3000.00				

	Group	>=15 m/s				Lw (Day (12h)) /dB(A)				111.11			
	Number of nodes	1				Lw (Night (8h)) /dB(A)				111.11			
	Length/ m	---				Lw (Evening (4h)) /dB(A)				111.11			
	Length/ m (2D)	---				Emission is				Sound power level (Lw)			
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s										
	Day (12h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s										
	Night (8h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s										
	Evening (4h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4
	Rating method	Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB				
	Lden		-		0.0		0.0		0.0		-		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	111.1		1.00		0.22280		-17.31		-17.3	
	Evening (4h)	4.00	Evening	111.1		1.00		0.06470		-17.91		-17.9	
	Night (8h)	8.00	Night	111.1		1.00		0.10520		-18.81		-18.8	
	Geometry	Nr		x/m		y/m		z(abs) /m		! z(rel) /m			
		Geometry:		620303.15		400415.28		219.97		166.00			