

Point source /CNOSSO (14)														Lmax		
EQCN183	Label		6*****				Action radius/m				3000.00					
	Group		Lmax				Lw (Day (12h)) /dB(A)				111.11					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.11					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.11					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)		Emission Reference: Vestas 172-7.2 ST 15 m/s													
	Day (12h)		Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4		
	Night (8h)		Emission Reference: Vestas 172-7.2 ST 15 m/s													
	Night (8h)		Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4		
	Evening (4h)		Emission Reference: Vestas 172-7.2 ST 15 m/s													
	Evening (4h)		Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4		
Rating method			Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
Lden					-		0.0		0.0		0.0		-		0.0	
Rating period / Period			Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
Day (12h)			12.00	Day	111.1		1.00		12.00000		0.00		0.0			
Evening (4h)			4.00	Evening	111.1		1.00		4.00000		0.00		0.0			
Night (8h)			8.00	Night	111.1		1.00		8.00000		0.00		0.0			
Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m			
							Geometry:		618114.71		401289.03		227.08		166.00	
EQCN184	Label		9*****				Action radius/m				3000.00					
	Group		Lmax				Lw (Day (12h)) /dB(A)				111.11					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.11					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.11					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)		Emission Reference: Vestas 172-7.2 ST 15 m/s													
	Day (12h)		Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4		
	Night (8h)		Emission Reference: Vestas 172-7.2 ST 15 m/s													
	Night (8h)		Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4		
	Evening (4h)		Emission Reference: Vestas 172-7.2 ST 15 m/s													
	Evening (4h)		Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4		
Rating method			Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
Lden					-		0.0		0.0		0.0		-		0.0	
Rating period / Period			Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
Day (12h)			12.00	Day	111.1		1.00		12.00000		0.00		0.0			
Evening (4h)			4.00	Evening	111.1		1.00		4.00000		0.00		0.0			
Night (8h)			8.00	Night	111.1		1.00		8.00000		0.00		0.0			
Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m			
							Geometry:		618827.26		401498.97		219.05		166.00	
EQCN185	Label		5*****				Action radius/m				3000.00					
	Group		Lmax				Lw (Day (12h)) /dB(A)				111.11					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.11					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.11					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)		Emission Reference: Vestas 172-7.2 ST 15 m/s													
	Day (12h)		Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4		
	Night (8h)		Emission Reference: Vestas 172-7.2 ST 15 m/s													
	Night (8h)		Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4		
	Evening (4h)		Emission Reference: Vestas 172-7.2 ST 15 m/s													
	Evening (4h)		Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4		
Rating method			Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
Lden					-		0.0		0.0		0.0		-		0.0	
Rating period / Period			Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
Day (12h)			12.00	Day	111.1		1.00		12.00000		0.00		0.0			
Evening (4h)			4.00	Evening	111.1		1.00		4.00000		0.00		0.0			
Night (8h)			8.00	Night	111.1		1.00		8.00000		0.00		0.0			
Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m			
							Geometry:		618568.70		401868.47		219.00		166.00	
EQCN186	Label		10*****				Action radius/m				3000.00					

	Group	Lmax	Lw (Day (12h)) /dB(A)							111.11				
	Number of nodes	1	Lw (Night (8h)) /dB(A)							111.11				
	Length/ m	---	Lw (Evening (4h)) /dB(A)							111.11				
	Length/ m (2D)	---	Emission is							Sound power level (Lw)				
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Day (12h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Night (8h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Evening (4h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Rating method	Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB					Special correction /dB		
	Lden		-		0.0		0.0		0.0		-			0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	111.1		1.00		12.00000		0.00		0.0		
	Evening (4h)	4.00	Evening	111.1		1.00		4.00000		0.00		0.0		
	Night (8h)	8.00	Night	111.1		1.00		8.00000		0.00		0.0		
	Geometry	Nr				x/m		y/m		z(abs) /m		! z(rel) /m		
		Geometry:				619233.69		400696.45		224.15		166.00		
EQCN187	Label	3*****				Action radius/m				3000.00				
	Group	Lmax	Lw (Day (12h)) /dB(A)							111.11				
	Number of nodes	1	Lw (Night (8h)) /dB(A)							111.11				
	Length/ m	---	Lw (Evening (4h)) /dB(A)							111.11				
	Length/ m (2D)	---	Emission is							Sound power level (Lw)				
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Day (12h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Night (8h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Evening (4h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Rating method	Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB					Special correction /dB		
	Lden		-		0.0		0.0		0.0		-			0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	111.1		1.00		12.00000		0.00		0.0		
	Evening (4h)	4.00	Evening	111.1		1.00		4.00000		0.00		0.0		
	Night (8h)	8.00	Night	111.1		1.00		8.00000		0.00		0.0		
	Geometry	Nr				x/m		y/m		z(abs) /m		! z(rel) /m		
		Geometry:				619534.88		401335.18		218.68		166.00		
EQCN188	Label	13*****				Action radius/m				3000.00				
	Group	Lmax	Lw (Day (12h)) /dB(A)							111.11				
	Number of nodes	1	Lw (Night (8h)) /dB(A)							111.11				
	Length/ m	---	Lw (Evening (4h)) /dB(A)							111.11				
	Length/ m (2D)	---	Emission is							Sound power level (Lw)				
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Day (12h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Night (8h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Evening (4h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Rating method	Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB					Special correction /dB		
	Lden		-		0.0		0.0		0.0		-			0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	111.1		1.00		12.00000		0.00		0.0		
	Evening (4h)	4.00	Evening	111.1		1.00		4.00000		0.00		0.0		
	Night (8h)	8.00	Night	111.1		1.00		8.00000		0.00		0.0		
	Geometry	Nr				x/m		y/m		z(abs) /m		! z(rel) /m		
		Geometry:				619800.72		400366.70		218.78		166.00		
EQCN189	Label	14*****				Action radius/m				3000.00				
	Group	Lmax	Lw (Day (12h)) /dB(A)							111.11				
	Number of nodes	1	Lw (Night (8h)) /dB(A)							111.11				

	Length/ m	---					Lw (Evening (4h)) /dB(A)					111.11		
	Length/ m (2D)	---					Emission is					Sound power level (Lw)		
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Day (12h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Night (8h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Evening (4h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden	-		0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	111.1		1.00		12.00000		0.00		0.0		
	Evening (4h)	4.00	Evening	111.1		1.00		4.00000		0.00		0.0		
	Night (8h)	8.00	Night	111.1		1.00		8.00000		0.00		0.0		
	Geometry					Nr	x/m	y/m	z(abs) /m		! z(rel) /m			
						Geometry:	619943.68	400840.93	218.00		166.00			
EQCN190	Label	2*****					Action radius/m			3000.00				
	Group	Lmax					Lw (Day (12h)) /dB(A)			111.11				
	Number of nodes	1					Lw (Night (8h)) /dB(A)			111.11				
	Length/ m	---					Lw (Evening (4h)) /dB(A)			111.11				
	Length/ m (2D)	---					Emission is			Sound power level (Lw)				
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Day (12h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Night (8h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Evening (4h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden	-		0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	111.1		1.00		12.00000		0.00		0.0		
	Evening (4h)	4.00	Evening	111.1		1.00		4.00000		0.00		0.0		
	Night (8h)	8.00	Night	111.1		1.00		8.00000		0.00		0.0		
	Geometry					Nr	x/m	y/m	z(abs) /m		! z(rel) /m			
						Geometry:	620314.85	401595.67	223.09		166.00			
EQCN191	Label	1*****					Action radius/m			3000.00				
	Group	Lmax					Lw (Day (12h)) /dB(A)			111.11				
	Number of nodes	1					Lw (Night (8h)) /dB(A)			111.11				
	Length/ m	---					Lw (Evening (4h)) /dB(A)			111.11				
	Length/ m (2D)	---					Emission is			Sound power level (Lw)				
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Day (12h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Night (8h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Evening (4h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden	-		0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	111.1		1.00		12.00000		0.00		0.0		
	Evening (4h)	4.00	Evening	111.1		1.00		4.00000		0.00		0.0		
	Night (8h)	8.00	Night	111.1		1.00		8.00000		0.00		0.0		
	Geometry					Nr	x/m	y/m	z(abs) /m		! z(rel) /m			
						Geometry:	619193.64	402093.47	217.60		166.00			
EQCN192	Label	8*****					Action radius/m			3000.00				
	Group	Lmax					Lw (Day (12h)) /dB(A)			111.11				
	Number of nodes	1					Lw (Night (8h)) /dB(A)			111.11				
	Length/ m	---					Lw (Evening (4h)) /dB(A)			111.11				
	Length/ m (2D)	---					Emission is			Sound power level (Lw)				

Area /m²		---										
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
Day (12h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s										
Day (12h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4
Night (8h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s										
Night (8h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4
Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s										
Evening (4h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB
Lden		-		0.0		0.0		0.0		-		0.0
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
Day (12h)		12.00	Day	111.1		1.00		12.00000		0.00		0.0
Evening (4h)		4.00	Evening	111.1		1.00		4.00000		0.00		0.0
Night (8h)		8.00	Night	111.1		1.00		8.00000		0.00		0.0
Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m
					Geometry:	618505.85		400992.54		227.35		166.00
EQCN193	Label	11*****				Action radius/m				3000.00		
	Group	Lmax				Lw (Day (12h)) /dB(A)				111.11		
	Number of nodes	1				Lw (Night (8h)) /dB(A)				111.11		
	Length/ m	---				Lw (Evening (4h)) /dB(A)				111.11		
	Length/ m (2D)	---				Emission is				Sound power level (Lw)		
	Area /m²	---										
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
Day (12h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s										
Day (12h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4
Night (8h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s										
Night (8h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4
Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s										
Evening (4h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB
Lden		-		0.0		0.0		0.0		-		0.0
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
Day (12h)		12.00	Day	111.1		1.00		12.00000		0.00		0.0
Evening (4h)		4.00	Evening	111.1		1.00		4.00000		0.00		0.0
Night (8h)		8.00	Night	111.1		1.00		8.00000		0.00		0.0
Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m
					Geometry:	620755.93		400138.87		221.00		166.00
EQCN194	Label	7*****				Action radius/m				3000.00		
	Group	Lmax				Lw (Day (12h)) /dB(A)				111.11		
	Number of nodes	1				Lw (Night (8h)) /dB(A)				111.11		
	Length/ m	---				Lw (Evening (4h)) /dB(A)				111.11		
	Length/ m (2D)	---				Emission is				Sound power level (Lw)		
	Area /m²	---										
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
Day (12h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s										
Day (12h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4
Night (8h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s										
Night (8h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4
Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s										
Evening (4h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB
Lden		-		0.0		0.0		0.0		-		0.0
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
Day (12h)		12.00	Day	111.1		1.00		12.00000		0.00		0.0
Evening (4h)		4.00	Evening	111.1		1.00		4.00000		0.00		0.0
Night (8h)		8.00	Night	111.1		1.00		8.00000		0.00		0.0
Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m
					Geometry:	617919.08		400631.52		229.75		166.00
EQCN195	Label	4*****				Action radius/m				3000.00		
	Group	Lmax				Lw (Day (12h)) /dB(A)				111.11		
	Number of nodes	1				Lw (Night (8h)) /dB(A)				111.11		

	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.11			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Day (12h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Night (8h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Evening (4h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB			Special correction /dB			
	Lden		-	0.0		0.0		0.0		-	0.0			
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB	Lwr /dB(A)			
	Day (12h)	12.00	Day	111.1		1.00		12.00000		0.00	0.0			
	Evening (4h)	4.00	Evening	111.1		1.00		4.00000		0.00	0.0			
	Night (8h)	8.00	Night	111.1		1.00		8.00000		0.00	0.0			
	Geometry			Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
				Geometry:		620584.71		400915.71		226.47		166.00		
EQCN196	Label	12*****				Action radius/m				3000.00				
	Group	Lmax				Lw (Day (12h)) /dB(A)				111.11				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				111.11				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				111.11				
	Length/ m (2D)	---				Emission is				Sound power level (Lw)				
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Day (12h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Night (8h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Evening (4h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB			Special correction /dB			
	Lden		-	0.0		0.0		0.0		-	0.0			
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB	Lwr /dB(A)			
	Day (12h)	12.00	Day	111.1		1.00		12.00000		0.00	0.0			
	Evening (4h)	4.00	Evening	111.1		1.00		4.00000		0.00	0.0			
	Night (8h)	8.00	Night	111.1		1.00		8.00000		0.00	0.0			
	Geometry			Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
				Geometry:		620303.15		400415.28		219.97		166.00		