

Point source /CNOSSO (55)													Variant 0		
EQCN001	Label		6				Action radius/m				3000.00				
	Group		3 m/s				Lw (Day (12h)) /dB(A)				97.79				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				97.79				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				97.79				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Emission		Reference: Nordex163-7.0 3 m/s										
	Day (12h)		Lw /dB (A)		97.8	50.0 54.6 58.9	62.3 64.6 66.6	68.6 71.6 74.6	77.6 82.6 82.6	83.6 84.0 84.3	84.7 85.2 85.7	86.2 87.3 87.8	88.8 87.8 86.7	83.1 80.6 77.6	70.6 62.6 57.2
	Night (8h)		Emission		Reference: Nordex163-7.0 3 m/s										
Night (8h)		Lw /dB (A)		97.8	50.0 54.6 58.9	62.3 64.6 66.6	68.6 71.6 74.6	77.6 82.6 82.6	83.6 84.0 84.3	84.7 85.2 85.7	86.2 87.3 87.8	88.8 87.8 86.7	83.1 80.6 77.6	70.6 62.6 57.2	
Evening (4h)		Emission		Reference: Nordex163-7.0 3 m/s											
Evening (4h)		Lw /dB (A)		97.8	50.0 54.6 58.9	62.3 64.6 66.6	68.6 71.6 74.6	77.6 82.6 82.6	83.6 84.0 84.3	84.7 85.2 85.7	86.2 87.3 87.8	88.8 87.8 86.7	83.1 80.6 77.6	70.6 62.6 57.2	
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
Lden				-		0.0		0.0		0.0		-		0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
Day (12h)		12.00	Day	97.8		1.00		0.92820		-11.12		-11.1			
Evening (4h)		4.00	Evening	97.8		1.00		0.18000		-13.47		-13.5			
Night (8h)		8.00	Night	97.8		1.00		0.35620		-13.51		-13.5			
Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m			
						Geometry:		542166.00		269672.00		212.30		169.00	
EQCN002	Label		7				Action radius/m				3000.00				
	Group		3 m/s				Lw (Day (12h)) /dB(A)				97.79				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				97.79				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				97.79				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Emission		Reference: Nordex163-7.0 3 m/s										
	Day (12h)		Lw /dB (A)		97.8	50.0 54.6 58.9	62.3 64.6 66.6	68.6 71.6 74.6	77.6 82.6 82.6	83.6 84.0 84.3	84.7 85.2 85.7	86.2 87.3 87.8	88.8 87.8 86.7	83.1 80.6 77.6	70.6 62.6 57.2
	Night (8h)		Emission		Reference: Nordex163-7.0 3 m/s										
Night (8h)		Lw /dB (A)		97.8	50.0 54.6 58.9	62.3 64.6 66.6	68.6 71.6 74.6	77.6 82.6 82.6	83.6 84.0 84.3	84.7 85.2 85.7	86.2 87.3 87.8	88.8 87.8 86.7	83.1 80.6 77.6	70.6 62.6 57.2	
Evening (4h)		Emission		Reference: Nordex163-7.0 3 m/s											
Evening (4h)		Lw /dB (A)		97.8	50.0 54.6 58.9	62.3 64.6 66.6	68.6 71.6 74.6	77.6 82.6 82.6	83.6 84.0 84.3	84.7 85.2 85.7	86.2 87.3 87.8	88.8 87.8 86.7	83.1 80.6 77.6	70.6 62.6 57.2	
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
Lden				-		0.0		0.0		0.0		-		0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
Day (12h)		12.00	Day	97.8		1.00		0.92820		-11.12		-11.1			
Evening (4h)		4.00	Evening	97.8		1.00		0.18000		-13.47		-13.5			
Night (8h)		8.00	Night	97.8		1.00		0.35620		-13.51		-13.5			
Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m			
						Geometry:		541484.53		270587.47		212.00		169.00	
EQCN003	Label		2				Action radius/m				3000.00				
	Group		3 m/s				Lw (Day (12h)) /dB(A)				97.79				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				97.79				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				97.79				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Emission		Reference: Nordex163-7.0 3 m/s										
	Day (12h)		Lw /dB (A)		97.8	50.0 54.6 58.9	62.3 64.6 66.6	68.6 71.6 74.6	77.6 82.6 82.6	83.6 84.0 84.3	84.7 85.2 85.7	86.2 87.3 87.8	88.8 87.8 86.7	83.1 80.6 77.6	70.6 62.6 57.2
	Night (8h)		Emission		Reference: Nordex163-7.0 3 m/s										
Night (8h)		Lw /dB (A)		97.8	50.0 54.6 58.9	62.3 64.6 66.6	68.6 71.6 74.6	77.6 82.6 82.6	83.6 84.0 84.3	84.7 85.2 85.7	86.2 87.3 87.8	88.8 87.8 86.7	83.1 80.6 77.6	70.6 62.6 57.2	
Evening (4h)		Emission		Reference: Nordex163-7.0 3 m/s											
Evening (4h)		Lw /dB (A)		97.8	50.0 54.6 58.9	62.3 64.6 66.6	68.6 71.6 74.6	77.6 82.6 82.6	83.6 84.0 84.3	84.7 85.2 85.7	86.2 87.3 87.8	88.8 87.8 86.7	83.1 80.6 77.6	70.6 62.6 57.2	
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
Lden				-		0.0		0.0		0.0		-		0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
Day (12h)		12.00	Day	97.8		1.00		0.92820		-11.12		-11.1			
Evening (4h)		4.00	Evening	97.8		1.00		0.18000		-13.47		-13.5			
Night (8h)		8.00	Night	97.8		1.00		0.35620		-13.51		-13.5			
Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m			
						Geometry:		542201.59		270785.54		212.42		169.00	
EQCN004	Label		5				Action radius/m				3000.00				

	Group	3 m/s					Lw (Day (12h)) /dB(A)				97.79			
	Number of nodes	1					Lw (Night (8h)) /dB(A)				97.79			
	Length/ m	---					Lw (Evening (4h)) /dB(A)				97.79			
	Length/ m (2D)	---					Emission is				Sound power level (Lw)			
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex163-7.0 3 m/s											
	Day (12h)	Lw /dB (A)	97.8	50.0 54.6 58.9	62.3 64.6 66.6	68.6 71.6 74.6	77.6 82.6 82.6	83.6 84.0 84.3	84.7 85.2 85.7	86.2 87.3 87.8	88.8 87.8 86.7	83.1 80.6 77.6	70.6 62.6 57.2	
	Night (8h)	Emission	Reference: Nordex163-7.0 3 m/s											
	Night (8h)	Lw /dB (A)	97.8	50.0 54.6 58.9	62.3 64.6 66.6	68.6 71.6 74.6	77.6 82.6 82.6	83.6 84.0 84.3	84.7 85.2 85.7	86.2 87.3 87.8	88.8 87.8 86.7	83.1 80.6 77.6	70.6 62.6 57.2	
	Evening (4h)	Emission	Reference: Nordex163-7.0 3 m/s											
	Evening (4h)	Lw /dB (A)	97.8	50.0 54.6 58.9	62.3 64.6 66.6	68.6 71.6 74.6	77.6 82.6 82.6	83.6 84.0 84.3	84.7 85.2 85.7	86.2 87.3 87.8	88.8 87.8 86.7	83.1 80.6 77.6	70.6 62.6 57.2	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden	-		0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	97.8		1.00		0.92820		-11.12		-11.1		
	Evening (4h)	4.00	Evening	97.8		1.00		0.18000		-13.47		-13.5		
	Night (8h)	8.00	Night	97.8		1.00		0.35620		-13.51		-13.5		
	Geometry	Nr				x/m		y/m		z(abs) /m		! z(rel) /m		
		Geometry:				542827.49		270622.51		212.00		169.00		
EQCN005	Label	1					Action radius/m				3000.00			
	Group	3 m/s					Lw (Day (12h)) /dB(A)				97.79			
	Number of nodes	1					Lw (Night (8h)) /dB(A)				97.79			
	Length/ m	---					Lw (Evening (4h)) /dB(A)				97.79			
	Length/ m (2D)	---					Emission is				Sound power level (Lw)			
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex163-7.0 3 m/s											
	Day (12h)	Lw /dB (A)	97.8	50.0 54.6 58.9	62.3 64.6 66.6	68.6 71.6 74.6	77.6 82.6 82.6	83.6 84.0 84.3	84.7 85.2 85.7	86.2 87.3 87.8	88.8 87.8 86.7	83.1 80.6 77.6	70.6 62.6 57.2	
	Night (8h)	Emission	Reference: Nordex163-7.0 3 m/s											
	Night (8h)	Lw /dB (A)	97.8	50.0 54.6 58.9	62.3 64.6 66.6	68.6 71.6 74.6	77.6 82.6 82.6	83.6 84.0 84.3	84.7 85.2 85.7	86.2 87.3 87.8	88.8 87.8 86.7	83.1 80.6 77.6	70.6 62.6 57.2	
	Evening (4h)	Emission	Reference: Nordex163-7.0 3 m/s											
	Evening (4h)	Lw /dB (A)	97.8	50.0 54.6 58.9	62.3 64.6 66.6	68.6 71.6 74.6	77.6 82.6 82.6	83.6 84.0 84.3	84.7 85.2 85.7	86.2 87.3 87.8	88.8 87.8 86.7	83.1 80.6 77.6	70.6 62.6 57.2	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden	-		0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	97.8		1.00		0.92820		-11.12		-11.1		
	Evening (4h)	4.00	Evening	97.8		1.00		0.18000		-13.47		-13.5		
	Night (8h)	8.00	Night	97.8		1.00		0.35620		-13.51		-13.5		
	Geometry	Nr				x/m		y/m		z(abs) /m		! z(rel) /m		
		Geometry:				541983.00		270194.00		211.10		169.00		
EQCN006	Label	4					Action radius/m				3000.00			
	Group	3 m/s					Lw (Day (12h)) /dB(A)				97.79			
	Number of nodes	1					Lw (Night (8h)) /dB(A)				97.79			
	Length/ m	---					Lw (Evening (4h)) /dB(A)				97.79			
	Length/ m (2D)	---					Emission is				Sound power level (Lw)			
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex163-7.0 3 m/s											
	Day (12h)	Lw /dB (A)	97.8	50.0 54.6 58.9	62.3 64.6 66.6	68.6 71.6 74.6	77.6 82.6 82.6	83.6 84.0 84.3	84.7 85.2 85.7	86.2 87.3 87.8	88.8 87.8 86.7	83.1 80.6 77.6	70.6 62.6 57.2	
	Night (8h)	Emission	Reference: Nordex163-7.0 3 m/s											
	Night (8h)	Lw /dB (A)	97.8	50.0 54.6 58.9	62.3 64.6 66.6	68.6 71.6 74.6	77.6 82.6 82.6	83.6 84.0 84.3	84.7 85.2 85.7	86.2 87.3 87.8	88.8 87.8 86.7	83.1 80.6 77.6	70.6 62.6 57.2	
	Evening (4h)	Emission	Reference: Nordex163-7.0 3 m/s											
	Evening (4h)	Lw /dB (A)	97.8	50.0 54.6 58.9	62.3 64.6 66.6	68.6 71.6 74.6	77.6 82.6 82.6	83.6 84.0 84.3	84.7 85.2 85.7	86.2 87.3 87.8	88.8 87.8 86.7	83.1 80.6 77.6	70.6 62.6 57.2	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden	-		0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	97.8		1.00		0.92820		-11.12		-11.1		
	Evening (4h)	4.00	Evening	97.8		1.00		0.18000		-13.47		-13.5		
	Night (8h)	8.00	Night	97.8		1.00		0.35620		-13.51		-13.5		
	Geometry	Nr				x/m		y/m		z(abs) /m		! z(rel) /m		
		Geometry:				542960.89		269853.06		211.00		169.00		
EQCN007	Label	3					Action radius/m				3000.00			
	Group	3 m/s					Lw (Day (12h)) /dB(A)				97.79			
	Number of nodes	1					Lw (Night (8h)) /dB(A)				97.79			

	Length/ m	---					Lw (Evening (4h)) /dB(A)					97.79		
	Length/ m (2D)	---					Emission is					Sound power level (Lw)		
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex163-7.0 3 m/s											
	Day (12h)	Lw /dB (A)	97.8	50.0 54.6 58.9	62.3 64.6 66.6	68.6 71.6 74.6	77.6 82.6 82.6	83.6 84.0 84.3	84.7 85.2 85.7	86.2 87.3 87.8	88.8 87.8 86.7	83.1 80.6 77.6	70.6 62.6 57.2	
	Night (8h)	Emission	Reference: Nordex163-7.0 3 m/s											
	Night (8h)	Lw /dB (A)	97.8	50.0 54.6 58.9	62.3 64.6 66.6	68.6 71.6 74.6	77.6 82.6 82.6	83.6 84.0 84.3	84.7 85.2 85.7	86.2 87.3 87.8	88.8 87.8 86.7	83.1 80.6 77.6	70.6 62.6 57.2	
	Evening (4h)	Emission	Reference: Nordex163-7.0 3 m/s											
	Evening (4h)	Lw /dB (A)	97.8	50.0 54.6 58.9	62.3 64.6 66.6	68.6 71.6 74.6	77.6 82.6 82.6	83.6 84.0 84.3	84.7 85.2 85.7	86.2 87.3 87.8	88.8 87.8 86.7	83.1 80.6 77.6	70.6 62.6 57.2	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden	-		0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	97.8		1.00		0.92820		-11.12		-11.1		
	Evening (4h)	4.00	Evening	97.8		1.00		0.18000		-13.47		-13.5		
	Night (8h)	8.00	Night	97.8		1.00		0.35620		-13.51		-13.5		
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
		Geometry:				542889.81		269274.10		210.63		169.00		
EQCN008	Label	8				Action radius/m				3000.00				
	Group	3 m/s				Lw (Day (12h)) /dB(A)				97.79				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				97.79				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				97.79				
	Length/ m (2D)	---				Emission is				Sound power level (Lw)				
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex163-7.0 3 m/s											
	Day (12h)	Lw /dB (A)	97.8	50.0 54.6 58.9	62.3 64.6 66.6	68.6 71.6 74.6	77.6 82.6 82.6	83.6 84.0 84.3	84.7 85.2 85.7	86.2 87.3 87.8	88.8 87.8 86.7	83.1 80.6 77.6	70.6 62.6 57.2	
	Night (8h)	Emission	Reference: Nordex163-7.0 3 m/s											
	Night (8h)	Lw /dB (A)	97.8	50.0 54.6 58.9	62.3 64.6 66.6	68.6 71.6 74.6	77.6 82.6 82.6	83.6 84.0 84.3	84.7 85.2 85.7	86.2 87.3 87.8	88.8 87.8 86.7	83.1 80.6 77.6	70.6 62.6 57.2	
	Evening (4h)	Emission	Reference: Nordex163-7.0 3 m/s											
	Evening (4h)	Lw /dB (A)	97.8	50.0 54.6 58.9	62.3 64.6 66.6	68.6 71.6 74.6	77.6 82.6 82.6	83.6 84.0 84.3	84.7 85.2 85.7	86.2 87.3 87.8	88.8 87.8 86.7	83.1 80.6 77.6	70.6 62.6 57.2	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden	-		0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	97.8		1.00		0.92820		-11.12		-11.1		
	Evening (4h)	4.00	Evening	97.8		1.00		0.18000		-13.47		-13.5		
	Night (8h)	8.00	Night	97.8		1.00		0.35620		-13.51		-13.5		
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
		Geometry:				541708.49		272679.02		213.00		169.00		
EQCN009	Label	9				Action radius/m				3000.00				
	Group	3 m/s				Lw (Day (12h)) /dB(A)				97.79				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				97.79				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				97.79				
	Length/ m (2D)	---				Emission is				Sound power level (Lw)				
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex163-7.0 3 m/s											
	Day (12h)	Lw /dB (A)	97.8	50.0 54.6 58.9	62.3 64.6 66.6	68.6 71.6 74.6	77.6 82.6 82.6	83.6 84.0 84.3	84.7 85.2 85.7	86.2 87.3 87.8	88.8 87.8 86.7	83.1 80.6 77.6	70.6 62.6 57.2	
	Night (8h)	Emission	Reference: Nordex163-7.0 3 m/s											
	Night (8h)	Lw /dB (A)	97.8	50.0 54.6 58.9	62.3 64.6 66.6	68.6 71.6 74.6	77.6 82.6 82.6	83.6 84.0 84.3	84.7 85.2 85.7	86.2 87.3 87.8	88.8 87.8 86.7	83.1 80.6 77.6	70.6 62.6 57.2	
	Evening (4h)	Emission	Reference: Nordex163-7.0 3 m/s											
	Evening (4h)	Lw /dB (A)	97.8	50.0 54.6 58.9	62.3 64.6 66.6	68.6 71.6 74.6	77.6 82.6 82.6	83.6 84.0 84.3	84.7 85.2 85.7	86.2 87.3 87.8	88.8 87.8 86.7	83.1 80.6 77.6	70.6 62.6 57.2	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden	-		0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	97.8		1.00		0.92820		-11.12		-11.1		
	Evening (4h)	4.00	Evening	97.8		1.00		0.18000		-13.47		-13.5		
	Night (8h)	8.00	Night	97.8		1.00		0.35620		-13.51		-13.5		
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
		Geometry:				542443.06		272412.97		213.00		169.00		
EQCN010	Label	10				Action radius/m				3000.00				
	Group	3 m/s				Lw (Day (12h)) /dB(A)				97.79				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				97.79				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				97.79				
	Length/ m (2D)	---				Emission is				Sound power level (Lw)				

Area /m²		---												
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
Day (12h)	Emission	Reference: Nordex163-7.0 3 m/s												
Day (12h)	Lw /dB (A)	97.8	50.0 54.6 58.9	62.3 64.6 66.6	68.6 71.6 74.6	77.6 82.6 82.6	83.6 84.0 84.3	84.7 85.2 85.7	86.2 87.3 87.8	88.8 87.8 86.7	83.1 80.6 77.6	70.6 62.6 57.2		
Night (8h)	Emission	Reference: Nordex163-7.0 3 m/s												
Night (8h)	Lw /dB (A)	97.8	50.0 54.6 58.9	62.3 64.6 66.6	68.6 71.6 74.6	77.6 82.6 82.6	83.6 84.0 84.3	84.7 85.2 85.7	86.2 87.3 87.8	88.8 87.8 86.7	83.1 80.6 77.6	70.6 62.6 57.2		
Evening (4h)	Emission	Reference: Nordex163-7.0 3 m/s												
Evening (4h)	Lw /dB (A)	97.8	50.0 54.6 58.9	62.3 64.6 66.6	68.6 71.6 74.6	77.6 82.6 82.6	83.6 84.0 84.3	84.7 85.2 85.7	86.2 87.3 87.8	88.8 87.8 86.7	83.1 80.6 77.6	70.6 62.6 57.2		
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
Lden				-		0.0		0.0		0.0		-	0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
Day (12h)		12.00	Day			97.8		1.00		0.92820		-11.12		-11.1
Evening (4h)		4.00	Evening			97.8		1.00		0.18000		-13.47		-13.5
Night (8h)		8.00	Night			97.8		1.00		0.35620		-13.51		-13.5
Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
					Geometry:		542341.59		273009.79		213.69		169.00	
EQCN011		Label		13		Action radius/m						3000.00		
Group		3 m/s				Lw (Day (12h)) /dB(A)						97.79		
Number of nodes		1				Lw (Night (8h)) /dB(A)						97.79		
Length/ m		---				Lw (Evening (4h)) /dB(A)						97.79		
Length/ m (2D)		---				Emission is						Sound power level (Lw)		
Area /m²		---												
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
Day (12h)	Emission	Reference: Nordex163-7.0 3 m/s												
Day (12h)	Lw /dB (A)	97.8	50.0 54.6 58.9	62.3 64.6 66.6	68.6 71.6 74.6	77.6 82.6 82.6	83.6 84.0 84.3	84.7 85.2 85.7	86.2 87.3 87.8	88.8 87.8 86.7	83.1 80.6 77.6	70.6 62.6 57.2		
Night (8h)	Emission	Reference: Nordex163-7.0 3 m/s												
Night (8h)	Lw /dB (A)	97.8	50.0 54.6 58.9	62.3 64.6 66.6	68.6 71.6 74.6	77.6 82.6 82.6	83.6 84.0 84.3	84.7 85.2 85.7	86.2 87.3 87.8	88.8 87.8 86.7	83.1 80.6 77.6	70.6 62.6 57.2		
Evening (4h)	Emission	Reference: Nordex163-7.0 3 m/s												
Evening (4h)	Lw /dB (A)	97.8	50.0 54.6 58.9	62.3 64.6 66.6	68.6 71.6 74.6	77.6 82.6 82.6	83.6 84.0 84.3	84.7 85.2 85.7	86.2 87.3 87.8	88.8 87.8 86.7	83.1 80.6 77.6	70.6 62.6 57.2		
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
Lden				-		0.0		0.0		0.0		-	0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
Day (12h)		12.00	Day			97.8		1.00		0.92820		-11.12		-11.1
Evening (4h)		4.00	Evening			97.8		1.00		0.18000		-13.47		-13.5
Night (8h)		8.00	Night			97.8		1.00		0.35620		-13.51		-13.5
Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
					Geometry:		542411.66		271815.28		212.90		169.00	
EQCN012		Label		6		Action radius/m						3000.00		
Group		4 m/s				Lw (Day (12h)) /dB(A)						100.29		
Number of nodes		1				Lw (Night (8h)) /dB(A)						100.29		
Length/ m		---				Lw (Evening (4h)) /dB(A)						100.29		
Length/ m (2D)		---				Emission is						Sound power level (Lw)		
Area /m²		---												
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
Day (12h)	Emission	Reference: Nordex163-7.0 4 m/s												
Day (12h)	Lw /dB (A)	100.3	52.5 57.1 61.4	64.8 67.1 69.1	71.1 74.1 77.1	80.1 85.1 85.1	86.1 86.5 86.8	87.2 87.7 88.2	88.7 89.8 90.3	91.3 90.3 89.2	85.6 83.1 80.1	73.1 65.1 59.7		
Night (8h)	Emission	Reference: Nordex163-7.0 4 m/s												
Night (8h)	Lw /dB (A)	100.3	52.5 57.1 61.4	64.8 67.1 69.1	71.1 74.1 77.1	80.1 85.1 85.1	86.1 86.5 86.8	87.2 87.7 88.2	88.7 89.8 90.3	91.3 90.3 89.2	85.6 83.1 80.1	73.1 65.1 59.7		
Evening (4h)	Emission	Reference: Nordex163-7.0 4 m/s												
Evening (4h)	Lw /dB (A)	100.3	52.5 57.1 61.4	64.8 67.1 69.1	71.1 74.1 77.1	80.1 85.1 85.1	86.1 86.5 86.8	87.2 87.7 88.2	88.7 89.8 90.3	91.3 90.3 89.2	85.6 83.1 80.1	73.1 65.1 59.7		
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
Lden				-		0.0		0.0		0.0		-	0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
Day (12h)		12.00	Day			100.3		1.00		1.11780		-10.31		-10.3
Evening (4h)		4.00	Evening			100.3		1.00		0.24790		-12.08		-12.1
Night (8h)		8.00	Night			100.3		1.00		0.48110		-12.21		-12.2
Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
					Geometry:		542166.00		269672.00		212.30		169.00	
EQCN013		Label		7		Action radius/m						3000.00		
Group		4 m/s				Lw (Day (12h)) /dB(A)						100.29		
Number of nodes		1				Lw (Night (8h)) /dB(A)						100.29		
Length/ m		---				Lw (Evening (4h)) /dB(A)						100.29		
Length/ m (2D)		---				Emission is						Sound power level (Lw)		
Area /m²		---												
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		

	Day (12h)	Emission	Reference: Nordex163-7.0 4 m/s												
	Day (12h)	Lw /dB (A)	100.3	52.5 57.1 61.4	64.8 67.1 69.1	71.1 74.1 77.1	80.1 85.1 85.1	86.1 86.5 86.8	87.2 87.7 88.2	88.7 89.8 90.3	91.3 90.3 89.2	85.6 83.1 80.1	73.1 65.1 59.7		
	Night (8h)	Emission	Reference: Nordex163-7.0 4 m/s												
	Night (8h)	Lw /dB (A)	100.3	52.5 57.1 61.4	64.8 67.1 69.1	71.1 74.1 77.1	80.1 85.1 85.1	86.1 86.5 86.8	87.2 87.7 88.2	88.7 89.8 90.3	91.3 90.3 89.2	85.6 83.1 80.1	73.1 65.1 59.7		
	Evening (4h)	Emission	Reference: Nordex163-7.0 4 m/s												
	Evening (4h)	Lw /dB (A)	100.3	52.5 57.1 61.4	64.8 67.1 69.1	71.1 74.1 77.1	80.1 85.1 85.1	86.1 86.5 86.8	87.2 87.7 88.2	88.7 89.8 90.3	91.3 90.3 89.2	85.6 83.1 80.1	73.1 65.1 59.7		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB				
	Lden		-		0.0		0.0		0.0		0.0				
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	100.3		1.00		1.11780		-10.31		-10.3		
	Evening (4h)		4.00	Evening	100.3		1.00		0.24790		-12.08		-12.1		
	Night (8h)		8.00	Night	100.3		1.00		0.48110		-12.21		-12.2		
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
					Geometry:		541484.53		270587.47		212.00		169.00		
EQCN014	Label		2				Action radius/m						3000.00		
	Group		4 m/s				Lw (Day (12h)) /dB(A)						100.29		
	Number of nodes		1				Lw (Night (8h)) /dB(A)						100.29		
	Length/ m		---				Lw (Evening (4h)) /dB(A)						100.29		
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz		
	Day (12h)		Emission		Reference: Nordex163-7.0 4 m/s										
	Day (12h)		Lw /dB (A)		100.3	52.5 57.1 61.4	64.8 67.1 69.1	71.1 74.1 77.1	80.1 85.1 85.1	86.1 86.5 86.8	87.2 87.7 88.2	88.7 89.8 90.3	91.3 90.3 89.2	85.6 83.1 80.1	73.1 65.1 59.7
	Night (8h)		Emission		Reference: Nordex163-7.0 4 m/s										
	Night (8h)		Lw /dB (A)		100.3	52.5 57.1 61.4	64.8 67.1 69.1	71.1 74.1 77.1	80.1 85.1 85.1	86.1 86.5 86.8	87.2 87.7 88.2	88.7 89.8 90.3	91.3 90.3 89.2	85.6 83.1 80.1	73.1 65.1 59.7
	Evening (4h)		Emission		Reference: Nordex163-7.0 4 m/s										
	Evening (4h)		Lw /dB (A)		100.3	52.5 57.1 61.4	64.8 67.1 69.1	71.1 74.1 77.1	80.1 85.1 85.1	86.1 86.5 86.8	87.2 87.7 88.2	88.7 89.8 90.3	91.3 90.3 89.2	85.6 83.1 80.1	73.1 65.1 59.7
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB				
	Lden		-		0.0		0.0		0.0		-				
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	100.3		1.00		1.11780		-10.31		-10.3		
	Evening (4h)		4.00	Evening	100.3		1.00		0.24790		-12.08		-12.1		
	Night (8h)		8.00	Night	100.3		1.00		0.48110		-12.21		-12.2		
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
					Geometry:		542201.59		270785.54		212.42		169.00		
EQCN015	Label		5				Action radius/m						3000.00		
	Group		4 m/s				Lw (Day (12h)) /dB(A)						100.29		
	Number of nodes		1				Lw (Night (8h)) /dB(A)						100.29		
	Length/ m		---				Lw (Evening (4h)) /dB(A)						100.29		
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz		
	Day (12h)		Emission		Reference: Nordex163-7.0 4 m/s										
	Day (12h)		Lw /dB (A)		100.3	52.5 57.1 61.4	64.8 67.1 69.1	71.1 74.1 77.1	80.1 85.1 85.1	86.1 86.5 86.8	87.2 87.7 88.2	88.7 89.8 90.3	91.3 90.3 89.2	85.6 83.1 80.1	73.1 65.1 59.7
	Night (8h)		Emission		Reference: Nordex163-7.0 4 m/s										
	Night (8h)		Lw /dB (A)		100.3	52.5 57.1 61.4	64.8 67.1 69.1	71.1 74.1 77.1	80.1 85.1 85.1	86.1 86.5 86.8	87.2 87.7 88.2	88.7 89.8 90.3	91.3 90.3 89.2	85.6 83.1 80.1	73.1 65.1 59.7
	Evening (4h)		Emission		Reference: Nordex163-7.0 4 m/s										
	Evening (4h)		Lw /dB (A)		100.3	52.5 57.1 61.4	64.8 67.1 69.1	71.1 74.1 77.1	80.1 85.1 85.1	86.1 86.5 86.8	87.2 87.7 88.2	88.7 89.8 90.3	91.3 90.3 89.2	85.6 83.1 80.1	73.1 65.1 59.7
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB				
	Lden		-		0.0		0.0		0.0		-				
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	100.3		1.00		1.11780		-10.31		-10.3		
	Evening (4h)		4.00	Evening	100.3		1.00		0.24790		-12.08		-12.1		
	Night (8h)		8.00	Night	100.3		1.00		0.48110		-12.21		-12.2		
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
					Geometry:		542827.49		270622.51		212.00		169.00		
EQCN016	Label		1				Action radius/m						3000.00		
	Group		4 m/s				Lw (Day (12h)) /dB(A)						100.29		
	Number of nodes		1				Lw (Night (8h)) /dB(A)						100.29		
	Length/ m		---				Lw (Evening (4h)) /dB(A)						100.29		
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz		
	Day (12h)		Emission		Reference: Nordex163-7.0 4 m/s										
	Day (12h)		Lw /dB (A)		100.3	52.5	64.8	71.1	80.1	86.1	87.2	88.7	91.3	85.6	73.1

				57.1 61.4	67.1 69.1	74.1 77.1	85.1 85.1	86.5 86.8	87.7 88.2	89.8 90.3	90.3 89.2	83.1 80.1	65.1 59.7
	Night (8h)	Emission	Reference: Nordex163-7.0 4 m/s										
	Night (8h)	Lw /dB (A)	100.3	52.5 57.1 61.4	64.8 67.1 69.1	71.1 74.1 77.1	80.1 85.1 85.1	86.1 86.5 86.8	87.2 87.7 88.2	88.7 89.8 90.3	91.3 90.3 89.2	85.6 83.1 80.1	73.1 65.1 59.7
	Evening (4h)	Emission	Reference: Nordex163-7.0 4 m/s										
	Evening (4h)	Lw /dB (A)	100.3	52.5 57.1 61.4	64.8 67.1 69.1	71.1 74.1 77.1	80.1 85.1 85.1	86.1 86.5 86.8	87.2 87.7 88.2	88.7 89.8 90.3	91.3 90.3 89.2	85.6 83.1 80.1	73.1 65.1 59.7
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	100.3		1.00		1.11780		-10.31		-10.3
	Evening (4h)		4.00	Evening	100.3		1.00		0.24790		-12.08		-12.1
	Night (8h)		8.00	Night	100.3		1.00		0.48110		-12.21		-12.2
	Geometry		Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
			Geometry:		541983.00		270194.00		211.10		169.00		
EQCN017	Label		4		Action radius/m		3000.00						
	Group		4 m/s		Lw (Day (12h)) /dB(A)		100.29						
	Number of nodes		1		Lw (Night (8h)) /dB(A)		100.29						
	Length/ m		---		Lw (Evening (4h)) /dB(A)		100.29						
	Length/ m (2D)		---		Emission is		Sound power level (Lw)						
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Reference: Nordex163-7.0 4 m/s										
	Day (12h)		Lw /dB (A)	100.3	52.5 57.1 61.4	64.8 67.1 69.1	71.1 74.1 77.1	80.1 85.1 85.1	86.1 86.5 86.8	87.2 87.7 88.2	88.7 89.8 90.3	91.3 90.3 89.2	85.6 83.1 80.1
	Night (8h)		Emission	Reference: Nordex163-7.0 4 m/s									
	Night (8h)		Lw /dB (A)	100.3	52.5 57.1 61.4	64.8 67.1 69.1	71.1 74.1 77.1	80.1 85.1 85.1	86.1 86.5 86.8	87.2 87.7 88.2	88.7 89.8 90.3	91.3 90.3 89.2	85.6 83.1 80.1
	Evening (4h)		Emission	Reference: Nordex163-7.0 4 m/s									
	Evening (4h)		Lw /dB (A)	100.3	52.5 57.1 61.4	64.8 67.1 69.1	71.1 74.1 77.1	80.1 85.1 85.1	86.1 86.5 86.8	87.2 87.7 88.2	88.7 89.8 90.3	91.3 90.3 89.2	85.6 83.1 80.1
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	100.3		1.00		1.11780		-10.31		-10.3
	Evening (4h)		4.00	Evening	100.3		1.00		0.24790		-12.08		-12.1
	Night (8h)		8.00	Night	100.3		1.00		0.48110		-12.21		-12.2
	Geometry		Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
			Geometry:		542960.89		269853.06		211.00		169.00		
EQCN018	Label		3		Action radius/m		3000.00						
	Group		4 m/s		Lw (Day (12h)) /dB(A)		100.29						
	Number of nodes		1		Lw (Night (8h)) /dB(A)		100.29						
	Length/ m		---		Lw (Evening (4h)) /dB(A)		100.29						
	Length/ m (2D)		---		Emission is		Sound power level (Lw)						
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Reference: Nordex163-7.0 4 m/s										
	Day (12h)		Lw /dB (A)	100.3	52.5 57.1 61.4	64.8 67.1 69.1	71.1 74.1 77.1	80.1 85.1 85.1	86.1 86.5 86.8	87.2 87.7 88.2	88.7 89.8 90.3	91.3 90.3 89.2	85.6 83.1 80.1
	Night (8h)		Emission	Reference: Nordex163-7.0 4 m/s									
	Night (8h)		Lw /dB (A)	100.3	52.5 57.1 61.4	64.8 67.1 69.1	71.1 74.1 77.1	80.1 85.1 85.1	86.1 86.5 86.8	87.2 87.7 88.2	88.7 89.8 90.3	91.3 90.3 89.2	85.6 83.1 80.1
	Evening (4h)		Emission	Reference: Nordex163-7.0 4 m/s									
	Evening (4h)		Lw /dB (A)	100.3	52.5 57.1 61.4	64.8 67.1 69.1	71.1 74.1 77.1	80.1 85.1 85.1	86.1 86.5 86.8	87.2 87.7 88.2	88.7 89.8 90.3	91.3 90.3 89.2	85.6 83.1 80.1
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	100.3		1.00		1.11780		-10.31		-10.3
	Evening (4h)		4.00	Evening	100.3		1.00		0.24790		-12.08		-12.1
	Night (8h)		8.00	Night	100.3		1.00		0.48110		-12.21		-12.2
	Geometry		Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
			Geometry:		542889.81		269274.10		210.63		169.00		
EQCN019	Label		8		Action radius/m		3000.00						
	Group		4 m/s		Lw (Day (12h)) /dB(A)		100.29						
	Number of nodes		1		Lw (Night (8h)) /dB(A)		100.29						
	Length/ m		---		Lw (Evening (4h)) /dB(A)		100.29						
	Length/ m (2D)		---		Emission is		Sound power level (Lw)						
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Reference: Nordex163-7.0 4 m/s										
	Day (12h)		Lw /dB (A)	100.3	52.5 57.1 61.4	64.8 67.1 69.1	71.1 74.1 77.1	80.1 85.1 85.1	86.1 86.5 86.8	87.2 87.7 88.2	88.7 89.8 90.3	91.3 90.3 89.2	85.6 83.1 80.1

	Night (8h)	Emission	Reference: Nordex163-7.0 4 m/s												
	Night (8h)	Lw /dB (A)	100.3	52.5 57.1 61.4	64.8 67.1 69.1	71.1 74.1 77.1	80.1 85.1 85.1	86.1 86.5 86.8	87.2 87.7 88.2	88.7 89.8 90.3	91.3 90.3 89.2	85.6 83.1 80.1	73.1 65.1 59.7		
	Evening (4h)	Emission	Reference: Nordex163-7.0 4 m/s												
	Evening (4h)	Lw /dB (A)	100.3	52.5 57.1 61.4	64.8 67.1 69.1	71.1 74.1 77.1	80.1 85.1 85.1	86.1 86.5 86.8	87.2 87.7 88.2	88.7 89.8 90.3	91.3 90.3 89.2	85.6 83.1 80.1	73.1 65.1 59.7		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	100.3		1.00		1.11780		-10.31		-10.3		
	Evening (4h)		4.00	Evening	100.3		1.00		0.24790		-12.08		-12.1		
	Night (8h)		8.00	Night	100.3		1.00		0.48110		-12.21		-12.2		
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
			Geometry:		541708.49		272679.02		213.00		169.00				
EQCN020	Label		9				Action radius/m						3000.00		
	Group		4 m/s				Lw (Day (12h)) /dB(A)						100.29		
	Number of nodes		1				Lw (Night (8h)) /dB(A)						100.29		
	Length/ m		---				Lw (Evening (4h)) /dB(A)						100.29		
	Length/ m (2D)		---				Emission is						Sound power level (Lw)		
	Area /m²		---												
	Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Nordex163-7.0 4 m/s										
	Day (12h)		Lw /dB (A)	100.3	52.5 57.1 61.4	64.8 67.1 69.1	71.1 74.1 77.1	80.1 85.1 85.1	86.1 86.5 86.8	87.2 87.7 88.2	88.7 89.8 90.3	91.3 90.3 89.2	85.6 83.1 80.1	73.1 65.1 59.7	
	Night (8h)		Emission		Reference: Nordex163-7.0 4 m/s										
	Night (8h)		Lw /dB (A)	100.3	52.5 57.1 61.4	64.8 67.1 69.1	71.1 74.1 77.1	80.1 85.1 85.1	86.1 86.5 86.8	87.2 87.7 88.2	88.7 89.8 90.3	91.3 90.3 89.2	85.6 83.1 80.1	73.1 65.1 59.7	
	Evening (4h)		Emission		Reference: Nordex163-7.0 4 m/s										
	Evening (4h)		Lw /dB (A)	100.3	52.5 57.1 61.4	64.8 67.1 69.1	71.1 74.1 77.1	80.1 85.1 85.1	86.1 86.5 86.8	87.2 87.7 88.2	88.7 89.8 90.3	91.3 90.3 89.2	85.6 83.1 80.1	73.1 65.1 59.7	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	100.3		1.00		1.11780		-10.31		-10.3		
	Evening (4h)		4.00	Evening	100.3		1.00		0.24790		-12.08		-12.1		
	Night (8h)		8.00	Night	100.3		1.00		0.48110		-12.21		-12.2		
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
			Geometry:		542443.06		272412.97		213.00		169.00				
EQCN021	Label		10				Action radius/m						3000.00		
	Group		4 m/s				Lw (Day (12h)) /dB(A)						100.29		
	Number of nodes		1				Lw (Night (8h)) /dB(A)						100.29		
	Length/ m		---				Lw (Evening (4h)) /dB(A)						100.29		
	Length/ m (2D)		---				Emission is						Sound power level (Lw)		
	Area /m²		---												
	Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Nordex163-7.0 4 m/s										
	Day (12h)		Lw /dB (A)	100.3	52.5 57.1 61.4	64.8 67.1 69.1	71.1 74.1 77.1	80.1 85.1 85.1	86.1 86.5 86.8	87.2 87.7 88.2	88.7 89.8 90.3	91.3 90.3 89.2	85.6 83.1 80.1	73.1 65.1 59.7	
	Night (8h)		Emission		Reference: Nordex163-7.0 4 m/s										
	Night (8h)		Lw /dB (A)	100.3	52.5 57.1 61.4	64.8 67.1 69.1	71.1 74.1 77.1	80.1 85.1 85.1	86.1 86.5 86.8	87.2 87.7 88.2	88.7 89.8 90.3	91.3 90.3 89.2	85.6 83.1 80.1	73.1 65.1 59.7	
	Evening (4h)		Emission		Reference: Nordex163-7.0 4 m/s										
	Evening (4h)		Lw /dB (A)	100.3	52.5 57.1 61.4	64.8 67.1 69.1	71.1 74.1 77.1	80.1 85.1 85.1	86.1 86.5 86.8	87.2 87.7 88.2	88.7 89.8 90.3	91.3 90.3 89.2	85.6 83.1 80.1	73.1 65.1 59.7	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	100.3		1.00		1.11780		-10.31		-10.3		
	Evening (4h)		4.00	Evening	100.3		1.00		0.24790		-12.08		-12.1		
	Night (8h)		8.00	Night	100.3		1.00		0.48110		-12.21		-12.2		
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
			Geometry:		542341.59		273009.79		213.69		169.00				
EQCN022	Label		13				Action radius/m						3000.00		
	Group		4 m/s				Lw (Day (12h)) /dB(A)						100.29		
	Number of nodes		1				Lw (Night (8h)) /dB(A)						100.29		
	Length/ m		---				Lw (Evening (4h)) /dB(A)						100.29		
	Length/ m (2D)		---				Emission is						Sound power level (Lw)		
	Area /m²		---												
	Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Nordex163-7.0 4 m/s										
	Day (12h)		Lw /dB (A)	100.3	52.5 57.1 61.4	64.8 67.1 69.1	71.1 74.1 77.1	80.1 85.1 85.1	86.1 86.5 86.8	87.2 87.7 88.2	88.7 89.8 90.3	91.3 90.3 89.2	85.6 83.1 80.1	73.1 65.1 59.7	
	Night (8h)		Emission		Reference: Nordex163-7.0 4 m/s										
	Night (8h)		Lw /dB (A)	100.3	52.5 57.1 61.4	64.8 67.1 69.1	71.1 74.1 77.1	80.1 85.1 85.1	86.1 86.5 86.8	87.2 87.7 88.2	88.7 89.8 90.3	91.3 90.3 89.2	85.6 83.1 80.1	73.1 65.1 59.7	

				57.1 61.4	67.1 69.1	74.1 77.1	85.1 85.1	86.5 86.8	87.7 88.2	89.8 90.3	90.3 89.2	83.1 80.1	65.1 59.7
	Evening (4h)	Emission	Reference: Nordex163-7.0 4 m/s										
	Evening (4h)	Lw /dB (A)	100.3	52.5 57.1 61.4	64.8 67.1 69.1	71.1 74.1 77.1	80.1 85.1 85.1	86.1 86.5 86.8	87.2 87.7 88.2	88.7 89.8 90.3	91.3 90.3 89.2	85.6 83.1 80.1	73.1 65.1 59.7
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	100.3		1.00		1.11780		-10.31		-10.3
	Evening (4h)		4.00	Evening	100.3		1.00		0.24790		-12.08		-12.1
	Night (8h)		8.00	Night	100.3		1.00		0.48110		-12.21		-12.2
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
					Geometry:		542411.66		271815.28		212.90		169.00
EQCN023	Label		6		Action radius/m		3000.00						
	Group		5 m/s		Lw (Day (12h)) /dB(A)		105.19						
	Number of nodes		1		Lw (Night (8h)) /dB(A)		105.19						
	Length/ m		---		Lw (Evening (4h)) /dB(A)		105.19						
	Length/ m (2D)		---		Emission is		Sound power level (Lw)						
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Reference: Nordex163-7.0 5 m/s										
	Day (12h)		105.2	57.4 62.0 66.3	69.7 72.0 74.0	76.0 79.0 82.0	85.0 90.0 90.0	91.0 91.4 91.7	92.1 92.6 93.1	93.6 94.7 95.2	96.2 95.2 94.1	90.5 88.0 85.0	78.0 70.0 64.6
	Night (8h)		Reference: Nordex163-7.0 5 m/s										
	Night (8h)		105.2	57.4 62.0 66.3	69.7 72.0 74.0	76.0 79.0 82.0	85.0 90.0 90.0	91.0 91.4 91.7	92.1 92.6 93.1	93.6 94.7 95.2	96.2 95.2 94.1	90.5 88.0 85.0	78.0 70.0 64.6
	Evening (4h)		Reference: Nordex163-7.0 5 m/s										
	Evening (4h)		105.2	57.4 62.0 66.3	69.7 72.0 74.0	76.0 79.0 82.0	85.0 90.0 90.0	91.0 91.4 91.7	92.1 92.6 93.1	93.6 94.7 95.2	96.2 95.2 94.1	90.5 88.0 85.0	78.0 70.0 64.6
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	105.2		1.00		1.17410		-10.09		-10.1
	Evening (4h)		4.00	Evening	105.2		1.00		0.29590		-11.31		-11.3
	Night (8h)		8.00	Night	105.2		1.00		0.56380		-11.52		-11.5
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
					Geometry:		542166.00		269672.00		212.30		169.00
EQCN024	Label		7		Action radius/m		3000.00						
	Group		5 m/s		Lw (Day (12h)) /dB(A)		105.19						
	Number of nodes		1		Lw (Night (8h)) /dB(A)		105.19						
	Length/ m		---		Lw (Evening (4h)) /dB(A)		105.19						
	Length/ m (2D)		---		Emission is		Sound power level (Lw)						
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Reference: Nordex163-7.0 5 m/s										
	Day (12h)		105.2	57.4 62.0 66.3	69.7 72.0 74.0	76.0 79.0 82.0	85.0 90.0 90.0	91.0 91.4 91.7	92.1 92.6 93.1	93.6 94.7 95.2	96.2 95.2 94.1	90.5 88.0 85.0	78.0 70.0 64.6
	Night (8h)		Reference: Nordex163-7.0 5 m/s										
	Night (8h)		105.2	57.4 62.0 66.3	69.7 72.0 74.0	76.0 79.0 82.0	85.0 90.0 90.0	91.0 91.4 91.7	92.1 92.6 93.1	93.6 94.7 95.2	96.2 95.2 94.1	90.5 88.0 85.0	78.0 70.0 64.6
	Evening (4h)		Reference: Nordex163-7.0 5 m/s										
	Evening (4h)		105.2	57.4 62.0 66.3	69.7 72.0 74.0	76.0 79.0 82.0	85.0 90.0 90.0	91.0 91.4 91.7	92.1 92.6 93.1	93.6 94.7 95.2	96.2 95.2 94.1	90.5 88.0 85.0	78.0 70.0 64.6
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	105.2		1.00		1.17410		-10.09		-10.1
	Evening (4h)		4.00	Evening	105.2		1.00		0.29590		-11.31		-11.3
	Night (8h)		8.00	Night	105.2		1.00		0.56380		-11.52		-11.5
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
					Geometry:		541484.53		270587.47		212.00		169.00
EQCN025	Label		2		Action radius/m		3000.00						
	Group		5 m/s		Lw (Day (12h)) /dB(A)		105.19						
	Number of nodes		1		Lw (Night (8h)) /dB(A)		105.19						
	Length/ m		---		Lw (Evening (4h)) /dB(A)		105.19						
	Length/ m (2D)		---		Emission is		Sound power level (Lw)						
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Reference: Nordex163-7.0 5 m/s										
	Day (12h)		105.2	57.4 62.0 66.3	69.7 72.0 74.0	76.0 79.0 82.0	85.0 90.0 90.0	91.0 91.4 91.7	92.1 92.6 93.1	93.6 94.7 95.2	96.2 95.2 94.1	90.5 88.0 85.0	78.0 70.0 64.6
	Night (8h)		Reference: Nordex163-7.0 5 m/s										
	Night (8h)		105.2	57.4 62.0 66.3	69.7 72.0 74.0	76.0 79.0 82.0	85.0 90.0 90.0	91.0 91.4 91.7	92.1 92.6 93.1	93.6 94.7 95.2	96.2 95.2 94.1	90.5 88.0 85.0	78.0 70.0 64.6

	Evening (4h)	Emission	Reference: Nordex163-7.0 5 m/s										
	Evening (4h)	Lw /dB (A)	105.2	57.4 62.0 66.3	69.7 72.0 74.0	76.0 79.0 82.0	85.0 90.0 90.0	91.0 91.4 91.7	92.1 92.6 93.1	93.6 94.7 95.2	96.2 95.2 94.1	90.5 88.0 85.0	78.0 70.0 64.6
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden		-	0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	105.2		1.00		1.17410		-10.09		-10.1	
	Evening (4h)	4.00	Evening	105.2		1.00		0.29590		-11.31		-11.3	
	Night (8h)	8.00	Night	105.2		1.00		0.56380		-11.52		-11.5	
	Geometry			 Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
				Geometry:		542201.59		270785.54		212.42		169.00	
EQCN026	Label	5		Action radius/m								3000.00	
	Group	5 m/s		Lw (Day (12h)) /dB(A)								105.19	
	Number of nodes	1		Lw (Night (8h)) /dB(A)								105.19	
	Length/ m	---		Lw (Evening (4h)) /dB(A)								105.19	
	Length/ m (2D)	---		Emission is								Sound power level (Lw)	
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex163-7.0 5 m/s										
	Day (12h)	Lw /dB (A)	105.2	57.4 62.0 66.3	69.7 72.0 74.0	76.0 79.0 82.0	85.0 90.0 90.0	91.0 91.4 91.7	92.1 92.6 93.1	93.6 94.7 95.2	96.2 95.2 94.1	90.5 88.0 85.0	78.0 70.0 64.6
	Night (8h)	Emission	Reference: Nordex163-7.0 5 m/s										
	Night (8h)	Lw /dB (A)	105.2	57.4 62.0 66.3	69.7 72.0 74.0	76.0 79.0 82.0	85.0 90.0 90.0	91.0 91.4 91.7	92.1 92.6 93.1	93.6 94.7 95.2	96.2 95.2 94.1	90.5 88.0 85.0	78.0 70.0 64.6
	Evening (4h)	Emission	Reference: Nordex163-7.0 5 m/s										
	Evening (4h)	Lw /dB (A)	105.2	57.4 62.0 66.3	69.7 72.0 74.0	76.0 79.0 82.0	85.0 90.0 90.0	91.0 91.4 91.7	92.1 92.6 93.1	93.6 94.7 95.2	96.2 95.2 94.1	90.5 88.0 85.0	78.0 70.0 64.6
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden		-	0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	105.2		1.00		1.17410		-10.09		-10.1	
	Evening (4h)	4.00	Evening	105.2		1.00		0.29590		-11.31		-11.3	
	Night (8h)	8.00	Night	105.2		1.00		0.56380		-11.52		-11.5	
	Geometry			 Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
				Geometry:		542827.49		270622.51		212.00		169.00	
EQCN027	Label	1		Action radius/m								3000.00	
	Group	5 m/s		Lw (Day (12h)) /dB(A)								105.19	
	Number of nodes	1		Lw (Night (8h)) /dB(A)								105.19	
	Length/ m	---		Lw (Evening (4h)) /dB(A)								105.19	
	Length/ m (2D)	---		Emission is								Sound power level (Lw)	
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex163-7.0 5 m/s										
	Day (12h)	Lw /dB (A)	105.2	57.4 62.0 66.3	69.7 72.0 74.0	76.0 79.0 82.0	85.0 90.0 90.0	91.0 91.4 91.7	92.1 92.6 93.1	93.6 94.7 95.2	96.2 95.2 94.1	90.5 88.0 85.0	78.0 70.0 64.6
	Night (8h)	Emission	Reference: Nordex163-7.0 5 m/s										
	Night (8h)	Lw /dB (A)	105.2	57.4 62.0 66.3	69.7 72.0 74.0	76.0 79.0 82.0	85.0 90.0 90.0	91.0 91.4 91.7	92.1 92.6 93.1	93.6 94.7 95.2	96.2 95.2 94.1	90.5 88.0 85.0	78.0 70.0 64.6
	Evening (4h)	Emission	Reference: Nordex163-7.0 5 m/s										
	Evening (4h)	Lw /dB (A)	105.2	57.4 62.0 66.3	69.7 72.0 74.0	76.0 79.0 82.0	85.0 90.0 90.0	91.0 91.4 91.7	92.1 92.6 93.1	93.6 94.7 95.2	96.2 95.2 94.1	90.5 88.0 85.0	78.0 70.0 64.6
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden		-	0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	105.2		1.00		1.17410		-10.09		-10.1	
	Evening (4h)	4.00	Evening	105.2		1.00		0.29590		-11.31		-11.3	
	Night (8h)	8.00	Night	105.2		1.00		0.56380		-11.52		-11.5	
	Geometry			 Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
				Geometry:		541983.00		270194.00		211.10		169.00	
EQCN028	Label	4		Action radius/m								3000.00	
	Group	5 m/s		Lw (Day (12h)) /dB(A)								105.19	
	Number of nodes	1		Lw (Night (8h)) /dB(A)								105.19	
	Length/ m	---		Lw (Evening (4h)) /dB(A)								105.19	
	Length/ m (2D)	---		Emission is								Sound power level (Lw)	
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex163-7.0 5 m/s										
	Day (12h)	Lw /dB (A)	105.2	57.4 62.0 66.3	69.7 72.0 74.0	76.0 79.0 82.0	85.0 90.0 90.0	91.0 91.4 91.7	92.1 92.6 93.1	93.6 94.7 95.2	96.2 95.2 94.1	90.5 88.0 85.0	78.0 70.0 64.6
	Night (8h)	Emission	Reference: Nordex163-7.0 5 m/s										
	Night (8h)	Lw /dB (A)	105.2	57.4 62.0 66.3	69.7 72.0 74.0	76.0 79.0 82.0	85.0 90.0 90.0	91.0 91.4 91.7	92.1 92.6 93.1	93.6 94.7 95.2	96.2 95.2 94.1	90.5 88.0 85.0	78.0 70.0 64.6
	Evening (4h)	Emission	Reference: Nordex163-7.0 5 m/s										
	Evening (4h)	Lw /dB (A)	105.2	57.4 62.0 66.3	69.7 72.0 74.0	76.0 79.0 82.0	85.0 90.0 90.0	91.0 91.4 91.7	92.1 92.6 93.1	93.6 94.7 95.2	96.2 95.2 94.1	90.5 88.0 85.0	78.0 70.0 64.6

				62.0	72.0	79.0	90.0	91.4	92.6	94.7	95.2	88.0	70.0
				66.3	74.0	82.0	90.0	91.7	93.1	95.2	94.1	85.0	64.6
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden	-		0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	105.2		1.00		1.17410		-10.09		-10.1	
	Evening (4h)	4.00	Evening	105.2		1.00		0.29590		-11.31		-11.3	
	Night (8h)	8.00	Night	105.2		1.00		0.56380		-11.52		-11.5	
	Geometry					Nr	x/m	y/m	z(abs) /m		! z(rel) /m		
						Geometry:	542960.89	269853.06	211.00		169.00		
EQCN029	Label	3				Action radius/m				3000.00			
	Group	5 m/s				Lw (Day (12h)) /dB(A)				105.19			
	Number of nodes	1				Lw (Night (8h)) /dB(A)				105.19			
	Length/ m	---				Lw (Evening (4h)) /dB(A)				105.19			
	Length/ m (2D)	---				Emission is				Sound power level (Lw)			
	Area /m²	---											
	Emiss. variant	Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission		Reference: Nordex163-7.0 5 m/s									
	Day (12h)	Lw /dB (A)	105.2	57.4 62.0 66.3	69.7 72.0 74.0	76.0 79.0 82.0	85.0 90.0 90.0	91.0 91.4 91.7	92.1 92.6 93.1	93.6 94.7 95.2	96.2 95.2 94.1	90.5 88.0 85.0	78.0 70.0 64.6
	Night (8h)	Emission		Reference: Nordex163-7.0 5 m/s									
	Night (8h)	Lw /dB (A)	105.2	57.4 62.0 66.3	69.7 72.0 74.0	76.0 79.0 82.0	85.0 90.0 90.0	91.0 91.4 91.7	92.1 92.6 93.1	93.6 94.7 95.2	96.2 95.2 94.1	90.5 88.0 85.0	78.0 70.0 64.6
	Evening (4h)	Emission		Reference: Nordex163-7.0 5 m/s									
	Evening (4h)	Lw /dB (A)	105.2	57.4 62.0 66.3	69.7 72.0 74.0	76.0 79.0 82.0	85.0 90.0 90.0	91.0 91.4 91.7	92.1 92.6 93.1	93.6 94.7 95.2	96.2 95.2 94.1	90.5 88.0 85.0	78.0 70.0 64.6
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden	-		0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	105.2		1.00		1.17410		-10.09		-10.1	
	Evening (4h)	4.00	Evening	105.2		1.00		0.29590		-11.31		-11.3	
	Night (8h)	8.00	Night	105.2		1.00		0.56380		-11.52		-11.5	
	Geometry					Nr	x/m	y/m	z(abs) /m		! z(rel) /m		
						Geometry:	542889.81	269274.10	210.63		169.00		
EQCN030	Label	8				Action radius/m				3000.00			
	Group	5 m/s				Lw (Day (12h)) /dB(A)				105.19			
	Number of nodes	1				Lw (Night (8h)) /dB(A)				105.19			
	Length/ m	---				Lw (Evening (4h)) /dB(A)				105.19			
	Length/ m (2D)	---				Emission is				Sound power level (Lw)			
	Area /m²	---											
	Emiss. variant	Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission		Reference: Nordex163-7.0 5 m/s									
	Day (12h)	Lw /dB (A)	105.2	57.4 62.0 66.3	69.7 72.0 74.0	76.0 79.0 82.0	85.0 90.0 90.0	91.0 91.4 91.7	92.1 92.6 93.1	93.6 94.7 95.2	96.2 95.2 94.1	90.5 88.0 85.0	78.0 70.0 64.6
	Night (8h)	Emission		Reference: Nordex163-7.0 5 m/s									
	Night (8h)	Lw /dB (A)	105.2	57.4 62.0 66.3	69.7 72.0 74.0	76.0 79.0 82.0	85.0 90.0 90.0	91.0 91.4 91.7	92.1 92.6 93.1	93.6 94.7 95.2	96.2 95.2 94.1	90.5 88.0 85.0	78.0 70.0 64.6
	Evening (4h)	Emission		Reference: Nordex163-7.0 5 m/s									
	Evening (4h)	Lw /dB (A)	105.2	57.4 62.0 66.3	69.7 72.0 74.0	76.0 79.0 82.0	85.0 90.0 90.0	91.0 91.4 91.7	92.1 92.6 93.1	93.6 94.7 95.2	96.2 95.2 94.1	90.5 88.0 85.0	78.0 70.0 64.6
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden	-		0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	105.2		1.00		1.17410		-10.09		-10.1	
	Evening (4h)	4.00	Evening	105.2		1.00		0.29590		-11.31		-11.3	
	Night (8h)	8.00	Night	105.2		1.00		0.56380		-11.52		-11.5	
	Geometry					Nr	x/m	y/m	z(abs) /m		! z(rel) /m		
						Geometry:	541708.49	272679.02	213.00		169.00		
EQCN031	Label	9				Action radius/m				3000.00			
	Group	5 m/s				Lw (Day (12h)) /dB(A)				105.19			
	Number of nodes	1				Lw (Night (8h)) /dB(A)				105.19			
	Length/ m	---				Lw (Evening (4h)) /dB(A)				105.19			
	Length/ m (2D)	---				Emission is				Sound power level (Lw)			
	Area /m²	---											
	Emiss. variant	Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission		Reference: Nordex163-7.0 5 m/s									
	Day (12h)	Lw /dB (A)	105.2	57.4 62.0 66.3	69.7 72.0 74.0	76.0 79.0 82.0	85.0 90.0 90.0	91.0 91.4 91.7	92.1 92.6 93.1	93.6 94.7 95.2	96.2 95.2 94.1	90.5 88.0 85.0	78.0 70.0 64.6
	Night (8h)	Emission		Reference: Nordex163-7.0 5 m/s									
	Night (8h)	Lw /dB (A)	105.2	57.4 62.0 66.3	69.7 72.0 74.0	76.0 79.0 82.0	85.0 90.0 90.0	91.0 91.4 91.7	92.1 92.6 93.1	93.6 94.7 95.2	96.2 95.2 94.1	90.5 88.0 85.0	78.0 70.0 64.6
	Evening (4h)	Emission		Reference: Nordex163-7.0 5 m/s									
	Evening (4h)	Lw /dB (A)	105.2	57.4 62.0 66.3	69.7 72.0 74.0	76.0 79.0 82.0	85.0 90.0 90.0	91.0 91.4 91.7	92.1 92.6 93.1	93.6 94.7 95.2	96.2 95.2 94.1	90.5 88.0 85.0	78.0 70.0 64.6

	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB						Special correction /dB	
	Lden			-	0.0	0.0		0.0				-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)	12.00	Day	105.2		1.00		1.17410		-10.09			-10.1
	Evening (4h)	4.00	Evening	105.2		1.00		0.29590		-11.31			-11.3
	Night (8h)	8.00	Night	105.2		1.00		0.56380		-11.52			-11.5
	Geometry				Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:	542443.06		272412.97		213.00		169.00	
EQCN032	Label	10			Action radius/m			3000.00					
	Group	5 m/s			Lw (Day (12h)) /dB(A)			105.19					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			105.19					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			105.19					
	Length/ m (2D)	---			Emission is			Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex163-7.0 5 m/s										
	Day (12h)	Lw /dB (A)	105.2	57.4 62.0 66.3	69.7 72.0 74.0	76.0 79.0 82.0	85.0 90.0 90.0	91.0 91.4 91.7	92.1 92.6 93.1	93.6 94.7 95.2	96.2 95.2 94.1	90.5 88.0 85.0	78.0 70.0 64.6
	Night (8h)	Emission	Reference: Nordex163-7.0 5 m/s										
	Night (8h)	Lw /dB (A)	105.2	57.4 62.0 66.3	69.7 72.0 74.0	76.0 79.0 82.0	85.0 90.0 90.0	91.0 91.4 91.7	92.1 92.6 93.1	93.6 94.7 95.2	96.2 95.2 94.1	90.5 88.0 85.0	78.0 70.0 64.6
	Evening (4h)	Emission	Reference: Nordex163-7.0 5 m/s										
	Evening (4h)	Lw /dB (A)	105.2	57.4 62.0 66.3	69.7 72.0 74.0	76.0 79.0 82.0	85.0 90.0 90.0	91.0 91.4 91.7	92.1 92.6 93.1	93.6 94.7 95.2	96.2 95.2 94.1	90.5 88.0 85.0	78.0 70.0 64.6
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB						Special correction /dB	
	Lden			-	0.0	0.0		0.0				-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)	12.00	Day	105.2		1.00		1.17410		-10.09			-10.1
	Evening (4h)	4.00	Evening	105.2		1.00		0.29590		-11.31			-11.3
	Night (8h)	8.00	Night	105.2		1.00		0.56380		-11.52			-11.5
	Geometry				Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:	542341.59		273009.79		213.69		169.00	
EQCN033	Label	13			Action radius/m			3000.00					
	Group	5 m/s			Lw (Day (12h)) /dB(A)			105.19					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			105.19					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			105.19					
	Length/ m (2D)	---			Emission is			Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex163-7.0 5 m/s										
	Day (12h)	Lw /dB (A)	105.2	57.4 62.0 66.3	69.7 72.0 74.0	76.0 79.0 82.0	85.0 90.0 90.0	91.0 91.4 91.7	92.1 92.6 93.1	93.6 94.7 95.2	96.2 95.2 94.1	90.5 88.0 85.0	78.0 70.0 64.6
	Night (8h)	Emission	Reference: Nordex163-7.0 5 m/s										
	Night (8h)	Lw /dB (A)	105.2	57.4 62.0 66.3	69.7 72.0 74.0	76.0 79.0 82.0	85.0 90.0 90.0	91.0 91.4 91.7	92.1 92.6 93.1	93.6 94.7 95.2	96.2 95.2 94.1	90.5 88.0 85.0	78.0 70.0 64.6
	Evening (4h)	Emission	Reference: Nordex163-7.0 5 m/s										
	Evening (4h)	Lw /dB (A)	105.2	57.4 62.0 66.3	69.7 72.0 74.0	76.0 79.0 82.0	85.0 90.0 90.0	91.0 91.4 91.7	92.1 92.6 93.1	93.6 94.7 95.2	96.2 95.2 94.1	90.5 88.0 85.0	78.0 70.0 64.6
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB						Special correction /dB	
	Lden			-	0.0	0.0		0.0				-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)	12.00	Day	105.2		1.00		1.17410		-10.09			-10.1
	Evening (4h)	4.00	Evening	105.2		1.00		0.29590		-11.31			-11.3
	Night (8h)	8.00	Night	105.2		1.00		0.56380		-11.52			-11.5
	Geometry				Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:	542411.66		271815.28		212.90		169.00	
EQCN034	Label	6			Action radius/m			3000.00					
	Group	6 m/s			Lw (Day (12h)) /dB(A)			109.19					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			109.19					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			109.19					
	Length/ m (2D)	---			Emission is			Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex163-7.0 6 m/s										
	Day (12h)	Lw /dB (A)	109.2	61.4 66.0 70.3	73.7 76.0 78.0	80.0 83.0 86.0	89.0 94.0 94.0	95.0 95.4 95.7	96.1 96.6 97.1	97.6 98.7 99.2	100.2 99.2 98.1	94.5 92.0 89.0	82.0 74.0 68.6
	Night (8h)	Emission	Reference: Nordex163-7.0 6 m/s										
	Night (8h)	Lw /dB (A)	109.2	61.4 66.0 70.3	73.7 76.0 78.0	80.0 83.0 86.0	89.0 94.0 94.0	95.0 95.4 95.7	96.1 96.6 97.1	97.6 98.7 99.2	100.2 99.2 98.1	94.5 92.0 89.0	82.0 74.0 68.6
	Evening (4h)	Emission	Reference: Nordex163-7.0 6 m/s										
	Evening (4h)	Lw /dB (A)	109.2	61.4 66.0 70.3	73.7 76.0 78.0	80.0 83.0 86.0	89.0 94.0 94.0	95.0 95.4 95.7	96.1 96.6 97.1	97.6 98.7 99.2	100.2 99.2 98.1	94.5 92.0 89.0	82.0 74.0 68.6
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB						Special correction /dB	

	Lden	-	0.0	0.0	0.0	-	0.0						
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	109.2	1.00	1.22770	-9.90	-9.9					
	Evening (4h)	4.00	Evening	109.2	1.00	0.35890	-10.47	-10.5					
	Night (8h)	8.00	Night	109.2	1.00	0.62190	-11.09	-11.1					
	Geometry	Nr		x/m	y/m	z(abs) /m	! z(rel) /m						
		Geometry:		542166.00	269672.00	212.30	169.00						
EQCN035	Label	7		Action radius/m		3000.00							
	Group	6 m/s		Lw (Day (12h)) /dB(A)		109.19							
	Number of nodes	1		Lw (Night (8h)) /dB(A)		109.19							
	Length/ m	---		Lw (Evening (4h)) /dB(A)		109.19							
	Length/ m (2D)	---		Emission is		Sound power level (Lw)							
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex163-7.0 6 m/s										
	Day (12h)	Lw /dB (A)	109.2	61.4 66.0 70.3	73.7 76.0 78.0	80.0 83.0 86.0	89.0 94.0 95.7	95.0 95.4 95.7	96.1 96.6 97.1	97.6 98.7 99.2	100.2 99.2 98.1	94.5 92.0 89.0	82.0 74.0 68.6
	Night (8h)	Emission	Reference: Nordex163-7.0 6 m/s										
	Night (8h)	Lw /dB (A)	109.2	61.4 66.0 70.3	73.7 76.0 78.0	80.0 83.0 86.0	89.0 94.0 95.7	95.0 95.4 95.7	96.1 96.6 97.1	97.6 98.7 99.2	100.2 99.2 98.1	94.5 92.0 89.0	82.0 74.0 68.6
	Evening (4h)	Emission	Reference: Nordex163-7.0 6 m/s										
	Evening (4h)	Lw /dB (A)	109.2	61.4 66.0 70.3	73.7 76.0 78.0	80.0 83.0 86.0	89.0 94.0 95.7	95.0 95.4 95.7	96.1 96.6 97.1	97.6 98.7 99.2	100.2 99.2 98.1	94.5 92.0 89.0	82.0 74.0 68.6
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden	-		0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB					Lwr /dB(A)	
	Day (12h)	12.00	Day	109.2	1.00	1.22770	-9.90					-9.9	
	Evening (4h)	4.00	Evening	109.2	1.00	0.35890	-10.47					-10.5	
	Night (8h)	8.00	Night	109.2	1.00	0.62190	-11.09					-11.1	
	Geometry	Nr		x/m	y/m	z(abs) /m	! z(rel) /m						
		Geometry:		541484.53	270587.47	212.00	169.00						
EQCN036	Label	2		Action radius/m		3000.00							
	Group	6 m/s		Lw (Day (12h)) /dB(A)		109.19							
	Number of nodes	1		Lw (Night (8h)) /dB(A)		109.19							
	Length/ m	---		Lw (Evening (4h)) /dB(A)		109.19							
	Length/ m (2D)	---		Emission is		Sound power level (Lw)							
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex163-7.0 6 m/s										
	Day (12h)	Lw /dB (A)	109.2	61.4 66.0 70.3	73.7 76.0 78.0	80.0 83.0 86.0	89.0 94.0 95.7	95.0 95.4 95.7	96.1 96.6 97.1	97.6 98.7 99.2	100.2 99.2 98.1	94.5 92.0 89.0	82.0 74.0 68.6
	Night (8h)	Emission	Reference: Nordex163-7.0 6 m/s										
	Night (8h)	Lw /dB (A)	109.2	61.4 66.0 70.3	73.7 76.0 78.0	80.0 83.0 86.0	89.0 94.0 95.7	95.0 95.4 95.7	96.1 96.6 97.1	97.6 98.7 99.2	100.2 99.2 98.1	94.5 92.0 89.0	82.0 74.0 68.6
	Evening (4h)	Emission	Reference: Nordex163-7.0 6 m/s										
	Evening (4h)	Lw /dB (A)	109.2	61.4 66.0 70.3	73.7 76.0 78.0	80.0 83.0 86.0	89.0 94.0 95.7	95.0 95.4 95.7	96.1 96.6 97.1	97.6 98.7 99.2	100.2 99.2 98.1	94.5 92.0 89.0	82.0 74.0 68.6
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden	-		0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB					Lwr /dB(A)	
	Day (12h)	12.00	Day	109.2	1.00	1.22770	-9.90					-9.9	
	Evening (4h)	4.00	Evening	109.2	1.00	0.35890	-10.47					-10.5	
	Night (8h)	8.00	Night	109.2	1.00	0.62190	-11.09					-11.1	
	Geometry	Nr		x/m	y/m	z(abs) /m	! z(rel) /m						
		Geometry:		542201.59	270785.54	212.42	169.00						
EQCN037	Label	5		Action radius/m		3000.00							
	Group	6 m/s		Lw (Day (12h)) /dB(A)		109.19							
	Number of nodes	1		Lw (Night (8h)) /dB(A)		109.19							
	Length/ m	---		Lw (Evening (4h)) /dB(A)		109.19							
	Length/ m (2D)	---		Emission is		Sound power level (Lw)							
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex163-7.0 6 m/s										
	Day (12h)	Lw /dB (A)	109.2	61.4 66.0 70.3	73.7 76.0 78.0	80.0 83.0 86.0	89.0 94.0 95.7	95.0 95.4 95.7	96.1 96.6 97.1	97.6 98.7 99.2	100.2 99.2 98.1	94.5 92.0 89.0	82.0 74.0 68.6
	Night (8h)	Emission	Reference: Nordex163-7.0 6 m/s										
	Night (8h)	Lw /dB (A)	109.2	61.4 66.0 70.3	73.7 76.0 78.0	80.0 83.0 86.0	89.0 94.0 95.7	95.0 95.4 95.7	96.1 96.6 97.1	97.6 98.7 99.2	100.2 99.2 98.1	94.5 92.0 89.0	82.0 74.0 68.6
	Evening (4h)	Emission	Reference: Nordex163-7.0 6 m/s										
	Evening (4h)	Lw /dB (A)	109.2	61.4 66.0 70.3	73.7 76.0 78.0	80.0 83.0 86.0	89.0 94.0 95.7	95.0 95.4 95.7	96.1 96.6 97.1	97.6 98.7 99.2	100.2 99.2 98.1	94.5 92.0 89.0	82.0 74.0 68.6
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden	-		0.0		0.0		0.0		-		0.0	

	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h			dLi /dB	Lwr /dB(A)				
	Day (12h)		12.00	Day	109.2		1.00			1.22770	-9.90 -9.9				
	Evening (4h)		4.00	Evening	109.2		1.00			0.35890	-10.47 -10.5				
	Night (8h)		8.00	Night	109.2		1.00			0.62190	-11.09 -11.1				
	Geometry				Nr	x/m	y/m			z(abs) /m		! z(rel) /m			
					Geometry:		542827.49			270622.51			212.00 169.00		
EQCN038	Label		1		Action radius/m					3000.00					
	Group		6 m/s		Lw (Day (12h)) /dB(A)					109.19					
	Number of nodes		1		Lw (Night (8h)) /dB(A)					109.19					
	Length/ m		---		Lw (Evening (4h)) /dB(A)					109.19					
	Length/ m (2D)		---		Emission is					Sound power level (Lw)					
	Area /m²		---												
	Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
Day (12h)		Emission		Reference: Nordex163-7.0 6 m/s											
Day (12h)		Lw /dB (A)		109.2	61.4 66.0 70.3	73.7 76.0 78.0	80.0 83.0 86.0	89.0 94.0 94.0	95.0 95.4 95.7	96.1 96.6 97.1	97.6 98.7 99.2	100.2 99.2 98.1	94.5 92.0 89.0	82.0 74.0 68.6	
Night (8h)		Emission		Reference: Nordex163-7.0 6 m/s											
Night (8h)		Lw /dB (A)		109.2	61.4 66.0 70.3	73.7 76.0 78.0	80.0 83.0 86.0	89.0 94.0 94.0	95.0 95.4 95.7	96.1 96.6 97.1	97.6 98.7 99.2	100.2 99.2 98.1	94.5 92.0 89.0	82.0 74.0 68.6	
Evening (4h)		Emission		Reference: Nordex163-7.0 6 m/s											
Evening (4h)		Lw /dB (A)		109.2	61.4 66.0 70.3	73.7 76.0 78.0	80.0 83.0 86.0	89.0 94.0 94.0	95.0 95.4 95.7	96.1 96.6 97.1	97.6 98.7 99.2	100.2 99.2 98.1	94.5 92.0 89.0	82.0 74.0 68.6	
Rating method			Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB				
Lden					-		0.0		0.0		-			0.0	
Rating period / Period			Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
Day (12h)			12.00	Day	109.2		1.00		1.22770		-9.90		-9.9		
Evening (4h)			4.00	Evening	109.2		1.00		0.35890		-10.47		-10.5		
Night (8h)			8.00	Night	109.2		1.00		0.62190		-11.09		-11.1		
Geometry					Nr	x/m	y/m		z(abs) /m		! z(rel) /m				
					Geometry:		541983.00		270194.00		211.10		169.00		
EQCN039	Label		4		Action radius/m					3000.00					
	Group		6 m/s		Lw (Day (12h)) /dB(A)					109.19					
	Number of nodes		1		Lw (Night (8h)) /dB(A)					109.19					
	Length/ m		---		Lw (Evening (4h)) /dB(A)					109.19					
	Length/ m (2D)		---		Emission is					Sound power level (Lw)					
	Area /m²		---												
	Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
Day (12h)		Emission		Reference: Nordex163-7.0 6 m/s											
Day (12h)		Lw /dB (A)		109.2	61.4 66.0 70.3	73.7 76.0 78.0	80.0 83.0 86.0	89.0 94.0 94.0	95.0 95.4 95.7	96.1 96.6 97.1	97.6 98.7 99.2	100.2 99.2 98.1	94.5 92.0 89.0	82.0 74.0 68.6	
Night (8h)		Emission		Reference: Nordex163-7.0 6 m/s											
Night (8h)		Lw /dB (A)		109.2	61.4 66.0 70.3	73.7 76.0 78.0	80.0 83.0 86.0	89.0 94.0 94.0	95.0 95.4 95.7	96.1 96.6 97.1	97.6 98.7 99.2	100.2 99.2 98.1	94.5 92.0 89.0	82.0 74.0 68.6	
Evening (4h)		Emission		Reference: Nordex163-7.0 6 m/s											
Evening (4h)		Lw /dB (A)		109.2	61.4 66.0 70.3	73.7 76.0 78.0	80.0 83.0 86.0	89.0 94.0 94.0	95.0 95.4 95.7	96.1 96.6 97.1	97.6 98.7 99.2	100.2 99.2 98.1	94.5 92.0 89.0	82.0 74.0 68.6	
Rating method			Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB				
Lden					-		0.0		0.0		-			0.0	
Rating period / Period			Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
Day (12h)			12.00	Day	109.2		1.00		1.22770		-9.90		-9.9		
Evening (4h)			4.00	Evening	109.2		1.00		0.35890		-10.47		-10.5		
Night (8h)			8.00	Night	109.2		1.00		0.62190		-11.09		-11.1		
Geometry					Nr	x/m	y/m		z(abs) /m		! z(rel) /m				
					Geometry:		542960.89		269853.06		211.00		169.00		
EQCN040	Label		3		Action radius/m					3000.00					
	Group		6 m/s		Lw (Day (12h)) /dB(A)					109.19					
	Number of nodes		1		Lw (Night (8h)) /dB(A)					109.19					
	Length/ m		---		Lw (Evening (4h)) /dB(A)					109.19					
	Length/ m (2D)		---		Emission is					Sound power level (Lw)					
	Area /m²		---												
	Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
Day (12h)		Emission		Reference: Nordex163-7.0 6 m/s											
Day (12h)		Lw /dB (A)		109.2	61.4 66.0 70.3	73.7 76.0 78.0	80.0 83.0 86.0	89.0 94.0 94.0	95.0 95.4 95.7	96.1 96.6 97.1	97.6 98.7 99.2	100.2 99.2 98.1	94.5 92.0 89.0	82.0 74.0 68.6	
Night (8h)		Emission		Reference: Nordex163-7.0 6 m/s											
Night (8h)		Lw /dB (A)		109.2	61.4 66.0 70.3	73.7 76.0 78.0	80.0 83.0 86.0	89.0 94.0 94.0	95.0 95.4 95.7	96.1 96.6 97.1	97.6 98.7 99.2	100.2 99.2 98.1	94.5 92.0 89.0	82.0 74.0 68.6	
Evening (4h)		Emission		Reference: Nordex163-7.0 6 m/s											
Evening (4h)		Lw /dB (A)		109.2	61.4 66.0 70.3	73.7 76.0 78.0	80.0 83.0 86.0	89.0 94.0 94.0	95.0 95.4 95.7	96.1 96.6 97.1	97.6 98.7 99.2	100.2 99.2 98.1	94.5 92.0 89.0	82.0 74.0 68.6	
Rating method			Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB				
Lden					-		0.0		0.0		-			0.0	
Rating period / Period			Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		

	Day (12h)	12.00	Day	109.2	1.00	1.22770	-9.90	-9.9					
	Evening (4h)	4.00	Evening	109.2	1.00	0.35890	-10.47	-10.5					
	Night (8h)	8.00	Night	109.2	1.00	0.62190	-11.09	-11.1					
	Geometry		Nr	x/m	y/m	z(abs) /m	! z(rel) /m						
			Geometry:	542889.81	269274.10	210.63		169.00					
EQCN041	Label	8		Action radius/m				3000.00					
	Group	6 m/s		Lw (Day (12h)) /dB(A)				109.19					
	Number of nodes	1		Lw (Night (8h)) /dB(A)				109.19					
	Length/ m	---		Lw (Evening (4h)) /dB(A)				109.19					
	Length/ m (2D)	---		Emission is				Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex163-7.0 6 m/s										
	Day (12h)	Lw /dB (A)	109.2	61.4 66.0 70.3	73.7 76.0 78.0	80.0 83.0 86.0	89.0 94.0 94.0	95.0 95.4 95.7	96.1 96.6 97.1	97.6 98.7 99.2	100.2 99.2 98.1	94.5 92.0 89.0	82.0 74.0 68.6
	Night (8h)	Emission	Reference: Nordex163-7.0 6 m/s										
	Night (8h)	Lw /dB (A)	109.2	61.4 66.0 70.3	73.7 76.0 78.0	80.0 83.0 86.0	89.0 94.0 94.0	95.0 95.4 95.7	96.1 96.6 97.1	97.6 98.7 99.2	100.2 99.2 98.1	94.5 92.0 89.0	82.0 74.0 68.6
	Evening (4h)	Emission	Reference: Nordex163-7.0 6 m/s										
	Evening (4h)	Lw /dB (A)	109.2	61.4 66.0 70.3	73.7 76.0 78.0	80.0 83.0 86.0	89.0 94.0 94.0	95.0 95.4 95.7	96.1 96.6 97.1	97.6 98.7 99.2	100.2 99.2 98.1	94.5 92.0 89.0	82.0 74.0 68.6
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-	0.0		0.0		0.0				-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	109.2		1.00		1.22770		-9.90		-9.9	
	Evening (4h)	4.00	Evening	109.2		1.00		0.35890		-10.47		-10.5	
	Night (8h)	8.00	Night	109.2		1.00		0.62190		-11.09		-11.1	
	Geometry		Nr	x/m	y/m	z(abs) /m	! z(rel) /m						
			Geometry:	541708.49	272679.02	213.00		169.00					
EQCN042	Label	9		Action radius/m									
	Group	6 m/s		Lw (Day (12h)) /dB(A)									
	Number of nodes	1		Lw (Night (8h)) /dB(A)									
	Length/ m	---		Lw (Evening (4h)) /dB(A)									
	Length/ m (2D)	---		Emission is									
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex163-7.0 6 m/s										
	Day (12h)	Lw /dB (A)	109.2	61.4 66.0 70.3	73.7 76.0 78.0	80.0 83.0 86.0	89.0 94.0 94.0	95.0 95.4 95.7	96.1 96.6 97.1	97.6 98.7 99.2	100.2 99.2 98.1	94.5 92.0 89.0	82.0 74.0 68.6
	Night (8h)	Emission	Reference: Nordex163-7.0 6 m/s										
	Night (8h)	Lw /dB (A)	109.2	61.4 66.0 70.3	73.7 76.0 78.0	80.0 83.0 86.0	89.0 94.0 94.0	95.0 95.4 95.7	96.1 96.6 97.1	97.6 98.7 99.2	100.2 99.2 98.1	94.5 92.0 89.0	82.0 74.0 68.6
	Evening (4h)	Emission	Reference: Nordex163-7.0 6 m/s										
	Evening (4h)	Lw /dB (A)	109.2	61.4 66.0 70.3	73.7 76.0 78.0	80.0 83.0 86.0	89.0 94.0 94.0	95.0 95.4 95.7	96.1 96.6 97.1	97.6 98.7 99.2	100.2 99.2 98.1	94.5 92.0 89.0	82.0 74.0 68.6
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-	0.0		0.0		0.0				-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	109.2		1.00		1.22770		-9.90		-9.9	
	Evening (4h)	4.00	Evening	109.2		1.00		0.35890		-10.47		-10.5	
	Night (8h)	8.00	Night	109.2		1.00		0.62190		-11.09		-11.1	
	Geometry		Nr	x/m	y/m	z(abs) /m	! z(rel) /m						
			Geometry:	541708.49	272679.02	213.00		169.00					
EQCN043	Label	10		Action radius/m									
	Group	6 m/s		Lw (Day (12h)) /dB(A)									
	Number of nodes	1		Lw (Night (8h)) /dB(A)									
	Length/ m	---		Lw (Evening (4h)) /dB(A)									
	Length/ m (2D)	---		Emission is									
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex163-7.0 6 m/s										
	Day (12h)	Lw /dB (A)	109.2	61.4 66.0 70.3	73.7 76.0 78.0	80.0 83.0 86.0	89.0 94.0 94.0	95.0 95.4 95.7	96.1 96.6 97.1	97.6 98.7 99.2	100.2 99.2 98.1	94.5 92.0 89.0	82.0 74.0 68.6
	Night (8h)	Emission	Reference: Nordex163-7.0 6 m/s										
	Night (8h)	Lw /dB (A)	109.2	61.4 66.0 70.3	73.7 76.0 78.0	80.0 83.0 86.0	89.0 94.0 94.0	95.0 95.4 95.7	96.1 96.6 97.1	97.6 98.7 99.2	100.2 99.2 98.1	94.5 92.0 89.0	82.0 74.0 68.6
	Evening (4h)	Emission	Reference: Nordex163-7.0 6 m/s										
	Evening (4h)	Lw /dB (A)	109.2	61.4 66.0 70.3	73.7 76.0 78.0	80.0 83.0 86.0	89.0 94.0 94.0	95.0 95.4 95.7	96.1 96.6 97.1	97.6 98.7 99.2	100.2 99.2 98.1	94.5 92.0 89.0	82.0 74.0 68.6
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-	0.0		0.0		0.0				-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	109.2		1.00		1.22770		-9.90		-9.9	
	Evening (4h)	4.00	Evening	109.2		1.00		0.35890		-10.47		-10.5	

	Night (8h)		8.00	Night			109.2		1.00	0.62190	-11.09	-11.1	
	Geometry					Nr		x/m	y/m	z(abs) /m	! z(rel) /m		
						Geometry:		542341.59	273009.79	213.69	169.00		
EQCN044	Label		13					Action radius/m			3000.00		
	Group		6 m/s					Lw (Day (12h)) /dB(A)			109.19		
	Number of nodes		1					Lw (Night (8h)) /dB(A)			109.19		
	Length/ m		---					Lw (Evening (4h)) /dB(A)			109.19		
	Length/ m (2D)		---					Emission is			Sound power level (Lw)		
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference:	Nordex163-7.0 6 m/s									
	Day (12h)	Lw /dB (A)	109.2	61.4 66.0 70.3	73.7 76.0 78.0	80.0 83.0 86.0	89.0 94.0 94.0	95.0 95.4 95.7	96.1 96.6 97.1	97.6 98.7 99.2	100.2 99.2 98.1	94.5 92.0 89.0	82.0 74.0 68.6
	Night (8h)	Emission	Reference:	Nordex163-7.0 6 m/s									
	Night (8h)	Lw /dB (A)	109.2	61.4 66.0 70.3	73.7 76.0 78.0	80.0 83.0 86.0	89.0 94.0 94.0	95.0 95.4 95.7	96.1 96.6 97.1	97.6 98.7 99.2	100.2 99.2 98.1	94.5 92.0 89.0	82.0 74.0 68.6
	Evening (4h)	Emission	Reference:	Nordex163-7.0 6 m/s									
	Evening (4h)	Lw /dB (A)	109.2	61.4 66.0 70.3	73.7 76.0 78.0	80.0 83.0 86.0	89.0 94.0 94.0	95.0 95.4 95.7	96.1 96.6 97.1	97.6 98.7 99.2	100.2 99.2 98.1	94.5 92.0 89.0	82.0 74.0 68.6
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	109.2		1.00		1.22770		-9.90		-9.9
	Evening (4h)		4.00	Evening	109.2		1.00		0.35890		-10.47		-10.5
	Night (8h)		8.00	Night	109.2		1.00		0.62190		-11.09		-11.1
	Geometry					Nr		x/m	y/m	z(abs) /m	! z(rel) /m		
						Geometry:		542411.66	271815.28	212.90	169.00		
EQCN045	Label		6					Action radius/m			3000.00		
	Group		>=7 m/s					Lw (Day (12h)) /dB(A)			109.39		
	Number of nodes		1					Lw (Night (8h)) /dB(A)			109.39		
	Length/ m		---					Lw (Evening (4h)) /dB(A)			109.39		
	Length/ m (2D)		---					Emission is			Sound power level (Lw)		
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference:	Nordex163-7.0 >7 m/s									
	Day (12h)	Lw /dB (A)	109.4	61.6 66.2 70.5	73.9 76.2 78.2	80.2 83.2 86.2	89.2 94.2 94.2	95.2 95.6 95.9	96.3 96.8 97.3	97.8 98.9 99.4	100.4 99.4 98.3	94.7 92.2 89.2	82.2 74.2 68.8
	Night (8h)	Emission	Reference:	Nordex163-7.0 >7 m/s									
	Night (8h)	Lw /dB (A)	109.4	61.6 66.2 70.5	73.9 76.2 78.2	80.2 83.2 86.2	89.2 94.2 94.2	95.2 95.6 95.9	96.3 96.8 97.3	97.8 98.9 99.4	100.4 99.4 98.3	94.7 92.2 89.2	82.2 74.2 68.8
	Evening (4h)	Emission	Reference:	Nordex163-7.0 >7 m/s									
	Evening (4h)	Lw /dB (A)	109.4	61.6 66.2 70.5	73.9 76.2 78.2	80.2 83.2 86.2	89.2 94.2 94.2	95.2 95.6 95.9	96.3 96.8 97.3	97.8 98.9 99.4	100.4 99.4 98.3	94.7 92.2 89.2	82.2 74.2 68.8
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	109.4		1.00		6.64470		-2.57		-2.6
	Evening (4h)		4.00	Evening	109.4		1.00		2.74000		-1.64		-1.6
	Night (8h)		8.00	Night	109.4		1.00		5.59040		-1.56		-1.6
	Geometry					Nr		x/m	y/m	z(abs) /m	! z(rel) /m		
						Geometry:		542166.00	269672.00	212.30	169.00		
EQCN046	Label		7					Action radius/m			3000.00		
	Group		>=7 m/s					Lw (Day (12h)) /dB(A)			109.39		
	Number of nodes		1					Lw (Night (8h)) /dB(A)			109.39		
	Length/ m		---					Lw (Evening (4h)) /dB(A)			109.39		
	Length/ m (2D)		---					Emission is			Sound power level (Lw)		
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference:	Nordex163-7.0 >7 m/s									
	Day (12h)	Lw /dB (A)	109.4	61.6 66.2 70.5	73.9 76.2 78.2	80.2 83.2 86.2	89.2 94.2 94.2	95.2 95.6 95.9	96.3 96.8 97.3	97.8 98.9 99.4	100.4 99.4 98.3	94.7 92.2 89.2	82.2 74.2 68.8
	Night (8h)	Emission	Reference:	Nordex163-7.0 >7 m/s									
	Night (8h)	Lw /dB (A)	109.4	61.6 66.2 70.5	73.9 76.2 78.2	80.2 83.2 86.2	89.2 94.2 94.2	95.2 95.6 95.9	96.3 96.8 97.3	97.8 98.9 99.4	100.4 99.4 98.3	94.7 92.2 89.2	82.2 74.2 68.8
	Evening (4h)	Emission	Reference:	Nordex163-7.0 >7 m/s									
	Evening (4h)	Lw /dB (A)	109.4	61.6 66.2 70.5	73.9 76.2 78.2	80.2 83.2 86.2	89.2 94.2 94.2	95.2 95.6 95.9	96.3 96.8 97.3	97.8 98.9 99.4	100.4 99.4 98.3	94.7 92.2 89.2	82.2 74.2 68.8
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	109.4		1.00		6.64470		-2.57		-2.6
	Evening (4h)		4.00	Evening	109.4		1.00		2.74000		-1.64		-1.6
	Night (8h)		8.00	Night	109.4		1.00		5.59040		-1.56		-1.6
	Geometry					Nr		x/m	y/m	z(abs) /m	! z(rel) /m		

EQCN047	Label		2		Geometry:		541484.53		270587.47		212.00		169.00													
	Group		>=7 m/s				Action radius/m						3000.00													
	Number of nodes		1				Lw (Day (12h)) /dB(A)						109.39													
	Length/ m		---				Lw (Night (8h)) /dB(A)						109.39													
	Length/ m (2D)		---				Lw (Evening (4h)) /dB(A)						109.39													
	Area /m²		---				Emission is						Sound power level (Lw)													
	Emiss. variant				Sum		16 Hz		31.5 Hz		63 Hz		125 Hz		250 Hz		500 Hz		1000 Hz		2000 Hz		4000 Hz		8000 Hz	
	Day (12h)		Emission		Reference:		Nordex163-7.0 >7 m/s																			
	Day (12h)		Lw /dB (A)		109.4		61.6		73.9		80.2		89.2		95.2		96.3		97.8		100.4		94.7		82.2	
							66.2		76.2		83.2		94.2		95.6		96.8		98.9		99.4		92.2		74.2	
						70.5		78.2		86.2		94.2		95.9		97.3		99.4		98.3		89.2		68.8		
Night (8h)		Emission		Reference:		Nordex163-7.0 >7 m/s																				
Night (8h)		Lw /dB (A)		109.4		61.6		73.9		80.2		89.2		95.2		96.3		97.8		100.4		94.7		82.2		
						66.2		76.2		83.2		94.2		95.6		96.8		98.9		99.4		92.2		74.2		
						70.5		78.2		86.2		94.2		95.9		97.3		99.4		98.3		89.2		68.8		
Evening (4h)		Emission		Reference:		Nordex163-7.0 >7 m/s																				
Evening (4h)		Lw /dB (A)		109.4		61.6		73.9		80.2		89.2		95.2		96.3		97.8		100.4		94.7		82.2		
						66.2		76.2		83.2		94.2		95.6		96.8		98.9		99.4		92.2		74.2		
						70.5		78.2		86.2		94.2		95.9		97.3		99.4		98.3		89.2		68.8		
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB						Special correction /dB												
Lden				-		0.0		0.0		0.0				-		0.0										
Rating period / Period		Duration /h		Emiss. variant		Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)												
Day (12h)		12.00		Day		109.4		1.00		6.64470		-2.57		-2.6												
Evening (4h)		4.00		Evening		109.4		1.00		2.74000		-1.64		-1.6												
Night (8h)		8.00		Night		109.4		1.00		5.59040		-1.56		-1.6												
Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m														
						Geometry:		542201.59		270785.54		212.42		169.00												
EQCN048	Label		5		Geometry:		541484.53		270587.47		212.00		169.00													
	Group		>=7 m/s				Action radius/m						3000.00													
	Number of nodes		1				Lw (Day (12h)) /dB(A)						109.39													
	Length/ m		---				Lw (Night (8h)) /dB(A)						109.39													
	Length/ m (2D)		---				Lw (Evening (4h)) /dB(A)						109.39													
	Area /m²		---				Emission is						Sound power level (Lw)													
	Emiss. variant				Sum		16 Hz		31.5 Hz		63 Hz		125 Hz		250 Hz		500 Hz		1000 Hz		2000 Hz		4000 Hz		8000 Hz	
	Day (12h)		Emission		Reference:		Nordex163-7.0 >7 m/s																			
	Day (12h)		Lw /dB (A)		109.4		61.6		73.9		80.2		89.2		95.2		96.3		97.8		100.4		94.7		82.2	
							66.2		76.2		83.2		94.2		95.6		96.8		98.9		99.4		92.2		74.2	
						70.5		78.2		86.2		94.2		95.9		97.3		99.4		98.3		89.2		68.8		
Night (8h)		Emission		Reference:		Nordex163-7.0 >7 m/s																				
Night (8h)		Lw /dB (A)		109.4		61.6		73.9		80.2		89.2		95.2		96.3		97.8		100.4		94.7		82.2		
						66.2		76.2		83.2		94.2		95.6		96.8		98.9		99.4		92.2		74.2		
						70.5		78.2		86.2		94.2		95.9		97.3		99.4		98.3		89.2		68.8		
Evening (4h)		Emission		Reference:		Nordex163-7.0 >7 m/s																				
Evening (4h)		Lw /dB (A)		109.4		61.6		73.9		80.2		89.2		95.2		96.3		97.8		100.4		94.7		82.2		
						66.2		76.2		83.2		94.2		95.6		96.8		98.9		99.4		92.2		74.2		
						70.5		78.2		86.2		94.2		95.9		97.3		99.4		98.3		89.2		68.8		
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB						Special correction /dB												
Lden				-		0.0		0.0		0.0				-		0.0										
Rating period / Period		Duration /h		Emiss. variant		Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)												
Day (12h)		12.00		Day		109.4		1.00		6.64470		-2.57		-2.6												
Evening (4h)		4.00		Evening		109.4		1.00		2.74000		-1.64		-1.6												
Night (8h)		8.00		Night		109.4		1.00		5.59040		-1.56		-1.6												
Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m														
						Geometry:		542827.49		270622.51		212.00		169.00												
EQCN049	Label		1		Geometry:		541484.53		270587.47		212.00		169.00													
	Group		>=7 m/s				Action radius/m						3000.00													
	Number of nodes		1				Lw (Day (12h)) /dB(A)						109.39													
	Length/ m		---				Lw (Night (8h)) /dB(A)						109.39													
	Length/ m (2D)		---				Lw (Evening (4h)) /dB(A)						109.39													
	Area /m²		---				Emission is						Sound power level (Lw)													
	Emiss. variant				Sum		16 Hz		31.5 Hz		63 Hz		125 Hz		250 Hz		500 Hz		1000 Hz		2000 Hz		4000 Hz		8000 Hz	
	Day (12h)		Emission		Reference:		Nordex163-7.0 >7 m/s																			
	Day (12h)		Lw /dB (A)		109.4		61.6		73.9		80.2		89.2		95.2		96.3		97.8		100.4		94.7		82.2	
							66.2		76.2		83.2		94.2		95.6		96.8		98.9		99.4		92.2		74.2	
						70.5		78.2		86.2		94.2		95.9		97.3		99.4		98.3		89.2		68.8		
Night (8h)		Emission		Reference:		Nordex163-7.0 >7 m/s																				
Night (8h)		Lw /dB (A)		109.4		61.6		73.9		80.2		89.2		95.2		96.3		97.8		100.4		94.7		82.2		
						66.2		76.2		83.2		94.2		95.6		96.8		98.9		99.4		92.2		74.2		
						70.5		78.2		86.2		94.2		95.9		97.3		99.4		98.3		89.2		68.8		
Evening (4h)		Emission		Reference:		Nordex163-7.0 >7 m/s																				
Evening (4h)		Lw /dB (A)		109.4		61.6		73.9		80.2		89.2		95.2		96.3		97.8		100.4		94.7		82.2		
						66.2		76.2		83.2		94.2		95.6		96.8		98.9		99.4		92.2		74.2		
						70.5		78.2		86.2		94.2		95.9		97.3		99.4		98.3		89.2		68.8		
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB						Special correction /dB												
Lden				-		0.0		0.0		0.0				-		0.0										
Rating period / Period		Duration /h		Emiss. variant		Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)												
Day (12h)		12.00		Day		109.4		1.00		6.64470		-2.57		-2.6												
Evening (4h)		4.00		Evening		109.4		1.00		2.74000		-1.64		-1.6												
Night (8h)		8.00		Night		109.4		1.00		5.59040		-1.56		-1.6												
Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m														
						Geometry:		541983.00		270194.00		211.10		169.00												
EQCN050	Label		4		Geometry:		541484.53		270587.47		212.00		169.00													
	Group		>=7 m/s				Action radius/m						3000.00													
	Number of nodes		1				Lw (Day (12h)) /dB(A)						109.39													
	Length/ m		---				Lw (Night (8h)) /dB(A)						109.39													
	Length/ m (2D)		---				Lw (Evening (4h)) /dB(A)						109.39													
	Area /m²		---				Emission is						Sound power level (Lw)													
	Emiss. variant				Sum		16 Hz		31.5 Hz		63 Hz		125 Hz		250 Hz		500 Hz		1000 Hz		2000 Hz		4000 Hz		8000 Hz	
	Day (12h)		Emission		Reference:		Nordex163-7.0 >7 m/s																			
	Day (12h)		Lw /dB (A)		109.4		61.6		73.9		80.2		89.2		95.2		96.3		97.8		100.4		94.7		82.2	
							66.2		76.2		83.2		94.2		95.6		96.8		98.9		99.4		92.2		74.2	
						70.5		78.2		86.2		94.2		95.9		97.3		99.4		98.3		89.2		68.8		
Night (8h)		Emission		Reference:		Nordex163-7.0 >7 m/s																				
Night (8h)		Lw /dB (A)		109.4		61.6		73.9		80.2		89.2		95.2		96.3		97.8		100.4		94.7		82.2		
						66.2		76.2		83.2		94.2		95.6		96.8		98.9		99.4		92.2		74.2		
						70.5		78.2		86.2		94.2		95.9		97.3		99.4		98.3		89.2		68.8		
Evening (4h)		Emission		Reference:		Nordex163-7.0 >7 m/s																				
Evening (4h)		Lw /dB (A)		109.4		61.6		73.9		80.2		89.2		95.2		96.3		97.8		100.4		94.7		82.2		
						66.2		76.2		83.2		94.2		95.6		96.8		98.9		99.4		92.2		74.2		
						70.5		78.2		86.2		94.2		95.9		97.3		99.4		98.3		89.2		68.8		
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB						Special correction /dB												
Lden				-		0.0		0.0		0.0				-		0.0										
Rating period / Period		Duration /h		Emiss. variant		Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)												
Day (12h)		12.00		Day		109.4		1.00		6.64470		-2.57		-2.6												
Evening (4h)		4.00		Evening		109.4		1.00		2.74000		-1.64		-1.6												
Night (8h)		8.00		Night		109.4		1.00		5.59040		-1.56		-1.6												

	Group	>=7 m/s					Lw (Day (12h)) /dB(A)				109.39			
	Number of nodes	1					Lw (Night (8h)) /dB(A)				109.39			
	Length/ m	---					Lw (Evening (4h)) /dB(A)				109.39			
	Length/ m (2D)	---					Emission is				Sound power level (Lw)			
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex163-7.0 >7 m/s											
	Day (12h)	Lw /dB (A)	109.4	61.6 66.2 70.5	73.9 76.2 78.2	80.2 83.2 86.2	89.2 94.2 94.2	95.2 95.6 95.9	96.3 96.8 97.3	97.8 98.9 99.4	100.4 99.4 98.3	94.7 92.2 89.2	82.2 74.2 68.8	
	Night (8h)	Emission	Reference: Nordex163-7.0 >7 m/s											
	Night (8h)	Lw /dB (A)	109.4	61.6 66.2 70.5	73.9 76.2 78.2	80.2 83.2 86.2	89.2 94.2 94.2	95.2 95.6 95.9	96.3 96.8 97.3	97.8 98.9 99.4	100.4 99.4 98.3	94.7 92.2 89.2	82.2 74.2 68.8	
	Evening (4h)	Emission	Reference: Nordex163-7.0 >7 m/s											
	Evening (4h)	Lw /dB (A)	109.4	61.6 66.2 70.5	73.9 76.2 78.2	80.2 83.2 86.2	89.2 94.2 94.2	95.2 95.6 95.9	96.3 96.8 97.3	97.8 98.9 99.4	100.4 99.4 98.3	94.7 92.2 89.2	82.2 74.2 68.8	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden	-		0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	109.4		1.00		6.64470		-2.57		-2.6		
	Evening (4h)	4.00	Evening	109.4		1.00		2.74000		-1.64		-1.6		
	Night (8h)	8.00	Night	109.4		1.00		5.59040		-1.56		-1.6		
	Geometry			Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
				Geometry:		542960.89		269853.06		211.00		169.00		
EQCN051	Label	3					Action radius/m				3000.00			
	Group	>=7 m/s					Lw (Day (12h)) /dB(A)				109.39			
	Number of nodes	1					Lw (Night (8h)) /dB(A)				109.39			
	Length/ m	---					Lw (Evening (4h)) /dB(A)				109.39			
	Length/ m (2D)	---					Emission is				Sound power level (Lw)			
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex163-7.0 >7 m/s											
	Day (12h)	Lw /dB (A)	109.4	61.6 66.2 70.5	73.9 76.2 78.2	80.2 83.2 86.2	89.2 94.2 94.2	95.2 95.6 95.9	96.3 96.8 97.3	97.8 98.9 99.4	100.4 99.4 98.3	94.7 92.2 89.2	82.2 74.2 68.8	
	Night (8h)	Emission	Reference: Nordex163-7.0 >7 m/s											
	Night (8h)	Lw /dB (A)	109.4	61.6 66.2 70.5	73.9 76.2 78.2	80.2 83.2 86.2	89.2 94.2 94.2	95.2 95.6 95.9	96.3 96.8 97.3	97.8 98.9 99.4	100.4 99.4 98.3	94.7 92.2 89.2	82.2 74.2 68.8	
	Evening (4h)	Emission	Reference: Nordex163-7.0 >7 m/s											
	Evening (4h)	Lw /dB (A)	109.4	61.6 66.2 70.5	73.9 76.2 78.2	80.2 83.2 86.2	89.2 94.2 94.2	95.2 95.6 95.9	96.3 96.8 97.3	97.8 98.9 99.4	100.4 99.4 98.3	94.7 92.2 89.2	82.2 74.2 68.8	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden	-		0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	109.4		1.00		6.64470		-2.57		-2.6		
	Evening (4h)	4.00	Evening	109.4		1.00		2.74000		-1.64		-1.6		
	Night (8h)	8.00	Night	109.4		1.00		5.59040		-1.56		-1.6		
	Geometry			Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
				Geometry:		542889.81		269274.10		210.63		169.00		
EQCN052	Label	8					Action radius/m				3000.00			
	Group	>=7 m/s					Lw (Day (12h)) /dB(A)				109.39			
	Number of nodes	1					Lw (Night (8h)) /dB(A)				109.39			
	Length/ m	---					Lw (Evening (4h)) /dB(A)				109.39			
	Length/ m (2D)	---					Emission is				Sound power level (Lw)			
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex163-7.0 >7 m/s											
	Day (12h)	Lw /dB (A)	109.4	61.6 66.2 70.5	73.9 76.2 78.2	80.2 83.2 86.2	89.2 94.2 94.2	95.2 95.6 95.9	96.3 96.8 97.3	97.8 98.9 99.4	100.4 99.4 98.3	94.7 92.2 89.2	82.2 74.2 68.8	
	Night (8h)	Emission	Reference: Nordex163-7.0 >7 m/s											
	Night (8h)	Lw /dB (A)	109.4	61.6 66.2 70.5	73.9 76.2 78.2	80.2 83.2 86.2	89.2 94.2 94.2	95.2 95.6 95.9	96.3 96.8 97.3	97.8 98.9 99.4	100.4 99.4 98.3	94.7 92.2 89.2	82.2 74.2 68.8	
	Evening (4h)	Emission	Reference: Nordex163-7.0 >7 m/s											
	Evening (4h)	Lw /dB (A)	109.4	61.6 66.2 70.5	73.9 76.2 78.2	80.2 83.2 86.2	89.2 94.2 94.2	95.2 95.6 95.9	96.3 96.8 97.3	97.8 98.9 99.4	100.4 99.4 98.3	94.7 92.2 89.2	82.2 74.2 68.8	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden	-		0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	109.4		1.00		6.64470		-2.57		-2.6		
	Evening (4h)	4.00	Evening	109.4		1.00		2.74000		-1.64		-1.6		
	Night (8h)	8.00	Night	109.4		1.00		5.59040		-1.56		-1.6		

Geometry			Nr			x/m		y/m		z(abs) /m			! z(rel) /m		
EQCN053			Geometry:			541708.49		272679.02		213.00			169.00		
Label			9			Action radius/m							3000.00		
Group			>=7 m/s			Lw (Day (12h)) /dB(A)							109.39		
Number of nodes			1			Lw (Night (8h)) /dB(A)							109.39		
Length/ m			---			Lw (Evening (4h)) /dB(A)							109.39		
Length/ m (2D)			---			Emission is							Sound power level (Lw)		
Area /m²			---												
Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
Day (12h)		Emission	Reference: Nordex163-7.0 >7 m/s												
Day (12h)		Lw /dB (A)	109.4	61.6 66.2 70.5	73.9 76.2 78.2	80.2 83.2 86.2	89.2 94.2 94.2	95.2 95.6 95.9	96.3 96.8 97.3	97.8 98.9 99.4	100.4 99.4 98.3	94.7 92.2 89.2	82.2 74.2 68.8		
Night (8h)		Emission	Reference: Nordex163-7.0 >7 m/s												
Night (8h)		Lw /dB (A)	109.4	61.6 66.2 70.5	73.9 76.2 78.2	80.2 83.2 86.2	89.2 94.2 94.2	95.2 95.6 95.9	96.3 96.8 97.3	97.8 98.9 99.4	100.4 99.4 98.3	94.7 92.2 89.2	82.2 74.2 68.8		
Evening (4h)		Emission	Reference: Nordex163-7.0 >7 m/s												
Evening (4h)		Lw /dB (A)	109.4	61.6 66.2 70.5	73.9 76.2 78.2	80.2 83.2 86.2	89.2 94.2 94.2	95.2 95.6 95.9	96.3 96.8 97.3	97.8 98.9 99.4	100.4 99.4 98.3	94.7 92.2 89.2	82.2 74.2 68.8		
Rating method			Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
Lden			-		0.0		0.0		0.0		-		0.0		
Rating period / Period			Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
Day (12h)			12.00	Day	109.4		1.00		6.64470		-2.57		-2.6		
Evening (4h)			4.00	Evening	109.4		1.00		2.74000		-1.64		-1.6		
Night (8h)			8.00	Night	109.4		1.00		5.59040		-1.56		-1.6		
Geometry						Nr	x/m	y/m	z(abs) /m			! z(rel) /m			
						Geometry:	542443.06	272412.97	213.00			169.00			
EQCN054			Label			10			Action radius/m					3000.00	
			Group			>=7 m/s			Lw (Day (12h)) /dB(A)					109.39	
			Number of nodes			1			Lw (Night (8h)) /dB(A)					109.39	
			Length/ m			---			Lw (Evening (4h)) /dB(A)					109.39	
			Length/ m (2D)			---			Emission is					Sound power level (Lw)	
			Area /m²			---									
Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
Day (12h)		Emission	Reference: Nordex163-7.0 >7 m/s												
Day (12h)		Lw /dB (A)	109.4	61.6 66.2 70.5	73.9 76.2 78.2	80.2 83.2 86.2	89.2 94.2 94.2	95.2 95.6 95.9	96.3 96.8 97.3	97.8 98.9 99.4	100.4 99.4 98.3	94.7 92.2 89.2	82.2 74.2 68.8		
Night (8h)		Emission	Reference: Nordex163-7.0 >7 m/s												
Night (8h)		Lw /dB (A)	109.4	61.6 66.2 70.5	73.9 76.2 78.2	80.2 83.2 86.2	89.2 94.2 94.2	95.2 95.6 95.9	96.3 96.8 97.3	97.8 98.9 99.4	100.4 99.4 98.3	94.7 92.2 89.2	82.2 74.2 68.8		
Evening (4h)		Emission	Reference: Nordex163-7.0 >7 m/s												
Evening (4h)		Lw /dB (A)	109.4	61.6 66.2 70.5	73.9 76.2 78.2	80.2 83.2 86.2	89.2 94.2 94.2	95.2 95.6 95.9	96.3 96.8 97.3	97.8 98.9 99.4	100.4 99.4 98.3	94.7 92.2 89.2	82.2 74.2 68.8		
Rating method			Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
Lden			-		0.0		0.0		0.0		-		0.0		
Rating period / Period			Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
Day (12h)			12.00	Day	109.4		1.00		6.64470		-2.57		-2.6		
Evening (4h)			4.00	Evening	109.4		1.00		2.74000		-1.64		-1.6		
Night (8h)			8.00	Night	109.4		1.00		5.59040		-1.56		-1.6		
Geometry						Nr	x/m	y/m	z(abs) /m			! z(rel) /m			
						Geometry:	542341.59	273009.79	213.69			169.00			
EQCN055			Label			13			Action radius/m					3000.00	
			Group			>=7 m/s			Lw (Day (12h)) /dB(A)					109.39	
			Number of nodes			1			Lw (Night (8h)) /dB(A)					109.39	
			Length/ m			---			Lw (Evening (4h)) /dB(A)					109.39	
			Length/ m (2D)			---			Emission is					Sound power level (Lw)	
			Area /m²			---									
Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
Day (12h)		Emission	Reference: Nordex163-7.0 >7 m/s												
Day (12h)		Lw /dB (A)	109.4	61.6 66.2 70.5	73.9 76.2 78.2	80.2 83.2 86.2	89.2 94.2 94.2	95.2 95.6 95.9	96.3 96.8 97.3	97.8 98.9 99.4	100.4 99.4 98.3	94.7 92.2 89.2	82.2 74.2 68.8		
Night (8h)		Emission	Reference: Nordex163-7.0 >7 m/s												
Night (8h)		Lw /dB (A)	109.4	61.6 66.2 70.5	73.9 76.2 78.2	80.2 83.2 86.2	89.2 94.2 94.2	95.2 95.6 95.9	96.3 96.8 97.3	97.8 98.9 99.4	100.4 99.4 98.3	94.7 92.2 89.2	82.2 74.2 68.8		
Evening (4h)		Emission	Reference: Nordex163-7.0 >7 m/s												
Evening (4h)		Lw /dB (A)	109.4	61.6 66.2 70.5	73.9 76.2 78.2	80.2 83.2 86.2	89.2 94.2 94.2	95.2 95.6 95.9	96.3 96.8 97.3	97.8 98.9 99.4	100.4 99.4 98.3	94.7 92.2 89.2	82.2 74.2 68.8		
Rating method			Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
Lden			-		0.0		0.0		0.0		-		0.0		
Rating period / Period			Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
Day (12h)			12.00	Day	109.4		1.00		6.64470		-2.57		-2.6		
Evening (4h)			4.00	Evening	109.4		1.00		2.74000		-1.64		-1.6		
Night (8h)			8.00	Night	109.4		1.00		5.59040		-1.56		-1.6		
Geometry						Nr	x/m	y/m	z(abs) /m			! z(rel) /m			
						Geometry:	542411.66	271815.28	212.90			169.00			

