


DECIBEL - Detailed results, graphic

Calculation: Vestas V162-6.2 MW STE kumulativa ietekme Noise calculation model: Danish low frequency 2019
74440040026001 Alpi Noise sensitive point: Danish 2019 low frequency - Regular dwellings (30)




Calculated noise [dB(A)]

| | |
|------------|------|
| Wind speed | |
| [m/s] | |
| 6.0 | 10.5 |
| 8.0 | 10.8 |

DECIBEL - Detailed results, graphic

Calculation: Vestas V162-6.2 MW STE kumulativa ietekme Noise calculation model: Danish low frequency 2019
74440070002001 Straumes Noise sensitive point: Danish 2019 low frequency - Regular dwellings (2)




| Sound level | | |
|-------------|---------|-----------|
| Wind speed | Demands | WTG noise |
| [m/s] | [dB(A)] | [dB(A)] |
| 6.0 | 20.0 | 11.5 |
| 8.0 | 20.0 | 11.7 |

Calculated noise [dB(A)]

| Wind speed | |
|------------|------|
| [m/s] | |
| 6.0 | 11.5 |
| 8.0 | 11.7 |

DECIBEL - Detailed results, graphic

Calculation: Vestas V162-6.2 MW STE kumulativa ietekme Noise calculation model: Danish low frequency 2019
74440070004001 Beikapi Noise sensitive point: Danish 2019 low frequency - Regular dwellings (15)




| Sound level | | |
|-------------|---------|-----------|
| Wind speed | Demands | WTG noise |
| [m/s] | [dB(A)] | [dB(A)] |
| 6.0 | 20.0 | 11.2 |
| 8.0 | 20.0 | 11.4 |

Calculated noise [dB(A)]

| Wind speed | |
|------------|------|
| [m/s] | |
| 6.0 | 11.2 |
| 8.0 | 11.4 |

DECIBEL - Detailed results, graphic

Calculation: Vestas V162-6.2 MW STE kumulativa ietekme Noise calculation model: Danish low frequency 2019
74440070017002 Atini Noise sensitive point: Danish 2019 low frequency - Regular dwellings (20)




Calculated noise [dB(A)]

| Wind speed | |
|------------|------|
| [m/s] | |
| 6.0 | 13.4 |
| 8.0 | 13.7 |

DECIBEL - Detailed results, graphic

Calculation: Vestas V162-6.2 MW STE kumulativa ietekme Noise calculation model: Danish low frequency 2019
74440070029001 Audzespieduri Noise sensitive point: Danish 2019 low frequency - Regular dwellings (24)




Calculated noise [dB(A)]

| Wind speed | |
|------------|-----|
| [m/s] | |
| 6.0 | 7.5 |
| 8.0 | 7.8 |

DECIBEL - Detailed results, graphic

Calculation: Vestas V162-6.2 MW STE kumulativa ietekme Noise calculation model: Danish low frequency 2019
74440070036001 Pieduri Noise sensitive point: Danish 2019 low frequency - Regular dwellings (23)




Calculated noise [dB(A)]

| Wind speed | |
|------------|-----|
| [m/s] | |
| 6.0 | 8.0 |
| 8.0 | 8.3 |

DECIBEL - Detailed results, graphic

Calculation: Vestas V162-6.2 MW STE kumulativa ietekme Noise calculation model: Danish low frequency 2019
74440070044001 Salaskalni Noise sensitive point: Danish 2019 low frequency - Regular dwellings (16)




| Sound level | | |
|-------------|---------|-----------|
| Wind speed | Demands | WTG noise |
| [m/s] | [dB(A)] | [dB(A)] |
| 6.0 | 20.0 | 9.6 |
| 8.0 | 20.0 | 9.9 |

Calculated noise [dB(A)]

| Wind speed | |
|------------|-----|
| [m/s] | |
| 6.0 | 9.6 |
| 8.0 | 9.9 |

DECIBEL - Detailed results, graphic

Calculation: Vestas V162-6.2 MW STE kumulativa ietekme Noise calculation model: Danish low frequency 2019
74440070045001 Licupes Noise sensitive point: Danish 2019 low frequency - Regular dwellings (29)



Calculated noise [dB(A)]

| | |
|------------|-----|
| Wind speed | |
| [m/s] | |
| 6.0 | 9.6 |
| 8.0 | 9.8 |

Project:

Vestas V162-6.2 MW kumulativa ietekme

Licensed user:

SIA Estonian, Latvian & Lithuanian environment

Vilandes 3-6

LV-1010 Riga

0037167242411

Kristiana / kristiana@environment.lv


Calculated:

08/04/2025 11:38 am/4.0.547

DECIBEL - Detailed results, graphic

Calculation: Vestas V162-6.2 MW STE kumulativa ietekme Noise calculation model: Danish low frequency 2019

74440070051001 Senci Noise sensitive point: Danish 2019 low frequency - Regular dwellings (9)



Calculated noise [dB(A)]


Wind speed

[m/s]

| | |
|-----|-----|
| 6.0 | 9.6 |
| 8.0 | 9.8 |

DECIBEL - Detailed results, graphic

Calculation: Vestas V162-6.2 MW STE kumulativa ietekme Noise calculation model: Danish low frequency 2019
74440070053001 Rogas Noise sensitive point: Danish 2019 low frequency - Regular dwellings (13)




Calculated noise [dB(A)]

| | |
|------------|-----|
| Wind speed | |
| [m/s] | |
| 6.0 | 8.1 |
| 8.0 | 8.3 |

DECIBEL - Detailed results, graphic

Calculation: Vestas V162-6.2 MW STE kumulativa ietekme Noise calculation model: Danish low frequency 2019
74440070054001 Duburi Noise sensitive point: Danish 2019 low frequency - Regular dwellings (22)




Calculated noise [dB(A)]

| Wind speed | |
|------------|-----|
| [m/s] | |
| 6.0 | 9.5 |
| 8.0 | 9.8 |

DECIBEL - Detailed results, graphic

Calculation: Vestas V162-6.2 MW STE kumulativa ietekme Noise calculation model: Danish low frequency 2019
74440070059001 Zarini Noise sensitive point: Danish 2019 low frequency - Regular dwellings (8)




Calculated noise [dB(A)]

| | |
|------------|-----|
| Wind speed | |
| [m/s] | |
| 6.0 | 8.9 |
| 8.0 | 9.1 |

DECIBEL - Detailed results, graphic

Calculation: Vestas V162-6.2 MW STE kumulativa ietekme Noise calculation model: Danish low frequency 2019
74440070062001 OŠ i Noise sensitive point: Danish 2019 low frequency - Regular dwellings (5)




Calculated noise [dB(A)]

| Wind speed | |
|------------|-----|
| [m/s] | |
| 6.0 | 9.6 |
| 8.0 | 9.9 |

DECIBEL - Detailed results, graphic

Calculation: Vestas V162-6.2 MW STE kumulativa ietekme Noise calculation model: Danish low frequency 2019
74440070067001 Vecbirznieki Noise sensitive point: Danish 2019 low frequency - Regular dwellings (1)




Calculated noise [dB(A)]

| Wind speed | |
|------------|------|
| [m/s] | |
| 6.0 | 10.2 |
| 8.0 | 10.4 |

DECIBEL - Detailed results, graphic

Calculation: Vestas V162-6.2 MW STE kumulativa ietekme Noise calculation model: Danish low frequency 2019
74440070069001 Lejieš i Noise sensitive point: Danish 2019 low frequency - Regular dwellings (18)




| Sound level | | |
|-------------|---------|-----------|
| Wind speed | Demands | WTG noise |
| [m/s] | [dB(A)] | [dB(A)] |
| 6.0 | 20.0 | 9.0 |
| 8.0 | 20.0 | 9.2 |

Calculated noise [dB(A)]

| Wind speed | |
|------------|-----|
| [m/s] | |
| 6.0 | 9.0 |
| 8.0 | 9.2 |

DECIBEL - Detailed results, graphic

Calculation: Vestas V162-6.2 MW STE kumulativa ietekme Noise calculation model: Danish low frequency 2019
74440070070001 Silini Noise sensitive point: Danish 2019 low frequency - Regular dwellings (3)




Calculated noise [dB(A)]

| | |
|------------|-----|
| Wind speed | |
| [m/s] | |
| 6.0 | 8.3 |
| 8.0 | 8.5 |

DECIBEL - Detailed results, graphic

Calculation: Vestas V162-6.2 MW STE kumulativa ietekme Noise calculation model: Danish low frequency 2019
74440070072001 Zustreni Noise sensitive point: Danish 2019 low frequency - Regular dwellings (11)




Calculated noise [dB(A)]

| Wind speed | |
|------------|-----|
| [m/s] | |
| 6.0 | 8.8 |
| 8.0 | 9.1 |

DECIBEL - Detailed results, graphic

Calculation: Vestas V162-6.2 MW STE kumulativa ietekme Noise calculation model: Danish low frequency 2019
74440070083001 Rukmuli Noise sensitive point: Danish 2019 low frequency - Regular dwellings (28)




Calculated noise [dB(A)]

| | |
|------------|-----|
| Wind speed | |
| [m/s] | |
| 6.0 | 8.7 |
| 8.0 | 8.9 |

DECIBEL - Detailed results, graphic

Calculation: Vestas V162-6.2 MW STE kumulativa ietekme Noise calculation model: Danish low frequency 2019
74440070085001 Plavinas Noise sensitive point: Danish 2019 low frequency - Regular dwellings (27)




| Sound level | | |
|-------------|---------|-----------|
| Wind speed | Demands | WTG noise |
| [m/s] | [dB(A)] | [dB(A)] |
| 6.0 | 20.0 | 8.4 |
| 8.0 | 20.0 | 8.6 |

Calculated noise [dB(A)]

| Wind speed | |
|------------|-----|
| [m/s] | |
| 6.0 | 8.4 |
| 8.0 | 8.6 |

DECIBEL - Detailed results, graphic

Calculation: Vestas V162-6.2 MW STE kumulativa ietekme Noise calculation model: Danish low frequency 2019
74440070090001 Graš ini Noise sensitive point: Danish 2019 low frequency - Regular dwellings (7)




| Sound level | | |
|-------------|---------|-----------|
| Wind speed | Demands | WTG noise |
| [m/s] | [dB(A)] | [dB(A)] |
| 6.0 | 20.0 | 10.9 |
| 8.0 | 20.0 | 11.2 |

Calculated noise [dB(A)]

| Wind speed | |
|------------|------|
| [m/s] | |
| 6.0 | 10.9 |
| 8.0 | 11.2 |

DECIBEL - Detailed results, graphic

Calculation: Vestas V162-6.2 MW STE kumulativa ietekme Noise calculation model: Danish low frequency 2019
74440070096001 Pienenes Noise sensitive point: Danish 2019 low frequency - Regular dwellings (21)




| Sound level | | |
|-------------|---------|-----------|
| Wind speed | Demands | WTG noise |
| [m/s] | [dB(A)] | [dB(A)] |
| 6.0 | 20.0 | 8.8 |
| 8.0 | 20.0 | 9.1 |

Calculated noise [dB(A)]

| Wind speed | |
|------------|-----|
| [m/s] | |
| 6.0 | 8.8 |
| 8.0 | 9.1 |

DECIBEL - Detailed results, graphic

Calculation: Vestas V162-6.2 MW STE kumulativa ietekme Noise calculation model: Danish low frequency 2019
74440070121001 Klavas Noise sensitive point: Danish 2019 low frequency - Regular dwellings (6)




Calculated noise [dB(A)]

| | |
|------------|-----|
| Wind speed | |
| [m/s] | |
| 6.0 | 8.5 |
| 8.0 | 8.7 |

DECIBEL - Detailed results, graphic

Calculation: Vestas V162-6.2 MW STE kumulativa ietekme Noise calculation model: Danish low frequency 2019
74440070133001 Jaunstamuri Noise sensitive point: Danish 2019 low frequency - Regular dwellings (19)




| Sound level | | |
|-------------|---------|-----------|
| Wind speed | Demands | WTG noise |
| [m/s] | [dB(A)] | [dB(A)] |
| 6.0 | 20.0 | 11.8 |
| 8.0 | 20.0 | 12.0 |

Calculated noise [dB(A)]

| Wind speed | |
|------------|------|
| [m/s] | |
| 6.0 | 11.8 |
| 8.0 | 12.0 |

DECIBEL - Detailed results, graphic

Calculation: Vestas V162-6.2 MW STE kumulativa ietekme Noise calculation model: Danish low frequency 2019
74440070164001 Porini Noise sensitive point: Danish 2019 low frequency - Regular dwellings (26)




Calculated noise [dB(A)]

| Wind speed | |
|------------|------|
| [m/s] | |
| 6.0 | 12.0 |
| 8.0 | 12.2 |

DECIBEL - Detailed results, graphic

Calculation: Vestas V162-6.2 MW STE kumulativa ietekme Noise calculation model: Danish low frequency 2019
74440070177001 Zviedri Noise sensitive point: Danish 2019 low frequency - Regular dwellings (17)




Calculated noise [dB(A)]

| | |
|------------|-----|
| Wind speed | |
| [m/s] | |
| 6.0 | 8.3 |
| 8.0 | 8.6 |

DECIBEL - Detailed results, graphic

Calculation: Vestas V162-6.2 MW STE kumulativa ietekme Noise calculation model: Danish low frequency 2019
74440070186001 Apseni Noise sensitive point: Danish 2019 low frequency - Regular dwellings (12)



Calculated noise [dB(A)]

| Wind speed | |
|------------|------|
| [m/s] | |
| 6.0 | 11.4 |
| 8.0 | 11.6 |

Project:

Vestas V162-6.2 MW kumulativa ietekme

Licensed user:

SIA Estonian, Latvian & Lithuanian environment

Vilandes 3-6

LV-1010 Riga

0037167242411

Kristiana / kristiana@environment.lv


Calculated:

08/04/2025 11:38 am/4.0.547

DECIBEL - Detailed results, graphic

Calculation: Vestas V162-6.2 MW STE kumulativa ietekme Noise calculation model: Danish low frequency 2019

74440070188001 Strautmali Noise sensitive point: Danish 2019 low frequency - Regular dwellings (14)



Sound level

| Wind speed | Demands | WTG noise |
|------------|---------|-----------|
| [m/s] | [dB(A)] | [dB(A)] |
| 6.0 | 20.0 | 12.4 |
| 8.0 | 20.0 | 12.7 |

Calculated noise [dB(A)]


Wind speed

[m/s]

| | |
|-----|------|
| 6.0 | 12.4 |
| 8.0 | 12.7 |

DECIBEL - Detailed results, graphic

Calculation: Vestas V162-6.2 MW STE kumulativa ietekme Noise calculation model: Danish low frequency 2019
74440070195015 Kaspari Noise sensitive point: Danish 2019 low frequency - Regular dwellings (25)




Calculated noise [dB(A)]

| Wind speed | |
|------------|------|
| [m/s] | |
| 6.0 | 14.4 |
| 8.0 | 14.6 |

DECIBEL - Detailed results, graphic

Calculation: Vestas V162-6.2 MW STE kumulativa ietekme Noise calculation model: Danish low frequency 2019
74440070206001 Jaunbirznieki Noise sensitive point: Danish 2019 low frequency - Regular dwellings (10)




Calculated noise [dB(A)]

| | |
|------------|-----|
| Wind speed | |
| [m/s] | |
| 6.0 | 9.6 |
| 8.0 | 9.9 |

DECIBEL - Detailed results, graphic

Calculation: Vestas V162-6.2 MW STE kumulativa ietekme Noise calculation model: Danish low frequency 2019
74440070252001 Jaunvilni Noise sensitive point: Danish 2019 low frequency - Regular dwellings (4)




| Sound level | | |
|-------------|---------|-----------|
| Wind speed | Demands | WTG noise |
| [m/s] | [dB(A)] | [dB(A)] |
| 6.0 | 20.0 | 9.8 |
| 8.0 | 20.0 | 10.0 |

Calculated noise [dB(A)]

| Wind speed | |
|------------|------|
| [m/s] | |
| 6.0 | 9.8 |
| 8.0 | 10.0 |

DECIBEL - Detailed results, graphic

Calculation: Vestas V162-6.2 MW STE kumulativa ietekme Noise calculation model: Danish low frequency 2019
74440070333001 Priež lejas Noise sensitive point: Danish 2019 low frequency - Regular dwellings (31)



| Sound level | | |
|-------------|---------|-----------|
| Wind speed | Demands | WTG noise |
| [m/s] | [dB(A)] | [dB(A)] |
| 6.0 | 20.0 | 9.3 |
| 8.0 | 20.0 | 9.5 |

Calculated noise [dB(A)]

| Wind speed | |
|------------|-----|
| [m/s] | |
| 6.0 | 9.3 |
| 8.0 | 9.5 |