


DECIBEL - Detailed results, graphic

Calculation: Nordex N175 - 6.8 MW ST Noise calculation model: Danish low frequency 2019  
74440040026001 Alpi Noise sensitive point: Danish 2019 low frequency - Regular dwellings (30)




Calculated noise [dB(A)]

Wind speed	
[m/s]	
3.0	11.8
4.0	11.8
5.0	11.8
6.0	11.8
7.0	11.8
8.0	11.8
9.0	11.8
10.0	11.8
11.0	11.8
12.0	11.8

DECIBEL - Detailed results, graphic

Calculation: Nordex N175 - 6.8 MW ST Noise calculation model: Danish low frequency 2019  
74440070002001 Straumes Noise sensitive point: Danish 2019 low frequency - Regular dwellings (2)




Calculated noise [dB(A)]

Wind speed	
[m/s]	
3.0	15.7
4.0	15.7
5.0	15.7
6.0	15.7
7.0	15.7
8.0	15.7
9.0	15.7
10.0	15.7
11.0	15.7
12.0	15.7

DECIBEL - Detailed results, graphic

Calculation: Nordex N175 - 6.8 MW ST Noise calculation model: Danish low frequency 2019  
74440070004001 Beikapi Noise sensitive point: Danish 2019 low frequency - Regular dwellings (15)




Calculated noise [dB(A)]

Wind speed	
[m/s]	
3.0	15.4
4.0	15.4
5.0	15.4
6.0	15.4
7.0	15.4
8.0	15.4
9.0	15.4
10.0	15.4
11.0	15.4
12.0	15.4

DECIBEL - Detailed results, graphic

Calculation: Nordex N175 - 6.8 MW ST    Noise calculation model: Danish low frequency 2019  
74440070017002 Atini Noise sensitive point: Danish 2019 low frequency - Regular dwellings (20)




Calculated noise [dB(A)]

Wind speed	
[m/s]	
3.0	16.8
4.0	16.8
5.0	16.8
6.0	16.8
7.0	16.8
8.0	16.8
9.0	16.8
10.0	16.8
11.0	16.8
12.0	16.8

DECIBEL - Detailed results, graphic

Calculation: Nordex N175 - 6.8 MW ST Noise calculation model: Danish low frequency 2019  
74440070029001 Audzespieduri Noise sensitive point: Danish 2019 low frequency - Regular dwellings (24)




Calculated noise [dB(A)]

Wind speed	
[m/s]	
3.0	11.6
4.0	11.6
5.0	11.6
6.0	11.6
7.0	11.6
8.0	11.6
9.0	11.6
10.0	11.6
11.0	11.6
12.0	11.6

DECIBEL - Detailed results, graphic

Calculation: Nordex N175 - 6.8 MW ST Noise calculation model: Danish low frequency 2019  
74440070036001 Pieduri Noise sensitive point: Danish 2019 low frequency - Regular dwellings (23)




Calculated noise [dB(A)]

Wind speed	
[m/s]	
3.0	12.1
4.0	12.1
5.0	12.1
6.0	12.1
7.0	12.1
8.0	12.1
9.0	12.1
10.0	12.1
11.0	12.1
12.0	12.1

DECIBEL - Detailed results, graphic

Calculation: Nordex N175 - 6.8 MW ST Noise calculation model: Danish low frequency 2019  
74440070044001 Salaskalni Noise sensitive point: Danish 2019 low frequency - Regular dwellings (16)




Calculated noise [dB(A)]

Wind speed	
[m/s]	
3.0	13.8
4.0	13.8
5.0	13.8
6.0	13.8
7.0	13.8
8.0	13.8
9.0	13.8
10.0	13.8
11.0	13.8
12.0	13.8

DECIBEL - Detailed results, graphic

Calculation: Nordex N175 - 6.8 MW ST Noise calculation model: Danish low frequency 2019  
74440070045001 Licupes Noise sensitive point: Danish 2019 low frequency - Regular dwellings (29)




Calculated noise [dB(A)]

Wind speed	
[m/s]	
3.0	13.5
4.0	13.5
5.0	13.5
6.0	13.5
7.0	13.5
8.0	13.5
9.0	13.5
10.0	13.5
11.0	13.5
12.0	13.5



DECIBEL - Detailed results, graphic

Calculation: Nordex N175 - 6.8 MW ST Noise calculation model: Danish low frequency 2019  
74440070051001 Senci Noise sensitive point: Danish 2019 low frequency - Regular dwellings (9)




Calculated noise [dB(A)]

Wind speed	
[m/s]	
3.0	13.7
4.0	13.7
5.0	13.7
6.0	13.7
7.0	13.7
8.0	13.7
9.0	13.7
10.0	13.7
11.0	13.7
12.0	13.7

DECIBEL - Detailed results, graphic

Calculation: Nordex N175 - 6.8 MW ST Noise calculation model: Danish low frequency 2019  
74440070053001 Rogas Noise sensitive point: Danish 2019 low frequency - Regular dwellings (13)




Calculated noise [dB(A)]

Wind speed	
[m/s]	
3.0	12.2
4.0	12.2
5.0	12.2
6.0	12.2
7.0	12.2
8.0	12.2
9.0	12.2
10.0	12.2
11.0	12.2
12.0	12.2

DECIBEL - Detailed results, graphic

Calculation: Nordex N175 - 6.8 MW ST Noise calculation model: Danish low frequency 2019  
74440070054001 Duburi Noise sensitive point: Danish 2019 low frequency - Regular dwellings (22)




Calculated noise [dB(A)]

Wind speed	
[m/s]	
3.0	13.4
4.0	13.4
5.0	13.4
6.0	13.4
7.0	13.4
8.0	13.4
9.0	13.4
10.0	13.4
11.0	13.4
12.0	13.4

DECIBEL - Detailed results, graphic

Calculation: Nordex N175 - 6.8 MW ST Noise calculation model: Danish low frequency 2019  
74440070059001 Zarini Noise sensitive point: Danish 2019 low frequency - Regular dwellings (8)




Calculated noise [dB(A)]

Wind speed	
[m/s]	
3.0	13.0
4.0	13.0
5.0	13.0
6.0	13.0
7.0	13.0
8.0	13.0
9.0	13.0
10.0	13.0
11.0	13.0
12.0	13.0

DECIBEL - Detailed results, graphic

Calculation: Nordex N175 - 6.8 MW ST Noise calculation model: Danish low frequency 2019  
74440070062001 Oš i Noise sensitive point: Danish 2019 low frequency - Regular dwellings (5)




Calculated noise [dB(A)]

Wind speed	
[m/s]	
3.0	13.7
4.0	13.7
5.0	13.7
6.0	13.7
7.0	13.7
8.0	13.7
9.0	13.7
10.0	13.7
11.0	13.7
12.0	13.7

DECIBEL - Detailed results, graphic

Calculation: Nordex N175 - 6.8 MW ST Noise calculation model: Danish low frequency 2019  
74440070067001 Vecbirznieki Noise sensitive point: Danish 2019 low frequency - Regular dwellings (1)




Calculated noise [dB(A)]

Wind speed	
[m/s]	
3.0	14.3
4.0	14.3
5.0	14.3
6.0	14.3
7.0	14.3
8.0	14.3
9.0	14.3
10.0	14.3
11.0	14.3
12.0	14.3

DECIBEL - Detailed results, graphic

Calculation: Nordex N175 - 6.8 MW ST Noise calculation model: Danish low frequency 2019  
74440070069001 Lejieš i Noise sensitive point: Danish 2019 low frequency - Regular dwellings (18)




Calculated noise [dB(A)]

Wind speed	
[m/s]	
3.0	13.0
4.0	13.0
5.0	13.0
6.0	13.0
7.0	13.0
8.0	13.0
9.0	13.0
10.0	13.0
11.0	13.0
12.0	13.0

DECIBEL - Detailed results, graphic

Calculation: Nordex N175 - 6.8 MW ST    Noise calculation model: Danish low frequency 2019  
74440070070001 Silini Noise sensitive point: Danish 2019 low frequency - Regular dwellings (3)




Calculated noise [dB(A)]

Wind speed	
[m/s]	
3.0	12.3
4.0	12.3
5.0	12.3
6.0	12.3
7.0	12.3
8.0	12.3
9.0	12.3
10.0	12.3
11.0	12.3
12.0	12.3



DECIBEL - Detailed results, graphic

Calculation: Nordex N175 - 6.8 MW ST Noise calculation model: Danish low frequency 2019  
74440070072001 Zustreni Noise sensitive point: Danish 2019 low frequency - Regular dwellings (11)




Calculated noise [dB(A)]

Wind speed	
[m/s]	
3.0	12.9
4.0	12.9
5.0	12.9
6.0	12.9
7.0	12.9
8.0	12.9
9.0	12.9
10.0	12.9
11.0	12.9
12.0	12.9

DECIBEL - Detailed results, graphic

Calculation: Nordex N175 - 6.8 MW ST Noise calculation model: Danish low frequency 2019  
74440070083001 Rukmuli Noise sensitive point: Danish 2019 low frequency - Regular dwellings (28)




Calculated noise [dB(A)]

Wind speed	
[m/s]	
3.0	12.8
4.0	12.8
5.0	12.8
6.0	12.8
7.0	12.8
8.0	12.8
9.0	12.8
10.0	12.8
11.0	12.8
12.0	12.8

DECIBEL - Detailed results, graphic

Calculation: Nordex N175 - 6.8 MW ST Noise calculation model: Danish low frequency 2019  
74440070085001 Plavinas Noise sensitive point: Danish 2019 low frequency - Regular dwellings (27)




Calculated noise [dB(A)]

Wind speed	
[m/s]	
3.0	12.3
4.0	12.3
5.0	12.3
6.0	12.3
7.0	12.3
8.0	12.3
9.0	12.3
10.0	12.3
11.0	12.3
12.0	12.3

DECIBEL - Detailed results, graphic

Calculation: Nordex N175 - 6.8 MW ST Noise calculation model: Danish low frequency 2019  
74440070090001 Graš ini Noise sensitive point: Danish 2019 low frequency - Regular dwellings (7)




Calculated noise [dB(A)]

Wind speed	
[m/s]	
3.0	15.2
4.0	15.2
5.0	15.2
6.0	15.2
7.0	15.2
8.0	15.2
9.0	15.2
10.0	15.2
11.0	15.2
12.0	15.2

DECIBEL - Detailed results, graphic

Calculation: Nordex N175 - 6.8 MW ST Noise calculation model: Danish low frequency 2019  
74440070096001 Pienenes Noise sensitive point: Danish 2019 low frequency - Regular dwellings (21)




Calculated noise [dB(A)]

Wind speed	
[m/s]	
3.0	12.9
4.0	12.9
5.0	12.9
6.0	12.9
7.0	12.9
8.0	12.9
9.0	12.9
10.0	12.9
11.0	12.9
12.0	12.9

DECIBEL - Detailed results, graphic

Calculation: Nordex N175 - 6.8 MW ST Noise calculation model: Danish low frequency 2019  
74440070121001 Klavas Noise sensitive point: Danish 2019 low frequency - Regular dwellings (6)




Calculated noise [dB(A)]

Wind speed	
[m/s]	
3.0	12.3
4.0	12.3
5.0	12.3
6.0	12.3
7.0	12.3
8.0	12.3
9.0	12.3
10.0	12.3
11.0	12.3
12.0	12.3

DECIBEL - Detailed results, graphic

Calculation: Nordex N175 - 6.8 MW ST Noise calculation model: Danish low frequency 2019  
74440070133001 Jaunstamuri Noise sensitive point: Danish 2019 low frequency - Regular dwellings (19)




Calculated noise [dB(A)]

Wind speed	
[m/s]	
3.0	16.0
4.0	16.0
5.0	16.0
6.0	16.0
7.0	16.0
8.0	16.0
9.0	16.0
10.0	16.0
11.0	16.0
12.0	16.0

DECIBEL - Detailed results, graphic

Calculation: Nordex N175 - 6.8 MW ST Noise calculation model: Danish low frequency 2019  
74440070164001 Porini Noise sensitive point: Danish 2019 low frequency - Regular dwellings (26)




Calculated noise [dB(A)]

Wind speed	
[m/s]	
3.0	16.2
4.0	16.2
5.0	16.2
6.0	16.2
7.0	16.2
8.0	16.2
9.0	16.2
10.0	16.2
11.0	16.2
12.0	16.2



DECIBEL - Detailed results, graphic

Calculation: Nordex N175 - 6.8 MW ST Noise calculation model: Danish low frequency 2019  
74440070177001 Zviedri Noise sensitive point: Danish 2019 low frequency - Regular dwellings (17)




Calculated noise [dB(A)]

Wind speed	
[m/s]	
3.0	12.2
4.0	12.2
5.0	12.2
6.0	12.2
7.0	12.2
8.0	12.2
9.0	12.2
10.0	12.2
11.0	12.2
12.0	12.2

DECIBEL - Detailed results, graphic

Calculation: Nordex N175 - 6.8 MW ST Noise calculation model: Danish low frequency 2019  
74440070186001 Apseni Noise sensitive point: Danish 2019 low frequency - Regular dwellings (12)




Calculated noise [dB(A)]

Wind speed	
[m/s]	
3.0	15.5
4.0	15.5
5.0	15.5
6.0	15.5
7.0	15.5
8.0	15.5
9.0	15.5
10.0	15.5
11.0	15.5
12.0	15.5

DECIBEL - Detailed results, graphic

Calculation: Nordex N175 - 6.8 MW ST Noise calculation model: Danish low frequency 2019  
74440070188001 Strautmali Noise sensitive point: Danish 2019 low frequency - Regular dwellings (14)




Calculated noise [dB(A)]

Wind speed	
[m/s]	
3.0	16.6
4.0	16.6
5.0	16.6
6.0	16.6
7.0	16.6
8.0	16.6
9.0	16.6
10.0	16.6
11.0	16.6
12.0	16.6

DECIBEL - Detailed results, graphic

Calculation: Nordex N175 - 6.8 MW ST Noise calculation model: Danish low frequency 2019  
74440070195015 Kaspari Noise sensitive point: Danish 2019 low frequency - Regular dwellings (25)




Calculated noise [dB(A)]

Wind speed	
[m/s]	
3.0	18.7
4.0	18.7
5.0	18.7
6.0	18.7
7.0	18.7
8.0	18.7
9.0	18.7
10.0	18.7
11.0	18.7
12.0	18.7

DECIBEL - Detailed results, graphic

Calculation: Nordex N175 - 6.8 MW ST Noise calculation model: Danish low frequency 2019  
74440070206001 Jaunbirznieki Noise sensitive point: Danish 2019 low frequency - Regular dwellings (10)




Calculated noise [dB(A)]

Wind speed	
[m/s]	
3.0	13.7
4.0	13.7
5.0	13.7
6.0	13.7
7.0	13.7
8.0	13.7
9.0	13.7
10.0	13.7
11.0	13.7
12.0	13.7

DECIBEL - Detailed results, graphic

Calculation: Nordex N175 - 6.8 MW ST Noise calculation model: Danish low frequency 2019  
74440070252001 Jaunvilni Noise sensitive point: Danish 2019 low frequency - Regular dwellings (4)




Calculated noise [dB(A)]

Wind speed	
[m/s]	
3.0	13.7
4.0	13.7
5.0	13.7
6.0	13.7
7.0	13.7
8.0	13.7
9.0	13.7
10.0	13.7
11.0	13.7
12.0	13.7

DECIBEL - Detailed results, graphic

Calculation: Nordex N175 - 6.8 MW ST Noise calculation model: Danish low frequency 2019  
74440070333001 Priež iejas Noise sensitive point: Danish 2019 low frequency - Regular dwellings (31)



Calculated noise [dB(A)]

Wind speed	
[m/s]	
3.0	13.5
4.0	13.5
5.0	13.5
6.0	13.5
7.0	13.5
8.0	13.5
9.0	13.5
10.0	13.5
11.0	13.5
12.0	13.5