

Rating periods				
T1	Day (12h)			
T2	Evening (4h)			
T3	Night (8h)			
T4	DEN			

# VĒVERI 2 SATIKSME A ALTERNATĪVA

Road /XP S 31-133 (7)										Veveri 2 darbiba celi A alternatiba						
R96_079	Label			Bitenieku iela**			Action radius/m			2100.00						
	Group			Veveri 2 celi A alternatiba			Emi. variant			Emission						
	Number of nodes			11						dB(A)						
	Length/ m			669.86			Day (12h)			48.74						
	Length/ m (2D)			669.86			Night (8h)			-99.00						
	Area /m²			---			Evening (4h)			-99.00						
							Max gradient % (z-coord.)			0.03						
							Driving direction			2 direct./driving on the right						
							Dist.:centreline lane - road /m			1.75						
							Road surface			Asphalt						
	Emiss. variant		Traffic flow			Q car /vehic/h		Q HGV /vehic/h		v (car) /km/h		v HGV /km/h		Leq /dB(A)		
	Day (12h)		Continuous flow			0.00		2.54		50.00		50.00		48.74		
	Night (8h)		Continuous flow			0.00		0.00		50.00		50.00		-99.00		
	Evening (4h)		Continuous flow			0.00		0.00		50.00		50.00		-99.00		
	Rating method			Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB				
	Lden			-		0.0		0.0		0.0		-		0.0		
	Rating period / Period			Duration /h	Emiss. variant	Lw' /dB(A)		n times		Impact time /h		dLi /dB		Lw'r /dB(A)		
	Day (12h)			12.00	Day	68.7		1.00		12.00000		0.00		0.0		
	Evening (4h)			4.00	Evening	-79.0		1.00		4.00000		0.00		0.0		
	Night (8h)			8.00	Night	-79.0		1.00		8.00000		0.00		0.0		
	Geometry			Section profile			Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
				Section profile 0			1		515053.14		306263.99		12.00		0.00	
				Section profile 0			2		515052.19		306277.60		12.00		0.00	
				Section profile 0			3		515041.00		306429.82		12.05		0.00	
				Section profile 0			4		515024.15		306678.90		12.00		0.00	
				Section profile 0			5		515019.04		306753.23		12.00		0.00	
				Section profile 0			6		515015.42		306814.30		12.00		0.00	

			Section profile 0	7	515014.25	306837.28	12.00	0.00	
			Section profile 0	8	515017.19	306880.89	12.00	0.00	
			Section profile 0	9	515018.66	306904.46	12.00	0.00	
			Section profile 0	10	515017.19	306916.25	12.00	0.00	
			-	11	515013.66	306931.89	12.00	0.00	
R96_080	Label		Bitenieku iela*		Action radius/m		2100.00		
	Group		Veveri 2 celi A alternatiba		Emi. variant		Emission		
	Number of nodes		7				dB(A)		
	Length/ m		354.40		Day (12h)		51.03		
	Length/ m (2D)		354.40		Night (8h)		-99.00		
	Area /m²		---		Evening (4h)		-99.00		
					Max gradient % (z-coord.)		0.96		
					Driving direction		2 direct./driving on the right		
					Dist.:centreline lane - road /m		1.75		
					Road surface		Asphalt		
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v (car) /km/h	v HGV /km/h	Leq /dB(A)	
	Day (12h)	Continuous flow		0.00	2.54	30.00	30.00	51.03	
	Night (8h)	Continuous flow		0.00	0.00	30.00	30.00	-99.00	
	Evening (4h)	Continuous flow		0.00	0.00	30.00	30.00	-99.00	
	Rating method		Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
	Lden		-	0.0	0.0	0.0	-	0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)		12.00	Day	71.0	1.00	12.00000	0.00	0.0
	Evening (4h)		4.00	Evening	-79.0	1.00	4.00000	0.00	0.0
	Night (8h)		8.00	Night	-79.0	1.00	8.00000	0.00	0.0
	Geometry		Section profile		Nr	x/m	y/m	z(abs) /m	! z(rel) /m
			Section profile 0		1	515075.56	305910.36	12.07	0.00
			Section profile 0		2	515075.66	305930.69	12.26	0.00
			Section profile 0		3	515074.59	305953.78	12.38	0.00
			Section profile 0		4	515070.19	306017.43	12.19	0.00
			Section profile 0		5	515064.42	306102.80	12.00	0.00
			Section profile 0		6	515058.04	306193.95	12.00	0.00

			-	7	515053.14	306263.99	12.00	0.00
R96_081	Label	Bitenieku iela			Action radius/m		2100.00	
	Group	Veveri 2 celi A alternatiba			Emi. variant		Emission	
	Number of nodes	25					dB(A)	
	Length/ m	710.82			Day (12h)		48.74	
	Length/ m (2D)	710.81			Night (8h)		-99.00	
	Area /m²	---			Evening (4h)		-99.00	
					Max gradient % (z-coord.)		-1.44	
					Driving direction		2 direct./driving on the right	
					Dist.:centreline lane - road /m		1.75	
					Road surface		Asphalt	
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v (car) /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow		0.00	2.54	50.00	50.00	48.74
	Night (8h)	Continuous flow		0.00	0.00	50.00	50.00	-99.00
	Evening (4h)	Continuous flow		0.00	0.00	50.00	50.00	-99.00
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden	-		0.0	0.0	0.0	-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	68.7	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	-79.0	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	-79.0	1.00	8.00000	0.00	0.0
	Geometry	Section profile		Nr	x/m	y/m	z(abs) /m	! z(rel) /m
		Section profile 0		1	514782.39	305398.09	11.48	0.00
		Section profile 0		2	514811.94	305421.05	11.75	0.00
		Section profile 0		3	514829.96	305434.86	11.92	0.00
		Section profile 0		4	514850.53	305451.38	12.11	0.00
		Section profile 0		5	514856.98	305455.74	12.17	0.00
		Section profile 0		6	514862.69	305459.49	12.22	0.00
		Section profile 0		7	514869.30	305463.69	12.27	0.00
		Section profile 0		8	514875.60	305466.70	12.33	0.00
		Section profile 0		9	514882.81	305469.40	12.38	0.00
		Section profile 0		10	514922.60	305483.81	12.70	0.00

		Section profile 0	11	514987.92	305506.79	12.91	0.00
		Section profile 0	12	515053.38	305531.71	12.84	0.00
		Section profile 0	13	515081.91	305542.22	12.78	0.00
		Section profile 0	14	515089.57	305545.98	12.76	0.00
		Section profile 0	15	515092.72	305550.78	12.79	0.00
		Section profile 0	16	515094.68	305555.74	12.84	0.00
		Section profile 0	17	515095.58	305564.90	12.93	0.00
		Section profile 0	18	515096.78	305584.57	13.00	0.00
		Section profile 0	19	515095.87	305608.71	12.65	0.00
		Section profile 0	20	515094.05	305634.39	12.43	0.00
		Section profile 0	21	515083.93	305749.32	12.17	0.00
		Section profile 0	22	515078.20	305819.70	12.01	0.00
		Section profile 0	23	515075.35	305858.69	12.00	0.00
		Section profile 0	24	515075.51	305898.34	12.00	0.00
		-	25	515075.56	305910.36	12.07	0.00
<b>R96_082</b>	<b>Label</b>	Kaudzisu iela no Bitenieku ielas līdz Veveri 2 A iebrauktuvei F*		<b>Action radius/m</b>		2100.00	
	<b>Group</b>	Veveri 2 celi A alternatīva		<b>Emi. variant</b>		Emission	
	<b>Number of nodes</b>	5				dB(A)	
	<b>Length/ m</b>	167.39		<b>Day (12h)</b>		51.74	
	<b>Length/ m (2D)</b>	167.38		<b>Night (8h)</b>		-99.00	
	<b>Area /m²</b>	---		<b>Evening (4h)</b>		-99.00	
				<b>Max gradient % (z-coord.)</b>		-1.73	
				<b>Driving direction</b>		2 direct./driving on the right	
				<b>Dist.:centreline lane - road /m</b>		1.75	
				<b>Road surface</b>		Asphalt	
	<b>Emiss. variant</b>	<b>Traffic flow</b>		<b>Q car /vehic/h</b>	<b>Q HGV /vehic/h</b>	<b>v (car) /km/h</b>	<b>Leq /dB(A)</b>
	Day (12h)	Continuous flow		0.00	5.07	50.00	51.74
	Night (8h)	Continuous flow		0.00	0.00	50.00	-99.00
	Evening (4h)	Continuous flow		0.00	0.00	50.00	-99.00
	<b>Rating method</b>	<b>Peak level</b>	<b>Corr. for impulsivity /dB</b>	<b>Corr. for tonality /dB</b>	<b>Corr. for inform. content/dB</b>		<b>Special correction /dB</b>
	Lden	-	0.0	0.0	0.0	-	0.0
	<b>Rating period / Period</b>	<b>Duration /h</b>	<b>Emiss. variant</b>	<b>Lw' /dB(A)</b>	<b>n times</b>	<b>Impact time /h</b>	<b>dLi /dB</b>
							<b>Lw'r /dB(A)</b>

	Day (12h)	12.00	Day	71.7	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	-79.0	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	-79.0	1.00	8.00000	0.00	0.0
	<b>Geometry</b>	<b>Section profile</b>		<b>Nr</b>	<b>x/m</b>	<b>y/m</b>	<b>z(abs) /m</b>	<b>! z(rel) /m</b>
		Section profile 0		1	514898.43	305277.64	12.42	0.00
		Section profile 0		2	514883.17	305296.20	12.00	0.00
		Section profile 0		3	514845.91	305335.54	12.08	0.00
		Section profile 0		4	514810.24	305372.16	11.66	0.00
		-		5	514782.39	305398.09	11.48	0.00
<b>R96_083</b>	<b>Label</b>	Kaudzisu iela no Bitenieku ielas līdz Veveri 2 A iebrauktuvei F*			<b>Action radius/m</b>		2100.00	
	<b>Group</b>	Veveri 2 celi A alternatīva			<b>Emi. variant</b>		Emission	
	<b>Number of nodes</b>	14					dB(A)	
	<b>Length/ m</b>	624.25			<b>Day (12h)</b>		51.65	
	<b>Length/ m (2D)</b>	624.21			<b>Night (8h)</b>		-99.00	
	<b>Area /m²</b>	---			<b>Evening (4h)</b>		-99.00	
					<b>Max gradient % (z-coord.)</b>		2.92	
					<b>Driving direction</b>		2 direct./driving on the right	
					<b>Dist.:centreline lane - road /m</b>		1.75	
					<b>Road surface</b>		Asphalt	
	<b>Emiss. variant</b>	<b>Traffic flow</b>		<b>Q car /vehic/h</b>	<b>Q HGV /vehic/h</b>	<b>v (car) /km/h</b>	<b>v HGV /km/h</b>	<b>Leq /dB(A)</b>
	Day (12h)	Continuous flow		0.00	5.07	70.00	70.00	51.65
	Night (8h)	Continuous flow		0.00	0.00	70.00	70.00	-99.00
	Evening (4h)	Continuous flow		0.00	0.00	70.00	70.00	-99.00
	<b>Rating method</b>	<b>Peak level</b>		<b>Corr. for impulsivity /dB</b>	<b>Corr. for tonality /dB</b>	<b>Corr. for inform. content/dB</b>		<b>Special correction /dB</b>
	Lden	-		0.0	0.0	0.0	-	0.0
	<b>Rating period / Period</b>	<b>Duration /h</b>	<b>Emiss. variant</b>	<b>Lw' /dB(A)</b>	<b>n times</b>	<b>Impact time /h</b>	<b>dLi /dB</b>	<b>Lw'r /dB(A)</b>
	Day (12h)	12.00	Day	71.7	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	-79.0	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	-79.0	1.00	8.00000	0.00	0.0
	<b>Geometry</b>	<b>Section profile</b>		<b>Nr</b>	<b>x/m</b>	<b>y/m</b>	<b>z(abs) /m</b>	<b>! z(rel) /m</b>
		Section profile 0		1	515293.84	304795.26	11.00	0.00
		Section profile 0		2	515291.24	304797.86	11.00	0.00

			Section profile 0	3	515261.97	304829.73	11.00	0.00	
			Section profile 0	4	515237.59	304853.91	12.00	0.00	
			Section profile 0	5	515195.07	304901.83	12.47	0.00	
			Section profile 0	6	515152.48	304953.39	13.00	0.00	
			Section profile 0	7	515113.55	305001.66	12.29	0.00	
			Section profile 0	8	515051.30	305082.38	11.00	0.00	
			Section profile 0	9	515000.00	305151.17	11.21	0.00	
			Section profile 0	10	514970.46	305189.25	11.23	0.00	
			Section profile 0	11	514952.87	305211.37	11.08	0.00	
			Section profile 0	12	514910.97	305262.71	12.01	0.00	
			Section profile 0	13	514906.70	305267.59	12.20	0.00	
			-	14	514898.43	305277.64	12.42	0.00	
R96_084	Label		Kaudzisu iela līdz Bitenieku ielai		Action radius/m		2100.00		
	Group		Veveri 2 celi A alternatība		Emi. variant		Emission		
	Number of nodes		13				dB(A)		
	Length/ m		803.79		Day (12h)		48.74		
	Length/ m (2D)		803.78		Night (8h)		-99.00		
	Area /m²		---		Evening (4h)		-99.00		
					Max gradient % (z-coord.)		0.54		
					Driving direction		2 direct./driving on the right		
					Dist.:centreline lane - road /m		1.75		
					Road surface		Asphalt		
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v (car) /km/h	v HGV /km/h	Leq /dB(A)	
	Day (12h)	Continuous flow		0.00	2.54	50.00	50.00	48.74	
	Night (8h)	Continuous flow		0.00	0.00	50.00	50.00	-99.00	
	Evening (4h)	Continuous flow		0.00	0.00	50.00	50.00	-99.00	
	Rating method		Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
	Lden		-	0.0	0.0	0.0	-	0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)		12.00	Day	68.7	1.00	12.00000	0.00	0.0
	Evening (4h)		4.00	Evening	-79.0	1.00	4.00000	0.00	0.0
	Night (8h)		8.00	Night	-79.0	1.00	8.00000	0.00	0.0

	Geometry		Section profile		Nr	x/m	y/m	z(abs) /m	! z(rel) /m
			Section profile 0		1	514782.39	305398.09	11.48	0.00
			Section profile 0		2	514726.26	305450.96	11.22	0.00
			Section profile 0		3	514602.84	305567.35	11.00	0.00
			Section profile 0		4	514475.26	305684.80	11.93	0.00
			Section profile 0		5	514473.07	305686.84	11.93	0.00
			Section profile 0		6	514412.26	305743.66	12.00	0.00
			Section profile 0		7	514378.12	305776.41	12.00	0.00
			Section profile 0		8	514343.20	305808.18	12.00	0.00
			Section profile 0		9	514297.36	305851.01	12.00	0.00
			Section profile 0		10	514264.05	305882.14	12.00	0.00
			Section profile 0		11	514242.34	305902.42	12.00	0.00
			Section profile 0		12	514196.79	305945.87	12.00	0.00
			-		13	514195.41	305947.18	12.00	0.00
R96_088	Label		A iebraukšanas cels			Action radius/m		2100.00	
	Group		Veveri 2 celi A alternatīva			Emi. variant		Emission	
	Number of nodes		10					dB(A)	
	Length/ m		255.15			Day (12h)		53.85	
	Length/ m (2D)		255.15			Night (8h)		-99.00	
	Area /m²		---			Evening (4h)		-99.00	
						Max gradient % (z-coord.)		0.00	
						Driving direction		2 direct./driving on the right	
						Dist.:centreline lane - road /m		1.75	
						Road surface		No correction	
	Emiss. variant	Traffic flow		Q car /vehic/h		Q HGV /vehic/h	v (car) /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow		0.00		5.07	50.00	20.00	53.85
	Night (8h)	Continuous flow		0.00		0.00	50.00	50.00	-99.00
	Evening (4h)	Continuous flow		0.00		0.00	50.00	50.00	-99.00
	Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden		-		0.0	0.0	0.0	-	3.0
	Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)		12.00	Day	73.9	1.00	12.00000	3.00	3.0

	Evening (4h)	4.00	Evening	-79.0	1.00	4.00000	3.00	3.0
	Night (8h)	8.00	Night	-79.0	1.00	8.00000	3.00	3.0
	<b>Geometry</b>	<b>Section profile</b>		<b>Nr</b>	<b>x/m</b>	<b>y/m</b>	<b>z(abs) /m</b>	<b>! z(rel) /m</b>
		Section profile 0		1	515418.85	305006.95	11.00	0.00
		Section profile 0		2	515421.71	305004.94	11.00	0.00
		Section profile 0		3	515423.52	305003.16	11.00	0.00
		Section profile 0		4	515425.71	305000.62	11.00	0.00
		Section profile 0		5	515426.73	304999.17	11.00	0.00
		Section profile 0		6	515426.90	304997.80	11.00	0.00
		Section profile 0		7	515426.57	304996.73	11.00	0.00
		Section profile 0		8	515425.74	304995.87	11.00	0.00
		Section profile 0		9	515400.77	304964.76	11.00	0.00
		-		10	515293.84	304795.26	11.00	0.00

Slope and slope correction for roads										
Element	Name	Section	s /m	ds /m	Gradient /%	Gradient /%	Correction	Correction	Correction	Hint
			m	m	coord.	for calc.	Day (12h)	Night (8h)	Evening (4h)	
R96_079	Bitenieku iela**	1	0.00	13.65	0.00	0.00	0.00	0.00	0.00	
		2	13.65	152.63	0.03	0.03	0.00	0.00	0.00	Max.
		3	166.27	249.65	-0.02	-0.02	0.00	0.00	0.00	
		4	415.92	74.51	0.00	0.00	0.00	0.00	0.00	
		5	490.43	61.18	0.00	0.00	0.00	0.00	0.00	
		6	551.61	23.01	0.00	0.00	0.00	0.00	0.00	
		7	574.62	43.71	0.00	0.00	0.00	0.00	0.00	
		8	618.33	23.62	0.00	0.00	0.00	0.00	0.00	
		9	641.94	11.88	0.00	0.00	0.00	0.00	0.00	
		10	653.82	16.04	0.00	0.00	0.00	0.00	0.00	
R96_080	Bitenieku iela*	1	0.00	20.33	0.96	0.96	0.00	0.00	0.00	Max.
		2	20.33	23.11	0.50	0.50	0.00	0.00	0.00	
		3	43.45	63.80	-0.30	-0.30	0.00	0.00	0.00	
		4	107.25	85.57	-0.22	-0.22	0.00	0.00	0.00	
		5	192.82	91.37	0.00	0.00	0.00	0.00	0.00	
		6	284.18	70.21	0.00	0.00	0.00	0.00	0.00	
R96_081	Bitenieku iela	1	0.00	37.41	0.73	0.73	0.00	0.00	0.00	
		2	37.41	22.70	0.73	0.73	0.00	0.00	0.00	
		3	60.12	26.38	0.73	0.73	0.00	0.00	0.00	
		4	86.50	7.79	0.74	0.74	0.00	0.00	0.00	
		5	94.29	6.83	0.74	0.74	0.00	0.00	0.00	
		6	101.12	7.83	0.74	0.74	0.00	0.00	0.00	
		7	108.95	6.98	0.75	0.75	0.00	0.00	0.00	
		8	115.93	7.70	0.75	0.75	0.00	0.00	0.00	
		9	123.63	42.32	0.75	0.75	0.00	0.00	0.00	
		10	165.95	69.24	0.30	0.30	0.00	0.00	0.00	
		11	235.19	70.05	-0.09	-0.09	0.00	0.00	0.00	
		12	305.24	30.40	-0.20	-0.20	0.00	0.00	0.00	
		13	335.65	8.53	-0.17	-0.17	0.00	0.00	0.00	
		14	344.18	5.75	0.52	0.52	0.00	0.00	0.00	
		15	349.92	5.33	0.80	0.80	0.00	0.00	0.00	
		16	355.25	9.20	1.03	1.03	0.00	0.00	0.00	



		17	364.45	19.71	0.36	0.36	0.00	0.00	0.00	
		18	384.16	24.16	-1.44	-1.44	0.00	0.00	0.00	Max.
		19	408.32	25.74	-0.87	-0.87	0.00	0.00	0.00	
		20	434.06	115.38	-0.22	-0.22	0.00	0.00	0.00	
		21	549.44	70.61	-0.23	-0.23	0.00	0.00	0.00	
		22	620.05	39.10	-0.02	-0.02	0.00	0.00	0.00	
		23	659.14	39.65	0.00	0.00	0.00	0.00	0.00	
		24	698.79	12.02	0.55	0.55	0.00	0.00	0.00	
R96_082	Kaudzisu iela no Bitenieku ielas līdz Mārciņa ielai	1	0.00	24.02	-1.73	-1.73	0.00	0.00	0.00	Max.
		2	24.02	54.19	0.14	0.14	0.00	0.00	0.00	
		3	78.21	51.12	-0.82	-0.82	0.00	0.00	0.00	
		4	129.33	38.06	-0.48	-0.48	0.00	0.00	0.00	
R96_083	Kaudzisu iela no Bitenieku ielas līdz Mārciņa ielai	1	0.00	3.67	0.00	0.00	0.00	0.00	0.00	
		2	3.67	43.27	0.00	0.00	0.00	0.00	0.00	
		3	46.94	34.34	2.91	2.91	0.00	0.00	0.00	
		4	81.28	64.06	0.73	0.73	0.00	0.00	0.00	
		5	145.35	66.88	0.80	0.80	0.00	0.00	0.00	
		6	212.22	62.01	-1.15	-1.15	0.00	0.00	0.00	
		7	274.23	101.94	-1.26	-1.26	0.00	0.00	0.00	
		8	376.17	85.81	0.25	0.25	0.00	0.00	0.00	
		9	461.98	48.19	0.04	0.04	0.00	0.00	0.00	
		10	510.18	28.26	-0.51	-0.51	0.00	0.00	0.00	
		11	538.44	66.27	1.39	1.39	0.00	0.00	0.00	
		12	604.70	6.49	2.92	2.92	0.00	0.00	0.00	Max.
		13	611.19	13.02	1.69	1.69	0.00	0.00	0.00	
R96_084	Kaudzisu iela līdz Bitenieku ielai	1	0.00	77.11	-0.33	-0.33	0.00	0.00	0.00	
		2	77.11	169.64	-0.13	-0.13	0.00	0.00	0.00	
		3	246.75	173.41	0.54	0.54	0.00	0.00	0.00	Max.
		4	420.16	3.00	0.07	0.07	0.00	0.00	0.00	
		5	423.16	83.22	0.08	0.08	0.00	0.00	0.00	
		6	506.37	47.31	0.00	0.00	0.00	0.00	0.00	
		7	553.68	47.21	0.00	0.00	0.00	0.00	0.00	
		8	600.90	62.74	0.00	0.00	0.00	0.00	0.00	
		9	663.63	45.59	0.00	0.00	0.00	0.00	0.00	
		10	709.23	29.70	0.00	0.00	0.00	0.00	0.00	
		11	738.93	62.95	0.00	0.00	0.00	0.00	0.00	
		12	801.88	1.90	0.00	0.00	0.00	0.00	0.00	
R96_088	A iebraukšanas cels	1	0.00	3.49	0.00	0.00	0.00	0.00	0.00	Max.
		2	3.49	2.55	0.00	0.00	0.00	0.00	0.00	
		3	6.04	3.35	0.00	0.00	0.00	0.00	0.00	
		4	9.38	1.77	0.00	0.00	0.00	0.00	0.00	
		5	11.16	1.39	0.00	0.00	0.00	0.00	0.00	
		6	12.54	1.11	0.00	0.00	0.00	0.00	0.00	
		7	13.66	1.19	0.00	0.00	0.00	0.00	0.00	
		8	14.85	39.89	0.00	0.00	0.00	0.00	0.00	
		9	54.74	200.41	0.00	0.00	0.00	0.00	0.00	

\*1): The gradient for the calculation has been entered directly.