

Fona celi

Road /XP S 31-133 (5)									
R96_022	Label		V1163		Action radius/m		3000.00		
	Group		Fons_Celi		Emi. variant		Emission		
	Number of nodes		206				dB(A)		
	Length/ m		7163.71		Day (12h)		46.85		
	Length/ m (2D)		7163.33		Night (8h)		38.61		
	Area /m²		---		Evening (4h)		44.73		
					Max gradient % (z-coord.)		---		
					Driving direction		2 direct./driving on the right		
					Dist.:centreline lane - road /m		3.00		
					Road surface		No correction		
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v (car) /km/h	v HGV /km/h	Leq /dB(A)	
	Day (12h)	Continuous flow		7.08	0.86	90.00	80.00	46.85	
	Night (8h)	Continuous flow		0.82	0.17	90.00	80.00	38.61	
	Evening (4h)	Continuous flow		4.69	0.47	90.00	80.00	44.73	
	Rating method		Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
	Lden		-	0.0	0.0	0.0	-	3.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)		12.00	Day	66.8	1.00	12.00000	3.00	3.0
	Evening (4h)		4.00	Evening	64.7	1.00	4.00000	3.00	3.0
	Night (8h)		8.00	Night	58.6	1.00	8.00000	3.00	3.0
R96_002	Label		V1163		Action radius/m		3000.00		
	Group		Fons_Celi		Emi. variant		Emission		
	Number of nodes		9				dB(A)		
	Length/ m		228.57		Day (12h)		43.87		
	Length/ m (2D)		228.54		Night (8h)		36.16		
	Area /m²		---		Evening (4h)		41.55		
					Max gradient % (z-coord.)		---		
					Driving direction		2 direct./driving on the right		
					Dist.:centreline lane - road /m		3.00		
					Road surface		No correction		
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v (car) /km/h	v HGV /km/h	Leq /dB(A)	
	Day (12h)	Continuous flow		7.08	0.86	50.00	50.00	43.87	
	Night (8h)	Continuous flow		0.82	0.17	50.00	50.00	36.16	
	Evening (4h)	Continuous flow		4.69	0.47	50.00	50.00	41.55	
	Rating method		Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
	Lden		-	0.0	0.0	0.0	-	3.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)		12.00	Day	63.9	1.00	12.00000	3.00	3.0
	Evening (4h)		4.00	Evening	61.6	1.00	4.00000	3.00	3.0
	Night (8h)		8.00	Night	56.2	1.00	8.00000	3.00	3.0
R96_020	Label		V1162		Action radius/m		3000.00		
	Group		Fons_Celi		Emi. variant		Emission		
	Number of nodes		164				dB(A)		

	Length/ m		3517.82		Day (12h)		56.07		
	Length/ m (2D)		3517.59		Night (8h)		48.72		
	Area /m²		---		Evening (4h)		53.45		
					Max gradient % (z-coord.)		---		
					Driving direction		2 direct./driving on the right		
					Dist.:centreline lane - road /m		3.00		
					Road surface		No correction		
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v (car) /km/h	v HGV /km/h	Leq /dB(A)	
	Day (12h)	Continuous flow		16.42	18.27	90.00	50.00	56.07	
	Night (8h)	Continuous flow		1.91	3.60	90.00	50.00	48.72	
	Evening (4h)	Continuous flow		10.87	10.10	80.00	50.00	53.45	
	Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB	
	Lden		-		0.0	0.0	0.0	3.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)		12.00	Day	76.1	1.00	12.00000	3.00	3.0
	Evening (4h)		4.00	Evening	73.5	1.00	4.00000	3.00	3.0
	Night (8h)		8.00	Night	68.7	1.00	8.00000	3.00	3.0
R96_007	Label		V1162		Action radius/m		3000.00		
	Group		Fons_Celi		Emi. variant		Emission		
	Number of nodes		115				dB(A)		
	Length/ m		4805.87		Day (12h)		56.95		
	Length/ m (2D)		4805.36		Night (8h)		49.66		
	Area /m²		---		Evening (4h)		54.49		
					Max gradient % (z-coord.)		---		
					Driving direction		2 direct./driving on the right		
					Dist.:centreline lane - road /m		3.00		
					Road surface		No correction		
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v (car) /km/h	v HGV /km/h	Leq /dB(A)	
	Day (12h)	Continuous flow		16.42	18.27	90.00	80.00	56.95	
	Night (8h)	Continuous flow		1.91	3.60	90.00	80.00	49.66	
	Evening (4h)	Continuous flow		10.87	10.10	90.00	80.00	54.49	
	Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB	
	Lden		-		0.0	0.0	0.0	3.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)		12.00	Day	77.0	1.00	12.00000	3.00	3.0
	Evening (4h)		4.00	Evening	74.5	1.00	4.00000	3.00	3.0
	Night (8h)		8.00	Night	69.7	1.00	8.00000	3.00	3.0
R96_008	Label		P105		Action radius/m		3000.00		
	Group		Fons_Celi		Emi. variant		Emission		
	Number of nodes		286				dB(A)		
	Length/ m		11531.21		Day (12h)		60.49		
	Length/ m (2D)		11530.67		Night (8h)		52.38		
	Area /m²		---		Evening (4h)		58.35		
					Max gradient % (z-coord.)		---		

						Driving direction		2 direct./driving on the right	
						Dist.:centreline lane - road /m		3.50	
						Road surface		Asphalt (obsolete)	
	Emiss. variant	Traffic flow			Q car /vehic/h	Q HGV /vehic/h	v (car) /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow			75.29	22.19	90.00	80.00	60.49
	Night (8h)	Continuous flow			8.80	4.38	90.00	80.00	52.38
	Evening (4h)	Continuous flow			49.87	12.26	90.00	80.00	58.35
	Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden		-		0.0	0.0	0.0	-	0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)		12.00	Day	80.5	1.00	12.00000	0.00	0.0
	Evening (4h)		4.00	Evening	78.4	1.00	4.00000	0.00	0.0
	Night (8h)		8.00	Night	72.4	1.00	8.00000	0.00	0.0

VES

Point-source /CNOSSO (114)															
EQCN020	Label		4.2.- 6m/s				Action radius/m				3000.00				
	Group		6 m/s				Lw (Day (12h)) /dB(A)				99.38				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				99.38				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				99.38				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: 6m/s												
	Day (12h)	Lw /dB (A)	99.4	56.4 61.0 65.3	68.7 70.6 71.8	74.0 78.3 80.8	81.4 84.0 84.0	85.3 86.3 87.4	87.5 87.6 88.7	89.2 89.5 89.9	89.7 87.6 84.1	79.7 74.1 68.2	60.1 51.4 46.0		
	Night (8h)	Emission	Reference: 6m/s												
	Night (8h)	Lw /dB (A)	99.4	56.4 61.0 65.3	68.7 70.6 71.8	74.0 78.3 80.8	81.4 84.0 84.0	85.3 86.3 87.4	87.5 87.6 88.7	89.2 89.5 89.9	89.7 87.6 84.1	79.7 74.1 68.2	60.1 51.4 46.0		
	Evening (4h)	Emission	Reference: 6m/s												
	Evening (4h)	Lw /dB (A)	99.4	56.4 61.0 65.3	68.7 70.6 71.8	74.0 78.3 80.8	81.4 84.0 84.0	85.3 86.3 87.4	87.5 87.6 88.7	89.2 89.5 89.9	89.7 87.6 84.1	79.7 74.1 68.2	60.1 51.4 46.0		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden				-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	99.4		1.00		1.29945		-9.65		-9.7		
	Evening (4h)		4.00	Evening	99.4		1.00		0.44054		-9.58		-9.6		
	Night (8h)		8.00	Night	99.4		1.00		0.72109		-10.45		-10.5		
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
			Geometry:				399034.40		269920.09		252.44		164.00		
EQCN021	Label		4.3.-6m/s				Action radius/m				3000.00				
	Group		6 m/s				Lw (Day (12h)) /dB(A)				99.38				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				99.38				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				99.38				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		

	Day (12h)	Emission	Reference: 6m/s													
	Day (12h)	Lw /dB (A)	99.4	56.4 61.0 65.3	68.7 70.6 71.8	74.0 78.3 80.8	81.4 84.0 84.0	85.3 86.3 87.4	87.5 87.6 88.7	89.2 89.5 89.9	89.7 87.6 84.1	79.7 74.1 68.2	60.1 51.4 46.0			
	Night (8h)	Emission	Reference: 6m/s													
	Night (8h)	Lw /dB (A)	99.4	56.4 61.0 65.3	68.7 70.6 71.8	74.0 78.3 80.8	81.4 84.0 84.0	85.3 86.3 87.4	87.5 87.6 88.7	89.2 89.5 89.9	89.7 87.6 84.1	79.7 74.1 68.2	60.1 51.4 46.0			
	Evening (4h)	Emission	Reference: 6m/s													
	Evening (4h)	Lw /dB (A)	99.4	56.4 61.0 65.3	68.7 70.6 71.8	74.0 78.3 80.8	81.4 84.0 84.0	85.3 86.3 87.4	87.5 87.6 88.7	89.2 89.5 89.9	89.7 87.6 84.1	79.7 74.1 68.2	60.1 51.4 46.0			
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden				-		0.0		0.0		0.0		-	0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)		12.00	Day	99.4		1.00		1.29945		-9.65		-9.7			
	Evening (4h)		4.00	Evening	99.4		1.00		0.44054		-9.58		-9.6			
	Night (8h)		8.00	Night	99.4		1.00		0.72109		-10.45		-10.5			
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
						Geometry:		399097.90		269215.24		253.00		164.00		
EQCN022	Label		2.4.-6m/s					Action radius/m					3000.00			
	Group		6 m/s					Lw (Day (12h)) /dB(A)					99.38			
	Number of nodes		1					Lw (Night (8h)) /dB(A)					99.38			
	Length/ m		---					Lw (Evening (4h)) /dB(A)					99.38			
	Length/ m (2D)		---					Emission is					Sound power level (Lw)			
	Area /m²		---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
	Day (12h)	Emission	Reference: 6m/s													
	Day (12h)	Lw /dB (A)	99.4	56.4 61.0 65.3	68.7 70.6 71.8	74.0 78.3 80.8	81.4 84.0 84.0	85.3 86.3 87.4	87.5 87.6 88.7	89.2 89.5 89.9	89.7 87.6 84.1	79.7 74.1 68.2	60.1 51.4 46.0			
	Night (8h)	Emission	Reference: 6m/s													
	Night (8h)	Lw /dB (A)	99.4	56.4 61.0 65.3	68.7 70.6 71.8	74.0 78.3 80.8	81.4 84.0 84.0	85.3 86.3 87.4	87.5 87.6 88.7	89.2 89.5 89.9	89.7 87.6 84.1	79.7 74.1 68.2	60.1 51.4 46.0			
	Evening (4h)	Emission	Reference: 6m/s													
	Evening (4h)	Lw /dB (A)	99.4	56.4 61.0 65.3	68.7 70.6 71.8	74.0 78.3 80.8	81.4 84.0 84.0	85.3 86.3 87.4	87.5 87.6 88.7	89.2 89.5 89.9	89.7 87.6 84.1	79.7 74.1 68.2	60.1 51.4 46.0			
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden				-		0.0		0.0		0.0		-		0.0	

	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	99.4		1.00		1.29945		-9.65		-9.7		
	Evening (4h)	4.00	Evening	99.4		1.00		0.44054		-9.58		-9.6		
	Night (8h)	8.00	Night	99.4		1.00		0.72109		-10.45		-10.5		
	Geometry				Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
		Geometry:				399792.17		268652.47		260.78		164.00		
EQCN023	Label	2.3.-6m/s				Action radius/m				3000.00				
	Group	6 m/s				Lw (Day (12h)) /dB(A)				99.38				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				99.38				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				99.38				
	Length/ m (2D)	---				Emission is				Sound power level (Lw)				
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: 6m/s											
	Day (12h)	Lw /dB (A)	99.4	56.4 61.0 65.3	68.7 70.6 71.8	74.0 78.3 80.8	81.4 84.0 84.0	85.3 86.3 87.4	87.5 87.6 88.7	89.2 89.5 89.9	89.7 87.6 84.1	79.7 74.1 68.2	60.1 51.4 46.0	
	Night (8h)	Emission	Reference: 6m/s											
	Night (8h)	Lw /dB (A)	99.4	56.4 61.0 65.3	68.7 70.6 71.8	74.0 78.3 80.8	81.4 84.0 84.0	85.3 86.3 87.4	87.5 87.6 88.7	89.2 89.5 89.9	89.7 87.6 84.1	79.7 74.1 68.2	60.1 51.4 46.0	
	Evening (4h)	Emission	Reference: 6m/s											
	Evening (4h)	Lw /dB (A)	99.4	56.4 61.0 65.3	68.7 70.6 71.8	74.0 78.3 80.8	81.4 84.0 84.0	85.3 86.3 87.4	87.5 87.6 88.7	89.2 89.5 89.9	89.7 87.6 84.1	79.7 74.1 68.2	60.1 51.4 46.0	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden	-		0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	99.4		1.00		1.29945		-9.65		-9.7		
	Evening (4h)	4.00	Evening	99.4		1.00		0.44054		-9.58		-9.6		
	Night (8h)	8.00	Night	99.4		1.00		0.72109		-10.45		-10.5		
	Geometry				Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
		Geometry:				400366.32		268465.93		257.94		164.00		
EQCN024	Label	4.6.-6m/s				Action radius/m				3000.00				
	Group	6 m/s				Lw (Day (12h)) /dB(A)				99.38				

	Number of nodes		1				Lw (Night (8h)) /dB(A)				99.38					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				99.38					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
	Day (12h)	Emission	Reference: 6m/s													
	Day (12h)	Lw /dB (A)	99.4	56.4 61.0 65.3	68.7 70.6 71.8	74.0 78.3 80.8	81.4 84.0 84.0	85.3 86.3 87.4	87.5 87.6 88.7	89.2 89.5 89.9	89.7 87.6 84.1	79.7 74.1 68.2	60.1 51.4 46.0			
	Night (8h)	Emission	Reference: 6m/s													
	Night (8h)	Lw /dB (A)	99.4	56.4 61.0 65.3	68.7 70.6 71.8	74.0 78.3 80.8	81.4 84.0 84.0	85.3 86.3 87.4	87.5 87.6 88.7	89.2 89.5 89.9	89.7 87.6 84.1	79.7 74.1 68.2	60.1 51.4 46.0			
	Evening (4h)	Emission	Reference: 6m/s													
	Evening (4h)	Lw /dB (A)	99.4	56.4 61.0 65.3	68.7 70.6 71.8	74.0 78.3 80.8	81.4 84.0 84.0	85.3 86.3 87.4	87.5 87.6 88.7	89.2 89.5 89.9	89.7 87.6 84.1	79.7 74.1 68.2	60.1 51.4 46.0			
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden				-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)		12.00	Day	99.4		1.00		1.29945		-9.65		-9.7			
	Evening (4h)		4.00	Evening	99.4		1.00		0.44054		-9.58		-9.6			
	Night (8h)		8.00	Night	99.4		1.00		0.72109		-10.45		-10.5			
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m			
			Geometry:				399864.93		268033.34		255.00		164.00			
EQCN025	Label		2.2.-6m/s				Action radius/m				3000.00					
	Group		6 m/s				Lw (Day (12h)) /dB(A)				99.38					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				99.38					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				99.38					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
	Day (12h)	Emission	Reference: 6m/s													
	Day (12h)	Lw /dB (A)	99.4	56.4 61.0 65.3	68.7 70.6 71.8	74.0 78.3 80.8	81.4 84.0 84.0	85.3 86.3 87.4	87.5 87.6 88.7	89.2 89.5 89.9	89.7 87.6 84.1	79.7 74.1 68.2	60.1 51.4 46.0			
	Night (8h)	Emission	Reference: 6m/s													

	Night (8h)	Lw /dB (A)	99.4	56.4 61.0 65.3	68.7 70.6 71.8	74.0 78.3 80.8	81.4 84.0 84.0	85.3 86.3 87.4	87.5 87.6 88.7	89.2 89.5 89.9	89.7 87.6 84.1	79.7 74.1 68.2	60.1 51.4 46.0	
	Evening (4h)	Emission	Reference: 6m/s											
	Evening (4h)	Lw /dB (A)	99.4	56.4 61.0 65.3	68.7 70.6 71.8	74.0 78.3 80.8	81.4 84.0 84.0	85.3 86.3 87.4	87.5 87.6 88.7	89.2 89.5 89.9	89.7 87.6 84.1	79.7 74.1 68.2	60.1 51.4 46.0	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB			Special correction /dB		
	Lden		-		0.0		0.0		0.0		-	0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	99.4		1.00		1.29945		-9.65		-9.7	
	Evening (4h)		4.00	Evening	99.4		1.00		0.44054		-9.58		-9.6	
	Night (8h)		8.00	Night	99.4		1.00		0.72109		-10.45		-10.5	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:			400174.71		267430.88		253.00		164.00		
EQCN026	Label		2.1.-6m/s				Action radius/m				3000.00			
	Group		6 m/s				Lw (Day (12h)) /dB(A)				99.38			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				99.38			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				99.38			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: 6m/s											
	Day (12h)	Lw /dB (A)	99.4	56.4 61.0 65.3	68.7 70.6 71.8	74.0 78.3 80.8	81.4 84.0 84.0	85.3 86.3 87.4	87.5 87.6 88.7	89.2 89.5 89.9	89.7 87.6 84.1	79.7 74.1 68.2	60.1 51.4 46.0	
	Night (8h)	Emission	Reference: 6m/s											
	Night (8h)	Lw /dB (A)	99.4	56.4 61.0 65.3	68.7 70.6 71.8	74.0 78.3 80.8	81.4 84.0 84.0	85.3 86.3 87.4	87.5 87.6 88.7	89.2 89.5 89.9	89.7 87.6 84.1	79.7 74.1 68.2	60.1 51.4 46.0	
	Evening (4h)	Emission	Reference: 6m/s											
	Evening (4h)	Lw /dB (A)	99.4	56.4 61.0 65.3	68.7 70.6 71.8	74.0 78.3 80.8	81.4 84.0 84.0	85.3 86.3 87.4	87.5 87.6 88.7	89.2 89.5 89.9	89.7 87.6 84.1	79.7 74.1 68.2	60.1 51.4 46.0	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB			Special correction /dB		
	Lden		-		0.0		0.0		0.0		-	0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	99.4		1.00		1.29945		-9.65		-9.7	
	Evening (4h)		4.00	Evening	99.4		1.00		0.44054		-9.58		-9.6	

	Night (8h)	8.00	Night	99.4		1.00		0.72109		-10.45		-10.5		
	Geometry				Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
		Geometry:				400942.93		267504.66		256.00		164.00		
EQCN027	Label	4.4.A-6m/s				Action radius/m				3000.00				
	Group	6 m/s				Lw (Day (12h)) /dB(A)				99.38				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				99.38				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				99.38				
	Length/ m (2D)	---				Emission is				Sound power level (Lw)				
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: 6m/s											
	Day (12h)	Lw /dB (A)	99.4	56.4 61.0 65.3	68.7 70.6 71.8	74.0 78.3 80.8	81.4 84.0 84.0	85.3 86.3 87.4	87.5 87.6 88.7	89.2 89.5 89.9	89.7 87.6 84.1	79.7 74.1 68.2	60.1 51.4 46.0	
	Night (8h)	Emission	Reference: 6m/s											
	Night (8h)	Lw /dB (A)	99.4	56.4 61.0 65.3	68.7 70.6 71.8	74.0 78.3 80.8	81.4 84.0 84.0	85.3 86.3 87.4	87.5 87.6 88.7	89.2 89.5 89.9	89.7 87.6 84.1	79.7 74.1 68.2	60.1 51.4 46.0	
	Evening (4h)	Emission	Reference: 6m/s											
	Evening (4h)	Lw /dB (A)	99.4	56.4 61.0 65.3	68.7 70.6 71.8	74.0 78.3 80.8	81.4 84.0 84.0	85.3 86.3 87.4	87.5 87.6 88.7	89.2 89.5 89.9	89.7 87.6 84.1	79.7 74.1 68.2	60.1 51.4 46.0	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden			-		0.0		0.0		0.0		-		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	99.4		1.00		1.29945		-9.65		-9.7		
	Evening (4h)	4.00	Evening	99.4		1.00		0.44054		-9.58		-9.6		
	Night (8h)	8.00	Night	99.4		1.00		0.72109		-10.45		-10.5		
	Geometry				Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
		Geometry:				401170.47		269238.74		257.00		164.00		
EQCN028	Label	4.4.B-6m/s				Action radius/m				3000.00				
	Group	6 m/s				Lw (Day (12h)) /dB(A)				99.38				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				99.38				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				99.38				
	Length/ m (2D)	---				Emission is				Sound power level (Lw)				

	Area /m²		---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
	Day (12h)	Emission	Reference: 6m/s													
	Day (12h)	Lw /dB (A)	99.4	56.4 61.0 65.3	68.7 70.6 71.8	74.0 78.3 80.8	81.4 84.0 84.0	85.3 86.3 87.4	87.5 87.6 88.7	89.2 89.5 89.9	89.7 87.6 84.1	79.7 74.1 68.2	60.1 51.4 46.0			
	Night (8h)	Emission	Reference: 6m/s													
	Night (8h)	Lw /dB (A)	99.4	56.4 61.0 65.3	68.7 70.6 71.8	74.0 78.3 80.8	81.4 84.0 84.0	85.3 86.3 87.4	87.5 87.6 88.7	89.2 89.5 89.9	89.7 87.6 84.1	79.7 74.1 68.2	60.1 51.4 46.0			
	Evening (4h)	Emission	Reference: 6m/s													
	Evening (4h)	Lw /dB (A)	99.4	56.4 61.0 65.3	68.7 70.6 71.8	74.0 78.3 80.8	81.4 84.0 84.0	85.3 86.3 87.4	87.5 87.6 88.7	89.2 89.5 89.9	89.7 87.6 84.1	79.7 74.1 68.2	60.1 51.4 46.0			
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden				-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)		12.00	Day	99.4		1.00		1.29945		-9.65		-9.7			
	Evening (4h)		4.00	Evening	99.4		1.00		0.44054		-9.58		-9.6			
	Night (8h)		8.00	Night	99.4		1.00		0.72109		-10.45		-10.5			
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m			
			Geometry:				400768.68		269722.93		256.00		164.00			
EQCN029	Label		4.4.C-6m/s				Action radius/m				3000.00					
	Group		6 m/s				Lw (Day (12h)) /dB(A)				99.38					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				99.38					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				99.38					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
	Day (12h)	Emission	Reference: 6m/s													
	Day (12h)	Lw /dB (A)	99.4	56.4 61.0 65.3	68.7 70.6 71.8	74.0 78.3 80.8	81.4 84.0 84.0	85.3 86.3 87.4	87.5 87.6 88.7	89.2 89.5 89.9	89.7 87.6 84.1	79.7 74.1 68.2	60.1 51.4 46.0			
	Night (8h)	Emission	Reference: 6m/s													
	Night (8h)	Lw /dB (A)	99.4	56.4 61.0 65.3	68.7 70.6 71.8	74.0 78.3 80.8	81.4 84.0 84.0	85.3 86.3 87.4	87.5 87.6 88.7	89.2 89.5 89.9	89.7 87.6 84.1	79.7 74.1 68.2	60.1 51.4 46.0			
	Evening (4h)	Emission	Reference: 6m/s													
	Evening (4h)	Lw /dB (A)	99.4	56.4 61.0 65.3	68.7 70.6 71.8	74.0 78.3 80.8	81.4 84.0 84.0	85.3 86.3 87.4	87.5 87.6 88.7	89.2 89.5 89.9	89.7 87.6 84.1	79.7 74.1 68.2	60.1 51.4 46.0			

	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden	-		0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	99.4		1.00		1.29945		-9.65		-9.7		
	Evening (4h)	4.00	Evening	99.4		1.00		0.44054		-9.58		-9.6		
	Night (8h)	8.00	Night	99.4		1.00		0.72109		-10.45		-10.5		
	Geometry				Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
		Geometry:				401262.82		270044.66		253.00		164.00		
EQCN030	Label	4.7.A-6m/s				Action radius/m				3000.00				
	Group	6 m/s				Lw (Day (12h)) /dB(A)				99.38				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				99.38				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				99.38				
	Length/ m (2D)	---				Emission is				Sound power level (Lw)				
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: 6m/s											
	Day (12h)	Lw /dB (A)	99.4	56.4 61.0 65.3	68.7 70.6 71.8	74.0 78.3 80.8	81.4 84.0 84.0	85.3 86.3 87.4	87.5 87.6 88.7	89.2 89.5 89.9	89.7 87.6 84.1	79.7 74.1 68.2	60.1 51.4 46.0	
	Night (8h)	Emission	Reference: 6m/s											
	Night (8h)	Lw /dB (A)	99.4	56.4 61.0 65.3	68.7 70.6 71.8	74.0 78.3 80.8	81.4 84.0 84.0	85.3 86.3 87.4	87.5 87.6 88.7	89.2 89.5 89.9	89.7 87.6 84.1	79.7 74.1 68.2	60.1 51.4 46.0	
	Evening (4h)	Emission	Reference: 6m/s											
	Evening (4h)	Lw /dB (A)	99.4	56.4 61.0 65.3	68.7 70.6 71.8	74.0 78.3 80.8	81.4 84.0 84.0	85.3 86.3 87.4	87.5 87.6 88.7	89.2 89.5 89.9	89.7 87.6 84.1	79.7 74.1 68.2	60.1 51.4 46.0	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden	-		0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	99.4		1.00		1.29945		-9.65		-9.7		
	Evening (4h)	4.00	Evening	99.4		1.00		0.44054		-9.58		-9.6		
	Night (8h)	8.00	Night	99.4		1.00		0.72109		-10.45		-10.5		
	Geometry				Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
		Geometry:				401947.56		269144.81		253.00		164.00		

EQCN031	Label		4.7.B-6m/s				Action radius/m				3000.00					
	Group		6 m/s				Lw (Day (12h)) /dB(A)				99.38					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				99.38					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				99.38					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
	Day (12h)	Emission	Reference: 6m/s													
	Day (12h)	Lw /dB (A)	99.4	56.4 61.0 65.3	68.7 70.6 71.8	74.0 78.3 80.8	81.4 84.0 84.0	85.3 86.3 87.4	87.5 87.6 88.7	89.2 89.5 89.9	89.7 87.6 84.1	79.7 74.1 68.2	60.1 51.4 46.0			
	Night (8h)	Emission	Reference: 6m/s													
	Night (8h)	Lw /dB (A)	99.4	56.4 61.0 65.3	68.7 70.6 71.8	74.0 78.3 80.8	81.4 84.0 84.0	85.3 86.3 87.4	87.5 87.6 88.7	89.2 89.5 89.9	89.7 87.6 84.1	79.7 74.1 68.2	60.1 51.4 46.0			
	Evening (4h)	Emission	Reference: 6m/s													
	Evening (4h)	Lw /dB (A)	99.4	56.4 61.0 65.3	68.7 70.6 71.8	74.0 78.3 80.8	81.4 84.0 84.0	85.3 86.3 87.4	87.5 87.6 88.7	89.2 89.5 89.9	89.7 87.6 84.1	79.7 74.1 68.2	60.1 51.4 46.0			
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden				-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)		12.00	Day	99.4		1.00		1.29945		-9.65		-9.7			
	Evening (4h)		4.00	Evening	99.4		1.00		0.44054		-9.58		-9.6			
	Night (8h)		8.00	Night	99.4		1.00		0.72109		-10.45		-10.5			
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m			
			Geometry:				401956.56		269655.72		255.00		164.00			
EQCN032	Label		4.7.C-6m/s				Action radius/m				3000.00					
	Group		6 m/s				Lw (Day (12h)) /dB(A)				99.38					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				99.38					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				99.38					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
	Day (12h)	Emission	Reference: 6m/s													

	Day (12h)	Lw /dB (A)	99.4	56.4 61.0 65.3	68.7 70.6 71.8	74.0 78.3 80.8	81.4 84.0 84.0	85.3 86.3 87.4	87.5 87.6 88.7	89.2 89.5 89.9	89.7 87.6 84.1	79.7 74.1 68.2	60.1 51.4 46.0	
	Night (8h)	Emission	Reference: 6m/s											
	Night (8h)	Lw /dB (A)	99.4	56.4 61.0 65.3	68.7 70.6 71.8	74.0 78.3 80.8	81.4 84.0 84.0	85.3 86.3 87.4	87.5 87.6 88.7	89.2 89.5 89.9	89.7 87.6 84.1	79.7 74.1 68.2	60.1 51.4 46.0	
	Evening (4h)	Emission	Reference: 6m/s											
	Evening (4h)	Lw /dB (A)	99.4	56.4 61.0 65.3	68.7 70.6 71.8	74.0 78.3 80.8	81.4 84.0 84.0	85.3 86.3 87.4	87.5 87.6 88.7	89.2 89.5 89.9	89.7 87.6 84.1	79.7 74.1 68.2	60.1 51.4 46.0	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden				-		0.0		0.0		0.0		-	0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	99.4		1.00		1.29945		-9.65		-9.7	
	Evening (4h)		4.00	Evening	99.4		1.00		0.44054		-9.58		-9.6	
	Night (8h)		8.00	Night	99.4		1.00		0.72109		-10.45		-10.5	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		402551.87		269516.02		256.74		164.00
EQCN033	Label		1.5.-6m/s				Action radius/m				3000.00			
	Group		6 m/s				Lw (Day (12h)) /dB(A)				99.38			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				99.38			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				99.38			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: 6m/s											
	Day (12h)	Lw /dB (A)	99.4	56.4 61.0 65.3	68.7 70.6 71.8	74.0 78.3 80.8	81.4 84.0 84.0	85.3 86.3 87.4	87.5 87.6 88.7	89.2 89.5 89.9	89.7 87.6 84.1	79.7 74.1 68.2	60.1 51.4 46.0	
	Night (8h)	Emission	Reference: 6m/s											
	Night (8h)	Lw /dB (A)	99.4	56.4 61.0 65.3	68.7 70.6 71.8	74.0 78.3 80.8	81.4 84.0 84.0	85.3 86.3 87.4	87.5 87.6 88.7	89.2 89.5 89.9	89.7 87.6 84.1	79.7 74.1 68.2	60.1 51.4 46.0	
	Evening (4h)	Emission	Reference: 6m/s											
	Evening (4h)	Lw /dB (A)	99.4	56.4 61.0 65.3	68.7 70.6 71.8	74.0 78.3 80.8	81.4 84.0 84.0	85.3 86.3 87.4	87.5 87.6 88.7	89.2 89.5 89.9	89.7 87.6 84.1	79.7 74.1 68.2	60.1 51.4 46.0	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden				-		0.0		0.0		0.0		-	0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	

	Day (12h)		12.00	Day	99.4		1.00		1.29945		-9.65		-9.7			
	Evening (4h)		4.00	Evening	99.4		1.00		0.44054		-9.58		-9.6			
	Night (8h)		8.00	Night	99.4		1.00		0.72109		-10.45		-10.5			
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m			
			Geometry:					402999.78		269843.88		258.77		164.00		
EQCN034	Label		1.6.-6m/s				Action radius/m					3000.00				
	Group		6 m/s				Lw (Day (12h)) /dB(A)					99.38				
	Number of nodes		1				Lw (Night (8h)) /dB(A)					99.38				
	Length/ m		---				Lw (Evening (4h)) /dB(A)					99.38				
	Length/ m (2D)		---				Emission is					Sound power level (Lw)				
	Area /m²		---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
	Day (12h)	Emission	Reference: 6m/s													
	Day (12h)	Lw /dB (A)	99.4	56.4 61.0 65.3	68.7 70.6 71.8	74.0 78.3 80.8	81.4 84.0 84.0	85.3 86.3 87.4	87.5 87.6 88.7	89.2 89.5 89.9	89.7 87.6 84.1	79.7 74.1 68.2	60.1 51.4 46.0			
	Night (8h)	Emission	Reference: 6m/s													
	Night (8h)	Lw /dB (A)	99.4	56.4 61.0 65.3	68.7 70.6 71.8	74.0 78.3 80.8	81.4 84.0 84.0	85.3 86.3 87.4	87.5 87.6 88.7	89.2 89.5 89.9	89.7 87.6 84.1	79.7 74.1 68.2	60.1 51.4 46.0			
	Evening (4h)	Emission	Reference: 6m/s													
	Evening (4h)	Lw /dB (A)	99.4	56.4 61.0 65.3	68.7 70.6 71.8	74.0 78.3 80.8	81.4 84.0 84.0	85.3 86.3 87.4	87.5 87.6 88.7	89.2 89.5 89.9	89.7 87.6 84.1	79.7 74.1 68.2	60.1 51.4 46.0			
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden				-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)		12.00	Day	99.4		1.00		1.29945		-9.65		-9.7			
	Evening (4h)		4.00	Evening	99.4		1.00		0.44054		-9.58		-9.6			
	Night (8h)		8.00	Night	99.4		1.00		0.72109		-10.45		-10.5			
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m			
			Geometry:					403362.63		269297.25		259.01		164.00		
EQCN035	Label		1.3.-6m/s				Action radius/m					3000.00				
	Group		6 m/s				Lw (Day (12h)) /dB(A)					99.38				
	Number of nodes		1				Lw (Night (8h)) /dB(A)					99.38				

	Length/ m		---				Lw (Evening (4h)) /dB(A)				99.38					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
	Day (12h)	Emission	Reference: 6m/s													
	Day (12h)	Lw /dB (A)	99.4	56.4 61.0 65.3	68.7 70.6 71.8	74.0 78.3 80.8	81.4 84.0 84.0	85.3 86.3 87.4	87.5 87.6 88.7	89.2 89.5 89.9	89.7 87.6 84.1	79.7 74.1 68.2	60.1 51.4 46.0			
	Night (8h)	Emission	Reference: 6m/s													
	Night (8h)	Lw /dB (A)	99.4	56.4 61.0 65.3	68.7 70.6 71.8	74.0 78.3 80.8	81.4 84.0 84.0	85.3 86.3 87.4	87.5 87.6 88.7	89.2 89.5 89.9	89.7 87.6 84.1	79.7 74.1 68.2	60.1 51.4 46.0			
	Evening (4h)	Emission	Reference: 6m/s													
	Evening (4h)	Lw /dB (A)	99.4	56.4 61.0 65.3	68.7 70.6 71.8	74.0 78.3 80.8	81.4 84.0 84.0	85.3 86.3 87.4	87.5 87.6 88.7	89.2 89.5 89.9	89.7 87.6 84.1	79.7 74.1 68.2	60.1 51.4 46.0			
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden				-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)		12.00	Day	99.4		1.00		1.29945		-9.65		-9.7			
	Evening (4h)		4.00	Evening	99.4		1.00		0.44054		-9.58		-9.6			
	Night (8h)		8.00	Night	99.4		1.00		0.72109		-10.45		-10.5			
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m			
			Geometry:				401015.93		271756.80		255.00		164.00			
EQCN036	Label		1.4.-6m/s				Action radius/m				3000.00					
	Group		6 m/s				Lw (Day (12h)) /dB(A)				99.38					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				99.38					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				99.38					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
	Day (12h)	Emission	Reference: 6m/s													
	Day (12h)	Lw /dB (A)	99.4	56.4 61.0 65.3	68.7 70.6 71.8	74.0 78.3 80.8	81.4 84.0 84.0	85.3 86.3 87.4	87.5 87.6 88.7	89.2 89.5 89.9	89.7 87.6 84.1	79.7 74.1 68.2	60.1 51.4 46.0			
	Night (8h)	Emission	Reference: 6m/s													
	Night (8h)	Lw /dB (A)	99.4	56.4 61.0 65.3	68.7 70.6 71.8	74.0 78.3 80.8	81.4 84.0 84.0	85.3 86.3 87.4	87.5 87.6 88.7	89.2 89.5 89.9	89.7 87.6 84.1	79.7 74.1 68.2	60.1 51.4 46.0			

	Evening (4h)	Emission	Reference: 6m/s											
	Evening (4h)	Lw /dB (A)	99.4	56.4 61.0 65.3	68.7 70.6 71.8	74.0 78.3 80.8	81.4 84.0 84.0	85.3 86.3 87.4	87.5 87.6 88.7	89.2 89.5 89.9	89.7 87.6 84.1	79.7 74.1 68.2	60.1 51.4 46.0	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB			Special correction /dB		
	Lden		-		0.0		0.0		0.0			-		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	99.4		1.00		1.29945		-9.65		-9.7	
	Evening (4h)		4.00	Evening	99.4		1.00		0.44054		-9.58		-9.6	
	Night (8h)		8.00	Night	99.4		1.00		0.72109		-10.45		-10.5	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:				400872.69		271015.51		254.00		164.00	
EQCN037	Label		1.1.-6m/s				Action radius/m				3000.00			
	Group		6 m/s				Lw (Day (12h)) /dB(A)				99.38			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				99.38			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				99.38			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: 6m/s											
	Day (12h)	Lw /dB (A)	99.4	56.4 61.0 65.3	68.7 70.6 71.8	74.0 78.3 80.8	81.4 84.0 84.0	85.3 86.3 87.4	87.5 87.6 88.7	89.2 89.5 89.9	89.7 87.6 84.1	79.7 74.1 68.2	60.1 51.4 46.0	
	Night (8h)	Emission	Reference: 6m/s											
	Night (8h)	Lw /dB (A)	99.4	56.4 61.0 65.3	68.7 70.6 71.8	74.0 78.3 80.8	81.4 84.0 84.0	85.3 86.3 87.4	87.5 87.6 88.7	89.2 89.5 89.9	89.7 87.6 84.1	79.7 74.1 68.2	60.1 51.4 46.0	
	Evening (4h)	Emission	Reference: 6m/s											
	Evening (4h)	Lw /dB (A)	99.4	56.4 61.0 65.3	68.7 70.6 71.8	74.0 78.3 80.8	81.4 84.0 84.0	85.3 86.3 87.4	87.5 87.6 88.7	89.2 89.5 89.9	89.7 87.6 84.1	79.7 74.1 68.2	60.1 51.4 46.0	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB			Special correction /dB		
	Lden		-		0.0		0.0		0.0			-		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	99.4		1.00		1.29945		-9.65		-9.7	
	Evening (4h)		4.00	Evening	99.4		1.00		0.44054		-9.58		-9.6	
	Night (8h)		8.00	Night	99.4		1.00		0.72109		-10.45		-10.5	

	Geometry					Nr	x/m			y/m		z(abs) /m		! z(rel) /m	
			Geometry:			401948.93			271445.42		257.67		164.00		
EQCN038	Label		1.2.-6m/s			Action radius/m					3000.00				
	Group		6 m/s			Lw (Day (12h)) /dB(A)					99.38				
	Number of nodes		1			Lw (Night (8h)) /dB(A)					99.38				
	Length/ m		---			Lw (Evening (4h)) /dB(A)					99.38				
	Length/ m (2D)		---			Emission is					Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: 6m/s												
	Day (12h)	Lw /dB (A)	99.4	56.4 61.0 65.3	68.7 70.6 71.8	74.0 78.3 80.8	81.4 84.0 84.0	85.3 86.3 87.4	87.5 87.6 88.7	89.2 89.5 89.9	89.7 87.6 84.1	79.7 74.1 68.2	60.1 51.4 46.0		
	Night (8h)	Emission	Reference: 6m/s												
	Night (8h)	Lw /dB (A)	99.4	56.4 61.0 65.3	68.7 70.6 71.8	74.0 78.3 80.8	81.4 84.0 84.0	85.3 86.3 87.4	87.5 87.6 88.7	89.2 89.5 89.9	89.7 87.6 84.1	79.7 74.1 68.2	60.1 51.4 46.0		
	Evening (4h)	Emission	Reference: 6m/s												
	Evening (4h)	Lw /dB (A)	99.4	56.4 61.0 65.3	68.7 70.6 71.8	74.0 78.3 80.8	81.4 84.0 84.0	85.3 86.3 87.4	87.5 87.6 88.7	89.2 89.5 89.9	89.7 87.6 84.1	79.7 74.1 68.2	60.1 51.4 46.0		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden				-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	99.4		1.00		1.29945		-9.65		-9.7		
	Evening (4h)		4.00	Evening	99.4		1.00		0.44054		-9.58		-9.6		
	Night (8h)		8.00	Night	99.4		1.00		0.72109		-10.45		-10.5		
	Geometry					Nr	x/m			y/m		z(abs) /m		! z(rel) /m	
			Geometry:			402341.00			270953.00		259.27		164.00		
EQCN039	Label		4.2.-7-8m/s			Action radius/m					3000.00				
	Group		7-8 m/s			Lw (Day (12h)) /dB(A)					104.28				
	Number of nodes		1			Lw (Night (8h)) /dB(A)					104.28				
	Length/ m		---			Lw (Evening (4h)) /dB(A)					104.28				
	Length/ m (2D)		---			Emission is					Sound power level (Lw)				
	Area /m²		---												

	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: 7-8m/s											
	Day (12h)	Lw /dB (A)	104.3	61.3 65.9 70.2	73.6 75.5 76.7	78.9 83.2 85.7	86.3 88.9 88.9	90.2 91.2 92.3	92.4 92.5 93.6	94.1 94.4 94.8	94.6 92.5 89.0	84.6 79.0 73.1	65.0 56.3 50.9	
	Night (8h)	Emission	Reference: 7-8m/s											
	Night (8h)	Lw /dB (A)	104.3	61.3 65.9 70.2	73.6 75.5 76.7	78.9 83.2 85.7	86.3 88.9 88.9	90.2 91.2 92.3	92.4 92.5 93.6	94.1 94.4 94.8	94.6 92.5 89.0	84.6 79.0 73.1	65.0 56.3 50.9	
	Evening (4h)	Emission	Reference: 7-8m/s											
	Evening (4h)	Lw /dB (A)	104.3	61.3 65.9 70.2	73.6 75.5 76.7	78.9 83.2 85.7	86.3 88.9 88.9	90.2 91.2 92.3	92.4 92.5 93.6	94.1 94.4 94.8	94.6 92.5 89.0	84.6 79.0 73.1	65.0 56.3 50.9	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden				-		0.0		0.0				0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	104.3		1.00		2.59589		-6.65		-6.6	
	Evening (4h)		4.00	Evening	104.3		1.00		0.97972		-6.11		-6.1	
	Night (8h)		8.00	Night	104.3		1.00		1.73972		-6.63		-6.6	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:				399034.40		269920.09		252.44		164.00	
EQCN040	Label		4.3.-7-8m/s				Action radius/m				3000.00			
	Group		7-8 m/s				Lw (Day (12h)) /dB(A)				104.28			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				104.28			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				104.28			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: 7-8m/s											
	Day (12h)	Lw /dB (A)	104.3	61.3 65.9 70.2	73.6 75.5 76.7	78.9 83.2 85.7	86.3 88.9 88.9	90.2 91.2 92.3	92.4 92.5 93.6	94.1 94.4 94.8	94.6 92.5 89.0	84.6 79.0 73.1	65.0 56.3 50.9	
	Night (8h)	Emission	Reference: 7-8m/s											
	Night (8h)	Lw /dB (A)	104.3	61.3 65.9 70.2	73.6 75.5 76.7	78.9 83.2 85.7	86.3 88.9 88.9	90.2 91.2 92.3	92.4 92.5 93.6	94.1 94.4 94.8	94.6 92.5 89.0	84.6 79.0 73.1	65.0 56.3 50.9	
	Evening (4h)	Emission	Reference: 7-8m/s											
	Evening (4h)	Lw /dB (A)	104.3	61.3 65.9 70.2	73.6 75.5 76.7	78.9 83.2 85.7	86.3 88.9 88.9	90.2 91.2 92.3	92.4 92.5 93.6	94.1 94.4 94.8	94.6 92.5 89.0	84.6 79.0 73.1	65.0 56.3 50.9	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	

	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	104.3		1.00		2.59589		-6.65		-6.6	
	Evening (4h)		4.00	Evening	104.3		1.00		0.97972		-6.11		-6.1	
	Night (8h)		8.00	Night	104.3		1.00		1.73972		-6.63		-6.6	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:			399097.90		269215.24		253.00		164.00		
EQCN041	Label		2.4.-7-8m/s				Action radius/m				3000.00			
	Group		7-8 m/s				Lw (Day (12h)) /dB(A)				104.28			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				104.28			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				104.28			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: 7-8m/s											
	Day (12h)	Lw /dB (A)	104.3	61.3 65.9 70.2	73.6 75.5 76.7	78.9 83.2 85.7	86.3 88.9 88.9	90.2 91.2 92.3	92.4 92.5 93.6	94.1 94.4 94.8	94.6 92.5 89.0	84.6 79.0 73.1	65.0 56.3 50.9	
	Night (8h)	Emission	Reference: 7-8m/s											
	Night (8h)	Lw /dB (A)	104.3	61.3 65.9 70.2	73.6 75.5 76.7	78.9 83.2 85.7	86.3 88.9 88.9	90.2 91.2 92.3	92.4 92.5 93.6	94.1 94.4 94.8	94.6 92.5 89.0	84.6 79.0 73.1	65.0 56.3 50.9	
	Evening (4h)	Emission	Reference: 7-8m/s											
	Evening (4h)	Lw /dB (A)	104.3	61.3 65.9 70.2	73.6 75.5 76.7	78.9 83.2 85.7	86.3 88.9 88.9	90.2 91.2 92.3	92.4 92.5 93.6	94.1 94.4 94.8	94.6 92.5 89.0	84.6 79.0 73.1	65.0 56.3 50.9	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	104.3		1.00		2.59589		-6.65		-6.6	
	Evening (4h)		4.00	Evening	104.3		1.00		0.97972		-6.11		-6.1	
	Night (8h)		8.00	Night	104.3		1.00		1.73972		-6.63		-6.6	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:			399792.17		268652.47		260.78		164.00		
EQCN042	Label		2.3.-7-8m/s				Action radius/m				3000.00			

	Group		7-8 m/s				Lw (Day (12h)) /dB(A)				104.28			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				104.28			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				104.28			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: 7-8m/s											
	Day (12h)	Lw /dB (A)	104.3	61.3 65.9 70.2	73.6 75.5 76.7	78.9 83.2 85.7	86.3 88.9 88.9	90.2 91.2 92.3	92.4 92.5 93.6	94.1 94.4 94.8	94.6 92.5 89.0	84.6 79.0 73.1	65.0 56.3 50.9	
	Night (8h)	Emission	Reference: 7-8m/s											
	Night (8h)	Lw /dB (A)	104.3	61.3 65.9 70.2	73.6 75.5 76.7	78.9 83.2 85.7	86.3 88.9 88.9	90.2 91.2 92.3	92.4 92.5 93.6	94.1 94.4 94.8	94.6 92.5 89.0	84.6 79.0 73.1	65.0 56.3 50.9	
	Evening (4h)	Emission	Reference: 7-8m/s											
	Evening (4h)	Lw /dB (A)	104.3	61.3 65.9 70.2	73.6 75.5 76.7	78.9 83.2 85.7	86.3 88.9 88.9	90.2 91.2 92.3	92.4 92.5 93.6	94.1 94.4 94.8	94.6 92.5 89.0	84.6 79.0 73.1	65.0 56.3 50.9	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	104.3		1.00		2.59589		-6.65		-6.6	
	Evening (4h)		4.00	Evening	104.3		1.00		0.97972		-6.11		-6.1	
	Night (8h)		8.00	Night	104.3		1.00		1.73972		-6.63		-6.6	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		400366.32		268465.93		257.94		164.00	
EQCN043	Label		4.6.-7-8m/s				Action radius/m				3000.00			
	Group		7-8 m/s				Lw (Day (12h)) /dB(A)				104.28			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				104.28			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				104.28			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: 7-8m/s											
	Day (12h)	Lw /dB (A)	104.3	61.3 65.9 70.2	73.6 75.5 76.7	78.9 83.2 85.7	86.3 88.9 88.9	90.2 91.2 92.3	92.4 92.5 93.6	94.1 94.4 94.8	94.6 92.5 89.0	84.6 79.0 73.1	65.0 56.3 50.9	

	Night (8h)	Emission	Reference: 7-8m/s											
	Night (8h)	Lw /dB (A)	104.3	61.3 65.9 70.2	73.6 75.5 76.7	78.9 83.2 85.7	86.3 88.9 88.9	90.2 91.2 92.3	92.4 92.5 93.6	94.1 94.4 94.8	94.6 92.5 89.0	84.6 79.0 73.1	65.0 56.3 50.9	
	Evening (4h)	Emission	Reference: 7-8m/s											
	Evening (4h)	Lw /dB (A)	104.3	61.3 65.9 70.2	73.6 75.5 76.7	78.9 83.2 85.7	86.3 88.9 88.9	90.2 91.2 92.3	92.4 92.5 93.6	94.1 94.4 94.8	94.6 92.5 89.0	84.6 79.0 73.1	65.0 56.3 50.9	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	104.3		1.00		2.59589		-6.65		-6.6	
	Evening (4h)		4.00	Evening	104.3		1.00		0.97972		-6.11		-6.1	
	Night (8h)		8.00	Night	104.3		1.00		1.73972		-6.63		-6.6	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:				399864.93		268033.34		255.00		164.00	
EQCN044	Label		2.2.-7-8m/s				Action radius/m				3000.00			
	Group		7-8 m/s				Lw (Day (12h)) /dB(A)				104.28			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				104.28			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				104.28			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: 7-8m/s											
	Day (12h)	Lw /dB (A)	104.3	61.3 65.9 70.2	73.6 75.5 76.7	78.9 83.2 85.7	86.3 88.9 88.9	90.2 91.2 92.3	92.4 92.5 93.6	94.1 94.4 94.8	94.6 92.5 89.0	84.6 79.0 73.1	65.0 56.3 50.9	
	Night (8h)	Emission	Reference: 7-8m/s											
	Night (8h)	Lw /dB (A)	104.3	61.3 65.9 70.2	73.6 75.5 76.7	78.9 83.2 85.7	86.3 88.9 88.9	90.2 91.2 92.3	92.4 92.5 93.6	94.1 94.4 94.8	94.6 92.5 89.0	84.6 79.0 73.1	65.0 56.3 50.9	
	Evening (4h)	Emission	Reference: 7-8m/s											
	Evening (4h)	Lw /dB (A)	104.3	61.3 65.9 70.2	73.6 75.5 76.7	78.9 83.2 85.7	86.3 88.9 88.9	90.2 91.2 92.3	92.4 92.5 93.6	94.1 94.4 94.8	94.6 92.5 89.0	84.6 79.0 73.1	65.0 56.3 50.9	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	104.3		1.00		2.59589		-6.65		-6.6	

	Evening (4h)	4.00	Evening	104.3		1.00		0.97972		-6.11		-6.1		
	Night (8h)	8.00	Night	104.3		1.00		1.73972		-6.63		-6.6		
	Geometry				Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
		Geometry:				400174.71		267430.88		253.00		164.00		
EQCN045	Label	2.1.-7-8m/s				Action radius/m				3000.00				
	Group	7-8 m/s				Lw (Day (12h)) /dB(A)				104.28				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				104.28				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				104.28				
	Length/ m (2D)	---				Emission is				Sound power level (Lw)				
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: 7-8m/s											
	Day (12h)	Lw /dB (A)	104.3	61.3 65.9 70.2	73.6 75.5 76.7	78.9 83.2 85.7	86.3 88.9 88.9	90.2 91.2 92.3	92.4 92.5 93.6	94.1 94.4 94.8	94.6 92.5 89.0	84.6 79.0 73.1	65.0 56.3 50.9	
	Night (8h)	Emission	Reference: 7-8m/s											
	Night (8h)	Lw /dB (A)	104.3	61.3 65.9 70.2	73.6 75.5 76.7	78.9 83.2 85.7	86.3 88.9 88.9	90.2 91.2 92.3	92.4 92.5 93.6	94.1 94.4 94.8	94.6 92.5 89.0	84.6 79.0 73.1	65.0 56.3 50.9	
	Evening (4h)	Emission	Reference: 7-8m/s											
	Evening (4h)	Lw /dB (A)	104.3	61.3 65.9 70.2	73.6 75.5 76.7	78.9 83.2 85.7	86.3 88.9 88.9	90.2 91.2 92.3	92.4 92.5 93.6	94.1 94.4 94.8	94.6 92.5 89.0	84.6 79.0 73.1	65.0 56.3 50.9	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden	-		0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	104.3		1.00		2.59589		-6.65		-6.6		
	Evening (4h)	4.00	Evening	104.3		1.00		0.97972		-6.11		-6.1		
	Night (8h)	8.00	Night	104.3		1.00		1.73972		-6.63		-6.6		
	Geometry				Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
		Geometry:				400942.93		267504.66		256.00		164.00		
EQCN046	Label	4.4.A-7-8m/s				Action radius/m				3000.00				
	Group	7-8 m/s				Lw (Day (12h)) /dB(A)				104.28				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				104.28				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				104.28				

	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: 7-8m/s											
	Day (12h)	Lw /dB (A)	104.3	61.3 65.9 70.2	73.6 75.5 76.7	78.9 83.2 85.7	86.3 88.9 88.9	90.2 91.2 92.3	92.4 92.5 93.6	94.1 94.4 94.8	94.6 92.5 89.0	84.6 79.0 73.1	65.0 56.3 50.9	
	Night (8h)	Emission	Reference: 7-8m/s											
	Night (8h)	Lw /dB (A)	104.3	61.3 65.9 70.2	73.6 75.5 76.7	78.9 83.2 85.7	86.3 88.9 88.9	90.2 91.2 92.3	92.4 92.5 93.6	94.1 94.4 94.8	94.6 92.5 89.0	84.6 79.0 73.1	65.0 56.3 50.9	
	Evening (4h)	Emission	Reference: 7-8m/s											
	Evening (4h)	Lw /dB (A)	104.3	61.3 65.9 70.2	73.6 75.5 76.7	78.9 83.2 85.7	86.3 88.9 88.9	90.2 91.2 92.3	92.4 92.5 93.6	94.1 94.4 94.8	94.6 92.5 89.0	84.6 79.0 73.1	65.0 56.3 50.9	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	104.3		1.00		2.59589		-6.65		-6.6	
	Evening (4h)		4.00	Evening	104.3		1.00		0.97972		-6.11		-6.1	
	Night (8h)		8.00	Night	104.3		1.00		1.73972		-6.63		-6.6	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:			401170.47		269238.74		257.00		164.00		
EQCN047	Label		4.4.B-7-8m/s				Action radius/m				3000.00			
	Group		7-8 m/s				Lw (Day (12h)) /dB(A)				104.28			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				104.28			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				104.28			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: 7-8m/s											
	Day (12h)	Lw /dB (A)	104.3	61.3 65.9 70.2	73.6 75.5 76.7	78.9 83.2 85.7	86.3 88.9 88.9	90.2 91.2 92.3	92.4 92.5 93.6	94.1 94.4 94.8	94.6 92.5 89.0	84.6 79.0 73.1	65.0 56.3 50.9	
	Night (8h)	Emission	Reference: 7-8m/s											
	Night (8h)	Lw /dB (A)	104.3	61.3 65.9 70.2	73.6 75.5 76.7	78.9 83.2 85.7	86.3 88.9 88.9	90.2 91.2 92.3	92.4 92.5 93.6	94.1 94.4 94.8	94.6 92.5 89.0	84.6 79.0 73.1	65.0 56.3 50.9	
	Evening (4h)	Emission	Reference: 7-8m/s											

	Evening (4h)	Lw /dB (A)	104.3		61.3 65.9 70.2	73.6 75.5 76.7	78.9 83.2 85.7	86.3 88.9 88.9	90.2 91.2 92.3	92.4 92.5 93.6	94.1 94.4 94.8	94.6 92.5 89.0	84.6 79.0 73.1	65.0 56.3 50.9		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden		-		0.0		0.0		0.0		-		0.0			
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)		12.00	Day	104.3		1.00		2.59589		-6.65		-6.6			
	Evening (4h)		4.00	Evening	104.3		1.00		0.97972		-6.11		-6.1			
	Night (8h)		8.00	Night	104.3		1.00		1.73972		-6.63		-6.6			
	Geometry						Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
			Geometry:				400768.68		269722.93		256.00		164.00			
EQCN048	Label		4.4.C-7-8m/s					Action radius/m					3000.00			
	Group		7-8 m/s					Lw (Day (12h)) /dB(A)					104.28			
	Number of nodes		1					Lw (Night (8h)) /dB(A)					104.28			
	Length/ m		---					Lw (Evening (4h)) /dB(A)					104.28			
	Length/ m (2D)		---					Emission is					Sound power level (Lw)			
	Area /m²		---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
	Day (12h)	Emission	Reference: 7-8m/s													
	Day (12h)	Lw /dB (A)	104.3	61.3 65.9 70.2	73.6 75.5 76.7	78.9 83.2 85.7	86.3 88.9 88.9	90.2 91.2 92.3	92.4 92.5 93.6	94.1 94.4 94.8	94.6 92.5 89.0	84.6 79.0 73.1	65.0 56.3 50.9			
	Night (8h)	Emission	Reference: 7-8m/s													
	Night (8h)	Lw /dB (A)	104.3	61.3 65.9 70.2	73.6 75.5 76.7	78.9 83.2 85.7	86.3 88.9 88.9	90.2 91.2 92.3	92.4 92.5 93.6	94.1 94.4 94.8	94.6 92.5 89.0	84.6 79.0 73.1	65.0 56.3 50.9			
	Evening (4h)	Emission	Reference: 7-8m/s													
	Evening (4h)	Lw /dB (A)	104.3	61.3 65.9 70.2	73.6 75.5 76.7	78.9 83.2 85.7	86.3 88.9 88.9	90.2 91.2 92.3	92.4 92.5 93.6	94.1 94.4 94.8	94.6 92.5 89.0	84.6 79.0 73.1	65.0 56.3 50.9			
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden		-		0.0		0.0		0.0		-		0.0			
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)		12.00	Day	104.3		1.00		2.59589		-6.65		-6.6			
	Evening (4h)		4.00	Evening	104.3		1.00		0.97972		-6.11		-6.1			
	Night (8h)		8.00	Night	104.3		1.00		1.73972		-6.63		-6.6			
	Geometry						Nr	x/m		y/m		z(abs) /m		! z(rel) /m		

			Geometry:				401262.82		270044.66		253.00		164.00	
EQCN049	Label		4.7.A-7-8m/s				Action radius/m				3000.00			
	Group		7-8 m/s				Lw (Day (12h)) /dB(A)				104.28			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				104.28			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				104.28			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: 7-8m/s											
	Day (12h)	Lw /dB (A)	104.3	61.3 65.9 70.2	73.6 75.5 76.7	78.9 83.2 85.7	86.3 88.9 88.9	90.2 91.2 92.3	92.4 92.5 93.6	94.1 94.4 94.8	94.6 92.5 89.0	84.6 79.0 73.1	65.0 56.3 50.9	
	Night (8h)	Emission	Reference: 7-8m/s											
	Night (8h)	Lw /dB (A)	104.3	61.3 65.9 70.2	73.6 75.5 76.7	78.9 83.2 85.7	86.3 88.9 88.9	90.2 91.2 92.3	92.4 92.5 93.6	94.1 94.4 94.8	94.6 92.5 89.0	84.6 79.0 73.1	65.0 56.3 50.9	
	Evening (4h)	Emission	Reference: 7-8m/s											
	Evening (4h)	Lw /dB (A)	104.3	61.3 65.9 70.2	73.6 75.5 76.7	78.9 83.2 85.7	86.3 88.9 88.9	90.2 91.2 92.3	92.4 92.5 93.6	94.1 94.4 94.8	94.6 92.5 89.0	84.6 79.0 73.1	65.0 56.3 50.9	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	104.3		1.00		2.59589		-6.65		-6.6	
	Evening (4h)		4.00	Evening	104.3		1.00		0.97972		-6.11		-6.1	
	Night (8h)		8.00	Night	104.3		1.00		1.73972		-6.63		-6.6	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:				401947.56		269144.81		253.00		164.00	
EQCN050	Label		4.7.B-7-8m/s				Action radius/m				3000.00			
	Group		7-8 m/s				Lw (Day (12h)) /dB(A)				104.28			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				104.28			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				104.28			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	

	Day (12h)	Emission	Reference: 7-8m/s												
	Day (12h)	Lw /dB (A)	104.3	61.3 65.9 70.2	73.6 75.5 76.7	78.9 83.2 85.7	86.3 88.9 88.9	90.2 91.2 92.3	92.4 92.5 93.6	94.1 94.4 94.8	94.6 92.5 89.0	84.6 79.0 73.1	65.0 56.3 50.9		
	Night (8h)	Emission	Reference: 7-8m/s												
	Night (8h)	Lw /dB (A)	104.3	61.3 65.9 70.2	73.6 75.5 76.7	78.9 83.2 85.7	86.3 88.9 88.9	90.2 91.2 92.3	92.4 92.5 93.6	94.1 94.4 94.8	94.6 92.5 89.0	84.6 79.0 73.1	65.0 56.3 50.9		
	Evening (4h)	Emission	Reference: 7-8m/s												
	Evening (4h)	Lw /dB (A)	104.3	61.3 65.9 70.2	73.6 75.5 76.7	78.9 83.2 85.7	86.3 88.9 88.9	90.2 91.2 92.3	92.4 92.5 93.6	94.1 94.4 94.8	94.6 92.5 89.0	84.6 79.0 73.1	65.0 56.3 50.9		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden				-		0.0		0.0		0.0		-	0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	104.3		1.00		2.59589		-6.65		-6.6		
	Evening (4h)		4.00	Evening	104.3		1.00		0.97972		-6.11		-6.1		
	Night (8h)		8.00	Night	104.3		1.00		1.73972		-6.63		-6.6		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:					401956.56		269655.72		255.00		164.00	
EQCN051	Label		4.7.C-7-8m/s					Action radius/m				3000.00			
	Group		7-8 m/s					Lw (Day (12h)) /dB(A)				104.28			
	Number of nodes		1					Lw (Night (8h)) /dB(A)				104.28			
	Length/ m		---					Lw (Evening (4h)) /dB(A)				104.28			
	Length/ m (2D)		---					Emission is				Sound power level (Lw)			
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: 7-8m/s												
	Day (12h)	Lw /dB (A)	104.3	61.3 65.9 70.2	73.6 75.5 76.7	78.9 83.2 85.7	86.3 88.9 88.9	90.2 91.2 92.3	92.4 92.5 93.6	94.1 94.4 94.8	94.6 92.5 89.0	84.6 79.0 73.1	65.0 56.3 50.9		
	Night (8h)	Emission	Reference: 7-8m/s												
	Night (8h)	Lw /dB (A)	104.3	61.3 65.9 70.2	73.6 75.5 76.7	78.9 83.2 85.7	86.3 88.9 88.9	90.2 91.2 92.3	92.4 92.5 93.6	94.1 94.4 94.8	94.6 92.5 89.0	84.6 79.0 73.1	65.0 56.3 50.9		
	Evening (4h)	Emission	Reference: 7-8m/s												
	Evening (4h)	Lw /dB (A)	104.3	61.3 65.9 70.2	73.6 75.5 76.7	78.9 83.2 85.7	86.3 88.9 88.9	90.2 91.2 92.3	92.4 92.5 93.6	94.1 94.4 94.8	94.6 92.5 89.0	84.6 79.0 73.1	65.0 56.3 50.9		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden				-		0.0		0.0		0.0		-		0.0

	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	104.3		1.00		2.59589		-6.65		-6.6	
	Evening (4h)		4.00	Evening	104.3		1.00		0.97972		-6.11		-6.1	
	Night (8h)		8.00	Night	104.3		1.00		1.73972		-6.63		-6.6	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:				402551.87		269516.02		256.74		164.00	
EQCN052	Label		1.5.-7-8m/s				Action radius/m				3000.00			
	Group		7-8 m/s				Lw (Day (12h)) /dB(A)				104.28			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				104.28			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				104.28			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: 7-8m/s											
	Day (12h)	Lw /dB (A)	104.3	61.3 65.9 70.2	73.6 75.5 76.7	78.9 83.2 85.7	86.3 88.9 88.9	90.2 91.2 92.3	92.4 92.5 93.6	94.1 94.4 94.8	94.6 92.5 89.0	84.6 79.0 73.1	65.0 56.3 50.9	
	Night (8h)	Emission	Reference: 7-8m/s											
	Night (8h)	Lw /dB (A)	104.3	61.3 65.9 70.2	73.6 75.5 76.7	78.9 83.2 85.7	86.3 88.9 88.9	90.2 91.2 92.3	92.4 92.5 93.6	94.1 94.4 94.8	94.6 92.5 89.0	84.6 79.0 73.1	65.0 56.3 50.9	
	Evening (4h)	Emission	Reference: 7-8m/s											
	Evening (4h)	Lw /dB (A)	104.3	61.3 65.9 70.2	73.6 75.5 76.7	78.9 83.2 85.7	86.3 88.9 88.9	90.2 91.2 92.3	92.4 92.5 93.6	94.1 94.4 94.8	94.6 92.5 89.0	84.6 79.0 73.1	65.0 56.3 50.9	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden				-		0.0		0.0				-	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	104.3		1.00		2.59589		-6.65		-6.6	
	Evening (4h)		4.00	Evening	104.3		1.00		0.97972		-6.11		-6.1	
	Night (8h)		8.00	Night	104.3		1.00		1.73972		-6.63		-6.6	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:				402999.78		269843.88		258.77		164.00	
EQCN053	Label		1.6.-7-8m/s				Action radius/m				3000.00			
	Group		7-8 m/s				Lw (Day (12h)) /dB(A)				104.28			

	Number of nodes		1				Lw (Night (8h)) /dB(A)				104.28			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				104.28			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: 7-8m/s											
	Day (12h)	Lw /dB (A)	104.3	61.3 65.9 70.2	73.6 75.5 76.7	78.9 83.2 85.7	86.3 88.9 88.9	90.2 91.2 92.3	92.4 92.5 93.6	94.1 94.4 94.8	94.6 92.5 89.0	84.6 79.0 73.1	65.0 56.3 50.9	
	Night (8h)	Emission	Reference: 7-8m/s											
	Night (8h)	Lw /dB (A)	104.3	61.3 65.9 70.2	73.6 75.5 76.7	78.9 83.2 85.7	86.3 88.9 88.9	90.2 91.2 92.3	92.4 92.5 93.6	94.1 94.4 94.8	94.6 92.5 89.0	84.6 79.0 73.1	65.0 56.3 50.9	
	Evening (4h)	Emission	Reference: 7-8m/s											
	Evening (4h)	Lw /dB (A)	104.3	61.3 65.9 70.2	73.6 75.5 76.7	78.9 83.2 85.7	86.3 88.9 88.9	90.2 91.2 92.3	92.4 92.5 93.6	94.1 94.4 94.8	94.6 92.5 89.0	84.6 79.0 73.1	65.0 56.3 50.9	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	104.3		1.00		2.59589		-6.65		-6.6	
	Evening (4h)		4.00	Evening	104.3		1.00		0.97972		-6.11		-6.1	
	Night (8h)		8.00	Night	104.3		1.00		1.73972		-6.63		-6.6	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:				403362.63		269297.25		259.01		164.00	
EQCN054	Label		1.3.-7-8m/s				Action radius/m				3000.00			
	Group		7-8 m/s				Lw (Day (12h)) /dB(A)				104.28			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				104.28			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				104.28			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: 7-8m/s											
	Day (12h)	Lw /dB (A)	104.3	61.3 65.9 70.2	73.6 75.5 76.7	78.9 83.2 85.7	86.3 88.9 88.9	90.2 91.2 92.3	92.4 92.5 93.6	94.1 94.4 94.8	94.6 92.5 89.0	84.6 79.0 73.1	65.0 56.3 50.9	
	Night (8h)	Emission	Reference: 7-8m/s											

	Night (8h)	Lw /dB (A)	104.3	61.3 65.9 70.2	73.6 75.5 76.7	78.9 83.2 85.7	86.3 88.9 88.9	90.2 91.2 92.3	92.4 92.5 93.6	94.1 94.4 94.8	94.6 92.5 89.0	84.6 79.0 73.1	65.0 56.3 50.9	
	Evening (4h)	Emission	Reference: 7-8m/s											
	Evening (4h)	Lw /dB (A)	104.3	61.3 65.9 70.2	73.6 75.5 76.7	78.9 83.2 85.7	86.3 88.9 88.9	90.2 91.2 92.3	92.4 92.5 93.6	94.1 94.4 94.8	94.6 92.5 89.0	84.6 79.0 73.1	65.0 56.3 50.9	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB			Special correction /dB		
	Lden		-		0.0		0.0		0.0		-	0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	104.3		1.00		2.59589		-6.65		-6.6	
	Evening (4h)		4.00	Evening	104.3		1.00		0.97972		-6.11		-6.1	
	Night (8h)		8.00	Night	104.3		1.00		1.73972		-6.63		-6.6	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:			401015.93		271756.80		255.00		164.00		
EQCN055	Label		1.4.-7-8m/s				Action radius/m				3000.00			
	Group		7-8 m/s				Lw (Day (12h)) /dB(A)				104.28			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				104.28			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				104.28			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: 7-8m/s											
	Day (12h)	Lw /dB (A)	104.3	61.3 65.9 70.2	73.6 75.5 76.7	78.9 83.2 85.7	86.3 88.9 88.9	90.2 91.2 92.3	92.4 92.5 93.6	94.1 94.4 94.8	94.6 92.5 89.0	84.6 79.0 73.1	65.0 56.3 50.9	
	Night (8h)	Emission	Reference: 7-8m/s											
	Night (8h)	Lw /dB (A)	104.3	61.3 65.9 70.2	73.6 75.5 76.7	78.9 83.2 85.7	86.3 88.9 88.9	90.2 91.2 92.3	92.4 92.5 93.6	94.1 94.4 94.8	94.6 92.5 89.0	84.6 79.0 73.1	65.0 56.3 50.9	
	Evening (4h)	Emission	Reference: 7-8m/s											
	Evening (4h)	Lw /dB (A)	104.3	61.3 65.9 70.2	73.6 75.5 76.7	78.9 83.2 85.7	86.3 88.9 88.9	90.2 91.2 92.3	92.4 92.5 93.6	94.1 94.4 94.8	94.6 92.5 89.0	84.6 79.0 73.1	65.0 56.3 50.9	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB			Special correction /dB		
	Lden		-		0.0		0.0		0.0		-	0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	104.3		1.00		2.59589		-6.65		-6.6	
	Evening (4h)		4.00	Evening	104.3		1.00		0.97972		-6.11		-6.1	

	Night (8h)	8.00	Night	104.3		1.00		1.73972		-6.63		-6.6		
	Geometry				Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
		Geometry:				400872.69		271015.51		254.00		164.00		
EQCN056	Label	1.1.-7-8m/s				Action radius/m				3000.00				
	Group	7-8 m/s				Lw (Day (12h)) /dB(A)				104.28				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				104.28				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				104.28				
	Length/ m (2D)	---				Emission is				Sound power level (Lw)				
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: 7-8m/s											
	Day (12h)	Lw /dB (A)	104.3	61.3 65.9 70.2	73.6 75.5 76.7	78.9 83.2 85.7	86.3 88.9 88.9	90.2 91.2 92.3	92.4 92.5 93.6	94.1 94.4 94.8	94.6 92.5 89.0	84.6 79.0 73.1	65.0 56.3 50.9	
	Night (8h)	Emission	Reference: 7-8m/s											
	Night (8h)	Lw /dB (A)	104.3	61.3 65.9 70.2	73.6 75.5 76.7	78.9 83.2 85.7	86.3 88.9 88.9	90.2 91.2 92.3	92.4 92.5 93.6	94.1 94.4 94.8	94.6 92.5 89.0	84.6 79.0 73.1	65.0 56.3 50.9	
	Evening (4h)	Emission	Reference: 7-8m/s											
	Evening (4h)	Lw /dB (A)	104.3	61.3 65.9 70.2	73.6 75.5 76.7	78.9 83.2 85.7	86.3 88.9 88.9	90.2 91.2 92.3	92.4 92.5 93.6	94.1 94.4 94.8	94.6 92.5 89.0	84.6 79.0 73.1	65.0 56.3 50.9	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden			-		0.0		0.0		0.0		-		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	104.3		1.00		2.59589		-6.65		-6.6		
	Evening (4h)	4.00	Evening	104.3		1.00		0.97972		-6.11		-6.1		
	Night (8h)	8.00	Night	104.3		1.00		1.73972		-6.63		-6.6		
	Geometry				Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
		Geometry:				401948.93		271445.42		257.67		164.00		
EQCN057	Label	1.2.-7-8m/s				Action radius/m				3000.00				
	Group	7-8 m/s				Lw (Day (12h)) /dB(A)				104.28				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				104.28				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				104.28				
	Length/ m (2D)	---				Emission is				Sound power level (Lw)				

	Area /m²		---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
	Day (12h)	Emission	Reference: 7-8m/s													
	Day (12h)	Lw /dB (A)	104.3	61.3 65.9 70.2	73.6 75.5 76.7	78.9 83.2 85.7	86.3 88.9 88.9	90.2 91.2 92.3	92.4 92.5 93.6	94.1 94.4 94.8	94.6 92.5 89.0	84.6 79.0 73.1	65.0 56.3 50.9			
	Night (8h)	Emission	Reference: 7-8m/s													
	Night (8h)	Lw /dB (A)	104.3	61.3 65.9 70.2	73.6 75.5 76.7	78.9 83.2 85.7	86.3 88.9 88.9	90.2 91.2 92.3	92.4 92.5 93.6	94.1 94.4 94.8	94.6 92.5 89.0	84.6 79.0 73.1	65.0 56.3 50.9			
	Evening (4h)	Emission	Reference: 7-8m/s													
	Evening (4h)	Lw /dB (A)	104.3	61.3 65.9 70.2	73.6 75.5 76.7	78.9 83.2 85.7	86.3 88.9 88.9	90.2 91.2 92.3	92.4 92.5 93.6	94.1 94.4 94.8	94.6 92.5 89.0	84.6 79.0 73.1	65.0 56.3 50.9			
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden				-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)		12.00	Day	104.3		1.00		2.59589		-6.65		-6.6			
	Evening (4h)		4.00	Evening	104.3		1.00		0.97972		-6.11		-6.1			
	Night (8h)		8.00	Night	104.3		1.00		1.73972		-6.63		-6.6			
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m			
			Geometry:			402341.00		270953.00		259.27		164.00				
EQCN077	Label		4.2.-9m/s				Action radius/m				3000.00					
	Group		9 m/s				Lw (Day (12h)) /dB(A)				108.28					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.28					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.28					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
	Day (12h)	Emission	Reference: 9m/s													
	Day (12h)	Lw /dB (A)	108.3	65.3 69.9 74.2	77.6 79.5 80.7	82.9 87.2 89.7	90.3 92.9 92.9	94.2 95.2 96.3	96.4 96.5 97.6	98.1 98.4 98.8	98.6 96.5 93.0	88.6 83.0 77.1	69.0 60.3 54.9			
	Night (8h)	Emission	Reference: 9m/s													
	Night (8h)	Lw /dB (A)	108.3	65.3 69.9 74.2	77.6 79.5 80.7	82.9 87.2 89.7	90.3 92.9 92.9	94.2 95.2 96.3	96.4 96.5 97.6	98.1 98.4 98.8	98.6 96.5 93.0	88.6 83.0 77.1	69.0 60.3 54.9			
	Evening (4h)	Emission	Reference: 9m/s													
	Evening (4h)	Lw /dB (A)	108.3	65.3 69.9 74.2	77.6 79.5 80.7	82.9 87.2 89.7	90.3 92.9 92.9	94.2 95.2 96.3	96.4 96.5 97.6	98.1 98.4 98.8	98.6 96.5 93.0	88.6 83.0 77.1	69.0 60.3 54.9			

	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden	-		0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	108.3		1.00		1.14684		-10.20		-10.2		
	Evening (4h)	4.00	Evening	108.3		1.00		0.45095		-9.48		-9.5		
	Night (8h)	8.00	Night	108.3		1.00		0.94356		-9.28		-9.3		
	Geometry				Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
		Geometry:				399034.40		269920.09		252.44		164.00		
EQCN078	Label	4.3.-9m/s				Action radius/m				3000.00				
	Group	9 m/s				Lw (Day (12h)) /dB(A)				108.28				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				108.28				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				108.28				
	Length/ m (2D)	---				Emission is				Sound power level (Lw)				
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: 9m/s											
	Day (12h)	Lw /dB (A)	108.3	65.3 69.9 74.2	77.6 79.5 80.7	82.9 87.2 89.7	90.3 92.9 92.9	94.2 95.2 96.3	96.4 96.5 97.6	98.1 98.4 98.8	98.6 96.5 93.0	88.6 83.0 77.1	69.0 60.3 54.9	
	Night (8h)	Emission	Reference: 9m/s											
	Night (8h)	Lw /dB (A)	108.3	65.3 69.9 74.2	77.6 79.5 80.7	82.9 87.2 89.7	90.3 92.9 92.9	94.2 95.2 96.3	96.4 96.5 97.6	98.1 98.4 98.8	98.6 96.5 93.0	88.6 83.0 77.1	69.0 60.3 54.9	
	Evening (4h)	Emission	Reference: 9m/s											
	Evening (4h)	Lw /dB (A)	108.3	65.3 69.9 74.2	77.6 79.5 80.7	82.9 87.2 89.7	90.3 92.9 92.9	94.2 95.2 96.3	96.4 96.5 97.6	98.1 98.4 98.8	98.6 96.5 93.0	88.6 83.0 77.1	69.0 60.3 54.9	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden	-		0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	108.3		1.00		1.14684		-10.20		-10.2		
	Evening (4h)	4.00	Evening	108.3		1.00		0.45095		-9.48		-9.5		
	Night (8h)	8.00	Night	108.3		1.00		0.94356		-9.28		-9.3		
	Geometry				Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
		Geometry:				399097.90		269215.24		253.00		164.00		

EQCN079	Label		2.4.-9m/s				Action radius/m				3000.00					
	Group		9 m/s				Lw (Day (12h)) /dB(A)				108.28					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.28					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.28					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
	Day (12h)	Emission	Reference: 9m/s													
	Day (12h)	Lw /dB (A)	108.3	65.3 69.9 74.2	77.6 79.5 80.7	82.9 87.2 89.7	90.3 92.9 92.9	94.2 95.2 96.3	96.4 96.5 97.6	98.1 98.4 98.8	98.6 96.5 93.0	88.6 83.0 77.1	69.0 60.3 54.9			
	Night (8h)	Emission	Reference: 9m/s													
	Night (8h)	Lw /dB (A)	108.3	65.3 69.9 74.2	77.6 79.5 80.7	82.9 87.2 89.7	90.3 92.9 92.9	94.2 95.2 96.3	96.4 96.5 97.6	98.1 98.4 98.8	98.6 96.5 93.0	88.6 83.0 77.1	69.0 60.3 54.9			
	Evening (4h)	Emission	Reference: 9m/s													
	Evening (4h)	Lw /dB (A)	108.3	65.3 69.9 74.2	77.6 79.5 80.7	82.9 87.2 89.7	90.3 92.9 92.9	94.2 95.2 96.3	96.4 96.5 97.6	98.1 98.4 98.8	98.6 96.5 93.0	88.6 83.0 77.1	69.0 60.3 54.9			
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden				-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)		12.00	Day	108.3		1.00		1.14684		-10.20		-10.2			
	Evening (4h)		4.00	Evening	108.3		1.00		0.45095		-9.48		-9.5			
	Night (8h)		8.00	Night	108.3		1.00		0.94356		-9.28		-9.3			
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m			
			Geometry:				399792.17		268652.47		260.78		164.00			
EQCN080	Label		2.3.-9m/s				Action radius/m				3000.00					
	Group		9 m/s				Lw (Day (12h)) /dB(A)				108.28					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.28					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.28					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
	Day (12h)	Emission	Reference: 9m/s													

	Day (12h)	Lw /dB (A)	108.3	65.3 69.9 74.2	77.6 79.5 80.7	82.9 87.2 89.7	90.3 92.9 92.9	94.2 95.2 96.3	96.4 96.5 97.6	98.1 98.4 98.8	98.6 96.5 93.0	88.6 83.0 77.1	69.0 60.3 54.9		
	Night (8h)	Emission	Reference: 9m/s												
	Night (8h)	Lw /dB (A)	108.3	65.3 69.9 74.2	77.6 79.5 80.7	82.9 87.2 89.7	90.3 92.9 92.9	94.2 95.2 96.3	96.4 96.5 97.6	98.1 98.4 98.8	98.6 96.5 93.0	88.6 83.0 77.1	69.0 60.3 54.9		
	Evening (4h)	Emission	Reference: 9m/s												
	Evening (4h)	Lw /dB (A)	108.3	65.3 69.9 74.2	77.6 79.5 80.7	82.9 87.2 89.7	90.3 92.9 92.9	94.2 95.2 96.3	96.4 96.5 97.6	98.1 98.4 98.8	98.6 96.5 93.0	88.6 83.0 77.1	69.0 60.3 54.9		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden				-		0.0		0.0		0.0		-	0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	108.3		1.00		1.14684		-10.20		-10.2		
	Evening (4h)		4.00	Evening	108.3		1.00		0.45095		-9.48		-9.5		
	Night (8h)		8.00	Night	108.3		1.00		0.94356		-9.28		-9.3		
	Geometry					Nr	x/m			y/m		z(abs) /m		! z(rel) /m	
						Geometry:		400366.32		268465.93		257.94		164.00	
EQCN081	Label		4.6.-9m/s					Action radius/m				3000.00			
	Group		9 m/s					Lw (Day (12h)) /dB(A)				108.28			
	Number of nodes		1					Lw (Night (8h)) /dB(A)				108.28			
	Length/ m		---					Lw (Evening (4h)) /dB(A)				108.28			
	Length/ m (2D)		---					Emission is				Sound power level (Lw)			
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: 9m/s												
	Day (12h)	Lw /dB (A)	108.3	65.3 69.9 74.2	77.6 79.5 80.7	82.9 87.2 89.7	90.3 92.9 92.9	94.2 95.2 96.3	96.4 96.5 97.6	98.1 98.4 98.8	98.6 96.5 93.0	88.6 83.0 77.1	69.0 60.3 54.9		
	Night (8h)	Emission	Reference: 9m/s												
	Night (8h)	Lw /dB (A)	108.3	65.3 69.9 74.2	77.6 79.5 80.7	82.9 87.2 89.7	90.3 92.9 92.9	94.2 95.2 96.3	96.4 96.5 97.6	98.1 98.4 98.8	98.6 96.5 93.0	88.6 83.0 77.1	69.0 60.3 54.9		
	Evening (4h)	Emission	Reference: 9m/s												
	Evening (4h)	Lw /dB (A)	108.3	65.3 69.9 74.2	77.6 79.5 80.7	82.9 87.2 89.7	90.3 92.9 92.9	94.2 95.2 96.3	96.4 96.5 97.6	98.1 98.4 98.8	98.6 96.5 93.0	88.6 83.0 77.1	69.0 60.3 54.9		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden				-		0.0		0.0		0.0		-	0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		

	Day (12h)		12.00	Day	108.3		1.00		1.14684		-10.20		-10.2				
	Evening (4h)		4.00	Evening	108.3		1.00		0.45095		-9.48		-9.5				
	Night (8h)		8.00	Night	108.3		1.00		0.94356		-9.28		-9.3				
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m				
			Geometry:					399864.93		268033.34		255.00		164.00			
EQCN082	Label		2.2.-9m/s					Action radius/m					3000.00				
	Group		9 m/s					Lw (Day (12h)) /dB(A)					108.28				
	Number of nodes		1					Lw (Night (8h)) /dB(A)					108.28				
	Length/ m		---					Lw (Evening (4h)) /dB(A)					108.28				
	Length/ m (2D)		---					Emission is					Sound power level (Lw)				
	Area /m²		---														
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz				
	Day (12h)	Emission	Reference: 9m/s														
	Day (12h)	Lw /dB (A)	108.3	65.3 69.9 74.2	77.6 79.5 80.7	82.9 87.2 89.7	90.3 92.9 92.9	94.2 95.2 96.3	96.4 96.5 97.6	98.1 98.4 98.8	98.6 96.5 93.0	88.6 83.0 77.1	69.0 60.3 54.9				
	Night (8h)	Emission	Reference: 9m/s														
	Night (8h)	Lw /dB (A)	108.3	65.3 69.9 74.2	77.6 79.5 80.7	82.9 87.2 89.7	90.3 92.9 92.9	94.2 95.2 96.3	96.4 96.5 97.6	98.1 98.4 98.8	98.6 96.5 93.0	88.6 83.0 77.1	69.0 60.3 54.9				
	Evening (4h)	Emission	Reference: 9m/s														
	Evening (4h)	Lw /dB (A)	108.3	65.3 69.9 74.2	77.6 79.5 80.7	82.9 87.2 89.7	90.3 92.9 92.9	94.2 95.2 96.3	96.4 96.5 97.6	98.1 98.4 98.8	98.6 96.5 93.0	88.6 83.0 77.1	69.0 60.3 54.9				
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB				
	Lden		-		0.0		0.0		0.0		-		0.0				
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)				
	Day (12h)		12.00	Day	108.3		1.00		1.14684		-10.20		-10.2				
	Evening (4h)		4.00	Evening	108.3		1.00		0.45095		-9.48		-9.5				
	Night (8h)		8.00	Night	108.3		1.00		0.94356		-9.28		-9.3				
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m				
			Geometry:					400174.71		267430.88		253.00		164.00			
EQCN083	Label		2.1.-9m/s					Action radius/m					3000.00				
	Group		9 m/s					Lw (Day (12h)) /dB(A)					108.28				
	Number of nodes		1					Lw (Night (8h)) /dB(A)					108.28				

	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.28					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
	Day (12h)	Emission	Reference: 9m/s													
	Day (12h)	Lw /dB (A)	108.3	65.3 69.9 74.2	77.6 79.5 80.7	82.9 87.2 89.7	90.3 92.9 92.9	94.2 95.2 96.3	96.4 96.5 97.6	98.1 98.4 98.8	98.6 96.5 93.0	88.6 83.0 77.1	69.0 60.3 54.9			
	Night (8h)	Emission	Reference: 9m/s													
	Night (8h)	Lw /dB (A)	108.3	65.3 69.9 74.2	77.6 79.5 80.7	82.9 87.2 89.7	90.3 92.9 92.9	94.2 95.2 96.3	96.4 96.5 97.6	98.1 98.4 98.8	98.6 96.5 93.0	88.6 83.0 77.1	69.0 60.3 54.9			
	Evening (4h)	Emission	Reference: 9m/s													
	Evening (4h)	Lw /dB (A)	108.3	65.3 69.9 74.2	77.6 79.5 80.7	82.9 87.2 89.7	90.3 92.9 92.9	94.2 95.2 96.3	96.4 96.5 97.6	98.1 98.4 98.8	98.6 96.5 93.0	88.6 83.0 77.1	69.0 60.3 54.9			
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden				-		0.0		0.0				-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)		12.00	Day	108.3		1.00		1.14684		-10.20		-10.2			
	Evening (4h)		4.00	Evening	108.3		1.00		0.45095		-9.48		-9.5			
	Night (8h)		8.00	Night	108.3		1.00		0.94356		-9.28		-9.3			
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m			
			Geometry:				400942.93		267504.66		256.00		164.00			
EQCN084	Label		4.4.A-9m/s				Action radius/m				3000.00					
	Group		9 m/s				Lw (Day (12h)) /dB(A)				108.28					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.28					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.28					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
	Day (12h)	Emission	Reference: 9m/s													
	Day (12h)	Lw /dB (A)	108.3	65.3 69.9 74.2	77.6 79.5 80.7	82.9 87.2 89.7	90.3 92.9 92.9	94.2 95.2 96.3	96.4 96.5 97.6	98.1 98.4 98.8	98.6 96.5 93.0	88.6 83.0 77.1	69.0 60.3 54.9			
	Night (8h)	Emission	Reference: 9m/s													
	Night (8h)	Lw /dB (A)	108.3	65.3 69.9 74.2	77.6 79.5 80.7	82.9 87.2 89.7	90.3 92.9 92.9	94.2 95.2 96.3	96.4 96.5 97.6	98.1 98.4 98.8	98.6 96.5 93.0	88.6 83.0 77.1	69.0 60.3 54.9			

	Evening (4h)	Emission	Reference: 9m/s											
	Evening (4h)	Lw /dB (A)	108.3	65.3 69.9 74.2	77.6 79.5 80.7	82.9 87.2 89.7	90.3 92.9 92.9	94.2 95.2 96.3	96.4 96.5 97.6	98.1 98.4 98.8	98.6 96.5 93.0	88.6 83.0 77.1	69.0 60.3 54.9	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.3		1.00		1.14684		-10.20		-10.2	
	Evening (4h)		4.00	Evening	108.3		1.00		0.45095		-9.48		-9.5	
	Night (8h)		8.00	Night	108.3		1.00		0.94356		-9.28		-9.3	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:				401170.47		269238.74		257.00		164.00	
EQCN085	Label		4.4.B-9m/s				Action radius/m				3000.00			
	Group		9 m/s				Lw (Day (12h)) /dB(A)				108.28			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.28			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.28			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: 9m/s											
	Day (12h)	Lw /dB (A)	108.3	65.3 69.9 74.2	77.6 79.5 80.7	82.9 87.2 89.7	90.3 92.9 92.9	94.2 95.2 96.3	96.4 96.5 97.6	98.1 98.4 98.8	98.6 96.5 93.0	88.6 83.0 77.1	69.0 60.3 54.9	
	Night (8h)	Emission	Reference: 9m/s											
	Night (8h)	Lw /dB (A)	108.3	65.3 69.9 74.2	77.6 79.5 80.7	82.9 87.2 89.7	90.3 92.9 92.9	94.2 95.2 96.3	96.4 96.5 97.6	98.1 98.4 98.8	98.6 96.5 93.0	88.6 83.0 77.1	69.0 60.3 54.9	
	Evening (4h)	Emission	Reference: 9m/s											
	Evening (4h)	Lw /dB (A)	108.3	65.3 69.9 74.2	77.6 79.5 80.7	82.9 87.2 89.7	90.3 92.9 92.9	94.2 95.2 96.3	96.4 96.5 97.6	98.1 98.4 98.8	98.6 96.5 93.0	88.6 83.0 77.1	69.0 60.3 54.9	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.3		1.00		1.14684		-10.20		-10.2	
	Evening (4h)		4.00	Evening	108.3		1.00		0.45095		-9.48		-9.5	
	Night (8h)		8.00	Night	108.3		1.00		0.94356		-9.28		-9.3	

	Geometry					Nr	x/m			y/m		z(abs) /m			! z(rel) /m	
			Geometry:			400768.68			269722.93		256.00			164.00		
EQCN086	Label		4.4.C-9m/s				Action radius/m					3000.00				
	Group		9 m/s				Lw (Day (12h)) /dB(A)					108.28				
	Number of nodes		1				Lw (Night (8h)) /dB(A)					108.28				
	Length/ m		---				Lw (Evening (4h)) /dB(A)					108.28				
	Length/ m (2D)		---				Emission is					Sound power level (Lw)				
	Area /m²		---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
	Day (12h)	Emission	Reference: 9m/s													
	Day (12h)	Lw /dB (A)	108.3	65.3 69.9 74.2	77.6 79.5 80.7	82.9 87.2 89.7	90.3 92.9 92.9	94.2 95.2 96.3	96.4 96.5 97.6	98.1 98.4 98.8	98.6 96.5 93.0	88.6 83.0 77.1	69.0 60.3 54.9			
	Night (8h)	Emission	Reference: 9m/s													
	Night (8h)	Lw /dB (A)	108.3	65.3 69.9 74.2	77.6 79.5 80.7	82.9 87.2 89.7	90.3 92.9 92.9	94.2 95.2 96.3	96.4 96.5 97.6	98.1 98.4 98.8	98.6 96.5 93.0	88.6 83.0 77.1	69.0 60.3 54.9			
	Evening (4h)	Emission	Reference: 9m/s													
	Evening (4h)	Lw /dB (A)	108.3	65.3 69.9 74.2	77.6 79.5 80.7	82.9 87.2 89.7	90.3 92.9 92.9	94.2 95.2 96.3	96.4 96.5 97.6	98.1 98.4 98.8	98.6 96.5 93.0	88.6 83.0 77.1	69.0 60.3 54.9			
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden		-		0.0		0.0		0.0		-		0.0			
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)		12.00	Day	108.3		1.00		1.14684		-10.20		-10.2			
	Evening (4h)		4.00	Evening	108.3		1.00		0.45095		-9.48		-9.5			
	Night (8h)		8.00	Night	108.3		1.00		0.94356		-9.28		-9.3			
	Geometry					Nr	x/m			y/m		z(abs) /m			! z(rel) /m	
			Geometry:			401262.82			270044.66		253.00			164.00		
EQCN087	Label		4.7.A-9m/s				Action radius/m					3000.00				
	Group		9 m/s				Lw (Day (12h)) /dB(A)					108.28				
	Number of nodes		1				Lw (Night (8h)) /dB(A)					108.28				
	Length/ m		---				Lw (Evening (4h)) /dB(A)					108.28				
	Length/ m (2D)		---				Emission is					Sound power level (Lw)				
	Area /m²		---													

	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: 9m/s											
	Day (12h)	Lw /dB (A)	108.3	65.3 69.9 74.2	77.6 79.5 80.7	82.9 87.2 89.7	90.3 92.9 92.9	94.2 95.2 96.3	96.4 96.5 97.6	98.1 98.4 98.8	98.6 96.5 93.0	88.6 83.0 77.1	69.0 60.3 54.9	
	Night (8h)	Emission	Reference: 9m/s											
	Night (8h)	Lw /dB (A)	108.3	65.3 69.9 74.2	77.6 79.5 80.7	82.9 87.2 89.7	90.3 92.9 92.9	94.2 95.2 96.3	96.4 96.5 97.6	98.1 98.4 98.8	98.6 96.5 93.0	88.6 83.0 77.1	69.0 60.3 54.9	
	Evening (4h)	Emission	Reference: 9m/s											
	Evening (4h)	Lw /dB (A)	108.3	65.3 69.9 74.2	77.6 79.5 80.7	82.9 87.2 89.7	90.3 92.9 92.9	94.2 95.2 96.3	96.4 96.5 97.6	98.1 98.4 98.8	98.6 96.5 93.0	88.6 83.0 77.1	69.0 60.3 54.9	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden				-		0.0		0.0				0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.3		1.00		1.14684		-10.20		-10.2	
	Evening (4h)		4.00	Evening	108.3		1.00		0.45095		-9.48		-9.5	
	Night (8h)		8.00	Night	108.3		1.00		0.94356		-9.28		-9.3	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:				401947.56		269144.81		253.00		164.00	
EQCN088	Label		4.7.B-9m/s				Action radius/m				3000.00			
	Group		9 m/s				Lw (Day (12h)) /dB(A)				108.28			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.28			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.28			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: 9m/s											
	Day (12h)	Lw /dB (A)	108.3	65.3 69.9 74.2	77.6 79.5 80.7	82.9 87.2 89.7	90.3 92.9 92.9	94.2 95.2 96.3	96.4 96.5 97.6	98.1 98.4 98.8	98.6 96.5 93.0	88.6 83.0 77.1	69.0 60.3 54.9	
	Night (8h)	Emission	Reference: 9m/s											
	Night (8h)	Lw /dB (A)	108.3	65.3 69.9 74.2	77.6 79.5 80.7	82.9 87.2 89.7	90.3 92.9 92.9	94.2 95.2 96.3	96.4 96.5 97.6	98.1 98.4 98.8	98.6 96.5 93.0	88.6 83.0 77.1	69.0 60.3 54.9	
	Evening (4h)	Emission	Reference: 9m/s											
	Evening (4h)	Lw /dB (A)	108.3	65.3 69.9 74.2	77.6 79.5 80.7	82.9 87.2 89.7	90.3 92.9 92.9	94.2 95.2 96.3	96.4 96.5 97.6	98.1 98.4 98.8	98.6 96.5 93.0	88.6 83.0 77.1	69.0 60.3 54.9	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	

	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.3		1.00		1.14684		-10.20		-10.2	
	Evening (4h)		4.00	Evening	108.3		1.00		0.45095		-9.48		-9.5	
	Night (8h)		8.00	Night	108.3		1.00		0.94356		-9.28		-9.3	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:			401956.56		269655.72		255.00		164.00		
EQCN089	Label		4.7.C-9m/s				Action radius/m				3000.00			
	Group		9 m/s				Lw (Day (12h)) /dB(A)				108.28			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.28			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.28			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: 9m/s											
	Day (12h)	Lw /dB (A)	108.3	65.3 69.9 74.2	77.6 79.5 80.7	82.9 87.2 89.7	90.3 92.9 92.9	94.2 95.2 96.3	96.4 96.5 97.6	98.1 98.4 98.8	98.6 96.5 93.0	88.6 83.0 77.1	69.0 60.3 54.9	
	Night (8h)	Emission	Reference: 9m/s											
	Night (8h)	Lw /dB (A)	108.3	65.3 69.9 74.2	77.6 79.5 80.7	82.9 87.2 89.7	90.3 92.9 92.9	94.2 95.2 96.3	96.4 96.5 97.6	98.1 98.4 98.8	98.6 96.5 93.0	88.6 83.0 77.1	69.0 60.3 54.9	
	Evening (4h)	Emission	Reference: 9m/s											
	Evening (4h)	Lw /dB (A)	108.3	65.3 69.9 74.2	77.6 79.5 80.7	82.9 87.2 89.7	90.3 92.9 92.9	94.2 95.2 96.3	96.4 96.5 97.6	98.1 98.4 98.8	98.6 96.5 93.0	88.6 83.0 77.1	69.0 60.3 54.9	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.3		1.00		1.14684		-10.20		-10.2	
	Evening (4h)		4.00	Evening	108.3		1.00		0.45095		-9.48		-9.5	
	Night (8h)		8.00	Night	108.3		1.00		0.94356		-9.28		-9.3	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:			402551.87		269516.02		256.74		164.00		
EQCN090	Label		1.5.-9m/s				Action radius/m				3000.00			

	Group		9 m/s				Lw (Day (12h)) /dB(A)				108.28					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.28					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.28					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
	Day (12h)	Emission	Reference: 9m/s													
	Day (12h)	Lw /dB (A)	108.3	65.3 69.9 74.2	77.6 79.5 80.7	82.9 87.2 89.7	90.3 92.9 92.9	94.2 95.2 96.3	96.4 96.5 97.6	98.1 98.4 98.8	98.6 96.5 93.0	88.6 83.0 77.1	69.0 60.3 54.9			
	Night (8h)	Emission	Reference: 9m/s													
	Night (8h)	Lw /dB (A)	108.3	65.3 69.9 74.2	77.6 79.5 80.7	82.9 87.2 89.7	90.3 92.9 92.9	94.2 95.2 96.3	96.4 96.5 97.6	98.1 98.4 98.8	98.6 96.5 93.0	88.6 83.0 77.1	69.0 60.3 54.9			
	Evening (4h)	Emission	Reference: 9m/s													
	Evening (4h)	Lw /dB (A)	108.3	65.3 69.9 74.2	77.6 79.5 80.7	82.9 87.2 89.7	90.3 92.9 92.9	94.2 95.2 96.3	96.4 96.5 97.6	98.1 98.4 98.8	98.6 96.5 93.0	88.6 83.0 77.1	69.0 60.3 54.9			
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden				-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)		12.00	Day	108.3		1.00		1.14684		-10.20		-10.2			
	Evening (4h)		4.00	Evening	108.3		1.00		0.45095		-9.48		-9.5			
	Night (8h)		8.00	Night	108.3		1.00		0.94356		-9.28		-9.3			
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m			
			Geometry:				402999.78		269843.88		258.77		164.00			
EQCN091	Label		1.6.-9m/s				Action radius/m				3000.00					
	Group		9 m/s				Lw (Day (12h)) /dB(A)				108.28					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.28					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.28					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
	Day (12h)	Emission	Reference: 9m/s													
	Day (12h)	Lw /dB (A)	108.3	65.3 69.9 74.2	77.6 79.5 80.7	82.9 87.2 89.7	90.3 92.9 92.9	94.2 95.2 96.3	96.4 96.5 97.6	98.1 98.4 98.8	98.6 96.5 93.0	88.6 83.0 77.1	69.0 60.3 54.9			

	Night (8h)	Emission	Reference: 9m/s											
	Night (8h)	Lw /dB (A)	108.3	65.3 69.9 74.2	77.6 79.5 80.7	82.9 87.2 89.7	90.3 92.9 92.9	94.2 95.2 96.3	96.4 96.5 97.6	98.1 98.4 98.8	98.6 96.5 93.0	88.6 83.0 77.1	69.0 60.3 54.9	
	Evening (4h)	Emission	Reference: 9m/s											
	Evening (4h)	Lw /dB (A)	108.3	65.3 69.9 74.2	77.6 79.5 80.7	82.9 87.2 89.7	90.3 92.9 92.9	94.2 95.2 96.3	96.4 96.5 97.6	98.1 98.4 98.8	98.6 96.5 93.0	88.6 83.0 77.1	69.0 60.3 54.9	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.3		1.00		1.14684		-10.20		-10.2	
	Evening (4h)		4.00	Evening	108.3		1.00		0.45095		-9.48		-9.5	
	Night (8h)		8.00	Night	108.3		1.00		0.94356		-9.28		-9.3	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:				403362.63		269297.25		259.01		164.00	
EQCN092	Label		1.3.-9m/s				Action radius/m				3000.00			
	Group		9 m/s				Lw (Day (12h)) /dB(A)				108.28			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.28			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.28			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: 9m/s											
	Day (12h)	Lw /dB (A)	108.3	65.3 69.9 74.2	77.6 79.5 80.7	82.9 87.2 89.7	90.3 92.9 92.9	94.2 95.2 96.3	96.4 96.5 97.6	98.1 98.4 98.8	98.6 96.5 93.0	88.6 83.0 77.1	69.0 60.3 54.9	
	Night (8h)	Emission	Reference: 9m/s											
	Night (8h)	Lw /dB (A)	108.3	65.3 69.9 74.2	77.6 79.5 80.7	82.9 87.2 89.7	90.3 92.9 92.9	94.2 95.2 96.3	96.4 96.5 97.6	98.1 98.4 98.8	98.6 96.5 93.0	88.6 83.0 77.1	69.0 60.3 54.9	
	Evening (4h)	Emission	Reference: 9m/s											
	Evening (4h)	Lw /dB (A)	108.3	65.3 69.9 74.2	77.6 79.5 80.7	82.9 87.2 89.7	90.3 92.9 92.9	94.2 95.2 96.3	96.4 96.5 97.6	98.1 98.4 98.8	98.6 96.5 93.0	88.6 83.0 77.1	69.0 60.3 54.9	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.3		1.00		1.14684		-10.20		-10.2	

	Evening (4h)		4.00	Evening	108.3		1.00		0.45095		-9.48		-9.5	
	Night (8h)		8.00	Night	108.3		1.00		0.94356		-9.28		-9.3	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:				401015.93		271756.80		255.00		164.00	
EQCN093	Label		1.4.-9m/s				Action radius/m				3000.00			
	Group		9 m/s				Lw (Day (12h)) /dB(A)				108.28			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.28			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.28			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: 9m/s											
	Day (12h)	Lw /dB (A)	108.3	65.3 69.9 74.2	77.6 79.5 80.7	82.9 87.2 89.7	90.3 92.9 92.9	94.2 95.2 96.3	96.4 96.5 97.6	98.1 98.4 98.8	98.6 96.5 93.0	88.6 83.0 77.1	69.0 60.3 54.9	
	Night (8h)	Emission	Reference: 9m/s											
	Night (8h)	Lw /dB (A)	108.3	65.3 69.9 74.2	77.6 79.5 80.7	82.9 87.2 89.7	90.3 92.9 92.9	94.2 95.2 96.3	96.4 96.5 97.6	98.1 98.4 98.8	98.6 96.5 93.0	88.6 83.0 77.1	69.0 60.3 54.9	
	Evening (4h)	Emission	Reference: 9m/s											
	Evening (4h)	Lw /dB (A)	108.3	65.3 69.9 74.2	77.6 79.5 80.7	82.9 87.2 89.7	90.3 92.9 92.9	94.2 95.2 96.3	96.4 96.5 97.6	98.1 98.4 98.8	98.6 96.5 93.0	88.6 83.0 77.1	69.0 60.3 54.9	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden				-		0.0		0.0				-	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.3		1.00		1.14684		-10.20		-10.2	
	Evening (4h)		4.00	Evening	108.3		1.00		0.45095		-9.48		-9.5	
	Night (8h)		8.00	Night	108.3		1.00		0.94356		-9.28		-9.3	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:				400872.69		271015.51		254.00		164.00	
EQCN094	Label		1.1.-9m/s				Action radius/m				3000.00			
	Group		9 m/s				Lw (Day (12h)) /dB(A)				108.28			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.28			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.28			

	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: 9m/s											
	Day (12h)	Lw /dB (A)	108.3	65.3 69.9 74.2	77.6 79.5 80.7	82.9 87.2 89.7	90.3 92.9 92.9	94.2 95.2 96.3	96.4 96.5 97.6	98.1 98.4 98.8	98.6 96.5 93.0	88.6 83.0 77.1	69.0 60.3 54.9	
	Night (8h)	Emission	Reference: 9m/s											
	Night (8h)	Lw /dB (A)	108.3	65.3 69.9 74.2	77.6 79.5 80.7	82.9 87.2 89.7	90.3 92.9 92.9	94.2 95.2 96.3	96.4 96.5 97.6	98.1 98.4 98.8	98.6 96.5 93.0	88.6 83.0 77.1	69.0 60.3 54.9	
	Evening (4h)	Emission	Reference: 9m/s											
	Evening (4h)	Lw /dB (A)	108.3	65.3 69.9 74.2	77.6 79.5 80.7	82.9 87.2 89.7	90.3 92.9 92.9	94.2 95.2 96.3	96.4 96.5 97.6	98.1 98.4 98.8	98.6 96.5 93.0	88.6 83.0 77.1	69.0 60.3 54.9	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.3		1.00		1.14684		-10.20		-10.2	
	Evening (4h)		4.00	Evening	108.3		1.00		0.45095		-9.48		-9.5	
	Night (8h)		8.00	Night	108.3		1.00		0.94356		-9.28		-9.3	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:			401948.93		271445.42		257.67		164.00		
EQCN095	Label		1.2.-9m/s				Action radius/m				3000.00			
	Group		9 m/s				Lw (Day (12h)) /dB(A)				108.28			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.28			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.28			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: 9m/s											
	Day (12h)	Lw /dB (A)	108.3	65.3 69.9 74.2	77.6 79.5 80.7	82.9 87.2 89.7	90.3 92.9 92.9	94.2 95.2 96.3	96.4 96.5 97.6	98.1 98.4 98.8	98.6 96.5 93.0	88.6 83.0 77.1	69.0 60.3 54.9	
	Night (8h)	Emission	Reference: 9m/s											
	Night (8h)	Lw /dB (A)	108.3	65.3 69.9 74.2	77.6 79.5 80.7	82.9 87.2 89.7	90.3 92.9 92.9	94.2 95.2 96.3	96.4 96.5 97.6	98.1 98.4 98.8	98.6 96.5 93.0	88.6 83.0 77.1	69.0 60.3 54.9	
	Evening (4h)	Emission	Reference: 9m/s											

	Evening (4h)	Lw /dB (A)	108.3		65.3 69.9 74.2	77.6 79.5 80.7	82.9 87.2 89.7	90.3 92.9 92.9	94.2 95.2 96.3	96.4 96.5 97.6	98.1 98.4 98.8	98.6 96.5 93.0	88.6 83.0 77.1	69.0 60.3 54.9			
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB				
	Lden		-		0.0		0.0		0.0		-		0.0				
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)				
	Day (12h)		12.00	Day	108.3		1.00		1.14684		-10.20		-10.2				
	Evening (4h)		4.00	Evening	108.3		1.00		0.45095		-9.48		-9.5				
	Night (8h)		8.00	Night	108.3		1.00		0.94356		-9.28		-9.3				
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m			
			Geometry:			402341.00		270953.00		259.27		164.00					
EQCN096	Label		4.2.-10m/s					Action radius/m					3000.00				
	Group		>10 m/s					Lw (Day (12h)) /dB(A)					108.38				
	Number of nodes		1					Lw (Night (8h)) /dB(A)					108.38				
	Length/ m		---					Lw (Evening (4h)) /dB(A)					108.38				
	Length/ m (2D)		---					Emission is					Sound power level (Lw)				
	Area /m²		---														
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz				
	Day (12h)	Emission	Reference: >10m/s														
	Day (12h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0				
	Night (8h)	Emission	Reference: >10m/s														
	Night (8h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0				
	Evening (4h)	Emission	Reference: >10m/s														
	Evening (4h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0				
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB				
	Lden		-		0.0		0.0		0.0		-		0.0				
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)				
	Day (12h)		12.00	Day	108.4		1.00		3.05890		-5.94		-5.9				
	Evening (4h)		4.00	Evening	108.4		1.00		1.25972		-5.02		-5.0				
	Night (8h)		8.00	Night	108.4		1.00		2.93561		-4.35		-4.4				
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m			

			Geometry:				399034.40		269920.09		252.44		164.00	
EQCN097	Label		4.3.-10m/s				Action radius/m				3000.00			
	Group		>10 m/s				Lw (Day (12h)) /dB(A)				108.38			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.38			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.38			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: >10m/s											
	Day (12h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0	
	Night (8h)	Emission	Reference: >10m/s											
	Night (8h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0	
	Evening (4h)	Emission	Reference: >10m/s											
	Evening (4h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.4		1.00		3.05890		-5.94		-5.9	
	Evening (4h)		4.00	Evening	108.4		1.00		1.25972		-5.02		-5.0	
	Night (8h)		8.00	Night	108.4		1.00		2.93561		-4.35		-4.4	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:				399097.90		269215.24		253.00		164.00	
EQCN098	Label		2.4.-10m/s				Action radius/m				3000.00			
	Group		>10 m/s				Lw (Day (12h)) /dB(A)				108.38			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.38			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.38			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	

	Day (12h)	Emission	Reference: >10m/s												
	Day (12h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0		
	Night (8h)	Emission	Reference: >10m/s												
	Night (8h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0		
	Evening (4h)	Emission	Reference: >10m/s												
	Evening (4h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden				-		0.0		0.0		0.0		-	0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	108.4		1.00		3.05890		-5.94		-5.9		
	Evening (4h)		4.00	Evening	108.4		1.00		1.25972		-5.02		-5.0		
	Night (8h)		8.00	Night	108.4		1.00		2.93561		-4.35		-4.4		
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
			Geometry:			399792.17		268652.47		260.78		164.00			
EQCN099	Label		2.3.-10m/s				Action radius/m				3000.00				
	Group		>10 m/s				Lw (Day (12h)) /dB(A)				108.38				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.38				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.38				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: >10m/s												
	Day (12h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0		
	Night (8h)	Emission	Reference: >10m/s												
	Night (8h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0		
	Evening (4h)	Emission	Reference: >10m/s												
	Evening (4h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden				-		0.0		0.0		0.0		-		0.0

	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	108.4		1.00		3.05890		-5.94		-5.9		
	Evening (4h)	4.00	Evening	108.4		1.00		1.25972		-5.02		-5.0		
	Night (8h)	8.00	Night	108.4		1.00		2.93561		-4.35		-4.4		
	Geometry				Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
		Geometry:				400366.32		268465.93		257.94		164.00		
EQCN100	Label	4.6.-10m/s				Action radius/m				3000.00				
	Group	>10 m/s				Lw (Day (12h)) /dB(A)				108.38				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				108.38				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				108.38				
	Length/ m (2D)	---				Emission is				Sound power level (Lw)				
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: >10m/s											
	Day (12h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0	
	Night (8h)	Emission	Reference: >10m/s											
	Night (8h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0	
	Evening (4h)	Emission	Reference: >10m/s											
	Evening (4h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden			0.0		0.0		0.0				0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	108.4		1.00		3.05890		-5.94		-5.9		
	Evening (4h)	4.00	Evening	108.4		1.00		1.25972		-5.02		-5.0		
	Night (8h)	8.00	Night	108.4		1.00		2.93561		-4.35		-4.4		
	Geometry				Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
		Geometry:				399864.93		268033.34		255.00		164.00		
EQCN101	Label	2.2.-10m/s				Action radius/m				3000.00				
	Group	>10 m/s				Lw (Day (12h)) /dB(A)				108.38				

	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.38					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.38					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
	Day (12h)	Emission	Reference: >10m/s													
	Day (12h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0			
	Night (8h)	Emission	Reference: >10m/s													
	Night (8h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0			
	Evening (4h)	Emission	Reference: >10m/s													
	Evening (4h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0			
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden				-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)		12.00	Day	108.4		1.00		3.05890		-5.94		-5.9			
	Evening (4h)		4.00	Evening	108.4		1.00		1.25972		-5.02		-5.0			
	Night (8h)		8.00	Night	108.4		1.00		2.93561		-4.35		-4.4			
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m			
			Geometry:				400174.71		267430.88		253.00		164.00			
EQCN102	Label		2.1.-10m/s				Action radius/m				3000.00					
	Group		>10 m/s				Lw (Day (12h)) /dB(A)				108.38					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.38					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.38					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
	Day (12h)	Emission	Reference: >10m/s													
	Day (12h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0			
	Night (8h)	Emission	Reference: >10m/s													

	Night (8h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0	
	Evening (4h)	Emission	Reference: >10m/s											
	Evening (4h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB			Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.4		1.00		3.05890		-5.94		-5.9	
	Evening (4h)		4.00	Evening	108.4		1.00		1.25972		-5.02		-5.0	
	Night (8h)		8.00	Night	108.4		1.00		2.93561		-4.35		-4.4	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:			400942.93		267504.66		256.00		164.00		
EQCN103	Label		4.4.A-10m/s				Action radius/m				3000.00			
	Group		>10 m/s				Lw (Day (12h)) /dB(A)				108.38			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.38			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.38			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: >10m/s											
	Day (12h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0	
	Night (8h)	Emission	Reference: >10m/s											
	Night (8h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0	
	Evening (4h)	Emission	Reference: >10m/s											
	Evening (4h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB			Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.4		1.00		3.05890		-5.94		-5.9	
	Evening (4h)		4.00	Evening	108.4		1.00		1.25972		-5.02		-5.0	

	Night (8h)	8.00	Night	108.4		1.00		2.93561		-4.35		-4.4		
	Geometry				Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
		Geometry:			401170.47		269238.74		257.00		164.00			
EQCN104	Label	4.4.B-10m/s			Action radius/m				3000.00					
	Group	>10 m/s			Lw (Day (12h)) /dB(A)				108.38					
	Number of nodes	1			Lw (Night (8h)) /dB(A)				108.38					
	Length/ m	---			Lw (Evening (4h)) /dB(A)				108.38					
	Length/ m (2D)	---			Emission is				Sound power level (Lw)					
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: >10m/s											
	Day (12h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0	
	Night (8h)	Emission	Reference: >10m/s											
	Night (8h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0	
	Evening (4h)	Emission	Reference: >10m/s											
	Evening (4h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden			-		0.0		0.0		0.0		-		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	108.4		1.00		3.05890		-5.94		-5.9		
	Evening (4h)	4.00	Evening	108.4		1.00		1.25972		-5.02		-5.0		
	Night (8h)	8.00	Night	108.4		1.00		2.93561		-4.35		-4.4		
	Geometry				Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
		Geometry:			400768.68		269722.93		256.00		164.00			
EQCN105	Label	4.4.C-10m/s			Action radius/m				3000.00					
	Group	>10 m/s			Lw (Day (12h)) /dB(A)				108.38					
	Number of nodes	1			Lw (Night (8h)) /dB(A)				108.38					
	Length/ m	---			Lw (Evening (4h)) /dB(A)				108.38					
	Length/ m (2D)	---			Emission is				Sound power level (Lw)					

	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: >10m/s												
	Day (12h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0		
	Night (8h)	Emission	Reference: >10m/s												
	Night (8h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0		
	Evening (4h)	Emission	Reference: >10m/s												
	Evening (4h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden				-		0.0		0.0				0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	108.4		1.00		3.05890		-5.94		-5.9		
	Evening (4h)		4.00	Evening	108.4		1.00		1.25972		-5.02		-5.0		
	Night (8h)		8.00	Night	108.4		1.00		2.93561		-4.35		-4.4		
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
						Geometry:		401262.82		270044.66		253.00		164.00	
EQCN106	Label		4.7.A-10m/s				Action radius/m				3000.00				
	Group		>10 m/s				Lw (Day (12h)) /dB(A)				108.38				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.38				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.38				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: >10m/s												
	Day (12h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0		
	Night (8h)	Emission	Reference: >10m/s												
	Night (8h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0		
	Evening (4h)	Emission	Reference: >10m/s												
	Evening (4h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0		

	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden	-		0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	108.4		1.00		3.05890		-5.94		-5.9		
	Evening (4h)	4.00	Evening	108.4		1.00		1.25972		-5.02		-5.0		
	Night (8h)	8.00	Night	108.4		1.00		2.93561		-4.35		-4.4		
	Geometry				Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
		Geometry:				401947.56		269144.81		253.00		164.00		
EQCN107	Label	4.7.B-10m/s				Action radius/m				3000.00				
	Group	>10 m/s				Lw (Day (12h)) /dB(A)				108.38				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				108.38				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				108.38				
	Length/ m (2D)	---				Emission is				Sound power level (Lw)				
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: >10m/s											
	Day (12h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0	
	Night (8h)	Emission	Reference: >10m/s											
	Night (8h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0	
	Evening (4h)	Emission	Reference: >10m/s											
	Evening (4h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden	-		0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	108.4		1.00		3.05890		-5.94		-5.9		
	Evening (4h)	4.00	Evening	108.4		1.00		1.25972		-5.02		-5.0		
	Night (8h)	8.00	Night	108.4		1.00		2.93561		-4.35		-4.4		
	Geometry				Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
		Geometry:				401956.56		269655.72		255.00		164.00		

EQCN108	Label		4.7.C-10m/s				Action radius/m				3000.00					
	Group		>10 m/s				Lw (Day (12h)) /dB(A)				108.38					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.38					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.38					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
	Day (12h)	Emission	Reference: >10m/s													
	Day (12h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0			
	Night (8h)	Emission	Reference: >10m/s													
	Night (8h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0			
	Evening (4h)	Emission	Reference: >10m/s													
	Evening (4h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0			
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden				-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)		12.00	Day	108.4		1.00		3.05890		-5.94		-5.9			
	Evening (4h)		4.00	Evening	108.4		1.00		1.25972		-5.02		-5.0			
	Night (8h)		8.00	Night	108.4		1.00		2.93561		-4.35		-4.4			
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m			
			Geometry:			402551.87		269516.02		256.74		164.00				
EQCN109	Label		1.5.-10m/s				Action radius/m				3000.00					
	Group		>10 m/s				Lw (Day (12h)) /dB(A)				108.38					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.38					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.38					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
	Day (12h)	Emission	Reference: >10m/s													

	Day (12h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0	
	Night (8h)	Emission	Reference: >10m/s											
	Night (8h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0	
	Evening (4h)	Emission	Reference: >10m/s											
	Evening (4h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden				-		0.0		0.0		0.0		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.4		1.00		3.05890		-5.94		-5.9	
	Evening (4h)		4.00	Evening	108.4		1.00		1.25972		-5.02		-5.0	
	Night (8h)		8.00	Night	108.4		1.00		2.93561		-4.35		-4.4	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:			402999.78		269843.88		258.77		164.00		
EQCN110	Label		1.6.-10m/s				Action radius/m				3000.00			
	Group		>10 m/s				Lw (Day (12h)) /dB(A)				108.38			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.38			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.38			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: >10m/s											
	Day (12h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0	
	Night (8h)	Emission	Reference: >10m/s											
	Night (8h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0	
	Evening (4h)	Emission	Reference: >10m/s											
	Evening (4h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden				-		0.0		0.0		0.0		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	

	Day (12h)		12.00	Day	108.4		1.00		3.05890		-5.94		-5.9	
	Evening (4h)		4.00	Evening	108.4		1.00		1.25972		-5.02		-5.0	
	Night (8h)		8.00	Night	108.4		1.00		2.93561		-4.35		-4.4	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:				403362.63		269297.25		259.01		164.00	
EQCN111	Label		1.3.-10m/s				Action radius/m				3000.00			
	Group		>10 m/s				Lw (Day (12h)) /dB(A)				108.38			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.38			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.38			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: >10m/s											
	Day (12h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0	
	Night (8h)	Emission	Reference: >10m/s											
	Night (8h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0	
	Evening (4h)	Emission	Reference: >10m/s											
	Evening (4h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.4		1.00		3.05890		-5.94		-5.9	
	Evening (4h)		4.00	Evening	108.4		1.00		1.25972		-5.02		-5.0	
	Night (8h)		8.00	Night	108.4		1.00		2.93561		-4.35		-4.4	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:				401015.93		271756.80		255.00		164.00	
EQCN112	Label		1.4.-10m/s				Action radius/m				3000.00			
	Group		>10 m/s				Lw (Day (12h)) /dB(A)				108.38			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.38			

	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.38					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
	Day (12h)	Emission	Reference: >10m/s													
	Day (12h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0			
	Night (8h)	Emission	Reference: >10m/s													
	Night (8h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0			
	Evening (4h)	Emission	Reference: >10m/s													
	Evening (4h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0			
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden				-		0.0		0.0				-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)		12.00	Day	108.4		1.00		3.05890		-5.94		-5.9			
	Evening (4h)		4.00	Evening	108.4		1.00		1.25972		-5.02		-5.0			
	Night (8h)		8.00	Night	108.4		1.00		2.93561		-4.35		-4.4			
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m			
			Geometry:				400872.69		271015.51		254.00		164.00			
EQCN113	Label		1.1.-10m/s				Action radius/m				3000.00					
	Group		>10 m/s				Lw (Day (12h)) /dB(A)				108.38					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.38					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.38					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
	Day (12h)	Emission	Reference: >10m/s													
	Day (12h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0			
	Night (8h)	Emission	Reference: >10m/s													
	Night (8h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0			

	Evening (4h)	Emission	Reference: >10m/s											
	Evening (4h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB			Special correction /dB		
	Lden		-		0.0		0.0		0.0			0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.4		1.00		3.05890		-5.94		-5.9	
	Evening (4h)		4.00	Evening	108.4		1.00		1.25972		-5.02		-5.0	
	Night (8h)		8.00	Night	108.4		1.00		2.93561		-4.35		-4.4	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:				401948.93		271445.42		257.67		164.00	
EQCN114	Label		1.2.-10m/s				Action radius/m				3000.00			
	Group		>10 m/s				Lw (Day (12h)) /dB(A)				108.38			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.38			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.38			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: >10m/s											
	Day (12h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0	
	Night (8h)	Emission	Reference: >10m/s											
	Night (8h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0	
	Evening (4h)	Emission	Reference: >10m/s											
	Evening (4h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB			Special correction /dB		
	Lden		-		0.0		0.0		0.0			0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.4		1.00		3.05890		-5.94		-5.9	
	Evening (4h)		4.00	Evening	108.4		1.00		1.25972		-5.02		-5.0	
	Night (8h)		8.00	Night	108.4		1.00		2.93561		-4.35		-4.4	

	Geometry					Nr	x/m			y/m		z(abs) /m		! z(rel) /m	
			Geometry:			402341.00			270953.00		259.27		164.00		
EQCN191	Label		4.2.-3-5m/s				Action radius/m				3000.00				
	Group		3-5 m/s				Lw (Day (12h)) /dB(A)				96.98				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				96.98				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				96.98				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: 3-5m/s												
	Day (12h)	Lw /dB (A)	97.0	54.0 58.6 62.9	66.3 68.2 69.4	71.6 75.9 78.4	79.0 81.6 85.0	82.9 83.9 85.0	85.1 85.2 86.3	86.8 87.1 87.5	87.3 85.2 81.7	77.3 71.7 65.8	57.7 49.0 43.6		
	Night (8h)	Emission	Reference: 3-5m/s												
	Night (8h)	Lw /dB (A)	97.0	54.0 58.6 62.9	66.3 68.2 69.4	71.6 75.9 78.4	79.0 81.6 85.0	82.9 83.9 85.0	85.1 85.2 86.3	86.8 87.1 87.5	87.3 85.2 81.7	77.3 71.7 65.8	57.7 49.0 43.6		
	Evening (4h)	Emission	Reference: 3-5m/s												
	Evening (4h)	Lw /dB (A)	97.0	54.0 58.6 62.9	66.3 68.2 69.4	71.6 75.9 78.4	79.0 81.6 85.0	82.9 83.9 85.0	85.1 85.2 86.3	86.8 87.1 87.5	87.3 85.2 81.7	77.3 71.7 65.8	57.7 49.0 43.6		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	97.0		1.00		3.07890		-5.91		-5.9		
	Evening (4h)		4.00	Evening	97.0		1.00		0.74547		-7.30		-7.3		
	Night (8h)		8.00	Night	97.0		1.00		1.35068		-7.73		-7.7		
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
			Geometry:			399034.40		269920.09		252.44		164.00			
EQCN192	Label		4.3.-3-5m/s				Action radius/m				3000.00				
	Group		3-5 m/s				Lw (Day (12h)) /dB(A)				96.98				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				96.98				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				96.98				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												

	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: 3-5m/s											
	Day (12h)	Lw /dB (A)	97.0	54.0 58.6 62.9	66.3 68.2 69.4	71.6 75.9 78.4	79.0 81.6 81.6	82.9 83.9 85.0	85.1 85.2 86.3	86.8 87.1 87.5	87.3 85.2 81.7	77.3 71.7 65.8	57.7 49.0 43.6	
	Night (8h)	Emission	Reference: 3-5m/s											
	Night (8h)	Lw /dB (A)	97.0	54.0 58.6 62.9	66.3 68.2 69.4	71.6 75.9 78.4	79.0 81.6 81.6	82.9 83.9 85.0	85.1 85.2 86.3	86.8 87.1 87.5	87.3 85.2 81.7	77.3 71.7 65.8	57.7 49.0 43.6	
	Evening (4h)	Emission	Reference: 3-5m/s											
	Evening (4h)	Lw /dB (A)	97.0	54.0 58.6 62.9	66.3 68.2 69.4	71.6 75.9 78.4	79.0 81.6 81.6	82.9 83.9 85.0	85.1 85.2 86.3	86.8 87.1 87.5	87.3 85.2 81.7	77.3 71.7 65.8	57.7 49.0 43.6	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden				-		0.0		0.0				0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	97.0		1.00		3.07890		-5.91		-5.9	
	Evening (4h)		4.00	Evening	97.0		1.00		0.74547		-7.30		-7.3	
	Night (8h)		8.00	Night	97.0		1.00		1.35068		-7.73		-7.7	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:				399097.90		269215.24		253.00		164.00	
EQCN193	Label		2.4.-3-5m/s				Action radius/m				3000.00			
	Group		3-5 m/s				Lw (Day (12h)) /dB(A)				96.98			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				96.98			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				96.98			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: 3-5m/s											
	Day (12h)	Lw /dB (A)	97.0	54.0 58.6 62.9	66.3 68.2 69.4	71.6 75.9 78.4	79.0 81.6 81.6	82.9 83.9 85.0	85.1 85.2 86.3	86.8 87.1 87.5	87.3 85.2 81.7	77.3 71.7 65.8	57.7 49.0 43.6	
	Night (8h)	Emission	Reference: 3-5m/s											
	Night (8h)	Lw /dB (A)	97.0	54.0 58.6 62.9	66.3 68.2 69.4	71.6 75.9 78.4	79.0 81.6 81.6	82.9 83.9 85.0	85.1 85.2 86.3	86.8 87.1 87.5	87.3 85.2 81.7	77.3 71.7 65.8	57.7 49.0 43.6	
	Evening (4h)	Emission	Reference: 3-5m/s											
	Evening (4h)	Lw /dB (A)	97.0	54.0 58.6 62.9	66.3 68.2 69.4	71.6 75.9 78.4	79.0 81.6 81.6	82.9 83.9 85.0	85.1 85.2 86.3	86.8 87.1 87.5	87.3 85.2 81.7	77.3 71.7 65.8	57.7 49.0 43.6	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	

	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	97.0		1.00		3.07890		-5.91		-5.9	
	Evening (4h)		4.00	Evening	97.0		1.00		0.74547		-7.30		-7.3	
	Night (8h)		8.00	Night	97.0		1.00		1.35068		-7.73		-7.7	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:			399792.17		268652.47		260.78		164.00		
EQCN194	Label		2.3.-3-5m/s				Action radius/m				3000.00			
	Group		3-5 m/s				Lw (Day (12h)) /dB(A)				96.98			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				96.98			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				96.98			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: 3-5m/s											
	Day (12h)	Lw /dB (A)	97.0	54.0 58.6 62.9	66.3 68.2 69.4	71.6 75.9 78.4	79.0 81.6 81.6	82.9 83.9 85.0	85.1 85.2 86.3	86.8 87.1 87.5	87.3 85.2 81.7	77.3 71.7 65.8	57.7 49.0 43.6	
	Night (8h)	Emission	Reference: 3-5m/s											
	Night (8h)	Lw /dB (A)	97.0	54.0 58.6 62.9	66.3 68.2 69.4	71.6 75.9 78.4	79.0 81.6 81.6	82.9 83.9 85.0	85.1 85.2 86.3	86.8 87.1 87.5	87.3 85.2 81.7	77.3 71.7 65.8	57.7 49.0 43.6	
	Evening (4h)	Emission	Reference: 3-5m/s											
	Evening (4h)	Lw /dB (A)	97.0	54.0 58.6 62.9	66.3 68.2 69.4	71.6 75.9 78.4	79.0 81.6 81.6	82.9 83.9 85.0	85.1 85.2 86.3	86.8 87.1 87.5	87.3 85.2 81.7	77.3 71.7 65.8	57.7 49.0 43.6	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	97.0		1.00		3.07890		-5.91		-5.9	
	Evening (4h)		4.00	Evening	97.0		1.00		0.74547		-7.30		-7.3	
	Night (8h)		8.00	Night	97.0		1.00		1.35068		-7.73		-7.7	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:			400366.32		268465.93		257.94		164.00		
EQCN195	Label		4.6.-3-5m/s				Action radius/m				3000.00			

	Group		3-5 m/s				Lw (Day (12h)) /dB(A)				96.98					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				96.98					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				96.98					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
	Day (12h)	Emission	Reference: 3-5m/s													
	Day (12h)	Lw /dB (A)	97.0	54.0 58.6 62.9	66.3 68.2 69.4	71.6 75.9 78.4	79.0 81.6 81.6	82.9 83.9 85.0	85.1 85.2 86.3	86.8 87.1 87.5	87.3 85.2 81.7	77.3 71.7 65.8	57.7 49.0 43.6			
	Night (8h)	Emission	Reference: 3-5m/s													
	Night (8h)	Lw /dB (A)	97.0	54.0 58.6 62.9	66.3 68.2 69.4	71.6 75.9 78.4	79.0 81.6 81.6	82.9 83.9 85.0	85.1 85.2 86.3	86.8 87.1 87.5	87.3 85.2 81.7	77.3 71.7 65.8	57.7 49.0 43.6			
	Evening (4h)	Emission	Reference: 3-5m/s													
	Evening (4h)	Lw /dB (A)	97.0	54.0 58.6 62.9	66.3 68.2 69.4	71.6 75.9 78.4	79.0 81.6 81.6	82.9 83.9 85.0	85.1 85.2 86.3	86.8 87.1 87.5	87.3 85.2 81.7	77.3 71.7 65.8	57.7 49.0 43.6			
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden				-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)		12.00	Day	97.0		1.00		3.07890		-5.91		-5.9			
	Evening (4h)		4.00	Evening	97.0		1.00		0.74547		-7.30		-7.3			
	Night (8h)		8.00	Night	97.0		1.00		1.35068		-7.73		-7.7			
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m			
					Geometry:		399864.93		268033.34		255.00		164.00			
EQCN196	Label		2.2.-3-5m/s				Action radius/m				3000.00					
	Group		3-5 m/s				Lw (Day (12h)) /dB(A)				96.98					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				96.98					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				96.98					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
	Day (12h)	Emission	Reference: 3-5m/s													
	Day (12h)	Lw /dB (A)	97.0	54.0 58.6 62.9	66.3 68.2 69.4	71.6 75.9 78.4	79.0 81.6 81.6	82.9 83.9 85.0	85.1 87.1 86.3	86.8 87.1 87.5	87.3 85.2 81.7	77.3 71.7 65.8	57.7 49.0 43.0			

	Night (8h)	Emission	Reference: 3-5m/s											
	Night (8h)	Lw /dB (A)	97.0	54.0 58.6 62.9	66.3 68.2 69.4	71.6 75.9 78.4	79.0 81.6 81.6	82.9 83.9 85.0	85.1 85.2 86.3	86.8 87.1 87.5	87.3 85.2 81.7	77.3 71.7 65.8	57.7 49.0 43.6	
	Evening (4h)	Emission	Reference: 3-5m/s											
	Evening (4h)	Lw /dB (A)	97.0	54.0 58.6 62.9	66.3 68.2 69.4	71.6 75.9 78.4	79.0 81.6 81.6	82.9 83.9 85.0	85.1 85.2 86.3	86.8 87.1 87.5	87.3 85.2 81.7	77.3 71.7 65.8	57.7 49.0 43.6	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	97.0		1.00		3.07890		-5.91		-5.9	
	Evening (4h)		4.00	Evening	97.0		1.00		0.74547		-7.30		-7.3	
	Night (8h)		8.00	Night	97.0		1.00		1.35068		-7.73		-7.7	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:			400174.71		267430.88		253.00		164.00		
EQCN197	Label		2.1.-3-5m/s				Action radius/m				3000.00			
	Group		3-5 m/s				Lw (Day (12h)) /dB(A)				96.98			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				96.98			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				96.98			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: 3-5m/s											
	Day (12h)	Lw /dB (A)	97.0	54.0 58.6 62.9	66.3 68.2 69.4	71.6 75.9 78.4	79.0 81.6 81.6	82.9 83.9 85.0	85.1 85.2 86.3	86.8 87.1 87.5	87.3 85.2 81.7	77.3 71.7 65.8	57.7 49.0 43.6	
	Night (8h)	Emission	Reference: 3-5m/s											
	Night (8h)	Lw /dB (A)	97.0	54.0 58.6 62.9	66.3 68.2 69.4	71.6 75.9 78.4	79.0 81.6 81.6	82.9 83.9 85.0	85.1 85.2 86.3	86.8 87.1 87.5	87.3 85.2 81.7	77.3 71.7 65.8	57.7 49.0 43.6	
	Evening (4h)	Emission	Reference: 3-5m/s											
	Evening (4h)	Lw /dB (A)	97.0	54.0 58.6 62.9	66.3 68.2 69.4	71.6 75.9 78.4	79.0 81.6 81.6	82.9 83.9 85.0	85.1 85.2 86.3	86.8 87.1 87.5	87.3 85.2 81.7	77.3 71.7 65.8	57.7 49.0 43.6	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	97.0		1.00		3.07890		-5.91		-5.9	

	Evening (4h)		4.00	Evening	97.0		1.00		0.74547		-7.30		-7.3	
	Night (8h)		8.00	Night	97.0		1.00		1.35068		-7.73		-7.7	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:				400942.93		267504.66		256.00		164.00	
EQCN198	Label		4.4.A-3-5m/s				Action radius/m				3000.00			
	Group		3-5 m/s				Lw (Day (12h)) /dB(A)				96.98			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				96.98			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				96.98			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: 3-5m/s											
	Day (12h)	Lw /dB (A)	97.0	54.0 58.6 62.9	66.3 68.2 69.4	71.6 75.9 78.4	79.0 81.6 81.6	82.9 83.9 85.0	85.1 85.2 86.3	86.8 87.1 87.5	87.3 85.2 81.7	77.3 71.7 65.8	57.7 49.0 43.6	
	Night (8h)	Emission	Reference: 3-5m/s											
	Night (8h)	Lw /dB (A)	97.0	54.0 58.6 62.9	66.3 68.2 69.4	71.6 75.9 78.4	79.0 81.6 81.6	82.9 83.9 85.0	85.1 85.2 86.3	86.8 87.1 87.5	87.3 85.2 81.7	77.3 71.7 65.8	57.7 49.0 43.6	
	Evening (4h)	Emission	Reference: 3-5m/s											
	Evening (4h)	Lw /dB (A)	97.0	54.0 58.6 62.9	66.3 68.2 69.4	71.6 75.9 78.4	79.0 81.6 81.6	82.9 83.9 85.0	85.1 85.2 86.3	86.8 87.1 87.5	87.3 85.2 81.7	77.3 71.7 65.8	57.7 49.0 43.6	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden				-		0.0		0.0		0.0		-	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	97.0		1.00		3.07890		-5.91		-5.9	
	Evening (4h)		4.00	Evening	97.0		1.00		0.74547		-7.30		-7.3	
	Night (8h)		8.00	Night	97.0		1.00		1.35068		-7.73		-7.7	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:				401170.47		269238.74		257.00		164.00	
EQCN199	Label		4.4.B-3-5m/s				Action radius/m				3000.00			
	Group		3-5 m/s				Lw (Day (12h)) /dB(A)				96.98			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				96.98			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				96.98			

	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: 3-5m/s											
	Day (12h)	Lw /dB (A)	97.0	54.0 58.6 62.9	66.3 68.2 69.4	71.6 75.9 78.4	79.0 81.6 81.6	82.9 83.9 85.0	85.1 85.2 86.3	86.8 87.1 87.5	87.3 85.2 81.7	77.3 71.7 65.8	57.7 49.0 43.6	
	Night (8h)	Emission	Reference: 3-5m/s											
	Night (8h)	Lw /dB (A)	97.0	54.0 58.6 62.9	66.3 68.2 69.4	71.6 75.9 78.4	79.0 81.6 81.6	82.9 83.9 85.0	85.1 85.2 86.3	86.8 87.1 87.5	87.3 85.2 81.7	77.3 71.7 65.8	57.7 49.0 43.6	
	Evening (4h)	Emission	Reference: 3-5m/s											
	Evening (4h)	Lw /dB (A)	97.0	54.0 58.6 62.9	66.3 68.2 69.4	71.6 75.9 78.4	79.0 81.6 81.6	82.9 83.9 85.0	85.1 85.2 86.3	86.8 87.1 87.5	87.3 85.2 81.7	77.3 71.7 65.8	57.7 49.0 43.6	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	97.0		1.00		3.07890		-5.91		-5.9	
	Evening (4h)		4.00	Evening	97.0		1.00		0.74547		-7.30		-7.3	
	Night (8h)		8.00	Night	97.0		1.00		1.35068		-7.73		-7.7	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:			400768.68		269722.93		256.00		164.00		
EQCN200	Label		4.4.C-3-5m/s				Action radius/m				3000.00			
	Group		3-5 m/s				Lw (Day (12h)) /dB(A)				96.98			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				96.98			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				96.98			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: 3-5m/s											
	Day (12h)	Lw /dB (A)	97.0	54.0 58.6 62.9	66.3 68.2 69.4	71.6 75.9 78.4	79.0 81.6 81.6	82.9 83.9 85.0	85.1 85.2 86.3	86.8 87.1 87.5	87.3 85.2 81.7	77.3 71.7 65.8	57.7 49.0 43.6	
	Night (8h)	Emission	Reference: 3-5m/s											
	Night (8h)	Lw /dB (A)	97.0	54.0 58.6 62.9	66.3 68.2 69.4	71.6 75.9 78.4	79.0 81.6 81.6	82.9 83.9 85.0	85.1 85.2 86.3	86.8 87.1 87.5	87.3 85.2 81.7	77.3 71.7 65.8	57.7 49.0 43.6	
	Evening (4h)	Emission	Reference: 3-5m/s											

	Evening (4h)	Lw /dB (A)	97.0		54.0 58.6 62.9	66.3 68.2 69.4	71.6 75.9 78.4	79.0 81.6 81.6	82.9 83.9 85.0	85.1 85.2 86.3	86.8 87.1 87.5	87.3 85.2 81.7	77.3 71.7 65.8	57.7 49.0 43.6		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden		-		0.0		0.0		0.0		-		0.0			
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)		12.00	Day	97.0		1.00		3.07890		-5.91		-5.9			
	Evening (4h)		4.00	Evening	97.0		1.00		0.74547		-7.30		-7.3			
	Night (8h)		8.00	Night	97.0		1.00		1.35068		-7.73		-7.7			
	Geometry						Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
			Geometry:				401262.82		270044.66		253.00		164.00			
EQCN201	Label		4.7.A-3-5m/s					Action radius/m					3000.00			
	Group		3-5 m/s					Lw (Day (12h)) /dB(A)					96.98			
	Number of nodes		1					Lw (Night (8h)) /dB(A)					96.98			
	Length/ m		---					Lw (Evening (4h)) /dB(A)					96.98			
	Length/ m (2D)		---					Emission is					Sound power level (Lw)			
	Area /m²		---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
	Day (12h)	Emission	Reference: 3-5m/s													
	Day (12h)	Lw /dB (A)	97.0	54.0 58.6 62.9	66.3 68.2 69.4	71.6 75.9 78.4	79.0 81.6 81.6	82.9 83.9 85.0	85.1 85.2 86.3	86.8 87.1 87.5	87.3 85.2 81.7	77.3 71.7 65.8	57.7 49.0 43.6			
	Night (8h)	Emission	Reference: 3-5m/s													
	Night (8h)	Lw /dB (A)	97.0	54.0 58.6 62.9	66.3 68.2 69.4	71.6 75.9 78.4	79.0 81.6 81.6	82.9 83.9 85.0	85.1 85.2 86.3	86.8 87.1 87.5	87.3 85.2 81.7	77.3 71.7 65.8	57.7 49.0 43.6			
	Evening (4h)	Emission	Reference: 3-5m/s													
	Evening (4h)	Lw /dB (A)	97.0	54.0 58.6 62.9	66.3 68.2 69.4	71.6 75.9 78.4	79.0 81.6 81.6	82.9 83.9 85.0	85.1 85.2 86.3	86.8 87.1 87.5	87.3 85.2 81.7	77.3 71.7 65.8	57.7 49.0 43.6			
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden		-		0.0		0.0		0.0		-		0.0			
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)		12.00	Day	97.0		1.00		3.07890		-5.91		-5.9			
	Evening (4h)		4.00	Evening	97.0		1.00		0.74547		-7.30		-7.3			
	Night (8h)		8.00	Night	97.0		1.00		1.35068		-7.73		-7.7			
	Geometry						Nr	x/m		y/m		z(abs) /m		! z(rel) /m		

			Geometry:				401947.56		269144.81		253.00		164.00	
EQCN202	Label		4.7.B-3-5m/s				Action radius/m				3000.00			
	Group		3-5 m/s				Lw (Day (12h)) /dB(A)				96.98			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				96.98			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				96.98			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: 3-5m/s											
	Day (12h)	Lw /dB (A)	97.0	54.0 58.6 62.9	66.3 68.2 69.4	71.6 75.9 78.4	79.0 81.6 81.6	82.9 83.9 85.0	85.1 85.2 86.3	86.8 87.1 87.5	87.3 85.2 81.7	77.3 71.7 65.8	57.7 49.0 43.6	
	Night (8h)	Emission	Reference: 3-5m/s											
	Night (8h)	Lw /dB (A)	97.0	54.0 58.6 62.9	66.3 68.2 69.4	71.6 75.9 78.4	79.0 81.6 81.6	82.9 83.9 85.0	85.1 85.2 86.3	86.8 87.1 87.5	87.3 85.2 81.7	77.3 71.7 65.8	57.7 49.0 43.6	
	Evening (4h)	Emission	Reference: 3-5m/s											
	Evening (4h)	Lw /dB (A)	97.0	54.0 58.6 62.9	66.3 68.2 69.4	71.6 75.9 78.4	79.0 81.6 81.6	82.9 83.9 85.0	85.1 85.2 86.3	86.8 87.1 87.5	87.3 85.2 81.7	77.3 71.7 65.8	57.7 49.0 43.6	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	97.0		1.00		3.07890		-5.91		-5.9	
	Evening (4h)		4.00	Evening	97.0		1.00		0.74547		-7.30		-7.3	
	Night (8h)		8.00	Night	97.0		1.00		1.35068		-7.73		-7.7	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:				401956.56		269655.72		255.00		164.00	
EQCN203	Label		4.7.C-3-5m/s				Action radius/m				3000.00			
	Group		3-5 m/s				Lw (Day (12h)) /dB(A)				96.98			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				96.98			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				96.98			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	

	Day (12h)	Emission	Reference: 3-5m/s													
	Day (12h)	Lw /dB (A)	97.0	54.0 58.6 62.9	66.3 68.2 69.4	71.6 75.9 78.4	79.0 81.6 81.6	82.9 83.9 85.0	85.1 85.2 86.3	86.8 87.1 87.5	87.3 85.2 81.7	77.3 71.7 65.8	57.7 49.0 43.6			
	Night (8h)	Emission	Reference: 3-5m/s													
	Night (8h)	Lw /dB (A)	97.0	54.0 58.6 62.9	66.3 68.2 69.4	71.6 75.9 78.4	79.0 81.6 81.6	82.9 83.9 85.0	85.1 85.2 86.3	86.8 87.1 87.5	87.3 85.2 81.7	77.3 71.7 65.8	57.7 49.0 43.6			
	Evening (4h)	Emission	Reference: 3-5m/s													
	Evening (4h)	Lw /dB (A)	97.0	54.0 58.6 62.9	66.3 68.2 69.4	71.6 75.9 78.4	79.0 81.6 81.6	82.9 83.9 85.0	85.1 85.2 86.3	86.8 87.1 87.5	87.3 85.2 81.7	77.3 71.7 65.8	57.7 49.0 43.6			
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden				-		0.0		0.0		0.0		-	0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)		12.00	Day	97.0		1.00		3.07890		-5.91		-5.9			
	Evening (4h)		4.00	Evening	97.0		1.00		0.74547		-7.30		-7.3			
	Night (8h)		8.00	Night	97.0		1.00		1.35068		-7.73		-7.7			
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
			Geometry:					402551.87		269516.02		256.74		164.00		
EQCN204	Label		1.5.-3-5m/s					Action radius/m					3000.00			
	Group		3-5 m/s					Lw (Day (12h)) /dB(A)					96.98			
	Number of nodes		1					Lw (Night (8h)) /dB(A)					96.98			
	Length/ m		---					Lw (Evening (4h)) /dB(A)					96.98			
	Length/ m (2D)		---					Emission is					Sound power level (Lw)			
	Area /m²		---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
	Day (12h)	Emission	Reference: 3-5m/s													
	Day (12h)	Lw /dB (A)	97.0	54.0 58.6 62.9	66.3 68.2 69.4	71.6 75.9 78.4	79.0 81.6 81.6	82.9 83.9 85.0	85.1 85.2 86.3	86.8 87.1 87.5	87.3 85.2 81.7	77.3 71.7 65.8	57.7 49.0 43.6			
	Night (8h)	Emission	Reference: 3-5m/s													
	Night (8h)	Lw /dB (A)	97.0	54.0 58.6 62.9	66.3 68.2 69.4	71.6 75.9 78.4	79.0 81.6 81.6	82.9 83.9 85.0	85.1 85.2 86.3	86.8 87.1 87.5	87.3 85.2 81.7	77.3 71.7 65.8	57.7 49.0 43.6			
	Evening (4h)	Emission	Reference: 3-5m/s													
	Evening (4h)	Lw /dB (A)	97.0	54.0 58.6 62.9	66.3 68.2 69.4	71.6 75.9 78.4	79.0 81.6 81.6	82.9 83.9 85.0	85.1 85.2 86.3	86.8 87.1 87.5	87.3 85.2 81.7	77.3 71.7 65.8	57.7 49.0 43.6			
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden				-		0.0		0.0		0.0		-		0.0	

	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	97.0		1.00		3.07890		-5.91		-5.9	
	Evening (4h)		4.00	Evening	97.0		1.00		0.74547		-7.30		-7.3	
	Night (8h)		8.00	Night	97.0		1.00		1.35068		-7.73		-7.7	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:				402999.78		269843.88		258.77		164.00	
EQCN205	Label		1.6.-3-5m/s				Action radius/m				3000.00			
	Group		3-5 m/s				Lw (Day (12h)) /dB(A)				96.98			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				96.98			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				96.98			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: 3-5m/s											
	Day (12h)	Lw /dB (A)	97.0	54.0 58.6 62.9	66.3 68.2 69.4	71.6 75.9 78.4	79.0 81.6 81.6	82.9 83.9 85.0	85.1 85.2 86.3	86.8 87.1 87.5	87.3 85.2 81.7	77.3 71.7 65.8	57.7 49.0 43.6	
	Night (8h)	Emission	Reference: 3-5m/s											
	Night (8h)	Lw /dB (A)	97.0	54.0 58.6 62.9	66.3 68.2 69.4	71.6 75.9 78.4	79.0 81.6 81.6	82.9 83.9 85.0	85.1 85.2 86.3	86.8 87.1 87.5	87.3 85.2 81.7	77.3 71.7 65.8	57.7 49.0 43.6	
	Evening (4h)	Emission	Reference: 3-5m/s											
	Evening (4h)	Lw /dB (A)	97.0	54.0 58.6 62.9	66.3 68.2 69.4	71.6 75.9 78.4	79.0 81.6 81.6	82.9 83.9 85.0	85.1 85.2 86.3	86.8 87.1 87.5	87.3 85.2 81.7	77.3 71.7 65.8	57.7 49.0 43.6	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden				-		0.0		0.0				-	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	97.0		1.00		3.07890		-5.91		-5.9	
	Evening (4h)		4.00	Evening	97.0		1.00		0.74547		-7.30		-7.3	
	Night (8h)		8.00	Night	97.0		1.00		1.35068		-7.73		-7.7	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:				403362.63		269297.25		259.01		164.00	
EQCN206	Label		1.3.-3-5m/s				Action radius/m				3000.00			
	Group		3-5 m/s				Lw (Day (12h)) /dB(A)				96.98			

	Number of nodes		1				Lw (Night (8h)) /dB(A)				96.98					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				96.98					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
	Day (12h)	Emission	Reference: 3-5m/s													
	Day (12h)	Lw /dB (A)	97.0	54.0 58.6 62.9	66.3 68.2 69.4	71.6 75.9 78.4	79.0 81.6 81.6	82.9 83.9 85.0	85.1 85.2 86.3	86.8 87.1 87.5	87.3 85.2 81.7	77.3 71.7 65.8	57.7 49.0 43.6			
	Night (8h)	Emission	Reference: 3-5m/s													
	Night (8h)	Lw /dB (A)	97.0	54.0 58.6 62.9	66.3 68.2 69.4	71.6 75.9 78.4	79.0 81.6 81.6	82.9 83.9 85.0	85.1 85.2 86.3	86.8 87.1 87.5	87.3 85.2 81.7	77.3 71.7 65.8	57.7 49.0 43.6			
	Evening (4h)	Emission	Reference: 3-5m/s													
	Evening (4h)	Lw /dB (A)	97.0	54.0 58.6 62.9	66.3 68.2 69.4	71.6 75.9 78.4	79.0 81.6 81.6	82.9 83.9 85.0	85.1 85.2 86.3	86.8 87.1 87.5	87.3 85.2 81.7	77.3 71.7 65.8	57.7 49.0 43.6			
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden				-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)		12.00	Day	97.0		1.00		3.07890		-5.91		-5.9			
	Evening (4h)		4.00	Evening	97.0		1.00		0.74547		-7.30		-7.3			
	Night (8h)		8.00	Night	97.0		1.00		1.35068		-7.73		-7.7			
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m			
			Geometry:				401015.93		271756.80		255.00		164.00			
EQCN207	Label		1.4.-3-5m/s				Action radius/m				3000.00					
	Group		3-5 m/s				Lw (Day (12h)) /dB(A)				96.98					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				96.98					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				96.98					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
	Day (12h)	Emission	Reference: 3-5m/s													
	Day (12h)	Lw /dB (A)	97.0	54.0 58.6 62.9	66.3 68.2 69.4	71.6 75.9 78.4	79.0 81.6 81.6	82.9 83.9 85.0	85.1 85.2 86.3	86.8 87.1 87.5	87.3 85.2 81.7	77.3 71.7 65.8	57.7 49.0 43.6			
	Night (8h)	Emission	Reference: 3-5m/s													

	Night (8h)	Lw /dB (A)	97.0	54.0 58.6 62.9	66.3 68.2 69.4	71.6 75.9 78.4	79.0 81.6 81.6	82.9 83.9 85.0	85.1 85.2 86.3	86.8 87.1 87.5	87.3 85.2 81.7	77.3 71.7 65.8	57.7 49.0 43.6	
	Evening (4h)	Emission	Reference: 3-5m/s											
	Evening (4h)	Lw /dB (A)	97.0	54.0 58.6 62.9	66.3 68.2 69.4	71.6 75.9 78.4	79.0 81.6 81.6	82.9 83.9 85.0	85.1 85.2 86.3	86.8 87.1 87.5	87.3 85.2 81.7	77.3 71.7 65.8	57.7 49.0 43.6	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB			Special correction /dB		
	Lden		-		0.0		0.0		0.0		-	0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	97.0		1.00		3.07890		-5.91		-5.9	
	Evening (4h)		4.00	Evening	97.0		1.00		0.74547		-7.30		-7.3	
	Night (8h)		8.00	Night	97.0		1.00		1.35068		-7.73		-7.7	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:			400872.69		271015.51		254.00		164.00		
EQCN208	Label		1.1.-3-5m/s				Action radius/m				3000.00			
	Group		3-5 m/s				Lw (Day (12h)) /dB(A)				96.98			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				96.98			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				96.98			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: 3-5m/s											
	Day (12h)	Lw /dB (A)	97.0	54.0 58.6 62.9	66.3 68.2 69.4	71.6 75.9 78.4	79.0 81.6 81.6	82.9 83.9 85.0	85.1 85.2 86.3	86.8 87.1 87.5	87.3 85.2 81.7	77.3 71.7 65.8	57.7 49.0 43.6	
	Night (8h)	Emission	Reference: 3-5m/s											
	Night (8h)	Lw /dB (A)	97.0	54.0 58.6 62.9	66.3 68.2 69.4	71.6 75.9 78.4	79.0 81.6 81.6	82.9 83.9 85.0	85.1 85.2 86.3	86.8 87.1 87.5	87.3 85.2 81.7	77.3 71.7 65.8	57.7 49.0 43.6	
	Evening (4h)	Emission	Reference: 3-5m/s											
	Evening (4h)	Lw /dB (A)	97.0	54.0 58.6 62.9	66.3 68.2 69.4	71.6 75.9 78.4	79.0 81.6 81.6	82.9 83.9 85.0	85.1 85.2 86.3	86.8 87.1 87.5	87.3 85.2 81.7	77.3 71.7 65.8	57.7 49.0 43.6	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB			Special correction /dB		
	Lden		-		0.0		0.0		0.0		-	0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	97.0		1.00		3.07890		-5.91		-5.9	
	Evening (4h)		4.00	Evening	97.0		1.00		0.74547		-7.30		-7.3	

	Night (8h)		8.00	Night		97.0		1.00		1.35068		-7.73		-7.7
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m
						Geometry:		401948.93		271445.42		257.67		164.00
EQCN209	Label		1.2.-3-5m/s				Action radius/m				3000.00			
	Group		3-5 m/s				Lw (Day (12h)) /dB(A)				96.98			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				96.98			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				96.98			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: 3-5m/s											
	Day (12h)	Lw /dB (A)	97.0	54.0 58.6 62.9	66.3 68.2 69.4	71.6 75.9 78.4	79.0 81.6 81.6	82.9 83.9 85.0	85.1 85.2 86.3	86.8 87.1 87.5	87.3 85.2 81.7	77.3 71.7 65.8	57.7 49.0 43.6	
	Night (8h)	Emission	Reference: 3-5m/s											
	Night (8h)	Lw /dB (A)	97.0	54.0 58.6 62.9	66.3 68.2 69.4	71.6 75.9 78.4	79.0 81.6 81.6	82.9 83.9 85.0	85.1 85.2 86.3	86.8 87.1 87.5	87.3 85.2 81.7	77.3 71.7 65.8	57.7 49.0 43.6	
	Evening (4h)	Emission	Reference: 3-5m/s											
	Evening (4h)	Lw /dB (A)	97.0	54.0 58.6 62.9	66.3 68.2 69.4	71.6 75.9 78.4	79.0 81.6 81.6	82.9 83.9 85.0	85.1 85.2 86.3	86.8 87.1 87.5	87.3 85.2 81.7	77.3 71.7 65.8	57.7 49.0 43.6	
	Rating method	Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden	-	0.0		0.0		0.0		-		0.0			
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	97.0		1.00		3.07890		-5.91		-5.9		
	Evening (4h)	4.00	Evening	97.0		1.00		0.74547		-7.30		-7.3		
	Night (8h)	8.00	Night	97.0		1.00		1.35068		-7.73		-7.7		
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		402341.00		270953.00		259.27		164.00	
EQCN210	Label		4.2.-10m/s*				Action radius/m				3000.00			
	Group		Nordex_MAX				Lw (Day (12h)) /dB(A)				108.38			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.38			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.38			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			

	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: >10m/s											
	Day (12h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0	
	Night (8h)	Emission	Reference: >10m/s											
	Night (8h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0	
	Evening (4h)	Emission	Reference: >10m/s											
	Evening (4h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden				-		0.0		0.0				0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.4		1.00		12.00000		0.00		0.0	
	Evening (4h)		4.00	Evening	108.4		1.00		4.00000		0.00		0.0	
	Night (8h)		8.00	Night	108.4		1.00		8.00000		0.00		0.0	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:	399034.40		269920.09		252.44		164.00	
EQCN211	Label		4.3.-10m/s*				Action radius/m				3000.00			
	Group		Nordex_MAX				Lw (Day (12h)) /dB(A)				108.38			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.38			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.38			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: >10m/s											
	Day (12h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0	
	Night (8h)	Emission	Reference: >10m/s											
	Night (8h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0	
	Evening (4h)	Emission	Reference: >10m/s											
	Evening (4h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0	

	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden	-		0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	108.4		1.00		12.00000		0.00		0.0		
	Evening (4h)	4.00	Evening	108.4		1.00		4.00000		0.00		0.0		
	Night (8h)	8.00	Night	108.4		1.00		8.00000		0.00		0.0		
	Geometry				Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
		Geometry:				399097.90		269215.24		253.00		164.00		
EQCN212	Label	2.4.-10m/s*				Action radius/m				3000.00				
	Group	Nordex_MAX				Lw (Day (12h)) /dB(A)				108.38				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				108.38				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				108.38				
	Length/ m (2D)	---				Emission is				Sound power level (Lw)				
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: >10m/s											
	Day (12h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0	
	Night (8h)	Emission	Reference: >10m/s											
	Night (8h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0	
	Evening (4h)	Emission	Reference: >10m/s											
	Evening (4h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden	-		0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	108.4		1.00		12.00000		0.00		0.0		
	Evening (4h)	4.00	Evening	108.4		1.00		4.00000		0.00		0.0		
	Night (8h)	8.00	Night	108.4		1.00		8.00000		0.00		0.0		
	Geometry				Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
		Geometry:				399792.17		268652.47		260.78		164.00		

EQCN213	Label		2.3.-10m/s*				Action radius/m				3000.00					
	Group		Nordex_MAX				Lw (Day (12h)) /dB(A)				108.38					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.38					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.38					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
	Day (12h)	Emission	Reference: >10m/s													
	Day (12h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0			
	Night (8h)	Emission	Reference: >10m/s													
	Night (8h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0			
	Evening (4h)	Emission	Reference: >10m/s													
	Evening (4h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0			
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden				-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)		12.00	Day	108.4		1.00		12.00000		0.00		0.0			
	Evening (4h)		4.00	Evening	108.4		1.00		4.00000		0.00		0.0			
	Night (8h)		8.00	Night	108.4		1.00		8.00000		0.00		0.0			
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m			
			Geometry:			400366.32		268465.93		257.94		164.00				
EQCN214	Label		4.6.-10m/s*				Action radius/m				3000.00					
	Group		Nordex_MAX				Lw (Day (12h)) /dB(A)				108.38					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.38					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.38					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
	Day (12h)	Emission	Reference: >10m/s													

	Day (12h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0	
	Night (8h)	Emission	Reference: >10m/s											
	Night (8h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0	
	Evening (4h)	Emission	Reference: >10m/s											
	Evening (4h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden				-		0.0		0.0		0.0		-	0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.4		1.00		12.00000		0.00		0.0	
	Evening (4h)		4.00	Evening	108.4		1.00		4.00000		0.00		0.0	
	Night (8h)		8.00	Night	108.4		1.00		8.00000		0.00		0.0	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:			399864.93		268033.34		255.00		164.00		
EQCN215	Label		2.2.-10m/s*				Action radius/m				3000.00			
	Group		Nordex_MAX				Lw (Day (12h)) /dB(A)				108.38			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.38			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.38			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: >10m/s											
	Day (12h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0	
	Night (8h)	Emission	Reference: >10m/s											
	Night (8h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0	
	Evening (4h)	Emission	Reference: >10m/s											
	Evening (4h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden				-		0.0		0.0		0.0		-	0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	

	Day (12h)		12.00	Day	108.4		1.00		12.00000		0.00		0.0				
	Evening (4h)		4.00	Evening	108.4		1.00		4.00000		0.00		0.0				
	Night (8h)		8.00	Night	108.4		1.00		8.00000		0.00		0.0				
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m				
			Geometry:					400174.71		267430.88		253.00		164.00			
EQCN216	Label		2.1.-10m/s*					Action radius/m					3000.00				
	Group		Nordex_MAX					Lw (Day (12h)) /dB(A)					108.38				
	Number of nodes		1					Lw (Night (8h)) /dB(A)					108.38				
	Length/ m		---					Lw (Evening (4h)) /dB(A)					108.38				
	Length/ m (2D)		---					Emission is					Sound power level (Lw)				
	Area /m²		---														
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz				
	Day (12h)	Emission	Reference: >10m/s														
	Day (12h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0				
	Night (8h)	Emission	Reference: >10m/s														
	Night (8h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0				
	Evening (4h)	Emission	Reference: >10m/s														
	Evening (4h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0				
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB				
	Lden				-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)				
	Day (12h)		12.00	Day	108.4		1.00		12.00000		0.00		0.0				
	Evening (4h)		4.00	Evening	108.4		1.00		4.00000		0.00		0.0				
	Night (8h)		8.00	Night	108.4		1.00		8.00000		0.00		0.0				
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m				
			Geometry:					400942.93		267504.66		256.00		164.00			
EQCN217	Label		4.4.A-10m/s*					Action radius/m					3000.00				
	Group		Nordex_MAX					Lw (Day (12h)) /dB(A)					108.38				
	Number of nodes		1					Lw (Night (8h)) /dB(A)					108.38				

	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.38					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
	Day (12h)	Emission	Reference: >10m/s													
	Day (12h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0			
	Night (8h)	Emission	Reference: >10m/s													
	Night (8h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0			
	Evening (4h)	Emission	Reference: >10m/s													
	Evening (4h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0			
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden				-		0.0		0.0				-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)		12.00	Day	108.4		1.00		12.00000		0.00		0.0			
	Evening (4h)		4.00	Evening	108.4		1.00		4.00000		0.00		0.0			
	Night (8h)		8.00	Night	108.4		1.00		8.00000		0.00		0.0			
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m			
			Geometry:				401170.47		269238.74		257.00		164.00			
EQCN218	Label		4.4.B-10m/s*				Action radius/m				3000.00					
	Group		Nordex_MAX				Lw (Day (12h)) /dB(A)				108.38					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.38					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.38					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
	Day (12h)	Emission	Reference: >10m/s													
	Day (12h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0			
	Night (8h)	Emission	Reference: >10m/s													
	Night (8h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0			

	Evening (4h)	Emission	Reference: >10m/s											
	Evening (4h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.4		1.00		12.00000		0.00		0.0	
	Evening (4h)		4.00	Evening	108.4		1.00		4.00000		0.00		0.0	
	Night (8h)		8.00	Night	108.4		1.00		8.00000		0.00		0.0	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:				400768.68		269722.93		256.00		164.00	
EQCN219	Label		4.4.C-10m/s*				Action radius/m				3000.00			
	Group		Nordex_MAX				Lw (Day (12h)) /dB(A)				108.38			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.38			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.38			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: >10m/s											
	Day (12h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0	
	Night (8h)	Emission	Reference: >10m/s											
	Night (8h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0	
	Evening (4h)	Emission	Reference: >10m/s											
	Evening (4h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.4		1.00		12.00000		0.00		0.0	
	Evening (4h)		4.00	Evening	108.4		1.00		4.00000		0.00		0.0	
	Night (8h)		8.00	Night	108.4		1.00		8.00000		0.00		0.0	

	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:			401262.82		270044.66		253.00		164.00		
EQCN220	Label		4.7.A-10m/s*			Action radius/m				3000.00				
	Group		Nordex_MAX			Lw (Day (12h)) /dB(A)				108.38				
	Number of nodes		1			Lw (Night (8h)) /dB(A)				108.38				
	Length/ m		---			Lw (Evening (4h)) /dB(A)				108.38				
	Length/ m (2D)		---			Emission is				Sound power level (Lw)				
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: >10m/s											
	Day (12h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0	
	Night (8h)	Emission	Reference: >10m/s											
	Night (8h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0	
	Evening (4h)	Emission	Reference: >10m/s											
	Evening (4h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.4		1.00		12.00000		0.00		0.0	
	Evening (4h)		4.00	Evening	108.4		1.00		4.00000		0.00		0.0	
	Night (8h)		8.00	Night	108.4		1.00		8.00000		0.00		0.0	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:			401947.56		269144.81		253.00		164.00		
EQCN221	Label		4.7.B-10m/s*			Action radius/m				3000.00				
	Group		Nordex_MAX			Lw (Day (12h)) /dB(A)				108.38				
	Number of nodes		1			Lw (Night (8h)) /dB(A)				108.38				
	Length/ m		---			Lw (Evening (4h)) /dB(A)				108.38				
	Length/ m (2D)		---			Emission is				Sound power level (Lw)				
	Area /m²		---											

	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
	Day (12h)	Emission	Reference: >10m/s													
	Day (12h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0			
	Night (8h)	Emission	Reference: >10m/s													
	Night (8h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0			
	Evening (4h)	Emission	Reference: >10m/s													
	Evening (4h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0			
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden				-		0.0		0.0				-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)		12.00	Day	108.4		1.00		12.00000		0.00		0.0			
	Evening (4h)		4.00	Evening	108.4		1.00		4.00000		0.00		0.0			
	Night (8h)		8.00	Night	108.4		1.00		8.00000		0.00		0.0			
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m			
			Geometry:				401956.56		269655.72		255.00		164.00			
EQCN222	Label		4.7.C-10m/s*				Action radius/m				3000.00					
	Group		Nordex_MAX				Lw (Day (12h)) /dB(A)				108.38					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.38					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.38					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
	Day (12h)	Emission	Reference: >10m/s													
	Day (12h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0			
	Night (8h)	Emission	Reference: >10m/s													
	Night (8h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0			
	Evening (4h)	Emission	Reference: >10m/s													
	Evening (4h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0			
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			

	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.4		1.00		12.00000		0.00		0.0	
	Evening (4h)		4.00	Evening	108.4		1.00		4.00000		0.00		0.0	
	Night (8h)		8.00	Night	108.4		1.00		8.00000		0.00		0.0	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:			402551.87		269516.02		256.74		164.00		
EQCN223	Label		1.5.-10m/s*				Action radius/m				3000.00			
	Group		Nordex_MAX				Lw (Day (12h)) /dB(A)				108.38			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.38			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.38			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: >10m/s											
	Day (12h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0	
	Night (8h)	Emission	Reference: >10m/s											
	Night (8h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0	
	Evening (4h)	Emission	Reference: >10m/s											
	Evening (4h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.4		1.00		12.00000		0.00		0.0	
	Evening (4h)		4.00	Evening	108.4		1.00		4.00000		0.00		0.0	
	Night (8h)		8.00	Night	108.4		1.00		8.00000		0.00		0.0	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:			402999.78		269843.88		258.77		164.00		
EQCN224	Label		1.6.-10m/s*				Action radius/m				3000.00			

	Group		Nordex_MAX				Lw (Day (12h)) /dB(A)				108.38			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.38			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.38			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: >10m/s											
	Day (12h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0	
	Night (8h)	Emission	Reference: >10m/s											
	Night (8h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0	
	Evening (4h)	Emission	Reference: >10m/s											
	Evening (4h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.4		1.00		12.00000		0.00		0.0	
	Evening (4h)		4.00	Evening	108.4		1.00		4.00000		0.00		0.0	
	Night (8h)		8.00	Night	108.4		1.00		8.00000		0.00		0.0	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:				403362.63		269297.25		259.01		164.00	
EQCN225	Label		1.3.-10m/s*				Action radius/m				3000.00			
	Group		Nordex_MAX				Lw (Day (12h)) /dB(A)				108.38			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.38			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.38			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: >10m/s											
	Day (12h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0	

	Night (8h)	Emission	Reference: >10m/s											
	Night (8h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0	
	Evening (4h)	Emission	Reference: >10m/s											
	Evening (4h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.4		1.00		12.00000		0.00		0.0	
	Evening (4h)		4.00	Evening	108.4		1.00		4.00000		0.00		0.0	
	Night (8h)		8.00	Night	108.4		1.00		8.00000		0.00		0.0	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:				401015.93		271756.80		255.00		164.00	
EQCN226	Label		1.4.-10m/s*				Action radius/m				3000.00			
	Group		Nordex_MAX				Lw (Day (12h)) /dB(A)				108.38			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.38			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.38			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: >10m/s											
	Day (12h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0	
	Night (8h)	Emission	Reference: >10m/s											
	Night (8h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0	
	Evening (4h)	Emission	Reference: >10m/s											
	Evening (4h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.4		1.00		12.00000		0.00		0.0	

	Evening (4h)		4.00	Evening	108.4		1.00		4.00000		0.00		0.0	
	Night (8h)		8.00	Night	108.4		1.00		8.00000		0.00		0.0	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:				400872.69		271015.51		254.00		164.00	
EQCN227	Label		1.1.-10m/s*				Action radius/m				3000.00			
	Group		Nordex_MAX				Lw (Day (12h)) /dB(A)				108.38			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.38			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.38			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: >10m/s											
	Day (12h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0	
	Night (8h)	Emission	Reference: >10m/s											
	Night (8h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0	
	Evening (4h)	Emission	Reference: >10m/s											
	Evening (4h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden				-		0.0		0.0		0.0		-	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.4		1.00		12.00000		0.00		0.0	
	Evening (4h)		4.00	Evening	108.4		1.00		4.00000		0.00		0.0	
	Night (8h)		8.00	Night	108.4		1.00		8.00000		0.00		0.0	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:				401948.93		271445.42		257.67		164.00	
EQCN228	Label		1.2.-10m/s*				Action radius/m				3000.00			
	Group		Nordex_MAX				Lw (Day (12h)) /dB(A)				108.38			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.38			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.38			

	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: >10m/s											
	Day (12h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0	
	Night (8h)	Emission	Reference: >10m/s											
	Night (8h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0	
	Evening (4h)	Emission	Reference: >10m/s											
	Evening (4h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden				-		0.0		0.0				-	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.4		1.00		12.00000		0.00		0.0	
	Evening (4h)		4.00	Evening	108.4		1.00		4.00000		0.00		0.0	
	Night (8h)		8.00	Night	108.4		1.00		8.00000		0.00		0.0	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:				402341.00		270953.00		259.27		164.00	

VES alternatīvai novietojums

EQCN022	Label		1.3.A 3-5 m/s				Action radius/m				3000.00					
	Group		3-5 m/s				Lw (Day (12h)) /dB(A)				96.98					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				96.98					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				96.98					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
	Day (12h)	Emission	Reference: 3-5m/s													
	Day (12h)	Lw /dB (A)	97.0	54.0 58.6 62.9	66.3 68.2 69.4	71.6 75.9 78.4	79.0 81.6 81.6	82.9 83.9 85.0	85.1 85.2 86.3	86.8 87.1 87.5	87.3 85.2 81.7	77.3 71.7 65.8	57.7 49.0 43.6			
	Night (8h)	Emission	Reference: 3-5m/s													
	Night (8h)	Lw /dB (A)	97.0	54.0 58.6 62.9	66.3 68.2 69.4	71.6 75.9 78.4	79.0 81.6 81.6	82.9 83.9 85.0	85.1 85.2 86.3	86.8 87.1 87.5	87.3 85.2 81.7	77.3 71.7 65.8	57.7 49.0 43.6			
	Evening (4h)	Emission	Reference: 3-5m/s													
	Evening (4h)	Lw /dB (A)	97.0	54.0 58.6 62.9	66.3 68.2 69.4	71.6 75.9 78.4	79.0 81.6 81.6	82.9 83.9 85.0	85.1 85.2 86.3	86.8 87.1 87.5	87.3 85.2 81.7	77.3 71.7 65.8	57.7 49.0 43.6			
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden				-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)		12.00	Day	97.0		1.00		3.07890		-5.91		-5.9			
	Evening (4h)		4.00	Evening	97.0		1.00		0.74547		-7.30		-7.3			
	Night (8h)		8.00	Night	97.0		1.00		1.35068		-7.73		-7.7			
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m			
			Geometry:				401234.00		271685.00		254.00		164.00			
EQCN023	Label		1.4.A 3-5 m/s				Action radius/m				3000.00					
	Group		3-5 m/s				Lw (Day (12h)) /dB(A)				96.98					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				96.98					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				96.98					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
	Day (12h)	Emission	Reference: 3-5m/s													

	Day (12h)	Lw /dB (A)	97.0	54.0 58.6 62.9	66.3 68.2 69.4	71.6 75.9 78.4	79.0 81.6 81.6	82.9 83.9 85.0	85.1 85.2 86.3	86.8 87.1 87.5	87.3 85.2 81.7	77.3 71.7 65.8	57.7 49.0 43.6	
	Night (8h)	Emission	Reference: 3-5m/s											
	Night (8h)	Lw /dB (A)	97.0	54.0 58.6 62.9	66.3 68.2 69.4	71.6 75.9 78.4	79.0 81.6 81.6	82.9 83.9 85.0	85.1 85.2 86.3	86.8 87.1 87.5	87.3 85.2 81.7	77.3 71.7 65.8	57.7 49.0 43.6	
	Evening (4h)	Emission	Reference: 3-5m/s											
	Evening (4h)	Lw /dB (A)	97.0	54.0 58.6 62.9	66.3 68.2 69.4	71.6 75.9 78.4	79.0 81.6 81.6	82.9 83.9 85.0	85.1 85.2 86.3	86.8 87.1 87.5	87.3 85.2 81.7	77.3 71.7 65.8	57.7 49.0 43.6	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden				-		0.0		0.0				0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	97.0		1.00		3.07890		-5.91		-5.9	
	Evening (4h)		4.00	Evening	97.0		1.00		0.74547		-7.30		-7.3	
	Night (8h)		8.00	Night	97.0		1.00		1.35068		-7.73		-7.7	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:			401263.00		271060.00		254.00		164.00		
EQCN041	Label		1.3.A 6m/s				Action radius/m				3000.00			
	Group		6 m/s				Lw (Day (12h)) /dB(A)				99.38			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				99.38			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				99.38			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: 6m/s											
	Day (12h)	Lw /dB (A)	99.4	56.4 61.0 65.3	68.7 70.6 71.8	74.0 78.3 80.8	81.4 84.0 84.0	85.3 86.3 87.4	87.5 87.6 88.7	89.2 89.5 89.9	89.7 87.6 84.1	79.7 74.1 68.2	60.1 51.4 46.0	
	Night (8h)	Emission	Reference: 6m/s											
	Night (8h)	Lw /dB (A)	99.4	56.4 61.0 65.3	68.7 70.6 71.8	74.0 78.3 80.8	81.4 84.0 84.0	85.3 86.3 87.4	87.5 87.6 88.7	89.2 89.5 89.9	89.7 87.6 84.1	79.7 74.1 68.2	60.1 51.4 46.0	
	Evening (4h)	Emission	Reference: 6m/s											
	Evening (4h)	Lw /dB (A)	99.4	56.4 61.0 65.3	68.7 70.6 71.8	74.0 78.3 80.8	81.4 84.0 84.0	85.3 86.3 87.4	87.5 87.6 88.7	89.2 89.5 89.9	89.7 87.6 84.1	79.7 74.1 68.2	60.1 51.4 46.0	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden				-		0.0		0.0				0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	

	Day (12h)		12.00	Day	99.4		1.00		1.29945		-9.65		-9.7			
	Evening (4h)		4.00	Evening	99.4		1.00		0.44054		-9.58		-9.6			
	Night (8h)		8.00	Night	99.4		1.00		0.72109		-10.45		-10.5			
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m			
			Geometry:				401234.00		271685.00		254.00		164.00			
EQCN042	Label		1.4.A 6m/s				Action radius/m				3000.00					
	Group		6 m/s				Lw (Day (12h)) /dB(A)				99.38					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				99.38					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				99.38					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
	Day (12h)	Emission	Reference: 6m/s													
	Day (12h)	Lw /dB (A)	99.4	56.4 61.0 65.3	68.7 70.6 71.8	74.0 78.3 80.8	81.4 84.0 84.0	85.3 86.3 87.4	87.5 87.6 88.7	89.2 89.5 89.9	89.7 87.6 84.1	79.7 74.1 68.2	60.1 51.4 46.0			
	Night (8h)	Emission	Reference: 6m/s													
	Night (8h)	Lw /dB (A)	99.4	56.4 61.0 65.3	68.7 70.6 71.8	74.0 78.3 80.8	81.4 84.0 84.0	85.3 86.3 87.4	87.5 87.6 88.7	89.2 89.5 89.9	89.7 87.6 84.1	79.7 74.1 68.2	60.1 51.4 46.0			
	Evening (4h)	Emission	Reference: 6m/s													
	Evening (4h)	Lw /dB (A)	99.4	56.4 61.0 65.3	68.7 70.6 71.8	74.0 78.3 80.8	81.4 84.0 84.0	85.3 86.3 87.4	87.5 87.6 88.7	89.2 89.5 89.9	89.7 87.6 84.1	79.7 74.1 68.2	60.1 51.4 46.0			
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden				-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)		12.00	Day	99.4		1.00		1.29945		-9.65		-9.7			
	Evening (4h)		4.00	Evening	99.4		1.00		0.44054		-9.58		-9.6			
	Night (8h)		8.00	Night	99.4		1.00		0.72109		-10.45		-10.5			
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m			
			Geometry:				401263.00		271060.00		254.00		164.00			
EQCN060	Label		1.3.A 7-8m/s				Action radius/m				3000.00					
	Group		7-8 m/s				Lw (Day (12h)) /dB(A)				104.28					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				104.28					

	Length/ m		---				Lw (Evening (4h)) /dB(A)				104.28			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: 7-8m/s											
	Day (12h)	Lw /dB (A)	104.3	61.3 65.9 70.2	73.6 75.5 76.7	78.9 83.2 85.7	86.3 88.9 88.9	90.2 91.2 92.3	92.4 92.5 93.6	94.1 94.4 94.8	94.6 92.5 89.0	84.6 79.0 73.1	65.0 56.3 50.9	
	Night (8h)	Emission	Reference: 7-8m/s											
	Night (8h)	Lw /dB (A)	104.3	61.3 65.9 70.2	73.6 75.5 76.7	78.9 83.2 85.7	86.3 88.9 88.9	90.2 91.2 92.3	92.4 92.5 93.6	94.1 94.4 94.8	94.6 92.5 89.0	84.6 79.0 73.1	65.0 56.3 50.9	
	Evening (4h)	Emission	Reference: 7-8m/s											
	Evening (4h)	Lw /dB (A)	104.3	61.3 65.9 70.2	73.6 75.5 76.7	78.9 83.2 85.7	86.3 88.9 88.9	90.2 91.2 92.3	92.4 92.5 93.6	94.1 94.4 94.8	94.6 92.5 89.0	84.6 79.0 73.1	65.0 56.3 50.9	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	104.3		1.00		2.59589		-6.65		-6.6	
	Evening (4h)		4.00	Evening	104.3		1.00		0.97972		-6.11		-6.1	
	Night (8h)		8.00	Night	104.3		1.00		1.73972		-6.63		-6.6	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:				401234.00		271685.00		254.00		164.00	
EQCN061	Label		1.4.A 7-8m/s				Action radius/m				3000.00			
	Group		7-8 m/s				Lw (Day (12h)) /dB(A)				104.28			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				104.28			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				104.28			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: 7-8m/s											
	Day (12h)	Lw /dB (A)	104.3	61.3 65.9 70.2	73.6 75.5 76.7	78.9 83.2 85.7	86.3 88.9 88.9	90.2 91.2 92.3	92.4 92.5 93.6	94.1 94.4 94.8	94.6 92.5 89.0	84.6 79.0 73.1	65.0 56.3 50.9	
	Night (8h)	Emission	Reference: 7-8m/s											
	Night (8h)	Lw /dB (A)	104.3	61.3 65.9 70.2	73.6 75.5 76.7	78.9 83.2 85.7	86.3 88.9 88.9	90.2 91.2 92.3	92.4 92.5 93.6	94.1 94.4 94.8	94.6 92.5 89.0	84.6 79.0 73.1	65.0 56.3 50.9	

	Evening (4h)	Emission	Reference: 7-8m/s											
	Evening (4h)	Lw /dB (A)	104.3	61.3 65.9 70.2	73.6 75.5 76.7	78.9 83.2 85.7	86.3 88.9 88.9	90.2 91.2 92.3	92.4 92.5 93.6	94.1 94.4 94.8	94.6 92.5 89.0	84.6 79.0 73.1	65.0 56.3 50.9	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB			Special correction /dB		
	Lden		-		0.0		0.0		0.0			0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	104.3		1.00		2.59589		-6.65		-6.6	
	Evening (4h)		4.00	Evening	104.3		1.00		0.97972		-6.11		-6.1	
	Night (8h)		8.00	Night	104.3		1.00		1.73972		-6.63		-6.6	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:				401263.00		271060.00		254.00		164.00	
EQCN079	Label		1.3.A 9 m/s				Action radius/m				3000.00			
	Group		9 m/s				Lw (Day (12h)) /dB(A)				108.28			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.28			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.28			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: 9m/s											
	Day (12h)	Lw /dB (A)	108.3	65.3 69.9 74.2	77.6 79.5 80.7	82.9 87.2 89.7	90.3 92.9 92.9	94.2 95.2 96.3	96.4 96.5 97.6	98.1 98.4 98.8	98.6 96.5 93.0	88.6 83.0 77.1	69.0 60.3 54.9	
	Night (8h)	Emission	Reference: 9m/s											
	Night (8h)	Lw /dB (A)	108.3	65.3 69.9 74.2	77.6 79.5 80.7	82.9 87.2 89.7	90.3 92.9 92.9	94.2 95.2 96.3	96.4 96.5 97.6	98.1 98.4 98.8	98.6 96.5 93.0	88.6 83.0 77.1	69.0 60.3 54.9	
	Evening (4h)	Emission	Reference: 9m/s											
	Evening (4h)	Lw /dB (A)	108.3	65.3 69.9 74.2	77.6 79.5 80.7	82.9 87.2 89.7	90.3 92.9 92.9	94.2 95.2 96.3	96.4 96.5 97.6	98.1 98.4 98.8	98.6 96.5 93.0	88.6 83.0 77.1	69.0 60.3 54.9	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB			Special correction /dB		
	Lden		-		0.0		0.0		0.0			0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.3		1.00		1.14684		-10.20		-10.2	
	Evening (4h)		4.00	Evening	108.3		1.00		0.45095		-9.48		-9.5	
	Night (8h)		8.00	Night	108.3		1.00		0.94356		-9.28		-9.3	

	Geometry					Nr	x/m			y/m		z(abs) /m			! z(rel) /m	
			Geometry:			401234.00			271685.00		254.00			164.00		
EQCN080	Label		1.4.A 9 m/s			Action radius/m					3000.00					
	Group		9 m/s			Lw (Day (12h)) /dB(A)					108.28					
	Number of nodes		1			Lw (Night (8h)) /dB(A)					108.28					
	Length/ m		---			Lw (Evening (4h)) /dB(A)					108.28					
	Length/ m (2D)		---			Emission is					Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
	Day (12h)	Emission	Reference: 9m/s													
	Day (12h)	Lw /dB (A)	108.3	65.3 69.9 74.2	77.6 79.5 80.7	82.9 87.2 89.7	90.3 92.9 92.9	94.2 95.2 96.3	96.4 96.5 97.6	98.1 98.4 98.8	98.6 96.5 93.0	88.6 83.0 77.1	69.0 60.3 54.9			
	Night (8h)	Emission	Reference: 9m/s													
	Night (8h)	Lw /dB (A)	108.3	65.3 69.9 74.2	77.6 79.5 80.7	82.9 87.2 89.7	90.3 92.9 92.9	94.2 95.2 96.3	96.4 96.5 97.6	98.1 98.4 98.8	98.6 96.5 93.0	88.6 83.0 77.1	69.0 60.3 54.9			
	Evening (4h)	Emission	Reference: 9m/s													
	Evening (4h)	Lw /dB (A)	108.3	65.3 69.9 74.2	77.6 79.5 80.7	82.9 87.2 89.7	90.3 92.9 92.9	94.2 95.2 96.3	96.4 96.5 97.6	98.1 98.4 98.8	98.6 96.5 93.0	88.6 83.0 77.1	69.0 60.3 54.9			
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden		-		0.0		0.0		0.0		-		0.0			
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)		12.00	Day	108.3		1.00		1.14684		-10.20		-10.2			
	Evening (4h)		4.00	Evening	108.3		1.00		0.45095		-9.48		-9.5			
	Night (8h)		8.00	Night	108.3		1.00		0.94356		-9.28		-9.3			
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m			
			Geometry:			401263.00		271060.00		254.00		164.00				
EQCN098	Label		1.3.A 10 m/s			Action radius/m					3000.00					
	Group		>10 m/s			Lw (Day (12h)) /dB(A)					108.38					
	Number of nodes		1			Lw (Night (8h)) /dB(A)					108.38					
	Length/ m		---			Lw (Evening (4h)) /dB(A)					108.38					
	Length/ m (2D)		---			Emission is					Sound power level (Lw)					
	Area /m²		---													

	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: >10m/s											
	Day (12h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0	
	Night (8h)	Emission	Reference: >10m/s											
	Night (8h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0	
	Evening (4h)	Emission	Reference: >10m/s											
	Evening (4h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden				-		0.0		0.0				0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.4		1.00		3.05890		-5.94		-5.9	
	Evening (4h)		4.00	Evening	108.4		1.00		1.25972		-5.02		-5.0	
	Night (8h)		8.00	Night	108.4		1.00		2.93561		-4.35		-4.4	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:				401234.00		271685.00		254.00		164.00	
EQCN099	Label		1.4.A 10 m/s				Action radius/m				3000.00			
	Group		>10 m/s				Lw (Day (12h)) /dB(A)				108.38			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.38			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.38			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: >10m/s											
	Day (12h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0	
	Night (8h)	Emission	Reference: >10m/s											
	Night (8h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0	
	Evening (4h)	Emission	Reference: >10m/s											
	Evening (4h)	Lw /dB (A)	108.4	65.4 70.0 74.3	77.7 79.6 80.8	83.0 87.3 89.8	90.4 93.0 93.0	94.3 95.3 96.4	96.5 96.6 97.7	98.2 98.5 98.9	98.7 96.6 93.1	88.7 83.1 77.2	69.1 60.4 55.0	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	

	Lden		-	0.0	0.0	0.0	-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)
	Day (12h)	12.00	Day	108.4	1.00	3.05890	-5.94	-5.9
	Evening (4h)	4.00	Evening	108.4	1.00	1.25972	-5.02	-5.0
	Night (8h)	8.00	Night	108.4	1.00	2.93561	-4.35	-4.4
	Geometry			Nr	x/m	y/m	z(abs) /m	! z(rel) /m
		Geometry:			401263.00	271060.00	254.00	164.00